



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 01:28 am GMT

PDB ID : 3S39
Title : Structure of Thermus thermophilus cytochrome ba3 oxidase 60s after Xe de-pressurization
Authors : Luna, V.M.; Fee, J.A.; Deniz, A.A.; Stout, C.D.
Deposited on : 2011-05-17
Resolution : 4.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1019 (5.94-3.66)
Clashscore	112137	1067 (5.90-3.70)
Ramachandran outliers	110173	1004 (5.90-3.70)
Sidechain outliers	110143	1034 (5.94-3.66)
RSRZ outliers	101464	1028 (5.94-3.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	568	<div> <div>4%</div> <div>73%</div> <div>24%</div> <div>• •</div> </div>
2	B	166	<div> <div>13%</div> <div>81%</div> <div>16%</div> <div>•</div> </div>
3	C	33	<div> <div>12%</div> <div>76%</div> <div>24%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	HAS	A	801	-	-	-	X
8	XE	A	563	-	-	-	X
8	XE	A	565	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 6079 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	557	Total	C	N	O	S	0	0	0
			4407	2985	707	699	16			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	EXPRESSION TAG	UNP Q5SJ79
A	-4	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-3	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-2	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-1	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	0	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	1	HIS	-	EXPRESSION TAG	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	166	Total	C	N	O	S	0	0	0
			1298	844	216	234	4			


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	33	Total	C	N	O	0	0	0
			259	179	39	41			

- Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cu	0	0
			1	1		

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is HEME-AS (three-letter code: HAS) (formula: $C_{54}H_{64}FeN_4O_6$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	0	0
			65	54	1	4	6		

- Molecule 7 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Cu	0	0
			2	2		

- Molecule 8 is XENON (three-letter code: XE) (formula: Xe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	4	Total	Xe	0	0
			4	4		

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	113.61Å 113.61Å 176.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	56.80 – 4.80 48.83 – 4.80	Depositor EDS
% Data completeness (in resolution range)	99.4 (56.80-4.80) 99.5 (48.83-4.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.04 (at 4.86Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.315 , 0.341 0.303 , 0.322	Depositor DCC
R_{free} test set	277 reflections (4.81%)	DCC
Wilson B-factor (Å ²)	192.5	Xtriage
Anisotropy	0.251	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 110.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	6079	wwPDB-VP
Average B, all atoms (Å ²)	200.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, HAS, CUA, CU, XE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	4/4564 (0.1%)	0.54	1/6263 (0.0%)
2	B	0.61	2/1335 (0.1%)	0.58	1/1822 (0.1%)
3	C	0.52	0/265	0.53	0/359
All	All	0.53	6/6164 (0.1%)	0.55	2/8444 (0.0%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	9	SER	CA-CB	14.62	1.74	1.52
2	B	168	GLU	CB-CG	9.32	1.69	1.52
1	A	9	SER	C-O	6.90	1.36	1.23
2	B	167	LYS	CE-NZ	6.66	1.65	1.49
1	A	9	SER	CA-C	5.80	1.68	1.52
1	A	9	SER	N-CA	5.54	1.57	1.46

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	9	SER	CB-CA-C	-6.22	98.28	110.10
2	B	168	GLU	N-CA-CB	5.64	120.75	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4407	0	4516	110	28
2	B	1298	0	1280	20	28
3	C	259	0	279	7	0
4	A	1	0	0	0	0
5	A	43	0	30	3	0
6	A	65	0	62	5	0
7	B	2	0	0	1	0
8	A	4	0	0	0	0
All	All	6079	0	6167	134	28

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:SER:CA	1:A:9:SER:CB	1.74	1.60
1:A:8:ILE:CD1	1:A:8:ILE:CG1	1.77	1.57
1:A:233:HIS:NE2	1:A:237:TYR:HE2	1.02	1.45
1:A:233:HIS:NE2	1:A:237:TYR:CE2	1.93	1.35
1:A:233:HIS:CD2	1:A:237:TYR:HE2	1.92	0.86
2:B:96:GLU:HB3	2:B:167:LYS:NZ	1.96	0.81
1:A:262:ASP:HB2	1:A:511:VAL:HG11	1.62	0.81
5:A:800:HEM:HBC2	5:A:800:HEM:HMC1	1.63	0.80
1:A:543:GLY:O	1:A:547:VAL:HG23	1.84	0.78
2:B:96:GLU:HB3	2:B:167:LYS:HZ2	1.51	0.75
1:A:449:ARG:HD2	1:A:450:ARG:HG3	1.69	0.74
1:A:8:ILE:CB	1:A:8:ILE:CD1	2.63	0.73
1:A:9:SER:C	1:A:9:SER:CB	2.59	0.70
3:C:3:GLU:HG3	3:C:4:LYS:H	1.56	0.69
1:A:388:GLN:HB2	6:A:801:HAS:HAC	1.73	0.69
1:A:233:HIS:CE1	1:A:237:TYR:CE2	2.77	0.68
1:A:465:VAL:HG23	1:A:466:PRO:HD3	1.75	0.68
1:A:388:GLN:CB	6:A:801:HAS:HAC	2.24	0.68
1:A:357:ILE:HB	1:A:358:PRO:HD3	1.76	0.68
1:A:52:TYR:N	1:A:53:PRO:HD2	2.08	0.68
2:B:149:CYS:SG	7:B:802:CUA:CU2	1.83	0.67
1:A:204:ALA:HA	1:A:208:LEU:HB2	1.78	0.66
1:A:379:ALA:HB1	1:A:439:LEU:HD12	1.77	0.66
2:B:97:VAL:O	2:B:167:LYS:N	2.29	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:74:THR:HG21	2:B:80:THR:OG1	1.95	0.65
2:B:139:PHE:CG	2:B:166:VAL:HG11	2.32	0.65
1:A:435:MET:HG2	1:A:439:LEU:CD2	2.26	0.65
1:A:449:ARG:HH12	6:A:801:HAS:CGA	2.10	0.64
1:A:260:VAL:HA	1:A:512:ILE:HD12	1.80	0.63
3:C:2:GLU:HG3	3:C:3:GLU:H	1.63	0.63
2:B:10:ALA:O	2:B:14:TYR:HD1	1.81	0.63
1:A:335:TRP:O	1:A:339:LEU:HD22	1.99	0.62
1:A:233:HIS:O	1:A:236:VAL:HG22	2.00	0.61
5:A:800:HEM:HBC2	5:A:800:HEM:CMC	2.28	0.61
1:A:233:HIS:CD2	1:A:237:TYR:CE2	2.77	0.61
1:A:18:LYS:HE2	1:A:502:ALA:O	2.01	0.60
1:A:170:TRP:CH2	1:A:180:PRO:HD3	2.37	0.60
1:A:357:ILE:HG23	3:C:15:LEU:HD12	1.82	0.60
1:A:122:LEU:HB2	1:A:123:PRO:HD3	1.84	0.59
1:A:272:PHE:CZ	1:A:308:PRO:HB2	2.38	0.59
1:A:487:GLY:O	1:A:491:VAL:HG23	2.03	0.58
1:A:232:GLY:O	1:A:235:ILE:HG22	2.02	0.58
1:A:377:ASN:HB3	2:B:150:ASN:O	2.04	0.57
2:B:97:VAL:HG23	2:B:166:VAL:HG12	1.88	0.56
1:A:382:PRO:HA	1:A:385:PHE:CZ	2.42	0.55
1:A:359:GLY:HA3	1:A:388:GLN:NE2	2.22	0.55
1:A:467:MET:O	1:A:471:VAL:HG23	2.07	0.54
1:A:235:ILE:O	1:A:238:PHE:HB3	2.07	0.54
2:B:97:VAL:O	2:B:166:VAL:HA	2.08	0.54
3:C:3:GLU:CG	3:C:4:LYS:H	2.21	0.53
1:A:229:TRP:CE3	1:A:232:GLY:HA3	2.44	0.52
1:A:134:THR:CG2	1:A:450:ARG:HH12	2.22	0.52
1:A:41:PHE:CE2	1:A:55:LEU:HB2	2.45	0.52
2:B:53:VAL:O	2:B:130:GLY:HA2	2.09	0.52
1:A:178:VAL:HG11	1:A:521:VAL:CG1	2.40	0.52
1:A:230:TRP:C	1:A:230:TRP:CD1	2.84	0.52
1:A:294:TRP:CZ2	1:A:544:PRO:HG2	2.45	0.52
1:A:388:GLN:HB3	6:A:801:HAS:CAC	2.40	0.51
1:A:281:PHE:H	1:A:298:HIS:HD2	1.59	0.51
1:A:77:ALA:HB2	5:A:800:HEM:HMD1	1.93	0.51
1:A:15:TYR:HB2	1:A:18:LYS:HD2	1.93	0.50
1:A:271:LEU:CB	1:A:308:PRO:HG3	2.40	0.50
1:A:398:MET:O	1:A:401:LEU:HB2	2.11	0.50
1:A:435:MET:HG2	1:A:439:LEU:HD23	1.92	0.50
1:A:262:ASP:HB3	1:A:263:PRO:HD3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:417:GLN:NE2	1:A:491:VAL:HG22	2.28	0.49
1:A:131:VAL:O	1:A:132:LEU:HB2	2.13	0.49
1:A:281:PHE:H	1:A:298:HIS:CD2	2.31	0.49
1:A:556:VAL:CG1	2:B:55:PRO:HG3	2.43	0.49
1:A:223:VAL:HG12	1:A:549:LEU:HB3	1.95	0.48
1:A:195:LEU:HD21	1:A:535:ALA:HA	1.94	0.48
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.49	0.48
2:B:86:PHE:O	2:B:88:PHE:N	2.46	0.48
1:A:27:LEU:HA	1:A:30:LEU:HD12	1.97	0.47
1:A:546:LEU:O	1:A:550:PHE:HD1	1.96	0.47
1:A:220:ASP:HB3	1:A:223:VAL:HG22	1.96	0.47
1:A:9:SER:CB	1:A:9:SER:N	2.71	0.47
1:A:388:GLN:CB	6:A:801:HAS:CAC	2.93	0.47
1:A:465:VAL:HG23	1:A:466:PRO:CD	2.44	0.47
1:A:233:HIS:N	1:A:234:PRO:HD2	2.29	0.47
1:A:271:LEU:HB3	1:A:308:PRO:HG3	1.95	0.47
1:A:280:GLY:HA3	1:A:542:TYR:OH	2.15	0.47
1:A:120:ALA:O	1:A:123:PRO:HD2	2.14	0.47
1:A:188:VAL:HG21	1:A:269:PHE:HB3	1.96	0.47
1:A:382:PRO:HA	1:A:385:PHE:CE2	2.50	0.47
1:A:441:TRP:HB3	1:A:466:PRO:HB3	1.97	0.47
1:A:302:THR:O	1:A:305:VAL:HG12	2.15	0.46
1:A:48:ASN:HD21	1:A:457:PRO:HA	1.80	0.46
1:A:472:LEU:O	1:A:476:VAL:HG23	2.16	0.46
2:B:167:LYS:O	2:B:168:GLU:C	2.54	0.46
2:B:153:CYS:SG	2:B:157:HIS:HB2	2.56	0.46
2:B:147:ILE:HD11	2:B:164:ILE:HG13	1.97	0.45
1:A:15:TYR:O	1:A:18:LYS:HB2	2.17	0.45
1:A:495:ARG:HD3	1:A:495:ARG:HA	1.66	0.45
1:A:402:TYR:CD1	1:A:413:ILE:HD13	2.52	0.45
1:A:421:GLY:O	1:A:425:VAL:HG23	2.16	0.45
1:A:400:SER:HA	1:A:403:TRP:NE1	2.33	0.45
1:A:298:HIS:CE1	1:A:541:ALA:HB1	2.52	0.44
1:A:381:VAL:HB	1:A:382:PRO:HD3	1.99	0.44
1:A:420:LEU:HD21	1:A:487:GLY:CA	2.48	0.44
1:A:241:LEU:HA	1:A:244:TYR:HB2	2.00	0.44
1:A:489:PHE:O	1:A:493:LEU:HB2	2.18	0.44
3:C:2:GLU:HG3	3:C:3:GLU:N	2.30	0.44
1:A:152:PHE:O	1:A:155:SER:HB3	2.18	0.44
1:A:227:LEU:O	1:A:230:TRP:HB3	2.18	0.44
1:A:337:ARG:HA	1:A:337:ARG:HD2	1.81	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:77:ASN:HA	2:B:77:ASN:HD22	1.63	0.44
1:A:89:MET:HG3	1:A:189:PHE:CE2	2.53	0.43
1:A:160:ILE:HD13	1:A:194:PHE:HB2	1.99	0.43
1:A:128:GLU:HB3	1:A:142:HIS:HB2	1.99	0.43
1:A:52:TYR:N	1:A:53:PRO:CD	2.79	0.43
1:A:46:TYR:OH	1:A:449:ARG:HA	2.18	0.43
1:A:29:PHE:CE1	1:A:401:LEU:HD11	2.54	0.43
1:A:250:ILE:HD13	1:A:403:TRP:CH2	2.54	0.43
1:A:134:THR:HG23	1:A:450:ARG:HH12	1.84	0.42
1:A:294:TRP:CH2	1:A:544:PRO:HG2	2.54	0.42
2:B:93:ASN:HA	2:B:94:PRO:HA	1.79	0.42
1:A:342:ASP:O	1:A:418:ARG:NH2	2.53	0.42
1:A:182:VAL:HG22	1:A:249:THR:HG21	2.02	0.42
1:A:220:ASP:HA	1:A:221:PRO:HD3	1.88	0.42
3:C:4:LYS:HA	3:C:5:PRO:HD3	1.84	0.41
1:A:441:TRP:HZ3	1:A:469:PHE:HE2	1.67	0.41
1:A:335:TRP:NE1	3:C:7:GLY:HA3	2.36	0.41
1:A:138:PRO:HB2	2:B:112:VAL:HG12	2.02	0.41
1:A:330:ARG:HB2	1:A:331:GLY:H	1.71	0.41
1:A:59:LEU:HA	1:A:60:PRO:HD2	1.88	0.41
1:A:339:LEU:HG	1:A:346:PHE:CZ	2.56	0.40
1:A:178:VAL:HG11	1:A:521:VAL:HG12	2.03	0.40
1:A:97:LEU:HD22	1:A:170:TRP:CD1	2.57	0.40
2:B:69:GLN:HA	2:B:69:GLN:HE21	1.86	0.40
1:A:195:LEU:HA	1:A:195:LEU:HD12	1.87	0.40
1:A:230:TRP:C	1:A:230:TRP:HD1	2.24	0.40
1:A:343:ASN:HA	1:A:344:PRO:HD2	1.96	0.40
1:A:321:GLU:O	1:A:325:ARG:HG2	2.21	0.40

All (28) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:SER:N	2:B:168:GLU:CA[3_444]	0.97	1.23
1:A:9:SER:C	2:B:168:GLU:C[3_444]	1.19	1.01
1:A:10:ARG:N	2:B:168:GLU:O[3_444]	1.32	0.88
1:A:9:SER:C	2:B:168:GLU:O[3_444]	1.35	0.85
1:A:7:GLU:O	2:B:167:LYS:CA[3_444]	1.36	0.84
1:A:9:SER:CA	2:B:168:GLU:O[3_444]	1.42	0.78
1:A:7:GLU:O	2:B:167:LYS:C[3_444]	1.43	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:SER:CA	2:B:168:GLU:C[3_444]	1.56	0.64
1:A:9:SER:O	2:B:168:GLU:OXT[3_444]	1.66	0.54
1:A:9:SER:CB	2:B:168:GLU:CG[3_444]	1.66	0.54
1:A:9:SER:CA	2:B:168:GLU:CA[3_444]	1.71	0.49
1:A:7:GLU:O	2:B:168:GLU:N[3_444]	1.74	0.46
1:A:9:SER:C	2:B:168:GLU:OXT[3_444]	1.76	0.44
1:A:9:SER:O	2:B:168:GLU:C[3_444]	1.85	0.35
1:A:7:GLU:C	2:B:168:GLU:N[3_444]	1.88	0.32
1:A:9:SER:N	2:B:168:GLU:N[3_444]	1.90	0.30
1:A:10:ARG:N	2:B:168:GLU:C[3_444]	1.93	0.27
1:A:7:GLU:C	2:B:167:LYS:CA[3_444]	1.97	0.23
1:A:8:ILE:N	2:B:168:GLU:N[3_444]	2.00	0.20
1:A:8:ILE:CG2	2:B:143:GLY:N[3_444]	2.01	0.19
1:A:8:ILE:CD1	2:B:142:PRO:CB[3_444]	2.03	0.17
1:A:9:SER:N	2:B:168:GLU:C[3_444]	2.04	0.16
1:A:7:GLU:O	2:B:167:LYS:CB[3_444]	2.06	0.14
1:A:8:ILE:CG2	2:B:166:VAL:O[3_444]	2.14	0.06
1:A:9:SER:N	2:B:168:GLU:CB[3_444]	2.15	0.05
1:A:8:ILE:C	2:B:168:GLU:CA[3_444]	2.16	0.04
1:A:10:ARG:N	2:B:168:GLU:OXT[3_444]	2.18	0.02
1:A:7:GLU:C	2:B:167:LYS:C[3_444]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	555/568 (98%)	530 (96%)	22 (4%)	3 (0%)	32	74
2	B	164/166 (99%)	158 (96%)	4 (2%)	2 (1%)	15	58
3	C	31/33 (94%)	29 (94%)	2 (6%)	0	100	100
All	All	750/767 (98%)	717 (96%)	28 (4%)	5 (1%)	25	68

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	87	ALA
1	A	518	ARG
2	B	88	PHE
1	A	330	ARG
1	A	369	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	453/462 (98%)	440 (97%)	13 (3%)	48	73
2	B	136/136 (100%)	133 (98%)	3 (2%)	57	79
3	C	26/26 (100%)	24 (92%)	2 (8%)	15	48
All	All	615/624 (99%)	597 (97%)	18 (3%)	48	73

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	133	TYR
1	A	168	ARG
1	A	225	ARG
1	A	230	TRP
1	A	339	LEU
1	A	354	LEU
1	A	369	PHE
1	A	401	LEU
1	A	430	LEU
1	A	449	ARG
1	A	472	LEU
1	A	513	SER
2	B	19	LEU
2	B	77	ASN
2	B	159	ASN
3	C	13	LEU
3	C	24	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	48	ASN
1	A	76	ASN
1	A	254	GLN
1	A	298	HIS
1	A	388	GLN
1	A	554	ASN
2	B	69	GLN
2	B	77	ASN
2	B	117	HIS
2	B	122	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 5 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	HEM	A	800	1	28,50,50	2.22	6 (21%)	17,82,82	1.19	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	HAS	A	801	1	55,72,72	4.33	16 (29%)	48,109,109	2.95	22 (45%)
7	CUA	B	802	2	0,1,1	0.00	-	0,0,0	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	A	800	1	-	0/6/54/54	0/0/8/8
6	HAS	A	801	1	-	0/35/122/122	0/0/8/8
7	CUA	B	802	2	-	0/0/0/0	0/0/0/0

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	801	HAS	C1B-NB	-12.06	1.33	1.49
6	A	801	HAS	C4D-ND	-11.65	1.34	1.49
6	A	801	HAS	C1D-ND	-11.58	1.34	1.49
6	A	801	HAS	C4B-NB	-11.48	1.34	1.49
6	A	801	HAS	C1D-C2D	-9.40	1.36	1.51
5	A	800	HEM	C3C-C2C	-4.69	1.34	1.40
5	A	800	HEM	C3B-C2B	-4.47	1.34	1.40
6	A	801	HAS	CHD-C4C	-4.33	1.47	1.51
6	A	801	HAS	CHD-C4A	-4.04	1.47	1.51
6	A	801	HAS	CHC-C4B	-3.32	1.47	1.53
6	A	801	HAS	CHA-C4D	-3.15	1.47	1.53
5	A	800	HEM	C4D-ND	2.30	1.39	1.36
6	A	801	HAS	C2A-C3A	3.11	1.46	1.37
5	A	800	HEM	C3B-CAB	3.84	1.55	1.47
5	A	800	HEM	C3C-CAC	3.92	1.55	1.47
6	A	801	HAS	C3C-CAC	3.93	1.55	1.47
6	A	801	HAS	C3C-C2C	4.45	1.46	1.40
5	A	800	HEM	C3D-C2D	5.12	1.52	1.37
6	A	801	HAS	C1C-C2C	6.58	1.47	1.38
6	A	801	HAS	C1A-C2A	7.85	1.49	1.38
6	A	801	HAS	C4A-C3A	7.93	1.49	1.38
6	A	801	HAS	C3D-C2D	9.73	1.46	1.34

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	801	HAS	CHD-C4C-C3C	-9.38	117.31	129.61
6	A	801	HAS	C4C-C3C-C2C	-5.96	95.22	104.13
6	A	801	HAS	CHD-C4A-C3A	-4.83	121.45	129.53
6	A	801	HAS	OMD-CMD-C2D	-4.10	119.06	124.29
6	A	801	HAS	CMC-C2C-C3C	-3.62	118.17	124.89
6	A	801	HAS	CAA-CBA-CGA	-3.35	106.94	112.66
6	A	801	HAS	CHC-C1C-C2C	-3.23	123.86	129.45
6	A	801	HAS	CAD-CBD-CGD	-3.11	107.34	112.66
5	A	800	HEM	C1D-C2D-C3D	-2.79	105.06	107.00
6	A	801	HAS	C4A-C3A-C2A	-2.76	102.49	105.82
6	A	801	HAS	C1A-C2A-C3A	-2.39	102.37	105.93
6	A	801	HAS	C13-C12-C11	-2.14	111.22	114.46
6	A	801	HAS	C27-C19-C20	2.09	118.92	115.29
6	A	801	HAS	C32-C30-C31	2.10	119.51	114.60
6	A	801	HAS	C26-C15-C16	2.12	118.96	115.29
6	A	801	HAS	CAA-C2A-C1A	2.40	128.98	127.30
6	A	801	HAS	C25-C23-C24	2.78	120.11	115.29
6	A	801	HAS	CHB-C1B-C2B	2.94	123.88	114.70
6	A	801	HAS	CAD-C3D-C4D	3.61	129.87	122.52
6	A	801	HAS	C1B-CHB-C1D	3.77	127.60	116.30
6	A	801	HAS	CHC-C4B-NB	5.53	121.18	110.75
6	A	801	HAS	CHA-C4D-ND	6.12	122.30	110.75
6	A	801	HAS	C4A-CHD-C4C	6.26	126.83	112.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	800	HEM	3	0
6	A	801	HAS	5	0
7	B	802	CUA	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	557/568 (98%)	0.15	25 (4%)	34 30	200, 200, 200, 200	0
2	B	166/166 (100%)	0.71	22 (13%)	4 6	200, 200, 200, 200	0
3	C	33/33 (100%)	0.51	4 (12%)	5 7	200, 200, 200, 200	0
All	All	756/767 (98%)	0.29	51 (6%)	19 17	200, 200, 200, 200	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	136	ARG	8.0
2	B	137	TYR	6.2
2	B	103	ILE	4.8
2	B	104	VAL	4.6
3	C	3	GLU	4.5
3	C	34	GLY	4.5
1	A	502	ALA	4.0
2	B	78	GLN	3.9
2	B	76	PRO	3.8
3	C	2	GLU	3.8
1	A	412	PRO	3.7
2	B	77	ASN	3.6
1	A	141	GLY	3.5
2	B	135	VAL	3.2
1	A	516	GLU	3.2
2	B	134	THR	3.1
2	B	102	GLU	3.1
3	C	4	LYS	3.1
1	A	330	ARG	3.1
2	B	4	GLU	3.0
1	A	411	LYS	2.9
1	A	377	ASN	2.9
1	A	452	TYR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	105	PHE	2.8
1	A	409	THR	2.7
1	A	51	ALA	2.7
1	A	526	ARG	2.7
1	A	134	THR	2.6
2	B	79	TYR	2.6
1	A	232	GLY	2.5
2	B	61	GLU	2.4
1	A	525	ASP	2.4
1	A	147	LEU	2.4
2	B	3	ASP	2.4
2	B	80	THR	2.4
1	A	142	HIS	2.3
1	A	143	TRP	2.3
1	A	503	GLU	2.2
2	B	96	GLU	2.2
1	A	6	SER	2.2
1	A	518	ARG	2.2
2	B	60	GLN	2.2
1	A	65	TYR	2.1
1	A	449	ARG	2.1
2	B	7	ALA	2.1
1	A	515	PRO	2.1
1	A	41	PHE	2.1
2	B	43	GLY	2.1
2	B	75	GLY	2.1
2	B	41	THR	2.1
1	A	133	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
8	XE	A	563	1/1	0.88	1.39	6.16	200,200,200,200	1
6	HAS	A	801	65/65	0.69	0.48	0.41	200,200,200,200	0
8	XE	A	565	1/1	0.85	0.43	0.31	200,200,200,200	1
8	XE	A	564	1/1	0.83	0.27	-0.29	200,200,200,200	1
5	HEM	A	800	43/43	0.86	0.35	-0.36	200,200,200,200	0
7	CUA	B	802	2/2	0.95	0.21	-0.93	200,200,200,200	0
8	XE	A	566	1/1	0.90	0.15	-	200,200,200,200	1
4	CU	A	803	1/1	0.95	0.58	-	200,200,200,200	0

6.5 Other polymers

There are no such residues in this entry.