



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 02:12 am GMT

PDB ID : 3SQ8
Title : Crystal Structure Analysis of the Yeast Tyrosyl-DNA Phosphodiesterase 1 H432R Mutant (SCAN1 Mutant)
Authors : Gajewski, S.; White, S.W.
Deposited on : 2011-07-05
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4243 (2.10-2.10)
Clashscore	112137	4788 (2.10-2.10)
Ramachandran outliers	110173	4740 (2.10-2.10)
Sidechain outliers	110143	4741 (2.10-2.10)
RSRZ outliers	101464	4275 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	<div> <div>5%</div> <div> <div></div> <div>81%</div> <div>9%</div> <div>10%</div> </div> </div>
1	B	470	<div> <div>6%</div> <div> <div></div> <div>80%</div> <div>10%</div> <div>10%</div> </div> </div>
1	C	470	<div> <div>8%</div> <div> <div></div> <div>80%</div> <div>10%</div> <div>10%</div> </div> </div>
1	D	470	<div> <div>8%</div> <div> <div></div> <div>80%</div> <div>10%</div> <div>10%</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 14246 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosyl-DNA phosphodiesterase 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	422	Total	C	N	O	P	S	0	0	0
			3430	2223	564	622	1	20			
1	B	423	Total	C	N	O	P	S	0	1	0
			3450	2235	570	624	1	20			
1	C	423	Total	C	N	O	P	S	0	0	0
			3437	2227	565	624	1	20			
1	D	425	Total	C	N	O	P	S	0	1	0
			3457	2241	569	626	1	20			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	78	MET	-	INITIATING METHIONINE	UNP P38319
A	432	ARG	HIS	ENGINEERED MUTATION	UNP P38319
A	540	LEU	-	EXPRESSION TAG	UNP P38319
A	541	HIS	-	EXPRESSION TAG	UNP P38319
A	542	HIS	-	EXPRESSION TAG	UNP P38319
A	543	HIS	-	EXPRESSION TAG	UNP P38319
A	544	HIS	-	EXPRESSION TAG	UNP P38319
A	545	HIS	-	EXPRESSION TAG	UNP P38319
A	546	HIS	-	EXPRESSION TAG	UNP P38319
A	547	HIS	-	EXPRESSION TAG	UNP P38319
B	78	MET	-	INITIATING METHIONINE	UNP P38319
B	432	ARG	HIS	ENGINEERED MUTATION	UNP P38319
B	540	LEU	-	EXPRESSION TAG	UNP P38319
B	541	HIS	-	EXPRESSION TAG	UNP P38319
B	542	HIS	-	EXPRESSION TAG	UNP P38319
B	543	HIS	-	EXPRESSION TAG	UNP P38319
B	544	HIS	-	EXPRESSION TAG	UNP P38319
B	545	HIS	-	EXPRESSION TAG	UNP P38319
B	546	HIS	-	EXPRESSION TAG	UNP P38319
B	547	HIS	-	EXPRESSION TAG	UNP P38319
C	78	MET	-	INITIATING METHIONINE	UNP P38319

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	432	ARG	HIS	ENGINEERED MUTATION	UNP P38319
C	540	LEU	-	EXPRESSION TAG	UNP P38319
C	541	HIS	-	EXPRESSION TAG	UNP P38319
C	542	HIS	-	EXPRESSION TAG	UNP P38319
C	543	HIS	-	EXPRESSION TAG	UNP P38319
C	544	HIS	-	EXPRESSION TAG	UNP P38319
C	545	HIS	-	EXPRESSION TAG	UNP P38319
C	546	HIS	-	EXPRESSION TAG	UNP P38319
C	547	HIS	-	EXPRESSION TAG	UNP P38319
D	78	MET	-	INITIATING METHIONINE	UNP P38319
D	432	ARG	HIS	ENGINEERED MUTATION	UNP P38319
D	540	LEU	-	EXPRESSION TAG	UNP P38319
D	541	HIS	-	EXPRESSION TAG	UNP P38319
D	542	HIS	-	EXPRESSION TAG	UNP P38319
D	543	HIS	-	EXPRESSION TAG	UNP P38319
D	544	HIS	-	EXPRESSION TAG	UNP P38319
D	545	HIS	-	EXPRESSION TAG	UNP P38319
D	546	HIS	-	EXPRESSION TAG	UNP P38319
D	547	HIS	-	EXPRESSION TAG	UNP P38319

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	168	Total O 168 168	0	0
2	B	146	Total O 146 146	0	0
2	C	95	Total O 95 95	0	0
2	D	63	Total O 63 63	0	0

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Chain A:

Sequence logo for Chain A. The y-axis represents information content in bits (0.00 to 0.15). The x-axis shows positions 1 to 300. A bar at the top indicates the overall conservation: 5% (red), 81% (green), 9% (yellow), and 10% (grey).



Position	Amino Acid	Information Content (bits)
1	MET	0.02
2	G79	0.02
3	A80	0.02
4	F89	0.02
5	R92	0.05
6	E93	0.05
7	ASP	0.05
8	PHE	0.02
9	MET	0.02
10	GLY	0.02
11	GLU	0.02
12	VAL	0.02
13	GLU	0.02
14	D101	0.05
15	R116	0.02
16	S117	0.02
17	I118	0.05
18	Y124	0.02
19	D127	0.02
20	R131	0.02
21	Q135	0.05
22	N139	0.02
23	I142	0.02
24	I149	0.02
25	I152	0.02
26	L170	0.02
27	K184	0.02
28	L185	0.05
29	I186	0.05
30	I187	0.05
31	E194	0.02
32	L199	0.02
33	M207	0.02
34	L211	0.02
35	P212	0.02
36	W217	0.02
37	P220	0.02
38	L221	0.02
39	E269	0.02
40	F278	0.05
41	S294	0.02
42	ALA	0.02
43	GLY	0.02
44	THR	0.02
45	SER	0.02
46	ALA	0.02
47	D301	0.02
48	T302	0.05
49	H305	0.02
50	Y306	0.02
51	L307	0.02
52	C308	0.05
53	A320	0.05
54	W326	0.02
55	P340	0.05
56	P341	0.05
57	ALA	0.02
58	LYS	0.02
59	ASP	0.02
60	THR	0.02
61	ALA	0.02
62	GLY	0.02
63	ARG	0.02
64	LYS	0.02
65	ALA	0.02
66	GLU	0.02
67	L353	0.02
68	Y371	0.02
69	L372	0.05
70	L373	0.02
71	E377	0.02
72	V381	0.02
73	L385	0.02
74	W392	0.02
75	Q396	0.05
76	Q399	0.05
77	C439	0.02
78	A440	0.05
79	T441	0.05
80	ASN	0.02
81	SER	0.02
82	ALA	0.02
83	GLY	0.02
84	ASP	0.02
85	CYS	0.02
86	ASP	0.02
87	ALA	0.02
88	Q451	0.05
89	W458	0.02
90	S450	0.02
91	S467	0.02
92	Q468	0.02
93	T469	0.02
94	R476	0.02
95	L486	0.02
96	S499	0.02
97	A493	0.05
98	M494	0.05
99	T495	0.02
100	R496	0.05
101	R505	0.05
102	D506	0.05
103	ARG	0.02
104	ARG	0.02
105	GLY	0.02
106	CYS	0.02
107	ALA	0.02
108	GLY	0.02
109	ASN	0.02
110	P514	0.02
111	V526	0.02
112	A539	0.05
113	LEU	0.02
114	HIS	0.02
115	HIS	0.02
116	HIS	0.02
117	HIS	0.02
118	HIS	0.02
119	HIS	0.02
120	HIS	0.02
121	HIS	0.02
122	HIS	0.02

Chain B:

Chain C:



• Molecule 1: Tyrosyl-DNA phosphodiesterase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	63.87Å 81.49Å 96.79Å 89.52° 84.90° 67.82°	Depositor
Resolution (Å)	24.79 – 2.10 24.79 – 2.10	Depositor EDS
% Data completeness (in resolution range)	93.4 (24.79-2.10) 93.0 (24.79-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.38 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.187 , 0.226 0.183 , 0.224	Depositor DCC
R_{free} test set	4912 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	34.7	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 42.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.003 for -h,-h+k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14246	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	4/3501 (0.1%)	0.69	0/4734
1	B	0.65	2/3525 (0.1%)	0.68	0/4765
1	C	0.58	3/3508 (0.1%)	0.63	1/4743 (0.0%)
1	D	0.55	1/3532 (0.0%)	0.61	0/4776
All	All	0.60	10/14066 (0.1%)	0.66	1/19018 (0.0%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	326	TRP	CD2-CE2	5.68	1.48	1.41
1	A	458	TRP	CD2-CE2	5.60	1.48	1.41
1	B	458	TRP	CD2-CE2	5.43	1.47	1.41
1	A	217	TRP	CD2-CE2	5.38	1.47	1.41
1	A	392	TRP	CD2-CE2	5.36	1.47	1.41
1	C	217	TRP	CD2-CE2	5.35	1.47	1.41
1	C	387	TRP	CD2-CE2	5.34	1.47	1.41
1	B	217	TRP	CD2-CE2	5.32	1.47	1.41
1	C	326	TRP	CD2-CE2	5.28	1.47	1.41
1	D	217	TRP	CD2-CE2	5.13	1.47	1.41

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	432	ARG	NE-CZ-NH2	-5.51	117.54	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3430	0	3419	28	0
1	B	3450	0	3436	46	0
1	C	3437	0	3418	29	0
1	D	3457	0	3438	41	0
2	A	168	0	0	2	0
2	B	146	0	0	2	0
2	C	95	0	0	3	0
2	D	63	0	0	1	0
All	All	14246	0	13711	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:MET:HE2	1:D:541:HIS:HE1	1.26	0.99
1:B:149:ILE:HD13	1:B:170:LEU:HD11	1.44	0.96
1:D:149:ILE:HD13	1:D:170:LEU:HD11	1.48	0.96
1:C:149:ILE:HD13	1:C:170:LEU:HD11	1.52	0.89
1:C:514:PRO:HD3	1:D:177:PRO:HG3	1.57	0.85
1:A:149:ILE:HD13	1:A:170:LEU:HD11	1.61	0.82
1:B:541:HIS:HE1	1:D:207:MET:HE2	1.45	0.80
1:B:207:MET:CE	1:D:541:HIS:HE1	1.96	0.78
1:B:149:ILE:CD1	1:B:170:LEU:HD11	2.15	0.76
1:B:207:MET:HE2	1:D:541:HIS:CE1	2.18	0.75
1:B:207:MET:HE1	1:B:211:LEU:HD11	1.72	0.72
1:B:207:MET:CE	1:B:211:LEU:HD11	2.22	0.69
1:C:302:THR:HG22	1:C:442:ASN:HB2	1.74	0.69
1:A:149:ILE:CD1	1:A:170:LEU:HD11	2.25	0.67
1:B:541:HIS:HE1	1:D:207:MET:CE	2.08	0.66
1:B:207:MET:CE	1:D:541:HIS:CE1	2.76	0.66
1:D:441:THR:O	1:D:442:ASN:HB2	1.96	0.65
1:C:149:ILE:CD1	1:C:170:LEU:HD11	2.27	0.63
1:B:149:ILE:HD13	1:B:170:LEU:CD1	2.23	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:MET:HE1	1:A:211:LEU:HD11	1.81	0.62
1:C:135:GLN:NE2	1:C:160:THR:HG23	2.13	0.62
1:B:275:PRO:HG2	1:C:229:LEU:HD11	1.80	0.62
1:B:400:LYS:HG2	2:B:615:HOH:O	2.00	0.62
1:D:149:ILE:CD1	1:D:170:LEU:HD11	2.25	0.61
1:B:321:ARG:NH1	1:B:323:GLU:OE2	2.34	0.60
1:C:357:ASN:HB2	2:C:617:HOH:O	2.01	0.60
1:B:116:ARG:HE	1:B:139:ASN:ND2	1.99	0.59
1:B:394[B]:HIS:CE1	1:B:396:GLN:HG2	2.38	0.58
1:D:230:PRO:HA	2:D:560:HOH:O	2.01	0.58
1:D:207:MET:HE1	1:D:211:LEU:HD11	1.87	0.57
1:C:116:ARG:HE	1:C:139:ASN:ND2	2.02	0.57
1:D:207:MET:CE	1:D:211:LEU:HD11	2.35	0.57
1:B:124:TYR:CZ	1:B:142:ILE:HG23	2.40	0.57
1:D:116:ARG:HE	1:D:139:ASN:ND2	2.03	0.57
1:A:207:MET:CE	1:A:211:LEU:HD11	2.36	0.56
1:A:116:ARG:HE	1:A:139:ASN:ND2	2.03	0.56
1:C:127:ASP:HB3	1:C:152:ILE:HG12	1.89	0.55
1:D:269:GLU:HB2	1:D:486:LEU:HB3	1.89	0.55
1:B:245:HIS:HD2	1:C:229:LEU:CD2	2.20	0.54
1:B:541:HIS:CE1	1:D:207:MET:CE	2.88	0.54
1:C:307:LEU:HD11	1:C:373:ILE:HD11	1.90	0.54
1:C:192:ASN:N	1:C:192:ASN:OD1	2.41	0.53
1:C:490:ARG:HB3	2:C:615:HOH:O	2.09	0.53
1:A:127:ASP:HB3	1:A:152:ILE:HG12	1.90	0.53
1:D:149:ILE:HD13	1:D:170:LEU:CD1	2.32	0.53
1:A:467:SER:OG	1:A:469:THR:HG22	2.08	0.53
1:B:360:ILE:HD11	1:B:410:LYS:HB3	1.91	0.52
1:B:86:LYS:HB3	1:B:104:THR:HG22	1.92	0.52
1:C:401:LYS:O	1:C:405:GLU:HG2	2.09	0.52
1:C:207:MET:CE	1:C:211:LEU:HD11	2.40	0.51
1:B:116:ARG:HG3	1:B:139:ASN:HD22	1.76	0.51
1:A:89:PHE:O	1:A:92:ARG:NH1	2.44	0.50
1:D:124:TYR:CZ	1:D:142:ILE:HG23	2.46	0.50
1:B:307:LEU:HD11	1:B:373:ILE:HD11	1.93	0.50
1:C:124:TYR:CZ	1:C:142:ILE:HG23	2.46	0.50
1:C:456:LEU:HB2	1:C:498:VAL:HB	1.92	0.50
1:C:207:MET:HE1	1:C:211:LEU:HD11	1.94	0.49
1:B:289:LYS:HE3	2:B:655:HOH:O	2.12	0.49
1:D:302:THR:HB	1:D:441:THR:O	2.12	0.49
1:B:441:THR:O	1:B:442:ASN:HB2	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:376:THR:HG22	1:B:528:TYR:CZ	2.48	0.49
1:C:490:ARG:CB	2:C:615:HOH:O	2.61	0.48
1:A:149:ILE:HD13	1:A:170:LEU:CD1	2.39	0.48
1:D:392:TRP:HB3	1:D:432:ARG:HD3	1.94	0.48
1:D:293:LEU:O	1:D:490:ARG:HD3	2.13	0.48
1:D:397:TYR:HB2	1:D:404:TYR:HB2	1.95	0.47
1:D:230:PRO:HB3	1:D:235:ARG:HH21	1.80	0.47
1:A:373:ILE:CD1	1:A:525:VAL:HG11	2.45	0.47
1:B:192:ASN:OD1	1:B:192:ASN:N	2.47	0.47
1:C:434:LYS:HB2	1:C:462:THR:O	2.14	0.47
1:B:541:HIS:NE2	1:D:207:MET:HG3	2.30	0.47
1:D:536:PHE:CE1	1:D:541:HIS:CD2	3.02	0.47
1:B:199:LEU:HD12	1:B:217:TRP:CE3	2.50	0.46
1:B:127:ASP:HB3	1:B:152:ILE:HG12	1.97	0.46
1:D:441:THR:O	1:D:442:ASN:CB	2.62	0.46
1:B:421:MET:CE	1:B:522:THR:HB	2.46	0.45
1:D:135:GLN:NE2	1:D:160:THR:HG23	2.32	0.45
1:A:381:VAL:CG1	1:B:230:PRO:HD3	2.47	0.45
1:A:211:LEU:CD2	1:A:385:LEU:CD1	2.94	0.45
1:D:194:GLU:HB3	1:D:221:LEU:HD11	1.98	0.45
1:B:394[B]:HIS:CE1	1:B:396:GLN:CG	3.00	0.45
1:D:401:LYS:O	1:D:405:GLU:HG2	2.16	0.45
1:D:229:LEU:HA	1:D:230:PRO:HD2	1.79	0.44
1:D:307:LEU:HD11	1:D:373:ILE:HD11	1.99	0.44
1:C:536:PHE:HE1	1:C:541:HIS:CE1	2.36	0.44
1:A:307:LEU:HD11	1:A:373:ILE:HD11	1.98	0.44
1:B:230:PRO:HB3	1:B:235:ARG:HH21	1.83	0.43
1:A:124:TYR:CZ	1:A:142:ILE:HG23	2.53	0.43
1:A:194:GLU:CD	1:A:221:LEU:HD21	2.38	0.43
1:A:381:VAL:HG12	1:B:230:PRO:HD3	1.99	0.43
1:B:393:PHE:CZ	1:B:430:PRO:HB2	2.54	0.43
1:B:207:MET:HG3	1:D:541:HIS:CE1	2.54	0.43
1:A:194:GLU:OE2	1:A:221:LEU:HD21	2.18	0.43
1:A:80:ALA:HB2	1:A:220:PRO:HD3	2.00	0.43
1:C:396:GLN:OE1	1:C:396:GLN:HA	2.19	0.43
1:D:80:ALA:HB2	1:D:220:PRO:HD3	2.00	0.43
1:C:277:LYS:HB2	1:C:277:LYS:HE3	1.65	0.43
1:A:127:ASP:O	1:A:131:ARG:HG3	2.19	0.43
1:B:207:MET:HE3	1:B:211:LEU:HD11	2.00	0.43
1:D:340:PRO:HA	1:D:341:PRO:HD2	1.84	0.43
1:D:211:LEU:HB2	1:D:212:PRO:HD3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:MET:HE3	1:B:211:LEU:CD1	2.49	0.42
1:A:116:ARG:HE	1:A:139:ASN:HD22	1.67	0.42
1:A:377:GLU:HG2	2:A:596:HOH:O	2.18	0.42
1:B:541:HIS:HA	1:D:392:TRP:CZ2	2.54	0.42
1:D:277:LYS:HE3	1:D:277:LYS:HB2	1.73	0.42
1:A:184:LYS:O	1:A:199:LEU:HD23	2.19	0.42
1:A:211:LEU:HB2	1:A:212:PRO:HD3	2.02	0.42
1:D:154:ALA:O	1:D:157:MET:HB2	2.20	0.41
1:A:211:LEU:CD2	1:A:385:LEU:HD12	2.50	0.41
1:C:154:ALA:O	1:C:157:MET:HB2	2.20	0.41
1:A:305:HIS:HB2	1:A:439:CYS:HB3	2.03	0.41
1:D:230:PRO:HB3	1:D:235:ARG:NH2	2.35	0.41
1:A:294:SER:HA	2:A:656:HOH:O	2.20	0.41
1:C:149:ILE:HD13	1:C:170:LEU:CD1	2.37	0.41
1:C:230:PRO:HB3	1:C:235:ARG:HH21	1.86	0.41
1:B:541:HIS:CE1	1:D:207:MET:HE2	2.36	0.41
1:B:207:MET:CE	1:B:211:LEU:CD1	2.97	0.40
1:B:207:MET:HE3	1:B:207:MET:HB3	1.95	0.40
1:B:373:ILE:HD13	1:B:525:VAL:HG11	2.02	0.40
1:C:421:MET:SD	1:C:522:THR:HB	2.62	0.40
1:A:269:GLU:HB2	1:A:486:LEU:HB3	2.03	0.40
1:D:152:ILE:HB	1:D:157:MET:HE3	2.03	0.40
1:A:340:PRO:HA	1:A:341:PRO:HD2	1.78	0.40
1:B:238:ILE:HD13	1:B:258:GLU:OE2	2.21	0.40
1:C:211:LEU:HB2	1:C:212:PRO:CD	2.51	0.40
1:C:86:LYS:HB3	1:C:104:THR:HG22	2.04	0.40
1:B:157:MET:CE	1:B:161:LEU:HB3	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/470 (87%)	398 (97%)	11 (3%)	0	100	100
1	B	409/470 (87%)	401 (98%)	8 (2%)	0	100	100
1	C	408/470 (87%)	398 (98%)	10 (2%)	0	100	100
1	D	411/470 (87%)	403 (98%)	8 (2%)	0	100	100
All	All	1637/1880 (87%)	1600 (98%)	37 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	383/422 (91%)	378 (99%)	5 (1%)	73	80
1	B	386/422 (92%)	383 (99%)	3 (1%)	85	89
1	C	384/422 (91%)	380 (99%)	4 (1%)	80	85
1	D	386/422 (92%)	382 (99%)	4 (1%)	80	85
All	All	1539/1688 (91%)	1523 (99%)	16 (1%)	80	85

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	92	ARG
1	A	371	TYR
1	A	399	GLN
1	A	476	ARG
1	A	489	SER
1	B	117	SER
1	B	371	TYR
1	B	399	GLN
1	C	106	LYS
1	C	111	THR
1	C	208	GLU
1	C	371	TYR
1	D	111	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	196	LYS
1	D	371	TYR
1	D	399	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	135	GLN
1	A	139	ASN
1	A	242	ASN
1	A	288	ASN
1	B	139	ASN
1	B	242	ASN
1	B	288	ASN
1	B	541	HIS
1	C	135	GLN
1	C	139	ASN
1	C	242	ASN
1	C	288	ASN
1	C	309	GLN
1	D	135	GLN
1	D	139	ASN
1	D	242	ASN
1	D	288	ASN
1	D	541	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	NEP	A	182	1	11,14,15	2.14	5 (45%)	7,20,22	2.49	2 (28%)
1	NEP	B	182	1	11,14,15	2.43	6 (54%)	7,20,22	2.60	4 (57%)
1	NEP	C	182	1	11,14,15	2.36	5 (45%)	7,20,22	2.09	1 (14%)
1	NEP	D	182	1	11,14,15	2.18	5 (45%)	7,20,22	2.26	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	NEP	A	182	1	-	0/4/12/14	0/1/1/1
1	NEP	B	182	1	-	0/4/12/14	0/1/1/1
1	NEP	C	182	1	-	0/4/12/14	0/1/1/1
1	NEP	D	182	1	-	0/4/12/14	0/1/1/1

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	182	NEP	CD2-NE2	-4.03	1.32	1.39
1	D	182	NEP	CD2-NE2	-3.61	1.32	1.39
1	C	182	NEP	CD2-NE2	-2.99	1.33	1.39
1	A	182	NEP	CD2-NE2	-2.79	1.34	1.39
1	B	182	NEP	P-O1P	2.01	1.58	1.54
1	D	182	NEP	CA-C	2.07	1.53	1.50
1	A	182	NEP	CD2-CG	2.64	1.40	1.36
1	B	182	NEP	CA-C	2.90	1.54	1.50
1	A	182	NEP	P-O2P	2.93	1.60	1.54
1	B	182	NEP	P-O2P	2.96	1.60	1.54
1	D	182	NEP	P-O1P	3.00	1.61	1.54
1	C	182	NEP	P-O2P	3.11	1.61	1.54
1	D	182	NEP	P-O3P	3.16	1.50	1.47
1	C	182	NEP	CD2-CG	3.17	1.41	1.36
1	A	182	NEP	P-O1P	3.24	1.61	1.54
1	D	182	NEP	P-O2P	3.35	1.61	1.54
1	C	182	NEP	P-O3P	3.42	1.50	1.47
1	B	182	NEP	P-O3P	3.43	1.50	1.47
1	A	182	NEP	P-O3P	3.45	1.50	1.47
1	B	182	NEP	CD2-CG	3.82	1.41	1.36
1	C	182	NEP	P-O1P	3.84	1.62	1.54

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	182	NEP	CG-CD2-NE2	-5.09	102.15	108.96
1	B	182	NEP	CG-CD2-NE2	-4.61	102.80	108.96
1	A	182	NEP	CG-CD2-NE2	-4.57	102.85	108.96
1	C	182	NEP	CG-CD2-NE2	-4.23	103.30	108.96
1	B	182	NEP	O1P-P-O3P	-2.25	105.60	112.30
1	B	182	NEP	CB-CA-N	-2.14	104.10	112.54
1	B	182	NEP	CB-CA-C	2.70	116.62	111.41
1	A	182	NEP	CB-CA-C	3.62	118.39	111.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/470 (89%)	0.03	24 (5%) 24 30	25, 39, 68, 104	0
1	B	422/470 (89%)	0.12	27 (6%) 20 25	25, 40, 72, 103	0
1	C	422/470 (89%)	0.40	39 (9%) 10 12	32, 51, 81, 132	0
1	D	424/470 (90%)	0.44	37 (8%) 11 14	33, 54, 89, 142	0
All	All	1689/1880 (89%)	0.25	127 (7%) 15 19	25, 46, 80, 142	0

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	341	PRO	10.6
1	D	341	PRO	10.6
1	D	442	ASN	9.3
1	D	178	PHE	7.2
1	C	442	ASN	6.3
1	D	441	THR	5.9
1	A	341	PRO	5.9
1	C	178	PHE	5.7
1	B	442	ASN	5.5
1	B	341	PRO	5.4
1	D	278	PHE	5.2
1	A	340	PRO	5.1
1	D	506	ASP	5.0
1	D	450	SER	4.8
1	C	326	TRP	4.7
1	C	441	THR	4.6
1	D	177	PRO	4.3
1	A	494	ASN	4.2
1	D	277	LYS	4.2
1	C	230	PRO	4.0
1	C	331	ILE	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	372	ILE	4.0
1	C	307	LEU	3.9
1	D	308	CYS	3.7
1	D	320	ALA	3.6
1	D	396	GLN	3.6
1	C	506	ASP	3.6
1	B	93	GLU	3.5
1	D	307	LEU	3.5
1	B	278	PHE	3.5
1	C	308	CYS	3.3
1	B	92	ARG	3.3
1	C	399	GLN	3.3
1	D	326	TRP	3.1
1	A	493	ALA	3.1
1	C	278	PHE	3.1
1	D	373	ILE	3.1
1	B	372	ILE	3.1
1	C	373	ILE	3.1
1	C	177	PRO	3.0
1	A	441	THR	3.0
1	A	278	PHE	3.0
1	C	436	TYR	3.0
1	D	398	LEU	3.0
1	B	156	ALA	3.0
1	B	161	LEU	2.9
1	A	451	GLN	2.9
1	B	340	PRO	2.9
1	C	119	LEU	2.9
1	B	159	ALA	2.9
1	C	229	LEU	2.9
1	C	292	LYS	2.9
1	B	308	CYS	2.8
1	B	186	ILE	2.8
1	A	496	ARG	2.8
1	A	93	GLU	2.8
1	D	399	GLN	2.8
1	A	187	ILE	2.8
1	A	320	ALA	2.7
1	B	178	PHE	2.7
1	B	307	LEU	2.7
1	D	292	LYS	2.7
1	A	396	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	440	ALA	2.7
1	D	371	TYR	2.6
1	D	436	TYR	2.6
1	B	441	THR	2.6
1	C	118	ILE	2.6
1	C	92	ARG	2.6
1	B	326	TRP	2.6
1	D	119	LEU	2.6
1	D	531	ALA	2.6
1	C	142	ILE	2.6
1	A	506	ASP	2.5
1	C	398	LEU	2.5
1	C	514	PRO	2.5
1	A	92	ARG	2.5
1	C	330	MET	2.5
1	C	306	TYR	2.5
1	A	399	GLN	2.4
1	B	506	ASP	2.4
1	D	79	GLY	2.4
1	A	186	ILE	2.4
1	B	436	TYR	2.4
1	B	229	LEU	2.4
1	B	451	GLN	2.4
1	D	301	ASP	2.4
1	C	140	ILE	2.4
1	A	308	CYS	2.4
1	D	230	PRO	2.4
1	C	327	THR	2.4
1	C	396	GLN	2.4
1	D	361	ASN	2.3
1	A	505	ARG	2.3
1	C	476	ARG	2.3
1	B	302	THR	2.3
1	B	187	ILE	2.3
1	A	185	LEU	2.3
1	D	372	ILE	2.3
1	D	514	PRO	2.3
1	C	371	TYR	2.3
1	C	450	SER	2.3
1	C	365	GLN	2.3
1	D	484	GLY	2.3
1	D	235	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	421	MET	2.3
1	A	302	THR	2.2
1	B	450	SER	2.2
1	D	191	ASP	2.2
1	A	372	ILE	2.2
1	A	118	ILE	2.2
1	C	187	ILE	2.2
1	B	160	THR	2.1
1	C	185	LEU	2.1
1	D	229	LEU	2.1
1	C	301	ASP	2.1
1	C	186	ILE	2.1
1	C	460	LEU	2.1
1	D	451	GLN	2.1
1	D	476	ARG	2.1
1	B	119	LEU	2.1
1	B	493	ALA	2.0
1	C	435	PHE	2.0
1	D	174	THR	2.0
1	A	101	ASP	2.0
1	A	135	GLN	2.0
1	B	399	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	NEP	A	182	14/15	0.97	0.10	-	27,31,32,39	4
1	NEP	D	182	14/15	0.96	0.08	-	38,40,41,47	4
1	NEP	B	182	14/15	0.96	0.09	-	27,29,31,37	4
1	NEP	C	182	14/15	0.96	0.09	-	34,35,37,42	4

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.