



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 2, 2017 – 02:21 AM EDT

PDB ID : 3SWZ  
Title : Human Cytochrome P450 17A1 in complex with TOK-001  
Authors : DeVore, N.M.; Scott, E.E.  
Deposited on : unknown  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3166 (2.40-2.40)
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)
RSRZ outliers	101464	3195 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	494	<div> <div>6%</div> <div> <div></div> <div>79%</div> <div>15%</div> <div>5%</div> </div> </div>
1	B	494	<div> <div>3%</div> <div> <div></div> <div>78%</div> <div>14%</div> <div>6%</div> </div> </div>
1	C	494	<div> <div>6%</div> <div> <div></div> <div>73%</div> <div>20%</div> <div>5%</div> </div> </div>
1	D	494	<div> <div>6%</div> <div> <div></div> <div>70%</div> <div>22%</div> <div>6%</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15296 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Steroid 17-alpha-hydroxylase/17,20 lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	471	Total	C	N	O	S	0	0	0
			3748	2401	649	683	15			
1	B	465	Total	C	N	O	S	0	0	0
			3708	2380	641	672	15			
1	C	470	Total	C	N	O	S	0	1	0
			3750	2404	649	682	15			
1	D	466	Total	C	N	O	S	0	0	0
			3714	2383	642	674	15			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	EXPRESSION TAG	UNP P05093
A	20	ALA	-	EXPRESSION TAG	UNP P05093
A	21	LYS	-	EXPRESSION TAG	UNP P05093
A	22	LYS	-	EXPRESSION TAG	UNP P05093
A	23	THR	-	EXPRESSION TAG	UNP P05093
A	509	HIS	-	EXPRESSION TAG	UNP P05093
A	510	HIS	-	EXPRESSION TAG	UNP P05093
A	511	HIS	-	EXPRESSION TAG	UNP P05093
A	512	HIS	-	EXPRESSION TAG	UNP P05093
B	19	MET	-	EXPRESSION TAG	UNP P05093
B	20	ALA	-	EXPRESSION TAG	UNP P05093
B	21	LYS	-	EXPRESSION TAG	UNP P05093
B	22	LYS	-	EXPRESSION TAG	UNP P05093
B	23	THR	-	EXPRESSION TAG	UNP P05093
B	509	HIS	-	EXPRESSION TAG	UNP P05093
B	510	HIS	-	EXPRESSION TAG	UNP P05093
B	511	HIS	-	EXPRESSION TAG	UNP P05093
B	512	HIS	-	EXPRESSION TAG	UNP P05093
C	19	MET	-	EXPRESSION TAG	UNP P05093
C	20	ALA	-	EXPRESSION TAG	UNP P05093
C	21	LYS	-	EXPRESSION TAG	UNP P05093

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	22	LYS	-	EXPRESSION TAG	UNP P05093
C	23	THR	-	EXPRESSION TAG	UNP P05093
C	509	HIS	-	EXPRESSION TAG	UNP P05093
C	510	HIS	-	EXPRESSION TAG	UNP P05093
C	511	HIS	-	EXPRESSION TAG	UNP P05093
C	512	HIS	-	EXPRESSION TAG	UNP P05093
D	19	MET	-	EXPRESSION TAG	UNP P05093
D	20	ALA	-	EXPRESSION TAG	UNP P05093
D	21	LYS	-	EXPRESSION TAG	UNP P05093
D	22	LYS	-	EXPRESSION TAG	UNP P05093
D	23	THR	-	EXPRESSION TAG	UNP P05093
D	509	HIS	-	EXPRESSION TAG	UNP P05093
D	510	HIS	-	EXPRESSION TAG	UNP P05093
D	511	HIS	-	EXPRESSION TAG	UNP P05093
D	512	HIS	-	EXPRESSION TAG	UNP P05093

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is (3alpha,8alpha)-17-(1H-benzimidazol-1-yl)androsta-5,16-dien-3-ol (three-letter code: TOK) (formula: C<sub>26</sub>H<sub>32</sub>N<sub>2</sub>O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			29	26	2	1		
3	B	1	Total	C	N	O	0	0
			29	26	2	1		
3	C	1	Total	C	N	O	0	0
			29	26	2	1		
3	D	1	Total	C	N	O	0	0
			29	26	2	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	26	Total	O	0	0
			26	26		
4	B	23	Total	O	0	0
			23	23		
4	C	22	Total	O	0	0
			22	22		
4	D	17	Total	O	0	0
			17	17		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Steroid 17-alpha-hydroxylase/17,20 lyase




- Molecule 1: Steroid 17-alpha-hydroxylase/17,20 lyase



- Molecule 1: Steroid 17-alpha-hydroxylase/17,20 lyase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	91.42Å 152.09Å 167.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.08 – 2.40 37.08 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (37.08-2.40) 100.0 (37.08-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.85 (at 2.39Å)	Xtriage
Refinement program	REFMAC 6.1.13	Depositor
R, $R_{free}$	0.223 , 0.288 0.219 , 0.281	Depositor DCC
$R_{free}$ test set	4600 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	50.3	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 42.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	15296	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.94% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TOK, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.74	1/3828 (0.0%)	0.78	1/5182 (0.0%)
1	B	0.75	0/3788	0.80	0/5128
1	C	0.79	0/3834	0.84	0/5190
1	D	0.72	0/3794	0.80	4/5136 (0.1%)
All	All	0.75	1/15244 (0.0%)	0.80	5/20636 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	212	ASP	C-O	5.55	1.33	1.23

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	41	PRO	CA-N-CD	-9.07	98.81	111.50
1	D	440	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	D	216	ASP	CB-CG-OD2	5.21	122.99	118.30
1	D	212	ASP	CB-CG-OD2	5.19	122.97	118.30
1	A	491	VAL	CB-CA-C	-5.03	101.84	111.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3748	0	3810	47	0
1	B	3708	0	3779	46	0
1	C	3750	0	3816	68	0
1	D	3714	0	3784	85	0
2	A	43	0	30	4	0
2	B	43	0	30	1	0
2	C	43	0	30	2	0
2	D	43	0	30	5	0
3	A	29	0	32	3	0
3	B	29	0	32	3	0
3	C	29	0	32	5	0
3	D	29	0	32	2	0
4	A	26	0	0	1	0
4	B	23	0	0	2	0
4	C	22	0	0	2	0
4	D	17	0	0	2	0
All	All	15296	0	15437	247	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (247) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:49:MET:HB2	1:D:212:ASP:OD2	1.50	1.08
1:D:328:LEU:O	1:D:332:ILE:HG22	1.62	0.99
1:D:167:ILE:H	1:D:167:ILE:HD13	1.29	0.97
1:D:146:ILE:HG22	1:D:150:ILE:HD11	1.46	0.94
1:D:73:THR:HB	1:D:217:LEU:HD21	1.54	0.89
1:D:148:GLN:HE21	1:D:148:GLN:HA	1.40	0.87
1:D:328:LEU:O	1:D:332:ILE:CG2	2.25	0.85
1:C:323:GLN:CG	4:C:15:HOH:O	2.26	0.84
1:C:323:GLN:HG3	4:C:15:HOH:O	1.78	0.81
1:C:226:ASN:OD1	1:C:228:THR:HG23	1.86	0.75
1:C:41:PRO:HG2	1:C:42:PHE:N	2.01	0.75
1:B:319:LEU:HD21	1:B:491:VAL:HG12	1.66	0.75
1:C:209:LEU:HD23	1:C:482:VAL:HG11	1.69	0.73
1:C:101:THR:OG1	1:C:209:LEU:HD12	1.89	0.72
1:B:68:MET:CE	1:C:40:LEU:HD12	2.20	0.72
1:D:402:ASN:HB3	1:D:405:GLU:HB2	1.70	0.71
1:D:497:GLN:HB2	4:D:518:HOH:O	1.91	0.71
2:D:600:HEM:HBC2	2:D:600:HEM:HHD	1.73	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:229:LEU:HD11	1:C:233:LYS:HE3	1.71	0.70
1:A:416:ARG:O	1:A:428:PRO:HG3	1.91	0.69
1:C:41:PRO:HG2	1:C:42:PHE:H	1.58	0.69
1:A:328:LEU:O	1:A:332:ILE:HG22	1.92	0.69
1:D:146:ILE:CG2	1:D:150:ILE:HD11	2.20	0.69
1:D:307:THR:HG21	1:D:451:GLU:OE1	1.93	0.68
1:C:41:PRO:CG	1:C:42:PHE:N	2.56	0.68
1:D:331:GLU:O	1:D:335:ASN:ND2	2.26	0.68
1:D:41:PRO:HD2	1:D:42:PHE:N	2.09	0.68
1:D:146:ILE:HG22	1:D:150:ILE:CD1	2.23	0.68
1:D:49:MET:CB	1:D:212:ASP:OD2	2.37	0.67
1:D:283:ASP:HA	1:D:286:LEU:CD1	2.25	0.66
1:D:167:ILE:CD1	1:D:167:ILE:H	2.07	0.65
1:D:206:ILE:HD11	1:D:305:GLU:HG3	1.78	0.65
1:B:273:SER:OG	1:B:274:ASP:N	2.30	0.64
1:D:146:ILE:O	1:D:150:ILE:HG13	1.97	0.64
1:D:283:ASP:HA	1:D:286:LEU:HD12	1.78	0.64
3:C:601:TOK:H53	3:C:601:TOK:H18B	1.79	0.63
1:D:365:PRO:O	1:D:368:PRO:HD3	1.99	0.62
3:A:601:TOK:H53	3:A:601:TOK:H18B	1.80	0.62
1:C:41:PRO:CG	1:C:42:PHE:H	2.12	0.62
1:D:226:ASN:OD1	1:D:227:LYS:N	2.33	0.62
1:C:43:LEU:O	1:C:44:PRO:O	2.18	0.62
1:D:148:GLN:NE2	1:D:148:GLN:HA	2.14	0.60
1:A:37:VAL:HG22	1:D:65:SER:O	2.02	0.60
1:C:215:VAL:HG13	1:C:393:ILE:CD1	2.32	0.60
1:C:44:PRO:O	1:C:45:ARG:HB3	2.01	0.59
1:D:49:MET:HB2	1:D:212:ASP:CG	2.22	0.59
1:B:106:SER:O	1:B:294:THR:HG21	2.03	0.59
1:C:419:ASN:ND2	1:C:424:GLN:HG2	2.17	0.59
1:A:343:THR:HG22	1:A:345:SER:H	1.68	0.58
1:B:120:HIS:N	1:B:120:HIS:ND1	2.45	0.58
1:D:215:VAL:HG13	1:D:393:ILE:HD11	1.85	0.58
2:D:600:HEM:C1B	3:D:601:TOK:H56	2.39	0.58
1:C:370:LEU:HD21	1:C:396:LEU:HG	1.86	0.58
1:C:75:ILE:HD12	1:C:75:ILE:N	2.20	0.57
1:D:41:PRO:HD2	1:D:42:PHE:H	1.68	0.57
1:C:120:HIS:NE2	1:C:286:LEU:HD22	2.19	0.57
2:C:600:HEM:HBB2	2:C:600:HEM:HHC	1.86	0.57
1:C:343:THR:O	1:C:346:ASP:HB2	2.05	0.57
1:B:199:GLN:NE2	4:B:526:HOH:O	2.33	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:101:THR:OG1	1:D:209:LEU:HD12	2.04	0.56
1:D:443:ILE:HD11	2:D:600:HEM:HMD2	1.87	0.56
1:A:273:SER:O	1:A:281:ASP:HB3	2.05	0.56
1:A:313:TRP:CZ3	1:A:364:ARG:HG3	2.40	0.56
1:B:211:LYS:C	1:B:211:LYS:HD3	2.26	0.56
1:C:492:LYS:HE2	1:C:494:LYS:HD3	1.86	0.56
1:C:262:MET:SD	1:C:299:ILE:HG13	2.47	0.55
1:C:367:ALA:HB2	3:C:601:TOK:C55	2.36	0.55
1:B:167:ILE:CD1	1:B:315:LEU:HD11	2.36	0.55
1:C:271:MET:HA	1:C:274:ASP:HB2	1.89	0.55
1:C:313:TRP:CE3	1:C:486:ILE:HD12	2.42	0.55
1:A:366:VAL:CG1	1:A:483:VAL:HG13	2.36	0.55
1:A:57:GLN:HG2	1:A:62:PRO:HA	1.88	0.55
1:A:445:GLU:OE2	1:A:449:ARG:NH2	2.39	0.55
1:C:209:LEU:HD23	1:C:482:VAL:CG1	2.37	0.55
1:A:134:LEU:O	1:A:140:GLN:NE2	2.39	0.55
1:B:205:ILE:O	1:B:209:LEU:HB2	2.07	0.55
1:C:223:ILE:HG13	1:C:224:PHE:CD2	2.41	0.54
1:D:262:MET:SD	1:D:299:ILE:HG13	2.47	0.54
1:D:216:ASP:OD1	1:D:216:ASP:O	2.26	0.54
1:C:223:ILE:HD12	1:C:224:PHE:CE2	2.43	0.54
1:A:40:LEU:HD21	1:A:68:MET:HE2	1.89	0.54
1:D:284:SER:C	1:D:286:LEU:H	2.12	0.54
1:D:65:SER:HA	1:D:73:THR:O	2.08	0.54
1:D:448:ALA:O	1:D:452:LEU:HG	2.07	0.53
1:B:167:ILE:HD11	1:B:315:LEU:HD11	1.91	0.53
1:B:343:THR:O	1:B:346:ASP:HB2	2.09	0.53
1:B:290:ASN:HB3	4:B:514:HOH:O	2.09	0.53
1:D:57:GLN:O	1:D:61:GLY:N	2.33	0.52
1:B:205:ILE:HG21	3:B:601:TOK:H4A	1.92	0.52
1:D:424:GLN:NE2	4:D:513:HOH:O	2.26	0.52
2:A:600:HEM:C1D	3:A:601:TOK:H52	2.44	0.52
1:A:366:VAL:HG13	1:A:483:VAL:HG13	1.91	0.52
1:A:499:TRP:O	1:A:503:GLN:HG2	2.10	0.52
1:C:171:VAL:O	1:C:175:VAL:HG22	2.11	0.51
1:C:226:ASN:OD1	1:C:228:THR:CG2	2.57	0.51
1:B:311:VAL:O	1:B:315:LEU:HG	2.09	0.51
1:D:493:ILE:HG23	1:D:493:ILE:O	2.11	0.51
1:A:206:ILE:HD11	1:A:305:GLU:HG3	1.92	0.51
1:D:41:PRO:CD	1:D:42:PHE:N	2.74	0.51
1:A:500:ARG:HH11	1:A:500:ARG:HG3	1.74	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:341:THR:HB	1:B:342:PRO:CD	2.41	0.51
1:C:45:ARG:HG3	1:C:46:HIS:N	2.26	0.51
1:A:235:HIS:HD2	4:A:532:HOH:O	1.92	0.50
1:C:120:HIS:CD2	1:C:286:LEU:HD22	2.46	0.50
1:B:362:ARG:HA	1:B:400:HIS:HD1	1.76	0.50
1:A:67:ARG:HB2	1:D:36:LEU:HD11	1.93	0.50
1:C:274:ASP:O	1:C:275:ASN:O	2.30	0.49
1:D:167:ILE:N	1:D:167:ILE:HD13	2.13	0.49
1:D:138:GLY:H	1:D:141:LYS:HB2	1.76	0.49
1:B:317:PHE:CZ	1:B:363:LEU:HD13	2.48	0.49
1:D:164:SER:HB3	1:D:468:PRO:HB3	1.93	0.49
1:B:274:ASP:OD1	1:B:274:ASP:O	2.30	0.49
1:D:224:PHE:HB2	1:D:226:ASN:HD22	1.77	0.49
1:D:274:ASP:OD1	1:D:274:ASP:O	2.29	0.49
1:D:335:ASN:N	1:D:335:ASN:HD22	2.10	0.49
1:D:216:ASP:HB3	1:D:391:GLU:OE1	2.12	0.49
1:B:68:MET:HE3	1:C:40:LEU:HD12	1.92	0.49
1:C:201:TYR:CE1	1:C:239:ARG:HG2	2.47	0.49
1:D:311:VAL:HG21	1:D:455:ILE:HD13	1.95	0.49
1:C:136:LYS:O	1:C:141:LYS:HG3	2.13	0.48
1:C:359:GLU:HA	1:C:359:GLU:OE1	2.13	0.48
1:B:35:PRO:HD3	1:C:384:PHE:CE2	2.48	0.48
1:D:335:ASN:N	1:D:335:ASN:ND2	2.61	0.48
1:C:495:VAL:HB	1:C:500:ARG:NH1	2.29	0.48
1:D:359:GLU:HA	1:D:359:GLU:OE1	2.14	0.48
1:D:442:CYS:HB2	2:D:600:HEM:C4A	2.48	0.48
1:B:54:PHE:O	1:B:57:GLN:HB2	2.14	0.48
1:A:500:ARG:NH1	1:A:500:ARG:HG3	2.29	0.47
1:A:200:ASN:HB3	1:B:163:GLN:NE2	2.29	0.47
1:B:167:ILE:HD11	1:B:315:LEU:CD1	2.43	0.47
2:A:600:HEM:C1B	3:A:601:TOK:H56	2.49	0.47
1:D:344:ILE:HD13	1:D:344:ILE:HA	1.67	0.47
1:A:442:CYS:HB2	2:A:600:HEM:NA	2.30	0.47
1:D:362:ARG:NH2	1:D:363:LEU:HG	2.29	0.47
1:B:101:THR:HG23	1:B:102:LEU:N	2.30	0.47
1:C:367:ALA:HB2	3:C:601:TOK:H55	1.96	0.47
1:B:366:VAL:HG12	1:B:483:VAL:HG13	1.97	0.47
1:C:313:TRP:CE3	1:C:364:ARG:HG3	2.49	0.47
1:A:101:THR:CG2	1:A:102:LEU:N	2.78	0.46
1:D:142:LEU:O	1:D:146:ILE:HG13	2.16	0.46
1:C:41:PRO:CD	1:C:42:PHE:H	2.28	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:332:ILE:HD12	1:D:336:VAL:HG21	1.97	0.46
1:D:343:THR:O	1:D:346:ASP:HB2	2.15	0.46
1:C:99:MET:O	1:C:100:ALA:C	2.53	0.46
1:C:376:ASN:O	1:C:388:LYS:HE3	2.16	0.46
1:D:205:ILE:O	1:D:209:LEU:HB2	2.15	0.46
1:D:49:MET:HB3	1:D:369:MET:HE1	1.98	0.46
1:A:140:GLN:H	1:A:140:GLN:HG3	1.64	0.45
1:A:40:LEU:HD21	1:A:68:MET:CE	2.46	0.45
1:A:357:ILE:O	1:A:361:LEU:HG	2.15	0.45
1:B:57:GLN:HG2	1:B:62:PRO:HA	1.98	0.45
1:A:501:GLU:C	1:A:503:GLN:H	2.19	0.45
1:C:41:PRO:HG2	1:C:42:PHE:HB2	1.98	0.45
1:C:92:ASP:OD2	1:C:379:SER:OG	2.26	0.45
1:D:215:VAL:HG13	1:D:393:ILE:CD1	2.45	0.45
1:A:73:THR:CG2	1:A:393:ILE:HD12	2.47	0.45
1:A:362:ARG:NH2	1:A:363:LEU:HG	2.32	0.45
1:B:362:ARG:HA	1:B:400:HIS:ND1	2.32	0.45
1:C:86:LEU:O	1:C:438:GLY:HA3	2.17	0.45
1:D:242:LEU:HD23	1:D:242:LEU:C	2.37	0.45
1:A:211:LYS:HD3	1:A:211:LYS:C	2.37	0.44
1:A:127:LEU:HD13	1:A:266:LEU:HD23	1.99	0.44
1:B:65:SER:HB3	1:B:74:VAL:HG22	1.98	0.44
1:C:313:TRP:CZ3	1:C:364:ARG:HG3	2.52	0.44
1:D:364:ARG:HH21	1:D:476:LEU:HB3	1.82	0.44
1:D:85:VAL:HG11	1:D:394:ILE:HD11	1.99	0.44
1:C:158:ALA:O	1:C:161:ASN:CB	2.66	0.44
1:D:462:ARG:HA	1:D:499:TRP:CD1	2.53	0.44
1:A:59:LYS:HE3	1:A:60:TYR:CZ	2.53	0.43
1:D:120:HIS:CD2	1:D:120:HIS:H	2.35	0.43
1:A:221:LEU:C	1:A:221:LEU:HD12	2.38	0.43
1:B:263:LEU:HD12	1:B:263:LEU:HA	1.85	0.43
1:A:310:VAL:HG21	2:A:600:HEM:CBB	2.48	0.43
1:D:169:PHE:O	1:D:173:VAL:HG23	2.18	0.43
1:D:367:ALA:HA	1:D:368:PRO:HD2	1.85	0.43
1:A:136:LYS:O	1:A:137:ASP:HB3	2.18	0.43
1:D:353:LEU:HD11	1:D:456:MET:HB3	1.99	0.43
1:D:362:ARG:HB2	1:D:432:TYR:HE1	1.83	0.43
2:B:600:HEM:C1B	3:B:601:TOK:H56	2.54	0.43
1:C:259:ILE:HG13	1:C:268:GLN:NE2	2.33	0.43
1:C:57:GLN:HG2	1:C:61:GLY:O	2.18	0.43
1:B:455:ILE:CG2	1:B:459:LEU:HD22	2.49	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:344:ILE:HG12	1:C:454:LEU:HD11	2.00	0.43
1:D:359:GLU:HA	1:D:417:PHE:HE1	1.83	0.43
1:B:62:PRO:O	1:B:77:GLY:N	2.32	0.43
2:C:600:HEM:C1D	3:C:601:TOK:H52	2.53	0.43
1:A:37:VAL:CG2	1:D:66:VAL:HG22	2.49	0.43
1:A:174:ALA:O	1:A:178:VAL:HG23	2.19	0.43
1:B:413:MET:O	1:B:416:ARG:HG2	2.19	0.42
1:C:127:LEU:HD13	1:C:266:LEU:HD23	2.01	0.42
1:D:67:ARG:HB3	1:D:67:ARG:HE	1.68	0.42
1:A:396:LEU:HD11	1:A:434:PRO:HA	2.00	0.42
1:C:184:PHE:CZ	1:C:296:ILE:HG21	2.54	0.42
1:A:179:ILE:HA	1:A:179:ILE:HD12	1.95	0.42
1:B:313:TRP:CZ3	1:B:364:ARG:HG3	2.55	0.42
1:C:34:LEU:C	1:C:34:LEU:HD12	2.40	0.42
1:D:470:ASP:O	1:D:472:GLN:N	2.52	0.42
1:B:383:GLU:O	1:C:32:LEU:HB2	2.18	0.42
1:D:205:ILE:HG13	1:D:235:HIS:HB3	2.02	0.42
1:D:395:ASN:OD1	1:D:397:TRP:HB3	2.20	0.42
1:C:419:ASN:HB2	1:C:420:PRO:HD2	2.01	0.42
1:D:366:VAL:HG21	2:D:600:HEM:HBB2	2.02	0.42
1:C:479:ILE:HA	1:C:480:PRO:HD3	1.88	0.42
1:A:143:GLU:OE2	1:A:343:THR:HG23	2.20	0.42
1:C:343:THR:HG23	1:C:345:SER:H	1.85	0.42
1:B:214:LEU:HD11	1:B:482:VAL:HG12	2.01	0.42
1:B:96:ARG:HG2	1:B:440:ARG:NH2	2.35	0.42
1:D:206:ILE:CD1	1:D:305:GLU:HG3	2.46	0.42
1:B:146:ILE:O	1:B:150:ILE:HG13	2.20	0.41
1:C:101:THR:HG23	1:C:102:LEU:HD13	2.02	0.41
1:C:204:GLY:HA3	1:C:235:HIS:CE1	2.55	0.41
1:D:283:ASP:HA	1:D:286:LEU:HD13	2.01	0.41
1:B:331:GLU:OE2	1:B:351:LEU:N	2.54	0.41
1:C:219:PRO:O	1:C:223:ILE:HG23	2.21	0.41
1:C:344:ILE:HD13	1:C:344:ILE:HA	1.92	0.41
1:B:214:LEU:HD11	1:B:482:VAL:CG1	2.49	0.41
1:C:158:ALA:O	1:C:161:ASN:HB2	2.20	0.41
1:A:101:THR:HG23	1:A:102:LEU:N	2.35	0.41
1:C:213:SER:HB2	1:C:369:MET:HE3	2.03	0.41
1:D:184:PHE:O	1:D:185:ASN:HB2	2.21	0.41
1:D:185:ASN:OD1	1:D:260:THR:OG1	2.39	0.41
1:A:221:LEU:O	1:A:221:LEU:HD12	2.21	0.41
1:A:169:PHE:O	1:A:173:VAL:HG23	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:313:TRP:CZ3	1:C:486:ILE:HD12	2.55	0.41
1:D:167:ILE:CD1	1:D:167:ILE:N	2.81	0.41
1:D:41:PRO:CD	1:D:42:PHE:H	2.32	0.41
1:A:344:ILE:HA	1:A:344:ILE:HD13	1.69	0.41
1:A:40:LEU:HD23	1:A:40:LEU:HA	1.95	0.41
1:A:65:SER:HA	1:A:73:THR:O	2.21	0.41
1:B:479:ILE:N	1:B:485:LEU:O	2.51	0.41
1:A:343:THR:O	1:A:346:ASP:HB2	2.21	0.41
1:B:310:VAL:HG22	1:B:366:VAL:HG22	2.03	0.41
1:C:168:SER:OG	1:C:312:LYS:HD2	2.21	0.41
1:B:37:VAL:O	1:C:41:PRO:HD3	2.20	0.41
1:D:93:PHE:CD1	1:D:392:VAL:HG21	2.56	0.41
1:A:342:PRO:HD3	1:A:461:GLN:OE1	2.21	0.40
1:B:43:LEU:HA	1:B:44:PRO:HD3	1.82	0.40
1:B:320:HIS:CD2	1:B:476:LEU:HD11	2.57	0.40
1:D:208:ASN:OD1	1:D:231:LYS:HE3	2.20	0.40
1:C:482:VAL:O	3:C:601:TOK:H54	2.21	0.40
1:D:212:ASP:CG	1:D:213:SER:H	2.25	0.40
1:A:454:LEU:HD23	1:A:454:LEU:HA	1.87	0.40
3:D:601:TOK:H19B	3:D:601:TOK:H11	1.89	0.40
1:B:189:LYS:HD3	1:B:189:LYS:HA	1.95	0.40
1:B:367:ALA:HB2	3:B:601:TOK:C55	2.51	0.40
1:D:171:VAL:O	1:D:175:VAL:HG22	2.21	0.40
1:D:366:VAL:CG1	1:D:483:VAL:HG13	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	467/494 (94%)	443 (95%)	23 (5%)	1 (0%)	51 67

Continued on next page...



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	461/494 (93%)	434 (94%)	27 (6%)	0	100	100
1	C	467/494 (94%)	433 (93%)	28 (6%)	6 (1%)	14	19
1	D	462/494 (94%)	414 (90%)	43 (9%)	5 (1%)	17	23
All	All	1857/1976 (94%)	1724 (93%)	121 (6%)	12 (1%)	28	41

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	45	ARG
1	C	275	ASN
1	D	41	PRO
1	A	502	ALA
1	C	46	HIS
1	D	272	ASN
1	D	471	GLY
1	D	404	LYS
1	C	44	PRO
1	D	285	GLU
1	C	284	SER
1	C	134	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	419/436 (96%)	392 (94%)	27 (6%)	20	32
1	B	415/436 (95%)	388 (94%)	27 (6%)	20	31
1	C	420/436 (96%)	384 (91%)	36 (9%)	12	18
1	D	416/436 (95%)	389 (94%)	27 (6%)	20	31
All	All	1670/1744 (96%)	1553 (93%)	117 (7%)	18	28

All (117) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	THR
1	A	101	THR
1	A	136	LYS
1	A	139	ASP
1	A	140	GLN
1	A	180	SER
1	A	207	ASP
1	A	211	LYS
1	A	221	LEU
1	A	234	SER
1	A	255	ARG
1	A	271	MET
1	A	274	ASP
1	A	281	ASP
1	A	285	GLU
1	A	307	THR
1	A	319	LEU
1	A	334	GLN
1	A	344	ILE
1	A	363	LEU
1	A	396	LEU
1	A	399	LEU
1	A	408	GLN
1	A	459	LEU
1	A	470	ASP
1	A	482	VAL
1	A	491	VAL
1	B	71	LYS
1	B	80	GLN
1	B	91	LYS
1	B	98	GLN
1	B	120	HIS
1	B	172	PHE
1	B	199	GLN
1	B	207	ASP
1	B	211	LYS
1	B	216	ASP
1	B	217	LEU
1	B	255	ARG
1	B	274	ASP
1	B	283	ASP
1	B	307	THR
1	B	319	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	334	GLN
1	B	343	THR
1	B	344	ILE
1	B	349	ARG
1	B	363	LEU
1	B	377	VAL
1	B	396	LEU
1	B	415	GLU
1	B	459	LEU
1	B	482	VAL
1	B	503	GLN
1	C	32	LEU
1	C	33	SER
1	C	42	PHE
1	C	55	LYS
1	C	59	LYS
1	C	68	MET
1	C	80	GLN
1	C	98	GLN
1	C	102	LEU
1	C	143	GLU
1	C	151	SER
1	C	199	GLN
1	C	221	LEU
1	C	228	THR
1	C	281	ASP
1	C	319	LEU
1	C	326	LYS
1	C	334[A]	GLN
1	C	334[B]	GLN
1	C	343	THR
1	C	344	ILE
1	C	363	LEU
1	C	379	SER
1	C	383	GLU
1	C	396	LEU
1	C	403	GLU
1	C	413	MET
1	C	416	ARG
1	C	459	LEU
1	C	464	ASP
1	C	470	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	484	PHE
1	C	491	VAL
1	C	499	TRP
1	C	500	ARG
1	C	501	GLU
1	D	42	PHE
1	D	67	ARG
1	D	88	LYS
1	D	120	HIS
1	D	148	GLN
1	D	151	SER
1	D	156	MET
1	D	167	ILE
1	D	170	PRO
1	D	172	PHE
1	D	199	GLN
1	D	201	TYR
1	D	227	LYS
1	D	234	SER
1	D	271	MET
1	D	332	ILE
1	D	334	GLN
1	D	335	ASN
1	D	343	THR
1	D	344	ILE
1	D	349	ARG
1	D	396	LEU
1	D	419	ASN
1	D	431	SER
1	D	449	ARG
1	D	464	ASP
1	D	482	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	HIS
1	A	275	ASN
1	A	321	ASN
1	B	140	GLN
1	B	199	GLN
1	B	424	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	268	GLN
1	C	275	ASN
1	C	472	GLN
1	C	503	GLN
1	D	48	HIS
1	D	148	GLN
1	D	335	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	600	1,3	28,50,50	2.18	7 (25%)	17,82,82	1.87	4 (23%)
3	TOK	A	601	2	32,34,34	1.29	2 (6%)	44,54,54	1.56	9 (20%)
2	HEM	B	600	1,3	28,50,50	2.06	5 (17%)	17,82,82	2.33	8 (47%)
3	TOK	B	601	2	32,34,34	1.42	4 (12%)	44,54,54	1.46	7 (15%)
2	HEM	C	600	1,3	28,50,50	2.36	7 (25%)	17,82,82	1.54	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	TOK	C	601	2	32,34,34	1.52	2 (6%)	44,54,54	1.80	14 (31%)
2	HEM	D	600	1,3	28,50,50	2.43	8 (28%)	17,82,82	1.65	2 (11%)
3	TOK	D	601	2	32,34,34	1.09	3 (9%)	44,54,54	1.17	5 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	600	1,3	-	0/6/54/54	0/0/8/8
3	TOK	A	601	2	-	0/0/62/62	0/6/6/6
2	HEM	B	600	1,3	-	0/6/54/54	0/0/8/8
3	TOK	B	601	2	-	0/0/62/62	0/6/6/6
2	HEM	C	600	1,3	-	0/6/54/54	0/0/8/8
3	TOK	C	601	2	-	0/0/62/62	0/6/6/6
2	HEM	D	600	1,3	-	0/6/54/54	0/0/8/8
3	TOK	D	601	2	-	0/0/62/62	0/6/6/6

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	600	HEM	C3C-C2C	-5.65	1.32	1.40
3	B	601	TOK	C17-N48	-5.52	1.39	1.46
2	D	600	HEM	C3C-C2C	-5.47	1.33	1.40
3	C	601	TOK	C49-N48	-5.19	1.32	1.39
3	A	601	TOK	C17-N48	-5.12	1.40	1.46
2	C	600	HEM	C3B-C2B	-5.10	1.33	1.40
2	D	600	HEM	C3B-C2B	-4.92	1.33	1.40
2	B	600	HEM	C3C-C2C	-4.88	1.33	1.40
2	B	600	HEM	C3B-C2B	-4.53	1.34	1.40
3	C	601	TOK	C17-N48	-4.40	1.41	1.46
2	A	600	HEM	C3C-C2C	-4.17	1.34	1.40
2	A	600	HEM	C3B-C2B	-3.44	1.35	1.40
3	D	601	TOK	C17-N48	-3.28	1.42	1.46
3	B	601	TOK	C49-N48	-2.49	1.36	1.39
3	D	601	TOK	C49-N48	-2.46	1.36	1.39
3	A	601	TOK	C49-N48	-2.34	1.36	1.39
2	A	600	HEM	C4B-CHC	-2.33	1.34	1.40
3	D	601	TOK	C54-C53	2.03	1.41	1.36
3	B	601	TOK	C15-C16	2.09	1.53	1.50
2	D	600	HEM	CAA-C2A	2.40	1.56	1.52

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	600	HEM	CMD-C2D	2.56	1.56	1.51
3	B	601	TOK	C54-C53	2.63	1.42	1.36
2	C	600	HEM	C4D-ND	2.63	1.39	1.36
2	D	600	HEM	C1C-NC	2.68	1.39	1.36
2	A	600	HEM	CAA-C2A	3.02	1.57	1.52
2	C	600	HEM	C3B-CAB	3.11	1.54	1.47
2	B	600	HEM	C3C-CAC	3.12	1.53	1.47
2	C	600	HEM	CAA-C2A	3.19	1.57	1.52
2	C	600	HEM	C3C-CAC	3.50	1.54	1.47
2	B	600	HEM	C3B-CAB	3.50	1.54	1.47
2	D	600	HEM	C3C-CAC	3.63	1.54	1.47
2	A	600	HEM	C3B-CAB	4.23	1.56	1.47
2	B	600	HEM	C3D-C2D	4.47	1.50	1.37
2	D	600	HEM	C3B-CAB	4.49	1.56	1.47
2	A	600	HEM	C3C-CAC	4.54	1.56	1.47
2	D	600	HEM	C3D-C2D	4.92	1.52	1.37
2	C	600	HEM	C3D-C2D	5.32	1.53	1.37
2	A	600	HEM	C3D-C2D	5.36	1.53	1.37

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	601	TOK	C3-C4-C5	-5.39	102.42	111.98
2	B	600	HEM	CAA-CBA-CGA	-4.72	104.59	112.66
2	A	600	HEM	CMA-C3A-C4A	-4.63	121.35	128.46
2	D	600	HEM	C1D-C2D-C3D	-4.62	103.78	107.00
3	B	601	TOK	C15-C14-C13	-3.45	101.29	103.97
3	A	601	TOK	C9-C8-C14	-3.44	104.42	109.09
2	C	600	HEM	CMA-C3A-C4A	-3.36	123.30	128.46
3	C	601	TOK	C1-C2-C3	-3.00	106.59	110.42
3	B	601	TOK	C3-C4-C5	-2.98	106.69	111.98
3	C	601	TOK	C12-C13-C14	-2.87	104.82	108.97
2	B	600	HEM	C1D-C2D-C3D	-2.86	105.00	107.00
3	A	601	TOK	C3-C4-C5	-2.82	106.98	111.98
3	D	601	TOK	C4-C5-C6	-2.71	116.45	120.59
2	C	600	HEM	C1D-C2D-C3D	-2.68	105.13	107.00
2	B	600	HEM	CBD-CAD-C3D	-2.66	107.40	112.47
2	B	600	HEM	CMA-C3A-C4A	-2.61	124.46	128.46
3	D	601	TOK	C18-C13-C12	-2.44	108.11	111.12
2	B	600	HEM	CAD-CBD-CGD	-2.32	108.69	112.66
3	C	601	TOK	C19-C10-C9	-2.32	108.82	111.68
2	C	600	HEM	CAD-CBD-CGD	-2.25	108.82	112.66

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	TOK	C18-C13-C14	-2.21	109.51	112.94
3	C	601	TOK	C4-C5-C6	-2.18	117.26	120.59
3	D	601	TOK	C3-C4-C5	-2.15	108.17	111.98
3	A	601	TOK	C1-C10-C9	-2.06	105.72	108.68
3	C	601	TOK	C19-C10-C5	-2.03	104.99	108.34
3	C	601	TOK	C9-C8-C14	-2.00	106.38	109.09
2	C	600	HEM	CMA-C3A-C2A	2.00	128.71	124.94
3	B	601	TOK	C19-C10-C1	2.02	112.65	109.41
3	B	601	TOK	C7-C8-C14	2.06	114.06	110.92
3	C	601	TOK	O3-C3-C2	2.07	115.12	110.10
3	D	601	TOK	C4-C5-C10	2.15	119.36	116.41
3	A	601	TOK	C1-C2-C3	2.17	113.19	110.42
3	A	601	TOK	C11-C9-C8	2.20	114.94	111.75
3	C	601	TOK	C18-C13-C14	2.21	116.37	112.94
3	C	601	TOK	C9-C10-C5	2.21	113.11	109.65
2	B	600	HEM	CMA-C3A-C2A	2.22	129.13	124.94
3	A	601	TOK	C7-C8-C14	2.27	114.38	110.92
3	B	601	TOK	C2-C1-C10	2.51	118.07	112.81
3	C	601	TOK	C4-C5-C10	2.56	119.93	116.41
3	A	601	TOK	C19-C10-C1	2.58	113.56	109.41
2	A	600	HEM	CBA-CAA-C2A	2.59	117.43	112.48
3	D	601	TOK	C15-C14-C13	2.75	106.11	103.97
3	A	601	TOK	C12-C11-C9	2.94	118.25	113.12
3	C	601	TOK	C19-C10-C1	3.01	114.25	109.41
2	D	600	HEM	CBA-CAA-C2A	3.13	118.47	112.48
2	A	600	HEM	CMA-C3A-C2A	3.22	131.01	124.94
2	B	600	HEM	CMB-C2B-C3B	3.28	130.98	124.89
3	C	601	TOK	C7-C8-C14	3.33	115.99	110.92
2	A	600	HEM	CMB-C2B-C3B	3.33	131.08	124.89
2	B	600	HEM	C4C-C3C-C2C	3.59	109.40	106.90
3	A	601	TOK	C15-C14-C13	3.84	106.95	103.97
3	B	601	TOK	C1-C2-C3	3.93	115.43	110.42
3	C	601	TOK	C7-C8-C9	4.27	115.08	109.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600	HEM	4	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	TOK	3	0
2	B	600	HEM	1	0
3	B	601	TOK	3	0
2	C	600	HEM	2	0
3	C	601	TOK	5	0
2	D	600	HEM	5	0
3	D	601	TOK	2	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	471/494 (95%)	0.21	31 (6%) 19 17	29, 44, 70, 81	0
1	B	465/494 (94%)	0.02	14 (3%) 51 49	25, 43, 67, 75	0
1	C	470/494 (95%)	0.21	29 (6%) 21 20	29, 43, 69, 82	0
1	D	466/494 (94%)	0.32	30 (6%) 20 18	27, 48, 75, 87	0
All	All	1872/1976 (94%)	0.19	104 (5%) 25 24	25, 44, 71, 87	0

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	46	HIS	6.6
1	C	275	ASN	6.4
1	A	139	ASP	6.2
1	A	282	GLN	5.6
1	C	45	ARG	4.6
1	B	138	GLY	4.6
1	D	469	ASP	4.5
1	A	135	PHE	4.5
1	A	275	ASN	4.4
1	A	283	ASP	4.4
1	A	276	GLY	4.4
1	C	138	GLY	4.3
1	C	281	ASP	4.3
1	D	285	GLU	4.3
1	D	45	ARG	4.2
1	D	274	ASP	4.1
1	B	274	ASP	4.1
1	B	285	GLU	4.0
1	C	282	GLN	4.0
1	C	276	GLY	4.0
1	D	139	ASP	3.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	140	GLN	3.8
1	D	470	ASP	3.8
1	B	139	ASP	3.7
1	C	139	ASP	3.7
1	A	136	LYS	3.6
1	C	274	ASP	3.4
1	D	284	SER	3.4
1	C	469	ASP	3.4
1	B	249	ASN	3.4
1	D	140	GLN	3.4
1	A	137	ASP	3.4
1	A	281	ASP	3.3
1	A	274	ASP	3.2
1	A	271	MET	3.2
1	D	137	ASP	3.2
1	D	163	GLN	3.1
1	B	252	GLU	3.0
1	D	306	THR	3.0
1	C	306	THR	2.9
1	C	280	PRO	2.9
1	C	137	ASP	2.9
1	B	248	GLU	2.9
1	C	442	CYS	2.8
1	A	273	SER	2.8
1	C	470	ASP	2.8
1	D	42	PHE	2.7
1	B	140	GLN	2.7
1	A	138	GLY	2.7
1	A	257	ASP	2.7
1	A	302	ALA	2.6
1	C	310	VAL	2.6
1	A	306	THR	2.6
1	C	47	GLY	2.6
1	A	304	VAL	2.6
1	C	448	ALA	2.6
1	C	447	LEU	2.5
1	D	165	ILE	2.5
1	D	340	ARG	2.5
1	A	307	THR	2.5
1	C	307	THR	2.5
1	B	253	LYS	2.5
1	D	407	HIS	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	206	ILE	2.5
1	A	253	LYS	2.4
1	D	334	GLN	2.4
1	A	309	SER	2.4
1	D	283	ASP	2.4
1	C	43	LEU	2.4
1	A	504	ALA	2.4
1	D	471	GLY	2.4
1	A	483	VAL	2.3
1	D	273	SER	2.3
1	D	339	SER	2.3
1	A	497	GLN	2.3
1	D	472	GLN	2.3
1	A	308	THR	2.3
1	B	137	ASP	2.3
1	D	310	VAL	2.3
1	C	501	GLU	2.3
1	B	175	VAL	2.3
1	C	493	ILE	2.3
1	A	452	LEU	2.3
1	C	497	GLN	2.2
1	A	284	SER	2.2
1	D	272	ASN	2.2
1	C	367	ALA	2.2
1	B	134	LEU	2.2
1	C	500	ARG	2.2
1	D	448	ALA	2.2
1	C	41	PRO	2.1
1	A	285	GLU	2.1
1	D	419	ASN	2.1
1	A	119	ALA	2.1
1	D	420	PRO	2.1
1	C	248	GLU	2.1
1	D	309	SER	2.1
1	B	304	VAL	2.1
1	D	500	ARG	2.1
1	B	301	GLY	2.1
1	A	310	VAL	2.0
1	D	308	THR	2.0
1	C	308	THR	2.0
1	D	473	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	TOK	A	601	29/29	0.96	0.31	1.53	36,41,43,44	0
2	HEM	C	600	43/43	0.98	0.30	1.31	28,34,39,41	0
3	TOK	C	601	29/29	0.96	0.27	1.12	26,31,34,35	0
2	HEM	A	600	43/43	0.96	0.25	0.86	28,36,43,47	0
3	TOK	D	601	29/29	0.96	0.24	0.84	27,32,39,43	0
3	TOK	B	601	29/29	0.96	0.22	0.51	29,35,37,40	0
2	HEM	D	600	43/43	0.98	0.22	0.37	26,30,34,36	0
2	HEM	B	600	43/43	0.98	0.21	0.31	25,33,36,40	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.