



wwPDB/EMDataBank EM Map/Model Validation Summary Report ⓘ

Sep 3, 2017 – 08:25 PM EDT

PDB ID : 5TCP
EMDB ID: : EMD-8398
Title : Near-atomic resolution cryo-EM structure of the periplasmic domains of PrgH and PrgK
Authors : Worrall, L.J.; Hong, C.; Vuckovic, M.; Bergeron, J.R.C.; Huang, R.K.; Yu, Z.; Strynadka, N.C.J.
Deposited on : unknown
Resolution : 4.30 Å(reported)

This is a wwPDB/EMDataBank EM Map/Model Validation Summary Report for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

MolProbity : 4.02b-467
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	125131	1336
Ramachandran outliers	121729	1120
Sidechain outliers	121581	1026

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	0	235	
1	2	235	
1	4	235	
1	6	235	
1	8	235	
1	B	235	
1	D	235	
1	F	235	
1	H	235	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	J	235	 76% 22%
1	L	235	 76% 22%
1	N	235	 76% 22%
1	P	235	 76% 22%
1	R	235	 75% 22%
1	T	235	 76% 22%
1	V	235	 75% 22%
1	X	235	 76% 22%
1	Z	235	 76% 22%
1	a	235	 78% 22%
1	c	235	 78% 22%
1	e	235	 78% 22%
1	g	235	 78% 22%
1	i	235	 78% 22%
1	k	235	 78% 22%
2	1	263	 72% 26%
2	3	263	 72% 26%
2	5	263	 72% 26%
2	7	263	 72% 26%
2	9	263	 72% 26%
2	A	263	 71% 26%
2	C	263	 71% 26%
2	E	263	 71% 26%
2	G	263	 71% 26%
2	I	263	 71% 26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	K	263	
2	M	263	
2	O	263	
2	Q	263	
2	S	263	
2	U	263	
2	W	263	
2	Y	263	
2	b	263	
2	d	263	
2	f	263	
2	h	263	
2	j	263	
2	l	263	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 72888 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipoprotein PrgK.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	2	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	4	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	6	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	8	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	B	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	D	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	F	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	H	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	J	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	L	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	N	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	P	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	R	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	T	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	V	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	X	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	Z	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	a	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	c	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	e	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	g	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	i	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
1	k	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		

- Molecule 2 is a protein called Protein PrgH.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	3	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	5	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	7	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	9	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	A	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	C	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	E	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	G	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	I	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	K	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
2	M	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	O	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	Q	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	S	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	U	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	W	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	Y	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	b	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	d	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	f	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	h	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	j	194	Total 1600	C 1011	N 288	O 297	S 4	0	0
2	l	194	Total 1600	C 1011	N 288	O 297	S 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lipoprotein PrgK




- Molecule 1: Lipoprotein PrgK




- Molecule 1: Lipoprotein PrgK




- Molecule 1: Lipoprotein PrgK




- Molecule 1: Lipoprotein PrgK

Chain 8:  76% 22%





- Molecule 1: Lipoprotein PrgK

Chain B:  75% 22%




- Molecule 1: Lipoprotein PrgK

Chain D:  75% 22%




- Molecule 1: Lipoprotein PrgK

Chain F:  75% 22%




- Molecule 1: Lipoprotein PrgK

Chain H:  75% 22%




- Molecule 1: Lipoprotein PrgK

Chain J:  76% 22%




- Molecule 1: Lipoprotein PrgK

Chain L: 76% 22%




- Molecule 1: Lipoprotein PrgK

Chain N: 76% 22%




- Molecule 1: Lipoprotein PrgK

Chain P: 76% 22%




- Molecule 1: Lipoprotein PrgK

Chain R: 75% 22%




- Molecule 1: Lipoprotein PrgK

Chain T: 76% 22%



SER
ASN
GLU


- Molecule 1: Lipoprotein PrgK

Chain V:  75% 22%

CYS LYS D20 D28 E62 P63 P78 L187 R190 K203 ARG ASN SER PHE ALA THR SER TRP ILE VAL LEU ILE ILE LEU LEU VAL MET SER PHE GLY ALA GLY PHE GLY VAL TRP TYR LYS ASN HIS TYR LYS ASN ARG ASN LYS LYS ILE THR ASP ASP LYS LYS

ALA
LYS
SER
SER
ASN
GLU

- Molecule 1: Lipoprotein PrgK

Chain X:  76% 22%

CYS LYS D20 D28 E62 P63 L187 R190 K203 ARG ASN SER PHE ALA THR SER TRP ILE VAL LEU ILE ILE LEU LEU VAL MET SER PHE GLY ALA GLY VAL TRP TYR LYS LYS HIS TYR LYS ASN ARG LYS LYS GLY THR ASP ASP LYS LYS

SER
ASN
GLU


- Molecule 1: Lipoprotein PrgK

Chain Z:  76% 22%

CYS LYS D20 D28 E62 P63 L187 R190 K203 ARG ASN SER PHE ALA THR SER TRP ILE VAL LEU ILE ILE LEU LEU VAL MET SER PHE GLY ALA GLY VAL TRP TYR LYS LYS HIS TYR LYS ASN ARG LYS LYS GLY THR ASP ASP LYS LYS


SER
ASN
GLU

- Molecule 1: Lipoprotein PrgK

Chain a:  78% 22%


CYS LYS D20 R190 K203 ARG ASN SER PHE ALA THR SER TRP VAL LEU LEU ILE ILE LEU LEU VAL MET SER SER ALA GLY PHE GLY VAL TRP TYR TYR LYS LYS ASN HIS TYR ALA ARG ASN LYS LYS GLY ILE THR ALA ASP ASP LYS ALA LYS SER SER ASN GLU


- Molecule 1: Lipoprotein PrgK

Chain c:  78% 22%

CYS LYS D20 R190 K203 ARG ASN SER PHE ALA THR SER TRP VAL LEU LEU ILE ILE LEU LEU VAL MET SER SER ALA GLY PHE GLY VAL TRP TYR TYR LYS LYS ASN HIS TYR ALA ARG ASN LYS LYS GLY ILE THR ALA ASP ASP LYS ALA LYS SER SER ASN GLU

- Molecule 1: Lipoprotein PrgK

Chain e:  78% 22%




- Molecule 1: Lipoprotein PrgK

Chain g: 78% 22%




- Molecule 1: Lipoprotein PrgK

Chain i: 78% 22%




- Molecule 1: Lipoprotein PrgK

Chain k: 78% 22%




- Molecule 2: Protein PrgH

Chain 1: 72% 26%




- Molecule 2: Protein PrgH

Chain 3: 72% 26%



- Molecule 2: Protein PrgH

Chain 5: 72% 26%



PHE
GLN
TYR
GLY
ALA
GLU
GLY
TYR
ILE
LYS
MET
SER
PRO
GLY
HIS
TRP
PHE
PHE
PRO
PRO
LEU

• Molecule 2: Protein PrgH



SER
ALA
LYS
LYS
ASN
GLU
PRO
ARG
PHE
LYS
ASN
GLY
ILE
VAL
ALA
ALA
LEU
GLY
PHE
PHE
ILE
ILE
GLY
THR
VAL
GLY
THR
LEU
TRP
ILE
LEU
ASN
SER
PRO
GLN
ARG
GLN
ALA
A171
G178
P188
D251
E252
P253
R316
D364
TRP
LEU
LYS
GLY
ARG
SER

PHE
GLN
TYR
GLY
ALA
GLU
GLY
TYR
ILE
LYS
MET
SER
PRO
GLY
HIS
TRP
PHE
PHE
PRO
PRO
LEU

• Molecule 2: Protein PrgH



SER
ALA
LYS
LYS
ASN
GLU
PRO
ARG
PHE
LYS
ASN
GLY
ILE
VAL
ALA
ALA
LEU
GLY
PHE
PHE
ILE
ILE
GLY
THR
VAL
GLY
THR
LEU
TRP
ILE
LEU
ASN
SER
PRO
GLN
ARG
GLN
ALA
A171
G178
P188
D251
E252
P253
R316
D364
TRP
LEU
LYS
GLY
ARG
SER

PHE
GLN
TYR
GLY
ALA
GLU
GLY
TYR
ILE
LYS
MET
SER
PRO
GLY
HIS
TRP
PHE
PHE
PRO
PRO
LEU

• Molecule 2: Protein PrgH



SER
ALA
LYS
LYS
ASN
GLU
PRO
ARG
PHE
LYS
ASN
GLY
ILE
VAL
ALA
ALA
LEU
GLY
PHE
PHE
ILE
ILE
GLY
THR
VAL
GLY
THR
LEU
TRP
ILE
LEU
ASN
SER
PRO
GLN
ARG
GLN
ALA
A171
G178
L187
P188
D251
E252
P253
R316
D364
TRP
LEU
LYS
GLY
ARG

SER
PHE
GLN
TYR
GLY
ALA
GLU
GLY
TYR
ILE
LYS
MET
SER
PRO
GLY
HIS
TRP
PHE
PHE
PRO
PRO
LEU

• Molecule 2: Protein PrgH



SER
ALA
LYS
LYS
ASN
GLU
PRO
ARG
PHE
LYS
ASN
GLY
ILE
VAL
ALA
ALA
LEU
GLY
PHE
PHE
ILE
ILE
GLY
THR
VAL
GLY
THR
LEU
TRP
ILE
LEU
ASN
SER
PRO
GLN
ARG
GLN
ALA
A171
G178
L187
P188
D251
E252
P253
R316
D364
TRP
LEU
LYS
GLY
ARG

SER
PHE
GLN
TYR
GLY
ALA
GLU
GLY
TYR
ILE
LYS
MET
SER
PRO
GLY
HIS
TRP
PHE
PHE
PRO
PRO
LEU

• Molecule 2: Protein PrgH




SER
ALA
LYS
LYS
ASN
GLU
PRO
ARG
PHE
LYS
ASN
GLY
ILE
VAL
ALA
ALA
LEU
GLY
PHE
PHE
ILE
ILE
GLY
THR
VAL
GLY
THR
LEU
TRP
ILE
LEU
ASN
SER
PRO
GLN
ARG
GLN
ALA
A171
G178
L187
P188
D251
E252
P253
R316
D364
TRP
LEU
LYS
GLY
ARG

SER
PHE
GLN
TYR
GLY
ALA
GLU
GLY
TYR
ILE
LYS
MET
SER
PRO
GLY
HIS
TRP
PHE
PHE
PRO
PRO
LEU


- Molecule 2: Protein PrgH

Chain G:  71% 26%




- Molecule 2: Protein PrgH

Chain I:  71% 26%




- Molecule 2: Protein PrgH

Chain K:  71% 26%




- Molecule 2: Protein PrgH

Chain M:  72% 26%



- Molecule 2: Protein PrgH

Chain O:  72% 26%




- Molecule 2: Protein PrgH

Chain Q:

72%

26%




• Molecule 2: Protein PrgH

Chain S:

72%

26%




• Molecule 2: Protein PrgH

Chain U:

72%

26%




• Molecule 2: Protein PrgH

Chain W:

72%

26%




• Molecule 2: Protein PrgH

Chain Y:

72%

26%




• Molecule 2: Protein PrgH


Chain b:

72%


26%




- Molecule 2: Protein PrgH




- Molecule 2: Protein PrgH




- Molecule 2: Protein PrgH



- Molecule 2: Protein PrgH



- Molecule 2: Protein PrgH



PHE
GLN
TYR
GLY
ALA
GLU
GLY
TYR
ILE
LYS
MET
SER
PRO
GLY
HIS
TRP
TYR
PHE
PRO
SER
PRO
LEU

4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C24	Depositor
Number of particles used	67800	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.3	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	3200	Depositor
Magnification	29240	Depositor
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
1	0	0.77	0/1465	0.68	1/1989 (0.1%)
1	2	0.77	0/1465	0.68	2/1989 (0.1%)
1	4	0.77	0/1465	0.68	1/1989 (0.1%)
1	6	0.77	0/1465	0.68	1/1989 (0.1%)
1	8	0.77	0/1465	0.68	1/1989 (0.1%)
1	B	0.77	0/1465	0.68	2/1989 (0.1%)
1	D	0.77	0/1465	0.68	1/1989 (0.1%)
1	F	0.77	0/1465	0.68	1/1989 (0.1%)
1	H	0.77	0/1465	0.68	1/1989 (0.1%)
1	J	0.77	0/1465	0.68	1/1989 (0.1%)
1	L	0.77	0/1465	0.68	1/1989 (0.1%)
1	N	0.77	0/1465	0.68	1/1989 (0.1%)
1	P	0.77	0/1465	0.68	1/1989 (0.1%)
1	R	0.77	0/1465	0.68	1/1989 (0.1%)
1	T	0.77	0/1465	0.68	1/1989 (0.1%)
1	V	0.77	0/1465	0.68	1/1989 (0.1%)
1	X	0.77	0/1465	0.68	1/1989 (0.1%)
1	Z	0.77	0/1465	0.68	1/1989 (0.1%)
1	a	0.77	0/1465	0.68	1/1989 (0.1%)
1	c	0.77	0/1465	0.68	1/1989 (0.1%)
1	e	0.77	0/1465	0.68	1/1989 (0.1%)
1	g	0.77	0/1465	0.68	1/1989 (0.1%)
1	i	0.77	0/1465	0.68	1/1989 (0.1%)
1	k	0.77	0/1465	0.68	1/1989 (0.1%)
2	1	0.77	0/1632	0.70	1/2204 (0.0%)
2	3	0.77	0/1632	0.70	1/2204 (0.0%)
2	5	0.77	0/1632	0.71	1/2204 (0.0%)
2	7	0.77	0/1632	0.70	1/2204 (0.0%)
2	9	0.77	0/1632	0.70	1/2204 (0.0%)
2	A	0.77	0/1632	0.70	1/2204 (0.0%)
2	C	0.77	0/1632	0.70	1/2204 (0.0%)
2	E	0.77	0/1632	0.70	1/2204 (0.0%)
2	G	0.77	0/1632	0.71	1/2204 (0.0%)
2	I	0.77	0/1632	0.70	1/2204 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
2	K	0.77	0/1632	0.70	1/2204 (0.0%)
2	M	0.77	0/1632	0.70	1/2204 (0.0%)
2	O	0.77	0/1632	0.70	1/2204 (0.0%)
2	Q	0.77	0/1632	0.70	1/2204 (0.0%)
2	S	0.77	0/1632	0.70	1/2204 (0.0%)
2	U	0.77	0/1632	0.70	1/2204 (0.0%)
2	W	0.76	0/1632	0.70	1/2204 (0.0%)
2	Y	0.77	0/1632	0.70	1/2204 (0.0%)
2	b	0.77	0/1632	0.70	1/2204 (0.0%)
2	d	0.77	0/1632	0.70	1/2204 (0.0%)
2	f	0.77	0/1632	0.70	1/2204 (0.0%)
2	h	0.77	0/1632	0.70	1/2204 (0.0%)
2	j	0.77	0/1632	0.70	1/2204 (0.0%)
2	l	0.77	0/1632	0.70	1/2204 (0.0%)
All	All	0.77	0/74328	0.69	50/100632 (0.0%)

There are no bond length outliers.

The worst 5 of 50 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Z	190	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	4	190	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	N	190	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	P	190	ARG	NE-CZ-NH2	-5.75	117.42	120.30
1	e	190	ARG	NE-CZ-NH2	-5.74	117.43	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	1437	0	1434	5	0
1	2	1437	0	1434	4	0
1	4	1437	0	1434	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	6	1437	0	1434	5	0
1	8	1437	0	1434	4	0
1	B	1437	0	1434	5	0
1	D	1437	0	1434	5	0
1	F	1437	0	1434	5	0
1	H	1437	0	1434	5	0
1	J	1437	0	1434	4	0
1	L	1437	0	1434	4	0
1	N	1437	0	1434	4	0
1	P	1437	0	1434	4	0
1	R	1437	0	1434	5	0
1	T	1437	0	1434	4	0
1	V	1437	0	1434	5	0
1	X	1437	0	1434	4	0
1	Z	1437	0	1434	4	0
1	a	1437	0	1434	0	0
1	c	1437	0	1434	0	0
1	e	1437	0	1434	0	0
1	g	1437	0	1434	0	0
1	i	1437	0	1434	0	0
1	k	1437	0	1434	0	0
2	1	1600	0	1580	0	0
2	3	1600	0	1580	0	0
2	5	1600	0	1580	0	0
2	7	1600	0	1580	0	0
2	9	1600	0	1580	0	0
2	A	1600	0	1580	2	0
2	C	1600	0	1580	2	0
2	E	1600	0	1580	2	0
2	G	1600	0	1580	2	0
2	I	1600	0	1580	2	0
2	K	1600	0	1580	2	0
2	M	1600	0	1580	0	0
2	O	1600	0	1580	0	0
2	Q	1600	0	1580	0	0
2	S	1600	0	1580	0	0
2	U	1600	0	1580	0	0
2	W	1600	0	1580	0	0
2	Y	1600	0	1580	0	0
2	b	1600	0	1580	0	0
2	d	1600	0	1580	0	0
2	f	1600	0	1580	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	h	1600	0	1580	0	0
2	j	1600	0	1580	0	0
2	l	1600	0	1580	0	0
All	All	72888	0	72336	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 93 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:8:28:ASP:C	1:8:28:ASP:OD1	2.48	0.52
1:2:187:LEU:HD12	1:2:187:LEU:C	2.31	0.52
2:K:187:LEU:C	2:K:187:LEU:HD12	4.98	0.52
1:R:187:LEU:HD12	1:R:187:LEU:C	2.31	0.51
1:Z:187:LEU:HD12	1:Z:187:LEU:C	2.31	0.51

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	2	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	4	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	6	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	8	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	B	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	D	182/235 (77%)	175 (96%)	7 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	H	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	J	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	L	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	N	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	P	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	R	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	T	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	V	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	X	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	Z	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	a	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	c	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	e	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	g	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	i	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
1	k	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	1	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	3	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	5	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	7	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	9	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	A	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	C	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	E	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	G	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	I	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	K	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	M	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	O	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	Q	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	S	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	U	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	W	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	Y	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	b	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	d	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	f	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	h	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	j	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
2	l	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	8	47
All	All	8976/11952 (75%)	8568 (96%)	312 (4%)	96 (1%)	21	60

5 of 96 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	1	251	ASP
2	3	251	ASP
2	5	251	ASP
2	7	251	ASP
2	9	251	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	157/200 (78%)	157 (100%)	0	100	100
1	2	157/200 (78%)	157 (100%)	0	100	100
1	4	157/200 (78%)	157 (100%)	0	100	100
1	6	157/200 (78%)	157 (100%)	0	100	100
1	8	157/200 (78%)	157 (100%)	0	100	100
1	B	157/200 (78%)	157 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	157/200 (78%)	157 (100%)	0	100	100
1	F	157/200 (78%)	157 (100%)	0	100	100
1	H	157/200 (78%)	157 (100%)	0	100	100
1	J	157/200 (78%)	157 (100%)	0	100	100
1	L	157/200 (78%)	157 (100%)	0	100	100
1	N	157/200 (78%)	157 (100%)	0	100	100
1	P	157/200 (78%)	157 (100%)	0	100	100
1	R	157/200 (78%)	157 (100%)	0	100	100
1	T	157/200 (78%)	157 (100%)	0	100	100
1	V	157/200 (78%)	157 (100%)	0	100	100
1	X	157/200 (78%)	157 (100%)	0	100	100
1	Z	157/200 (78%)	157 (100%)	0	100	100
1	a	157/200 (78%)	157 (100%)	0	100	100
1	c	157/200 (78%)	157 (100%)	0	100	100
1	e	157/200 (78%)	157 (100%)	0	100	100
1	g	157/200 (78%)	157 (100%)	0	100	100
1	i	157/200 (78%)	157 (100%)	0	100	100
1	k	157/200 (78%)	157 (100%)	0	100	100
2	1	167/221 (76%)	167 (100%)	0	100	100
2	3	167/221 (76%)	167 (100%)	0	100	100
2	5	167/221 (76%)	167 (100%)	0	100	100
2	7	167/221 (76%)	167 (100%)	0	100	100
2	9	167/221 (76%)	167 (100%)	0	100	100
2	A	167/221 (76%)	167 (100%)	0	100	100
2	C	167/221 (76%)	167 (100%)	0	100	100
2	E	167/221 (76%)	167 (100%)	0	100	100
2	G	167/221 (76%)	167 (100%)	0	100	100
2	I	167/221 (76%)	167 (100%)	0	100	100
2	K	167/221 (76%)	167 (100%)	0	100	100
2	M	167/221 (76%)	167 (100%)	0	100	100
2	O	167/221 (76%)	167 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	Q	167/221 (76%)	167 (100%)	0	100	100
2	S	167/221 (76%)	167 (100%)	0	100	100
2	U	167/221 (76%)	167 (100%)	0	100	100
2	W	167/221 (76%)	167 (100%)	0	100	100
2	Y	167/221 (76%)	167 (100%)	0	100	100
2	b	167/221 (76%)	167 (100%)	0	100	100
2	d	167/221 (76%)	167 (100%)	0	100	100
2	f	167/221 (76%)	167 (100%)	0	100	100
2	h	167/221 (76%)	167 (100%)	0	100	100
2	j	167/221 (76%)	167 (100%)	0	100	100
2	l	167/221 (76%)	167 (100%)	0	100	100
All	All	7776/10104 (77%)	7776 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.