



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 14, 2017 – 09:23 AM EST

PDB ID : 5TNB
Title : Crystal Structure of the ER-alpha Ligand-binding Domain (L372S,L536S) in Complex with the OBHS-BSC, 4-bromophenyl (1R,2R,4S)-6-(4-(2-(dimethylamino)ethoxy)phenyl)-5-(4-hydroxyphenyl)-7-oxabicyclo[2.2.1]hept-5-ene-2-sulfonate
Authors : Nwachukwu, J.C.; Sharma, N.; Carlson, K.E.; Srinivasan, S.; Sharma, A.; Katzenellenbogen, J.A.; Nettles, K.W.
Deposited on : unknown
Resolution : 2.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4955 (2.10-2.06)
Clashscore	112137	5537 (2.10-2.06)
Ramachandran outliers	110173	5483 (2.10-2.06)
Sidechain outliers	110143	5484 (2.10-2.06)
RSRZ outliers	101464	4991 (2.10-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	<div> <div>0.1%</div> <div> <div></div> <div>82%</div> <div>7%</div> <div>12%</div> </div> </div>
1	B	257	<div> <div>2%</div> <div> <div></div> <div>76%</div> <div>8%</div> <div>16%</div> </div> </div>
1	C	257	<div> <div>2%</div> <div> <div></div> <div>82%</div> <div>7%</div> <div>11%</div> </div> </div>
1	D	257	<div> <div>0.1%</div> <div> <div></div> <div>77%</div> <div>11%</div> <div>12%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria.

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	7EB	B	601	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7734 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Estrogen receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	227	Total	C	N	O	S	0	2	0
			1797	1154	306	323	14			
1	B	215	Total	C	N	O	S	0	0	0
			1685	1076	292	302	15			
1	C	229	Total	C	N	O	S	0	1	0
			1807	1159	307	326	15			
1	D	227	Total	C	N	O	S	0	0	0
			1781	1142	303	320	16			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	372	SER	LEU	engineered mutation	UNP P03372
A	536	SER	LEU	engineered mutation	UNP P03372
B	372	SER	LEU	engineered mutation	UNP P03372
B	536	SER	LEU	engineered mutation	UNP P03372
C	372	SER	LEU	engineered mutation	UNP P03372
C	536	SER	LEU	engineered mutation	UNP P03372
D	372	SER	LEU	engineered mutation	UNP P03372
D	536	SER	LEU	engineered mutation	UNP P03372

- Molecule 2 is 4-bromophenyl (1S,2R,4S)-6-{4-[2-(dimethylamino)ethoxy]phenyl}-5-(4-hydroxyphenyl)-7-oxabicyclo[2.2.1]hept-5-ene-2-sulfonate (three-letter code: 7EB) (formula: C₂₈H₂₈BrNO₆S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	Br	C	N	O	S	0	0
			37	1	28	1	6	1		
2	B	1	Total	Br	C	N	O	S	0	0
			37	1	28	1	6	1		
2	C	1	Total	Br	C	N	O	S	0	0
			37	1	28	1	6	1		
2	D	1	Total	Br	C	N	O	S	0	0
			37	1	28	1	6	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	134	Total	O	0	0
			134	134		
3	B	118	Total	O	0	0
			118	118		
3	C	130	Total	O	0	0
			130	130		
3	D	134	Total	O	0	0
			134	134		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Estrogen receptor




- Molecule 1: Estrogen receptor




- Molecule 1: Estrogen receptor



- Molecule 1: Estrogen receptor





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	53.55Å 58.63Å 94.30Å 86.50° 75.02° 62.83°	Depositor
Resolution (Å)	46.64 – 2.08 46.64 – 2.08	Depositor EDS
% Data completeness (in resolution range)	87.0 (46.64-2.08) 85.3 (46.64-2.08)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.08Å)	Xtriage
Refinement program	PHENIX 1.9_1690	Depositor
R, R_{free}	0.188 , 0.218 0.193 , 0.221	Depositor DCC
R_{free} test set	1912 reflections (3.85%)	DCC
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	0.267	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 54.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.119 for h,h-k,h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7734	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 7EB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.20	0/1834	0.35	0/2484
1	B	0.20	0/1714	0.35	0/2317
1	C	0.20	0/1840	0.36	0/2491
1	D	0.24	0/1811	0.36	0/2446
All	All	0.21	0/7199	0.35	0/9738

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1797	0	1795	11	0
1	B	1685	0	1696	12	0
1	C	1807	0	1811	10	0
1	D	1781	0	1804	18	0
2	A	37	0	0	1	0
2	B	37	0	0	1	0
2	C	37	0	0	1	0
2	D	37	0	0	1	0
3	A	134	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	118	0	0	2	0
3	C	130	0	0	2	1
3	D	134	0	0	4	2
All	All	7734	0	7106	51	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (51) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:462:LEU:N	3:A:702:HOH:O	2.13	0.79
1:B:330:GLU:OE2	3:B:701:HOH:O	2.02	0.77
1:D:330:GLU:OE2	3:D:701:HOH:O	2.04	0.74
1:D:331:TYR:HE2	1:D:345:LEU:HD13	1.54	0.71
1:D:355:VAL:HA	1:D:543:MET:HE1	1.76	0.67
1:B:473:ASP:OD2	1:B:477:ARG:NH2	2.33	0.60
1:D:446:VAL:O	3:D:702:HOH:O	2.16	0.59
1:A:545:ASP:O	3:A:703:HOH:O	2.18	0.57
1:A:498:GLN:HA	1:A:501[A]:HIS:CE1	2.40	0.57
1:D:523:GLU:OE1	3:D:703:HOH:O	2.18	0.56
1:A:377:HIS:NE2	1:A:460:THR:OG1	2.28	0.54
1:A:381:CYS:SG	3:A:823:HOH:O	2.31	0.53
1:D:353:GLU:OE1	2:D:601:7EB:O03	2.26	0.53
1:D:498:GLN:HA	1:D:501:HIS:CE1	2.43	0.53
1:B:456:SER:HA	1:B:515:ARG:NH2	2.24	0.53
1:A:520:LYS:O	1:A:524:HIS:ND1	2.33	0.52
1:B:498:GLN:HA	1:B:501:HIS:CE1	2.45	0.52
1:C:333:PRO:HG3	3:C:725:HOH:O	2.11	0.50
1:D:404:PHE:HB2	1:D:408:LEU:HD23	1.95	0.49
1:D:306:LEU:H	1:D:306:LEU:HD23	1.78	0.48
1:B:378:LEU:HD23	1:B:457:GLY:HA3	1.94	0.48
1:D:377:HIS:ND1	3:D:709:HOH:O	2.35	0.48
1:C:456:SER:HA	1:C:515:ARG:NH2	2.29	0.47
1:D:463:SER:HA	1:D:464:SER:HA	1.55	0.46
1:D:456:SER:HA	1:D:515:ARG:NH2	2.30	0.45
1:C:316:VAL:HG21	1:C:489:LEU:HD21	1.98	0.45
1:B:420:GLY:HA2	1:B:421:MET:HA	1.61	0.45
1:D:463:SER:N	1:D:468:SER:HG	2.15	0.45
1:B:420:GLY:HA3	1:B:524:HIS:CD2	2.52	0.45
1:B:316:VAL:HG21	1:B:489:LEU:HD21	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:467:LYS:O	1:C:471:GLU:HG2	2.17	0.44
1:D:397:GLU:OE2	1:D:397:GLU:N	2.40	0.44
1:B:353:GLU:OE1	2:B:601:7EB:O03	2.36	0.44
1:A:456:SER:HA	1:A:515:ARG:NH2	2.33	0.44
1:C:377:HIS:NE2	1:C:460:THR:OG1	2.34	0.43
1:D:358:ILE:HG23	1:D:544:LEU:HD23	2.01	0.43
1:C:353:GLU:OE1	2:C:601:7EB:O03	2.37	0.43
1:C:449:LYS:HB3	3:C:717:HOH:O	2.18	0.42
1:C:533:VAL:HG12	1:C:534:VAL:H	1.84	0.42
1:A:489:LEU:O	3:A:704:HOH:O	2.21	0.42
1:C:328:TYR:CE1	1:C:406:PRO:HB2	2.54	0.42
1:B:534:VAL:HA	1:B:535:PRO:HD3	1.92	0.41
1:D:420:GLY:O	1:D:524:HIS:NE2	2.53	0.41
1:A:445:PHE:CZ	1:A:449:LYS:HE2	2.55	0.41
1:A:455:ASN:O	1:A:458:VAL:HG12	2.21	0.41
1:B:487:ILE:HD11	1:B:504:LEU:HD22	2.02	0.41
1:A:425:PHE:HD1	2:A:601:7EB:BR	2.58	0.41
1:C:310:LEU:O	1:C:481:LYS:NZ	2.47	0.41
1:D:329:SER:HB3	1:D:331:TYR:CE1	2.55	0.41
1:D:316:VAL:HG21	1:D:489:LEU:HD21	2.02	0.41
1:B:472:LYS:N	3:B:715:HOH:O	2.54	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:829:HOH:O	3:D:833:HOH:O[1_545]	2.11	0.09
3:D:765:HOH:O	3:D:774:HOH:O[1_655]	2.16	0.04

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	221/257 (86%)	218 (99%)	3 (1%)	0	100	100
1	B	205/257 (80%)	204 (100%)	1 (0%)	0	100	100
1	C	222/257 (86%)	216 (97%)	6 (3%)	0	100	100
1	D	217/257 (84%)	216 (100%)	1 (0%)	0	100	100
All	All	865/1028 (84%)	854 (99%)	11 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/232 (84%)	196 (100%)	0	100	100
1	B	185/232 (80%)	185 (100%)	0	100	100
1	C	198/232 (85%)	196 (99%)	2 (1%)	80	84
1	D	197/232 (85%)	192 (98%)	5 (2%)	53	56
All	All	776/928 (84%)	769 (99%)	7 (1%)	82	86

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	410	LEU
1	C	533	VAL
1	D	306	LEU
1	D	345	LEU
1	D	372	SER
1	D	410	LEU
1	D	461	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	7EB	A	601	-	37,41,41	2.43	18 (48%)	49,60,60	2.65	18 (36%)
2	7EB	B	601	-	37,41,41	2.46	17 (45%)	49,60,60	2.73	13 (26%)
2	7EB	C	601	-	37,41,41	2.41	18 (48%)	49,60,60	2.64	16 (32%)
2	7EB	D	601	-	37,41,41	2.45	18 (48%)	49,60,60	2.59	13 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7EB	A	601	-	-	0/23/49/49	0/3/5/5
2	7EB	B	601	-	-	0/23/49/49	0/3/5/5
2	7EB	C	601	-	-	0/23/49/49	0/3/5/5
2	7EB	D	601	-	-	0/23/49/49	0/3/5/5

All (71) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	7EB	C10-C08	-6.66	1.35	1.48
2	B	601	7EB	C10-C08	-6.57	1.35	1.48
2	B	601	7EB	C04-C07	-6.53	1.35	1.48
2	A	601	7EB	C10-C08	-6.50	1.35	1.48
2	C	601	7EB	C10-C08	-6.47	1.35	1.48
2	C	601	7EB	C04-C07	-6.45	1.35	1.48
2	A	601	7EB	C04-C07	-6.44	1.35	1.48
2	D	601	7EB	C04-C07	-6.38	1.35	1.48
2	C	601	7EB	O04-C23	-3.03	1.38	1.42
2	B	601	7EB	O04-C23	-2.96	1.38	1.42
2	D	601	7EB	O04-C23	-2.95	1.38	1.42
2	A	601	7EB	O04-C23	-2.93	1.38	1.42
2	D	601	7EB	C11-C10	-2.72	1.34	1.39
2	B	601	7EB	C11-C10	-2.60	1.35	1.39
2	D	601	7EB	C11-C12	-2.58	1.34	1.38
2	A	601	7EB	C11-C10	-2.54	1.35	1.39
2	A	601	7EB	C15-C10	-2.51	1.35	1.39
2	C	601	7EB	C11-C10	-2.51	1.35	1.39
2	B	601	7EB	C15-C10	-2.48	1.35	1.39
2	C	601	7EB	C15-C10	-2.47	1.35	1.39
2	D	601	7EB	C03-C04	-2.46	1.35	1.39
2	B	601	7EB	C03-C04	-2.46	1.35	1.39
2	C	601	7EB	C03-C04	-2.44	1.35	1.39
2	B	601	7EB	C05-C04	-2.42	1.35	1.39
2	A	601	7EB	C03-C04	-2.38	1.35	1.39
2	D	601	7EB	C15-C10	-2.38	1.35	1.39
2	D	601	7EB	C05-C04	-2.38	1.35	1.39
2	B	601	7EB	C11-C12	-2.34	1.34	1.38
2	A	601	7EB	C15-C14	-2.33	1.34	1.38
2	C	601	7EB	C05-C04	-2.33	1.35	1.39
2	A	601	7EB	C05-C04	-2.33	1.35	1.39
2	C	601	7EB	C15-C14	-2.32	1.34	1.38
2	C	601	7EB	C02-C03	-2.32	1.34	1.38
2	B	601	7EB	C02-C03	-2.32	1.34	1.38
2	D	601	7EB	C27-C28	-2.31	1.34	1.38
2	D	601	7EB	C02-C03	-2.31	1.34	1.38
2	B	601	7EB	C27-C28	-2.31	1.34	1.38
2	A	601	7EB	C25-C24	-2.30	1.34	1.38
2	C	601	7EB	C25-C24	-2.29	1.34	1.38
2	A	601	7EB	C27-C28	-2.29	1.34	1.38
2	B	601	7EB	C25-C24	-2.29	1.34	1.38
2	D	601	7EB	C25-C24	-2.28	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	7EB	C02-C01	-2.24	1.34	1.38
2	D	601	7EB	C02-C01	-2.24	1.34	1.38
2	B	601	7EB	C06-C05	-2.24	1.34	1.38
2	C	601	7EB	C27-C28	-2.21	1.34	1.38
2	B	601	7EB	C15-C14	-2.21	1.34	1.38
2	A	601	7EB	C02-C03	-2.19	1.34	1.38
2	C	601	7EB	C06-C05	-2.19	1.34	1.38
2	D	601	7EB	C06-C05	-2.19	1.34	1.38
2	A	601	7EB	C06-C05	-2.18	1.34	1.38
2	C	601	7EB	C11-C12	-2.17	1.34	1.38
2	A	601	7EB	C11-C12	-2.17	1.34	1.38
2	D	601	7EB	C15-C14	-2.16	1.34	1.38
2	C	601	7EB	C02-C01	-2.16	1.34	1.38
2	A	601	7EB	C02-C01	-2.15	1.34	1.38
2	B	601	7EB	C06-C01	-2.11	1.34	1.38
2	C	601	7EB	C06-C01	-2.10	1.34	1.38
2	A	601	7EB	C06-C01	-2.10	1.34	1.38
2	D	601	7EB	C06-C01	-2.08	1.34	1.38
2	C	601	7EB	O01-C09	-2.01	1.41	1.43
2	A	601	7EB	O01-C09	-2.01	1.41	1.43
2	C	601	7EB	O05-S01	2.07	1.46	1.43
2	D	601	7EB	O06-S01	2.15	1.46	1.43
2	B	601	7EB	O05-S01	2.26	1.46	1.43
2	A	601	7EB	O05-S01	2.26	1.46	1.43
2	D	601	7EB	O05-S01	2.32	1.46	1.43
2	C	601	7EB	O04-S01	5.19	1.68	1.60
2	D	601	7EB	O04-S01	5.22	1.68	1.60
2	A	601	7EB	O04-S01	5.31	1.68	1.60
2	B	601	7EB	O04-S01	5.38	1.68	1.60

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	7EB	O06-S01-C17	-13.47	96.46	109.24
2	D	601	7EB	O06-S01-C17	-12.08	97.78	109.24
2	A	601	7EB	O06-S01-C17	-11.68	98.15	109.24
2	C	601	7EB	O06-S01-C17	-11.57	98.26	109.24
2	C	601	7EB	O05-S01-C17	-8.62	101.06	109.24
2	A	601	7EB	O05-S01-C17	-8.28	101.38	109.24
2	B	601	7EB	O05-S01-C17	-7.55	102.07	109.24
2	D	601	7EB	O05-S01-C17	-7.54	102.09	109.24
2	C	601	7EB	C12-C13-C14	-3.14	115.25	120.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	7EB	C12-C13-C14	-3.08	115.33	120.19
2	B	601	7EB	C12-C13-C14	-3.07	115.36	120.19
2	D	601	7EB	C12-C13-C14	-3.02	115.44	120.19
2	A	601	7EB	C24-C23-C28	-2.48	116.29	120.19
2	C	601	7EB	C09-C08-C07	-2.47	104.01	108.28
2	B	601	7EB	C09-C08-C07	-2.47	104.01	108.28
2	C	601	7EB	C24-C23-C28	-2.46	116.31	120.19
2	D	601	7EB	C24-C23-C28	-2.41	116.39	120.19
2	B	601	7EB	C24-C23-C28	-2.39	116.42	120.19
2	D	601	7EB	C09-C08-C07	-2.33	104.25	108.28
2	A	601	7EB	C09-C08-C07	-2.33	104.25	108.28
2	A	601	7EB	C03-C04-C05	-2.30	115.39	118.58
2	D	601	7EB	C03-C04-C05	-2.22	115.50	118.58
2	C	601	7EB	C03-C04-C05	-2.19	115.54	118.58
2	B	601	7EB	C03-C04-C05	-2.18	115.56	118.58
2	C	601	7EB	C11-C10-C15	-2.14	115.61	118.58
2	A	601	7EB	C11-C10-C15	-2.14	115.62	118.58
2	A	601	7EB	C16-C07-C08	-2.11	103.32	107.11
2	A	601	7EB	C18-C17-C09	-2.07	99.44	104.11
2	A	601	7EB	C27-C28-C23	2.02	122.27	119.74
2	C	601	7EB	C25-C24-C23	2.02	122.28	119.74
2	C	601	7EB	C27-C28-C23	2.12	122.39	119.74
2	D	601	7EB	C25-C24-C23	2.15	122.43	119.74
2	B	601	7EB	C25-C24-C23	2.16	122.45	119.74
2	A	601	7EB	C25-C24-C23	2.17	122.46	119.74
2	A	601	7EB	O04-C23-C28	2.19	122.79	118.73
2	A	601	7EB	C11-C12-C13	2.27	122.58	119.74
2	B	601	7EB	O04-C23-C28	2.29	122.96	118.73
2	B	601	7EB	C11-C12-C13	2.33	122.66	119.74
2	C	601	7EB	C11-C12-C13	2.35	122.69	119.74
2	C	601	7EB	O04-C23-C28	2.38	123.14	118.73
2	D	601	7EB	O04-C23-C28	2.43	123.22	118.73
2	A	601	7EB	C11-C10-C08	2.56	124.22	120.91
2	C	601	7EB	O04-S01-O06	2.59	114.76	106.69
2	D	601	7EB	O04-S01-O06	2.62	114.88	106.69
2	C	601	7EB	C11-C10-C08	2.63	124.31	120.91
2	D	601	7EB	C11-C12-C13	2.64	123.05	119.74
2	A	601	7EB	O04-S01-O06	2.75	115.27	106.69
2	D	601	7EB	C04-C07-C08	2.76	134.51	128.28
2	B	601	7EB	O04-S01-O06	2.78	115.37	106.69
2	B	601	7EB	C04-C07-C08	2.95	134.94	128.28
2	C	601	7EB	C10-C08-C07	2.95	134.95	128.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	7EB	C10-C08-C07	2.97	134.99	128.28
2	C	601	7EB	C04-C07-C08	2.98	135.01	128.28
2	B	601	7EB	C10-C08-C07	3.13	135.35	128.28
2	A	601	7EB	C04-C07-C08	3.15	135.39	128.28
2	A	601	7EB	C10-C08-C07	3.41	135.98	128.28
2	B	601	7EB	O04-S01-O05	3.70	118.23	106.69
2	A	601	7EB	O04-S01-O05	3.71	118.27	106.69
2	C	601	7EB	O04-S01-O05	3.86	118.75	106.69
2	D	601	7EB	O04-S01-O05	3.91	118.89	106.69

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	7EB	1	0
2	B	601	7EB	1	0
2	C	601	7EB	1	0
2	D	601	7EB	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	227/257 (88%)	-0.37	3 (1%) 77 80	19, 33, 70, 95	0
1	B	215/257 (83%)	-0.26	4 (1%) 67 70	20, 35, 75, 93	0
1	C	229/257 (89%)	-0.29	5 (2%) 62 66	19, 36, 76, 105	0
1	D	227/257 (88%)	-0.23	3 (1%) 77 80	19, 34, 75, 96	0
All	All	898/1028 (87%)	-0.29	15 (1%) 70 74	19, 35, 74, 105	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	331	TYR	6.7
1	B	331	TYR	3.3
1	D	464	SER	3.1
1	C	528	MET	3.0
1	C	459	TYR	2.9
1	B	334	THR	2.8
1	B	457	GLY	2.7
1	A	462	LEU	2.6
1	C	421	MET	2.5
1	C	526	TYR	2.4
1	A	524	HIS	2.3
1	B	336	PRO	2.3
1	C	420	GLY	2.2
1	D	524	HIS	2.0
1	A	459	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	7EB	B	601	37/37	0.85	0.23	2.85	49,61,118,189	37
2	7EB	A	601	37/37	0.90	0.17	1.20	24,43,111,126	37
2	7EB	D	601	37/37	0.81	0.18	1.17	37,53,107,228	37
2	7EB	C	601	37/37	0.89	0.17	1.16	26,48,122,122	0

6.5 Other polymers [i](#)

There are no such residues in this entry.