



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 08:50 pm GMT

PDB ID : 3TO3
Title : Crystal Structure of Petrobactin Biosynthesis Protein AsbB from *Bacillus anthracis* str. Sterne
Authors : Kim, Y.; Eschenfeldt, W.; Stols, L.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2011-09-03
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4388 (2.40-2.36)
Clashscore	112137	4984 (2.40-2.36)
Ramachandran outliers	110173	4907 (2.40-2.36)
Sidechain outliers	110143	4909 (2.40-2.36)
RSRZ outliers	101464	4423 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	619	<p>3% 77% 17%</p>
1	B	619	<p>% 75% 18%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	B	619	-	-	-	X
4	ATP	B	617	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 10428 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Petrobactin biosynthesis protein AsbB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	593	4993	3205	852	916	7	13	0	6	0
1	B	595	5069	3248	868	931	8	14	0	14	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP Q81RQ8
A	-1	ASN	-	EXPRESSION TAG	UNP Q81RQ8
A	0	ALA	-	EXPRESSION TAG	UNP Q81RQ8
A	611	GLU	-	EXPRESSION TAG	UNP Q81RQ8
A	612	ASN	-	EXPRESSION TAG	UNP Q81RQ8
A	613	LEU	-	EXPRESSION TAG	UNP Q81RQ8
A	614	TYR	-	EXPRESSION TAG	UNP Q81RQ8
A	615	PHE	-	EXPRESSION TAG	UNP Q81RQ8
A	616	GLN	-	EXPRESSION TAG	UNP Q81RQ8
B	-2	SER	-	EXPRESSION TAG	UNP Q81RQ8
B	-1	ASN	-	EXPRESSION TAG	UNP Q81RQ8
B	0	ALA	-	EXPRESSION TAG	UNP Q81RQ8
B	611	GLU	-	EXPRESSION TAG	UNP Q81RQ8
B	612	ASN	-	EXPRESSION TAG	UNP Q81RQ8
B	613	LEU	-	EXPRESSION TAG	UNP Q81RQ8
B	614	TYR	-	EXPRESSION TAG	UNP Q81RQ8
B	615	PHE	-	EXPRESSION TAG	UNP Q81RQ8
B	616	GLN	-	EXPRESSION TAG	UNP Q81RQ8

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cl	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Cl 1 1	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0

- Molecule 4 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Petrobactin biosynthesis protein AsbB



- Molecule 1: Petrobactin biosynthesis protein AsbB



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.26Å 155.92Å 156.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.63 – 2.38 49.63 – 2.38	Depositor EDS
% Data completeness (in resolution range)	98.8 (49.63-2.38) 98.8 (49.63-2.38)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.27 (at 2.39Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: dev_851)	Depositor
R, R_{free}	0.172 , 0.227 0.164 , 0.220	Depositor DCC
R_{free} test set	3180 reflections (5.06%)	DCC
Wilson B-factor (Å ²)	50.9	Xtrriage
Anisotropy	0.294	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 42.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.007 for -h,l,k	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10428	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, EDO, ATP, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	1/5098 (0.0%)	0.70	1/6867 (0.0%)
1	B	0.58	0/5175	0.70	2/6970 (0.0%)
All	All	0.58	1/10273 (0.0%)	0.70	3/13837 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	500	CYS	CB-SG	5.59	1.91	1.82

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	72	ARG	NE-CZ-NH2	-6.00	117.30	120.30
1	A	165	LYS	N-CA-C	5.78	126.62	111.00
1	B	165	LYS	N-CA-C	5.17	124.97	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4993	0	4942	88	0
1	B	5069	0	4997	96	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	1	0
2	B	1	0	0	0	0
3	A	4	0	6	0	0
3	B	8	0	12	4	0
4	B	27	0	12	2	0
5	B	1	0	0	0	0
6	A	141	0	0	7	0
6	B	183	0	0	8	0
All	All	10428	0	9969	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:227:ARG:HD3	6:B:776:HOH:O	1.68	0.92
1:A:489:MSE:HE3	1:A:496:ASP:HB3	1.53	0.89
1:B:170:PHE:HE2	1:B:281:MSE:HE1	1.37	0.89
1:B:306:THR:HB	1:B:308:ARG:HH21	1.38	0.88
1:A:170:PHE:HE2	1:A:281:MSE:CE	1.91	0.83
1:B:303:ASN:O	1:B:304:THR:HG22	1.79	0.82
1:B:599:LYS:HA	1:B:599:LYS:HE3	1.64	0.78
1:A:170:PHE:HE2	1:A:281:MSE:HE1	1.46	0.78
1:B:170:PHE:CE2	1:B:281:MSE:HE1	2.20	0.77
1:A:170:PHE:CE2	1:A:281:MSE:CE	2.68	0.77
1:A:170:PHE:CE2	1:A:281:MSE:HE1	2.21	0.76
1:B:45:LYS:HD3	1:B:48:GLN:HB2	1.67	0.76
1:B:302:LEU:HD21	1:B:305:SER:HA	1.66	0.76
1:B:46:GLU:HG3	1:B:47:GLU:N	1.99	0.76
1:A:311:LYS:HG2	1:A:313:TYR:CZ	2.22	0.74
1:A:377:GLU:O	1:A:378:GLN:HB2	1.87	0.74
1:B:211:ILE:HG13	1:B:347:PHE:HE2	1.52	0.73
1:A:8:ILE:HD13	1:A:131:ILE:HG21	1.73	0.70
1:A:311:LYS:HG2	1:A:313:TYR:CE1	2.25	0.70
1:A:294:TYR:CE2	1:A:370:SER:HA	2.26	0.69
1:A:578:VAL:HA	1:A:581:LEU:HD21	1.74	0.69
1:A:578:VAL:CA	1:A:581:LEU:HD21	2.23	0.68
1:A:462:GLU:HG2	1:A:495:MSE:HE3	1.76	0.67
1:B:489:MSE:HE2	1:B:489:MSE:HA	1.75	0.67
1:B:599:LYS:CA	1:B:599:LYS:HE3	2.25	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:ARG:HD3	2:A:617:CL:CL	2.33	0.65
1:B:52:LEU:HD23	1:B:66:GLU:HG2	1.78	0.65
1:A:250:ASN:HD22	1:B:171:GLN:HG3	1.61	0.64
1:B:296:LYS:NZ	1:B:458:HIS:HE1	1.95	0.64
1:B:545[A]:ARG:HD3	6:B:758:HOH:O	1.97	0.64
1:A:534:MSE:HG3	6:A:713:HOH:O	1.97	0.64
1:B:542[B]:ASN:ND2	1:B:545[B]:ARG:HH22	1.95	0.63
1:A:489:MSE:HE3	1:A:496:ASP:CB	2.27	0.63
1:B:8:ILE:HG13	1:B:172:TYR:CD1	2.34	0.62
1:B:306:THR:HB	1:B:308:ARG:NH2	2.11	0.62
1:A:294:TYR:CD2	1:A:368[B]:ARG:NH1	2.66	0.62
1:A:511:LEU:C	1:A:511:LEU:HD23	2.20	0.62
1:B:151:GLU:HB2	1:B:285[B]:ARG:HH22	1.64	0.61
1:A:285:ARG:HB3	1:A:294:TYR:CE1	2.35	0.61
1:A:481:HIS:HD2	1:A:483:THR:H	1.49	0.61
1:B:52:LEU:CD2	1:B:66:GLU:HG2	2.31	0.61
1:A:26[B]:ARG:HD3	1:A:80:ILE:O	2.01	0.61
1:A:303:ASN:O	1:A:304:THR:HG22	2.01	0.60
1:B:152:ASN:OD1	1:B:285[B]:ARG:NH2	2.33	0.60
1:B:488:LYS:O	1:B:491:ASP:HB2	2.01	0.60
1:A:528:LYS:HE2	6:A:730:HOH:O	2.01	0.60
1:A:304:THR:O	1:A:304:THR:HG23	2.03	0.59
1:B:264:GLY:HA2	3:B:619:EDO:H22	1.84	0.59
1:B:528:LYS:HB2	3:B:620:EDO:O1	2.03	0.59
1:B:427:VAL:HG22	1:B:557:ILE:HD12	1.84	0.58
1:A:28:LEU:HA	1:A:162:PRO:HG3	1.85	0.57
1:B:578:VAL:HG11	1:B:581:LEU:HD13	1.87	0.57
1:A:168:ILE:HB	1:A:302:LEU:HB3	1.87	0.56
1:B:489:MSE:O	1:B:490:ASN:HB2	2.06	0.56
1:A:285:ARG:HB3	1:A:294:TYR:HE1	1.71	0.56
1:B:565:TYR:HE1	1:B:584:GLU:HB2	1.70	0.56
1:A:236:LYS:HE3	6:A:739:HOH:O	2.06	0.56
1:A:355:ASN:OD1	1:A:355:ASN:N	2.38	0.56
1:A:490:ASN:ND2	1:A:495:MSE:HA	2.21	0.56
1:B:432:ALA:HB1	1:B:504:MSE:HG2	1.86	0.56
1:B:122:LEU:HD23	1:B:163:SER:HB3	1.87	0.56
1:B:211:ILE:HG13	1:B:347:PHE:CE2	2.39	0.56
1:B:497:ARG:HG3	1:B:500[B]:CYS:SG	2.46	0.56
1:A:8:ILE:CD1	1:A:131:ILE:HG21	2.36	0.55
1:A:202:TYR:CD2	1:A:203:GLU:HG3	2.41	0.55
1:B:316:ALA:HB2	1:B:351:MSE:HE1	1.86	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:579:GLU:OE2	1:A:579:GLU:HA	2.07	0.55
1:B:339:SER:HB3	1:B:341:VAL:HG23	1.88	0.55
1:A:490:ASN:HD21	1:A:496:ASP:H	1.55	0.55
1:A:368[A]:ARG:NE	6:A:687:HOH:O	2.31	0.55
1:A:512:PHE:HB3	6:A:751:HOH:O	2.06	0.55
1:B:304:THR:HG23	1:B:304:THR:O	2.07	0.55
1:B:436[B]:HIS:HE1	1:B:438:GLN:HB3	1.72	0.55
1:A:434:GLU:HG2	1:A:439:ASN:HD21	1.72	0.54
1:B:411:LEU:O	1:B:415:ILE:HG12	2.07	0.54
1:A:368[A]:ARG:NH2	1:A:456:ASP:OD1	2.38	0.54
1:B:578:VAL:CG1	1:B:581:LEU:HD13	2.38	0.54
1:B:321:ILE:HD11	1:B:493:PHE:CZ	2.43	0.54
1:B:470:GLU:OE1	1:B:473:LYS:HD3	2.07	0.54
1:A:254:SER:HB2	1:B:124:GLN:HE22	1.72	0.53
1:A:294:TYR:CE2	1:A:368[B]:ARG:NH1	2.76	0.53
1:B:522:ALA:HA	1:B:527:TRP:O	2.09	0.53
1:A:164:TYR:HB2	6:A:737:HOH:O	2.08	0.53
1:B:264:GLY:CA	3:B:619:EDO:H22	2.38	0.53
1:A:183:MSE:HA	6:A:734:HOH:O	2.08	0.52
1:A:98:ALA:O	1:A:102:GLU:HG2	2.09	0.52
1:A:122:LEU:HD21	1:A:162:PRO:HB2	1.90	0.52
1:B:47:GLU:HA	1:B:47:GLU:OE2	2.11	0.51
1:B:318:ALA:HB3	1:B:319:PRO:HD3	1.92	0.50
1:A:433:LEU:CD1	1:A:454:LEU:HD13	2.41	0.50
1:B:137:CYS:SG	1:B:138:ASN:N	2.84	0.50
1:A:136:ARG:HG2	1:A:155:ILE:HD11	1.94	0.50
1:B:231:MSE:CE	1:B:263:LYS:HE2	2.41	0.50
4:B:617:ATP:N6	6:B:766:HOH:O	2.44	0.50
1:B:565:TYR:CE1	1:B:584:GLU:HB2	2.47	0.50
1:A:481:HIS:CD2	1:A:483:THR:H	2.29	0.49
1:A:465:ARG:HG2	1:A:471:MSE:HE3	1.93	0.49
1:B:231:MSE:HE2	1:B:263:LYS:HE2	1.94	0.49
1:A:497:ARG:NH1	1:A:499:GLU:HB2	2.28	0.49
1:A:202:TYR:CE2	1:A:203:GLU:HG3	2.48	0.49
1:B:101:LEU:HD22	1:B:105:PHE:HE2	1.76	0.49
1:A:129:ASP:O	1:A:133[A]:GLN:HG2	2.13	0.48
1:A:581:LEU:HD22	1:A:581:LEU:N	2.28	0.48
1:B:295:VAL:HG12	1:B:297:VAL:HG13	1.95	0.48
1:B:200:VAL:HG13	1:B:204:ASN:HB3	1.96	0.48
1:B:534[A]:MSE:HG3	6:B:752:HOH:O	2.14	0.47
1:A:295:VAL:HG12	1:A:297:VAL:HG13	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:GLU:CB	1:B:285[B]:ARG:HH22	2.26	0.47
1:B:193:ALA:HB1	1:B:352:TYR:CD1	2.49	0.47
1:A:318:ALA:HB3	1:A:319:PRO:HD3	1.95	0.47
1:A:202:TYR:CD2	1:A:480:MSE:HG2	2.50	0.47
1:A:324:TRP:HZ3	1:A:461:LEU:HD21	1.79	0.46
1:B:336:ARG:O	1:B:340[A]:ARG:HG3	2.15	0.46
1:A:280:SER:O	1:A:281:MSE:HB3	2.15	0.46
1:B:73:ILE:HD13	1:B:530:GLU:HG3	1.98	0.46
1:B:590:TYR:O	1:B:594:GLN:HG2	2.15	0.46
1:A:250:ASN:HD22	1:B:171:GLN:CG	2.29	0.46
1:B:138:ASN:HA	6:B:785:HOH:O	2.16	0.46
1:B:277:ALA:HB1	1:B:281:MSE:HA	1.97	0.46
1:B:294:TYR:CE2	1:B:370:SER:HA	2.51	0.46
1:A:149:GLU:H	1:A:149:GLU:HG2	1.54	0.45
1:A:202:TYR:CG	1:A:480:MSE:HG2	2.52	0.45
1:B:581:LEU:HA	1:B:581:LEU:HD12	1.59	0.45
1:B:580:SER:O	1:B:581:LEU:HB2	2.17	0.45
1:A:566:ALA:O	1:A:582:VAL:HA	2.17	0.45
1:B:56:LEU:HD23	1:B:62:SER:HA	1.98	0.45
1:A:489:MSE:O	1:A:490:ASN:HB2	2.17	0.45
1:B:211:ILE:HD13	1:B:215:GLU:HG2	1.99	0.45
1:B:452:ILE:HD12	1:B:452:ILE:HA	1.86	0.44
1:A:316:ALA:HB2	1:A:351:MSE:HE1	1.99	0.44
1:B:145:LYS:HA	1:B:145:LYS:HE2	1.99	0.44
1:B:154:LEU:HD11	1:B:383:PRO:HG2	1.99	0.44
1:A:152:ASN:ND2	1:A:183:MSE:HG2	2.32	0.44
1:A:3:MSE:CE	1:A:7:LYS:HE3	2.48	0.44
1:B:216:VAL:HG12	1:B:220:LYS:HB3	2.00	0.44
1:B:89[A]:ASP:CG	1:B:90:GLY:N	2.71	0.44
1:B:99:GLN:O	1:B:103:GLU:HG3	2.18	0.44
1:B:296:LYS:HZ2	1:B:458:HIS:HE1	1.63	0.44
1:B:9:LEU:HD23	1:B:9:LEU:HA	1.80	0.44
1:B:282:ARG:HB2	1:B:297:VAL:O	2.18	0.43
1:B:296:LYS:HZ3	1:B:458:HIS:CE1	2.36	0.43
1:A:311:LYS:HE3	1:A:360:TYR:HE2	1.83	0.43
1:A:401:TRP:CE2	1:A:447:GLY:HA2	2.54	0.43
1:A:84:ILE:O	1:A:94:ILE:HG22	2.18	0.43
1:B:193:ALA:HB1	1:B:352:TYR:HD1	1.84	0.43
1:B:441:ILE:O	1:B:452:ILE:HD12	2.18	0.43
1:B:511:LEU:C	1:B:511:LEU:HD23	2.39	0.43
1:A:489:MSE:CE	1:A:496:ASP:HB3	2.36	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:PHE:CD2	1:B:574:LEU:HD21	2.55	0.42
1:B:528:LYS:HD3	3:B:620:EDO:O1	2.19	0.42
1:A:490:ASN:HD22	1:A:495:MSE:HA	1.83	0.42
1:A:304:THR:O	1:A:305:SER:OG	2.29	0.42
1:A:2:ASP:OD2	1:A:173:ARG:NH2	2.41	0.42
1:A:8:ILE:HG13	1:A:172:TYR:CD1	2.55	0.42
1:B:571:LYS:HE3	1:B:578:VAL:HG21	2.01	0.42
1:B:465:ARG:HB3	1:B:466:PRO:HD3	2.00	0.42
1:A:145:LYS:HZ2	1:A:153:HIS:CB	2.32	0.41
1:A:28:LEU:HD21	1:A:101:LEU:HD21	2.03	0.41
1:B:317:SER:OG	6:B:769:HOH:O	2.22	0.41
1:A:131:ILE:HD12	1:A:131:ILE:HG21	1.76	0.41
1:A:133[B]:GLN:HE21	1:A:133[B]:GLN:HB3	1.61	0.41
1:B:280:SER:O	1:B:281:MSE:HB2	2.20	0.41
1:B:415:ILE:O	1:B:420:ILE:HG12	2.20	0.41
1:B:45:LYS:HD2	1:B:68:TYR:HE2	1.85	0.41
1:A:546:LYS:C	1:A:548:PRO:HD3	2.41	0.41
1:A:72:ARG:O	1:A:76:GLY:HA2	2.20	0.41
4:B:617:ATP:O3B	6:B:672:HOH:O	2.22	0.41
1:A:575:TYR:O	1:A:578:VAL:HG13	2.20	0.41
1:A:65:TYR:CE2	1:A:86[A]:ARG:HB2	2.56	0.41
1:B:145:LYS:HB3	1:B:150:LEU:HG	2.02	0.41
1:B:368:ARG:NH2	6:B:672:HOH:O	2.53	0.41
1:A:382:VAL:HG23	1:A:383:PRO:HD2	2.03	0.41
1:B:8:ILE:HG23	1:B:8:ILE:HD12	1.65	0.41
1:B:113:THR:HG22	1:B:114:LYS:N	2.36	0.41
1:A:158:HIS:CD2	1:A:438:GLN:HE22	2.38	0.41
1:A:504:MSE:O	1:A:508:ALA:HB3	2.21	0.41
1:B:488:LYS:HG2	1:B:491:ASP:CG	2.41	0.40
1:B:441:ILE:HB	1:B:453:ALA:HB3	2.01	0.40
1:A:187:LYS:HD3	1:A:271:SER:O	2.21	0.40
1:B:294:TYR:HD2	1:B:368:ARG:HG2	1.87	0.40
1:B:296:LYS:HZ3	1:B:458:HIS:HE1	1.64	0.40
1:A:101:LEU:HD22	1:A:105:PHE:HE1	1.85	0.40
1:A:193:ALA:HB1	1:A:352:TYR:CD1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	595/619 (96%)	577 (97%)	18 (3%)	0	100	100
1	B	605/619 (98%)	587 (97%)	18 (3%)	0	100	100
All	All	1200/1238 (97%)	1164 (97%)	36 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	546/548 (100%)	521 (95%)	25 (5%)	31	46
1	B	555/548 (101%)	516 (93%)	39 (7%)	18	25
All	All	1101/1096 (100%)	1037 (94%)	64 (6%)	25	34

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	GLU
1	A	131	ILE
1	A	136	ARG
1	A	149	GLU
1	A	211	ILE
1	A	254	SER
1	A	261	GLN
1	A	279	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	301	ILE
1	A	302	LEU
1	A	304	THR
1	A	306	THR
1	A	355	ASN
1	A	377	GLU
1	A	380	ASP
1	A	397	ILE
1	A	434	GLU
1	A	435	SER
1	A	489	MSE
1	A	492	PHE
1	A	500	CYS
1	A	507	ASP
1	A	555	GLU
1	A	577	ASP
1	A	581	LEU
1	B	19	SER
1	B	46	GLU
1	B	89[A]	ASP
1	B	89[B]	ASP
1	B	95	GLN
1	B	113	THR
1	B	165	LYS
1	B	186	ILE
1	B	200	VAL
1	B	211	ILE
1	B	214	SER
1	B	220	LYS
1	B	226	GLU
1	B	258	GLU
1	B	263	LYS
1	B	280	SER
1	B	285[A]	ARG
1	B	285[B]	ARG
1	B	302	LEU
1	B	304	THR
1	B	306	THR
1	B	339	SER
1	B	356	LYS
1	B	428	GLU
1	B	469	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	470	GLU
1	B	488	LYS
1	B	489	MSE
1	B	492	PHE
1	B	500[A]	CYS
1	B	500[B]	CYS
1	B	573	ARG
1	B	577	ASP
1	B	578	VAL
1	B	580	SER
1	B	581	LEU
1	B	582	VAL
1	B	599	LYS
1	B	600	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	HIS
1	A	171	GLN
1	A	250	ASN
1	A	261	GLN
1	A	438	GLN
1	A	439	ASN
1	A	481	HIS
1	A	490	ASN
1	A	583	HIS
1	B	60	ASN
1	B	153	HIS
1	B	204	ASN
1	B	439	ASN
1	B	458	HIS
1	B	598	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	EDO	A	618	-	3,3,3	0.49	0	2,2,2	0.38	0
4	ATP	B	617	5	25,29,33	1.51	8 (32%)	24,45,52	2.18	4 (16%)
3	EDO	B	619	-	3,3,3	0.53	0	2,2,2	0.30	0
3	EDO	B	620	-	3,3,3	0.35	0	2,2,2	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	618	-	-	0/1/1/1	0/0/0/0
4	ATP	B	617	5	-	0/12/32/38	0/3/3/3
3	EDO	B	619	-	-	0/1/1/1	0/0/0/0
3	EDO	B	620	-	-	0/1/1/1	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	617	ATP	C5'-C4'	-2.79	1.42	1.51
4	B	617	ATP	C2'-C1'	-2.62	1.49	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	617	ATP	O2'-C2'	-2.61	1.37	1.43
4	B	617	ATP	O3'-C3'	-2.17	1.38	1.43
4	B	617	ATP	C2'-C3'	-2.11	1.47	1.53
4	B	617	ATP	PB-O3A	-2.02	1.56	1.60
4	B	617	ATP	C2-N3	2.09	1.35	1.32
4	B	617	ATP	C6-N6	2.45	1.44	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	617	ATP	N3-C2-N1	-8.15	121.76	128.86
4	B	617	ATP	C4'-O4'-C1'	-5.55	103.87	109.77
4	B	617	ATP	C4-C5-N7	-2.20	107.29	109.41
4	B	617	ATP	O5'-C5'-C4'	2.19	116.76	109.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	617	ATP	2	0
3	B	619	EDO	2	0
3	B	620	EDO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	580/619 (93%)	-0.12	16 (2%) 53 55	34, 56, 99, 153	2 (0%)
1	B	582/619 (94%)	-0.31	5 (0%) 84 85	33, 52, 94, 139	0
All	All	1162/1238 (93%)	-0.21	21 (1%) 69 70	33, 54, 98, 153	2 (0%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	578	VAL	6.6
1	A	577	ASP	3.7
1	A	488	LYS	3.4
1	B	0	ALA	3.4
1	B	227	ARG	3.3
1	A	527	TRP	3.3
1	A	485	ALA	3.2
1	A	579	GLU	3.0
1	A	487	GLY	2.8
1	A	280	SER	2.8
1	A	576	ILE	2.4
1	A	47	GLU	2.3
1	B	492	PHE	2.3
1	A	486	ASN	2.2
1	A	490	ASN	2.2
1	A	284	LEU	2.2
1	A	355	ASN	2.2
1	B	578	VAL	2.1
1	A	496	ASP	2.0
1	A	448	LEU	2.0
1	B	600	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	ATP	B	617	27/31	0.84	0.26	2.85	56,88,119,129	27
3	EDO	B	619	4/4	0.87	0.20	2.42	88,89,93,94	0
2	CL	A	617	1/1	0.87	0.25	1.77	90,90,90,90	0
3	EDO	A	618	4/4	0.92	0.16	1.63	82,84,91,95	0
5	MG	B	618	1/1	0.94	0.08	-2.12	73,73,73,73	0
2	CL	B	621	1/1	0.91	0.06	-	87,87,87,87	0
3	EDO	B	620	4/4	0.84	0.23	-	84,84,88,93	0

6.5 Other polymers [i](#)

There are no such residues in this entry.