



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 09:52 am GMT

PDB ID : 1TQN
Title : Crystal Structure of Human Microsomal P450 3A4
Authors : Yano, J.K.; Wester, M.R.; Schoch, G.A.; Griffin, K.J.; Stout, C.D.; Johnson, E.F.
Deposited on : 2004-06-17
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1394 (2.04-2.04)
Ramachandran outliers	110173	1383 (2.04-2.04)
Sidechain outliers	110143	1383 (2.04-2.04)
RSRZ outliers	101464	1319 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	486	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3999 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cytochrome P450 3A4.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	468	Total	C	N	O	S	0	0	0
			3766	2445	623	674	24			

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LEU	DELETION	UNP P08684
A	?	-	ILE	DELETION	UNP P08684
A	?	-	PRO	DELETION	UNP P08684
A	?	-	ASP	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	ALA	DELETION	UNP P08684
A	?	-	MET	DELETION	UNP P08684
A	?	-	GLU	DELETION	UNP P08684
A	?	-	THR	DELETION	UNP P08684
A	?	-	TRP	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	ALA	DELETION	UNP P08684
A	?	-	VAL	DELETION	UNP P08684
A	?	-	SER	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	VAL	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	TYR	DELETION	UNP P08684
A	504	HIS	-	EXPRESSION TAG	UNP P08684
A	505	HIS	-	EXPRESSION TAG	UNP P08684
A	506	HIS	-	EXPRESSION TAG	UNP P08684
A	507	HIS	-	EXPRESSION TAG	UNP P08684

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (for-

mula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	190	Total	O	0	0
			190	190		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: cytochrome P450 3A4



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	77.15Å 99.61Å 132.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.05 66.70 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (50.00-2.05) 99.1 (66.70-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 2.00Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.238 , 0.293 0.239 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	43.1	Xtriage
Anisotropy	0.386	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3999	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/3858	0.73	1/5218 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	265	GLN	CB-CA-C	-5.43	99.54	110.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	152	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3766	0	3844	197	0
2	A	43	0	30	0	0
3	A	190	0	0	4	0
All	All	3999	0	3874	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:THR:HG22	1:A:265:GLN:H	1.07	1.17
1:A:149:ILE:HG22	1:A:183:VAL:HG13	1.37	1.07
1:A:132:LEU:HD13	1:A:290:LEU:HG	1.38	1.03
1:A:291:SER:HB3	1:A:294:GLU:HG3	1.48	0.94
1:A:62:MET:CE	1:A:400:ALA:HA	1.99	0.93
1:A:62:MET:HE3	1:A:400:ALA:HA	1.48	0.92
1:A:70:LYS:HD3	1:A:71:VAL:HG23	1.52	0.89
1:A:264:THR:HG22	1:A:265:GLN:N	1.87	0.88
1:A:257:LYS:NZ	1:A:279:GLN:HE22	1.72	0.88
1:A:262:GLU:OE1	1:A:262:GLU:HA	1.78	0.82
1:A:264:THR:CG2	1:A:265:GLN:H	1.91	0.82
1:A:256:MET:HA	1:A:260:ARG:HG3	1.59	0.82
1:A:158:ARG:HG2	1:A:158:ARG:HH11	1.46	0.81
1:A:148:ILE:HD12	1:A:148:ILE:H	1.43	0.81
1:A:268:ARG:HB2	1:A:268:ARG:HH11	1.48	0.79
1:A:160:LEU:HD13	1:A:175:VAL:HG11	1.67	0.77
1:A:134:SER:HB2	1:A:135:PRO:HD3	1.66	0.76
1:A:475:LEU:HD11	1:A:485:PRO:HB3	1.65	0.75
1:A:258:GLU:HA	1:A:262:GLU:HG2	1.70	0.74
1:A:258:GLU:HA	1:A:262:GLU:CG	2.18	0.74
1:A:268:ARG:HB2	1:A:268:ARG:NH1	2.04	0.73
1:A:189:PHE:O	1:A:191:VAL:N	2.25	0.69
1:A:145:MET:HA	1:A:148:ILE:HD13	1.73	0.69
1:A:71:VAL:CG1	1:A:82:LEU:HD11	2.22	0.69
1:A:421:LYS:HB3	1:A:422:LYS:HE3	1.75	0.68
1:A:87:PRO:HG3	1:A:431:ILE:HD11	1.73	0.68
1:A:409:THR:HG22	1:A:410:GLU:HG3	1.75	0.67
1:A:189:PHE:HA	1:A:270:ASP:OD1	1.94	0.67
1:A:128:ARG:HA	1:A:287:HIS:CE1	2.30	0.67
1:A:70:LYS:HD3	1:A:71:VAL:CG2	2.24	0.67
1:A:197:ASN:C	1:A:199:PRO:HD3	2.16	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:133:LEU:HD21	1:A:275:MET:HE3	1.77	0.66
1:A:271:PHE:O	1:A:275:MET:HG3	1.95	0.65
1:A:58:CYS:HB3	1:A:399:TYR:CD2	2.32	0.65
1:A:254:LYS:O	1:A:258:GLU:HG2	1.97	0.65
1:A:261:LEU:HD12	1:A:273:GLN:OE1	1.96	0.65
1:A:339:LEU:HD21	1:A:349:THR:HG21	1.79	0.65
1:A:135:PRO:O	1:A:141:LYS:HG3	1.97	0.64
1:A:243:ARG:HA	1:A:246:THR:OG1	1.96	0.64
1:A:257:LYS:CE	1:A:279:GLN:HE22	2.10	0.64
1:A:457:ILE:O	1:A:461:GLN:HB2	1.96	0.64
1:A:161:ARG:O	1:A:165:GLU:HB2	1.99	0.63
1:A:189:PHE:CE2	1:A:260:ARG:HD2	2.33	0.63
1:A:142:LEU:HD22	1:A:446:ARG:HG3	1.80	0.63
1:A:79:GLN:NE2	1:A:80:PRO:HD2	2.14	0.62
1:A:257:LYS:HZ1	1:A:295:LEU:HD13	1.65	0.61
1:A:295:LEU:C	1:A:295:LEU:HD23	2.21	0.61
1:A:257:LYS:HZ1	1:A:279:GLN:HE22	1.47	0.61
1:A:267:HIS:CE1	1:A:269:VAL:HA	2.36	0.61
1:A:339:LEU:HB3	1:A:343:ALA:HB3	1.82	0.60
1:A:261:LEU:CD1	1:A:267:HIS:HB2	2.30	0.60
1:A:255:ARG:HG3	1:A:256:MET:N	2.16	0.60
1:A:255:ARG:HG3	1:A:256:MET:H	1.64	0.60
1:A:308:GLU:HG2	3:A:517:HOH:O	2.02	0.60
1:A:92:THR:HA	1:A:96:LYS:HB2	1.83	0.60
1:A:267:HIS:HE1	1:A:269:VAL:HA	1.67	0.60
1:A:252:SER:O	1:A:256:MET:HG2	2.02	0.59
1:A:71:VAL:HG13	1:A:82:LEU:HD11	1.83	0.59
1:A:141:LYS:O	1:A:145:MET:HG3	2.02	0.59
1:A:189:PHE:CE1	1:A:273:GLN:HG2	2.38	0.59
1:A:348:ASP:N	1:A:348:ASP:OD2	2.35	0.58
1:A:189:PHE:H	1:A:270:ASP:CG	2.07	0.58
1:A:257:LYS:HE3	1:A:276:ILE:HG12	1.86	0.58
1:A:251:LYS:HE2	1:A:251:LYS:N	2.18	0.58
1:A:334:GLU:O	1:A:338:VAL:HG23	2.04	0.57
1:A:465:PHE:CD2	1:A:493:VAL:HG22	2.39	0.57
1:A:261:LEU:C	1:A:263:ASP:H	2.06	0.57
1:A:198:ASN:N	1:A:199:PRO:HD3	2.19	0.56
1:A:495:SER:OG	1:A:498:GLY:HA3	2.05	0.56
1:A:62:MET:HE2	1:A:400:ALA:HA	1.84	0.56
1:A:148:ILE:HD12	1:A:148:ILE:N	2.15	0.56
1:A:292:ASP:O	1:A:296:VAL:HG23	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:469:LYS:HB2	1:A:470:GLU:OE1	2.05	0.56
1:A:273:GLN:NE2	1:A:277:ASP:OD2	2.39	0.56
1:A:158:ARG:HH11	1:A:158:ARG:CG	2.18	0.55
1:A:258:GLU:O	1:A:262:GLU:HB2	2.05	0.55
1:A:189:PHE:CD2	1:A:260:ARG:HD2	2.41	0.55
1:A:291:SER:HB3	1:A:294:GLU:CG	2.31	0.55
1:A:130:ARG:HH22	1:A:441:ASN:ND2	2.05	0.54
1:A:257:LYS:NZ	1:A:279:GLN:NE2	2.49	0.54
1:A:128:ARG:HD2	1:A:287:HIS:HB2	1.89	0.54
1:A:188:SER:HA	1:A:270:ASP:HB2	1.90	0.54
1:A:470:GLU:N	1:A:470:GLU:OE1	2.41	0.53
1:A:191:VAL:HG11	1:A:203:PHE:CE2	2.44	0.53
1:A:261:LEU:HD11	1:A:267:HIS:HB2	1.89	0.53
1:A:164:ALA:HB1	1:A:493:VAL:O	2.08	0.53
1:A:171:THR:HG22	1:A:173:LYS:HG2	1.89	0.53
1:A:152:TYR:OH	1:A:192:ASN:HB3	2.09	0.52
1:A:139:SER:O	1:A:142:LEU:HB3	2.09	0.52
1:A:408:TRP:O	1:A:411:PRO:HG3	2.09	0.52
1:A:496:ARG:O	1:A:497:ASP:HB2	2.10	0.52
1:A:149:ILE:HG22	1:A:183:VAL:CG1	2.26	0.52
1:A:133:LEU:HD13	1:A:302:PHE:HZ	1.73	0.52
1:A:189:PHE:H	1:A:270:ASP:CB	2.22	0.52
1:A:189:PHE:CA	1:A:270:ASP:OD1	2.58	0.52
1:A:189:PHE:N	1:A:270:ASP:OD1	2.43	0.51
1:A:257:LYS:HG3	1:A:276:ILE:CD1	2.41	0.51
1:A:130:ARG:HG3	1:A:130:ARG:O	2.10	0.51
1:A:163:GLU:HG2	1:A:170:VAL:HG22	1.91	0.51
1:A:250:ARG:HH11	1:A:293:LEU:CD1	2.24	0.51
1:A:203:PHE:O	1:A:207:THR:HG23	2.11	0.51
1:A:132:LEU:HD21	1:A:288:LYS:HA	1.92	0.51
1:A:349:THR:HG22	1:A:353:MET:CE	2.40	0.51
1:A:415:LEU:O	1:A:418:ARG:HB2	2.11	0.51
1:A:258:GLU:HA	1:A:262:GLU:HG3	1.93	0.51
1:A:133:LEU:HD21	1:A:275:MET:CE	2.42	0.50
1:A:249:LEU:O	1:A:253:VAL:HG23	2.11	0.50
1:A:152:TYR:CD2	1:A:182:ASP:HB3	2.47	0.50
1:A:260:ARG:O	1:A:262:GLU:N	2.44	0.50
1:A:268:ARG:CB	1:A:268:ARG:HH11	2.21	0.50
1:A:294:GLU:O	1:A:297:ALA:N	2.44	0.50
1:A:203:PHE:HA	1:A:248:PHE:CZ	2.47	0.50
1:A:200:GLN:O	1:A:202:PRO:HD3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:PHE:HE1	1:A:273:GLN:HG2	1.77	0.49
1:A:268:ARG:O	1:A:270:ASP:N	2.45	0.49
1:A:265:GLN:O	1:A:266:LYS:HB2	2.12	0.49
1:A:267:HIS:ND1	1:A:273:GLN:HG3	2.28	0.49
1:A:148:ILE:O	1:A:151:GLN:HB3	2.13	0.49
1:A:250:ARG:NH1	1:A:293:LEU:HD11	2.28	0.48
1:A:428:ASP:OD1	1:A:429:PRO:HD2	2.12	0.48
1:A:102:PHE:HB3	1:A:375:ARG:HB3	1.95	0.48
1:A:288:LYS:O	1:A:289:ALA:HB3	2.14	0.48
1:A:345:PRO:HG3	1:A:457:ILE:CG2	2.44	0.48
1:A:250:ARG:HB3	1:A:251:LYS:HE3	1.95	0.48
1:A:261:LEU:HD12	1:A:273:GLN:CD	2.34	0.48
1:A:188:SER:CA	1:A:270:ASP:HB2	2.44	0.48
1:A:191:VAL:HG11	1:A:203:PHE:CD2	2.48	0.48
1:A:265:GLN:O	1:A:266:LYS:CB	2.61	0.48
1:A:110:PRO:HB2	1:A:238:ILE:O	2.14	0.47
1:A:475:LEU:HD21	1:A:485:PRO:HG3	1.96	0.47
1:A:66:LYS:HB3	1:A:66:LYS:HE2	1.62	0.47
1:A:182:ASP:OD2	1:A:195:SER:HB2	2.14	0.47
1:A:65:HIS:HA	1:A:72:TRP:CZ3	2.49	0.47
1:A:255:ARG:O	1:A:259:SER:N	2.47	0.47
1:A:269:VAL:O	1:A:269:VAL:HG13	2.13	0.47
1:A:409:THR:O	1:A:410:GLU:C	2.53	0.47
1:A:380:ASP:O	1:A:381:VAL:HG13	2.15	0.46
1:A:140:GLY:O	1:A:144:GLU:HG3	2.15	0.46
1:A:158:ARG:HG2	1:A:158:ARG:NH1	2.22	0.46
1:A:250:ARG:HB3	1:A:251:LYS:CE	2.46	0.46
1:A:179:TYR:CZ	1:A:455:ALA:HB2	2.50	0.46
1:A:455:ALA:O	1:A:459:VAL:HG23	2.16	0.45
1:A:259:SER:OG	1:A:260:ARG:N	2.49	0.45
1:A:63:GLU:O	1:A:67:LYS:HG2	2.17	0.45
1:A:89:MET:HE2	1:A:384:ASN:OD1	2.17	0.45
1:A:111:VAL:O	1:A:111:VAL:HG22	2.15	0.45
1:A:319:TYR:CZ	1:A:475:LEU:HB2	2.51	0.45
1:A:334:GLU:OE2	1:A:353:MET:HB3	2.17	0.45
1:A:170:VAL:O	1:A:490:VAL:HA	2.17	0.45
1:A:276:ILE:O	1:A:279:GLN:HB2	2.17	0.45
1:A:346:THR:O	1:A:347:TYR:C	2.55	0.45
1:A:291:SER:O	1:A:294:GLU:N	2.50	0.44
1:A:495:SER:HB2	3:A:617:HOH:O	2.18	0.44
1:A:255:ARG:O	1:A:259:SER:HB3	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:GLU:O	1:A:66:LYS:HE2	2.17	0.44
1:A:136:THR:HG22	1:A:271:PHE:HD1	1.81	0.44
1:A:339:LEU:HD13	1:A:343:ALA:O	2.17	0.44
1:A:93:VAL:HG21	1:A:394:VAL:HG11	1.99	0.44
1:A:148:ILE:H	1:A:148:ILE:CD1	2.21	0.44
1:A:419:PHE:CE1	1:A:427:ILE:HD13	2.53	0.44
1:A:162:ARG:HG3	3:A:679:HOH:O	2.17	0.44
1:A:110:PRO:O	1:A:240:VAL:HG22	2.18	0.44
1:A:32:LEU:HD11	1:A:36:LEU:HD11	1.99	0.44
1:A:172:LEU:HA	1:A:175:VAL:HG23	2.00	0.43
1:A:59:MET:HB3	3:A:659:HOH:O	2.17	0.43
1:A:345:PRO:HG3	1:A:457:ILE:HG21	2.00	0.43
1:A:294:GLU:O	1:A:297:ALA:HB3	2.18	0.43
1:A:184:ILE:HD11	1:A:307:TYR:HA	2.01	0.43
1:A:209:LYS:HD2	1:A:245:VAL:CG2	2.49	0.43
1:A:274:LEU:O	1:A:278:SER:HB3	2.18	0.43
1:A:130:ARG:HH22	1:A:441:ASN:HD22	1.65	0.43
1:A:295:LEU:O	1:A:295:LEU:HD23	2.19	0.43
1:A:298:GLN:O	1:A:301:ILE:HG22	2.18	0.42
1:A:258:GLU:HB2	1:A:259:SER:H	1.58	0.42
1:A:257:LYS:HG3	1:A:276:ILE:HD11	2.02	0.42
1:A:422:LYS:HG2	1:A:422:LYS:H	1.58	0.42
1:A:448:ALA:O	1:A:452:MET:HG3	2.20	0.42
1:A:146:VAL:HA	1:A:149:ILE:HG12	2.02	0.41
1:A:79:GLN:HA	1:A:80:PRO:HD3	1.95	0.41
1:A:221:LEU:HA	1:A:221:LEU:HD23	1.88	0.41
1:A:263:ASP:OD2	1:A:264:THR:N	2.53	0.41
1:A:345:PRO:HB2	1:A:454:LEU:HD23	2.02	0.41
1:A:158:ARG:CG	1:A:158:ARG:NH1	2.77	0.41
1:A:250:ARG:HH11	1:A:293:LEU:HD11	1.85	0.41
1:A:35:LYS:HE2	1:A:35:LYS:HB3	1.91	0.41
1:A:70:LYS:HE2	1:A:70:LYS:HB2	1.83	0.41
1:A:152:TYR:OH	1:A:192:ASN:CB	2.68	0.41
1:A:246:THR:O	1:A:250:ARG:HB2	2.21	0.41
1:A:428:ASP:HA	1:A:429:PRO:HD3	1.85	0.41
1:A:345:PRO:HB2	1:A:454:LEU:CD2	2.50	0.41
1:A:258:GLU:O	1:A:259:SER:C	2.59	0.41
1:A:160:LEU:HA	1:A:160:LEU:HD12	1.93	0.40
1:A:205:GLU:O	1:A:205:GLU:OE1	2.39	0.40
1:A:465:PHE:CE2	1:A:493:VAL:HG22	2.56	0.40
1:A:111:VAL:CG2	1:A:111:VAL:O	2.70	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:THR:HG22	1:A:353:MET:HE2	2.03	0.40
1:A:183:VAL:HG21	1:A:451:ASN:HD21	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	464/486 (96%)	412 (89%)	41 (9%)	11 (2%)	7 1

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	190	GLY
1	A	259	SER
1	A	260	ARG
1	A	269	VAL
1	A	261	LEU
1	A	195	SER
1	A	265	GLN
1	A	266	LYS
1	A	423	ASN
1	A	123	ASP
1	A	341	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	428/442 (97%)	403 (94%)	25 (6%)	23	13

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	HIS
1	A	47	LEU
1	A	62	MET
1	A	70	LYS
1	A	158	ARG
1	A	175	VAL
1	A	189	PHE
1	A	204	VAL
1	A	205	GLU
1	A	237	ASN
1	A	243	ARG
1	A	250	ARG
1	A	251	LYS
1	A	259	SER
1	A	262	GLU
1	A	267	HIS
1	A	279	GLN
1	A	348	ASP
1	A	362	GLU
1	A	373	LEU
1	A	384	ASN
1	A	422	LYS
1	A	425	ASP
1	A	441	ASN
1	A	470	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	GLN
1	A	79	GLN
1	A	151	GLN
1	A	159	ASN
1	A	192	ASN
1	A	197	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	247	ASN
1	A	279	GLN
1	A	441	ASN
1	A	451	ASN
1	A	484	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	508	1,3	28,50,50	1.91	8 (28%)	17,82,82	1.73	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	508	1,3	-	0/6/54/54	0/0/8/8

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	508	HEM	C3C-CAC	-4.46	1.38	1.47
2	A	508	HEM	C1C-NC	-3.34	1.32	1.36
2	A	508	HEM	C3B-CAB	-2.36	1.43	1.47
2	A	508	HEM	C4D-ND	-2.05	1.34	1.36
2	A	508	HEM	C4B-NB	-2.03	1.31	1.36
2	A	508	HEM	CBB-CAB	2.72	1.48	1.28
2	A	508	HEM	CMC-C2C	2.75	1.57	1.51
2	A	508	HEM	CMA-C3A	4.27	1.60	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	508	HEM	C4C-C3C-C2C	-3.20	104.66	106.90
2	A	508	HEM	CMB-C2B-C3B	2.76	130.01	124.89
2	A	508	HEM	CAD-CBD-CGD	3.97	119.44	112.66

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	468/486 (96%)	0.38	24 (5%)	29 31	24, 45, 78, 88	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	269	VAL	6.5
1	A	499	THR	4.9
1	A	268	ARG	3.9
1	A	166	THR	3.8
1	A	260	ARG	3.7
1	A	267	HIS	3.6
1	A	259	SER	3.6
1	A	266	LYS	3.5
1	A	202	PRO	3.3
1	A	167	GLY	3.2
1	A	28	HIS	3.1
1	A	191	VAL	3.1
1	A	149	ILE	3.0
1	A	265	GLN	2.9
1	A	261	LEU	2.9
1	A	163	GLU	2.8
1	A	498	GLY	2.7
1	A	280	ASN	2.4
1	A	264	THR	2.2
1	A	497	ASP	2.2
1	A	288	LYS	2.2
1	A	262	GLU	2.1
1	A	463	PHE	2.1
1	A	469	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	HEM	A	508	43/43	0.98	0.12	-0.25	25,35,39,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.