



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 03:56 am GMT

PDB ID : 3TY5
Title : Crystal Structure of C. thermocellum PNKP Ligase domain in complex with ATP
Authors : Smith, P.; Wang, L.; Shuman, S.
Deposited on : 2011-09-23
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3166 (2.40-2.40)
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)
RSRZ outliers	101464	3195 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	413	<div> <div>5%</div> <div> <div></div> <div>72%</div> <div>20%</div> <div>8%</div> </div> </div>
1	B	413	<div> <div>6%</div> <div> <div></div> <div>75%</div> <div>17%</div> <div>8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ADP	B	1001	-	-	-	X
4	PGE	B	1	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6381 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polynucleotide 2',3'-cyclic phosphate phosphodiesterase / polynucleotide 5'-hydroxyl-kinase / polynucleotide 3'-phosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	381	Total	C	N	O	S	0	0	0
			3057	1935	535	564	23			
1	B	381	Total	C	N	O	S	0	0	0
			3043	1928	529	565	21			

There are 44 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	458	MET	-	EXPRESSION TAG	UNP A3DJ38
A	459	GLY	-	EXPRESSION TAG	UNP A3DJ38
A	460	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	461	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	462	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	463	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	464	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	465	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	466	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	467	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	468	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	469	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	470	SER	-	EXPRESSION TAG	UNP A3DJ38
A	471	SER	-	EXPRESSION TAG	UNP A3DJ38
A	472	GLY	-	EXPRESSION TAG	UNP A3DJ38
A	473	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	474	ILE	-	EXPRESSION TAG	UNP A3DJ38
A	475	GLU	-	EXPRESSION TAG	UNP A3DJ38
A	476	GLY	-	EXPRESSION TAG	UNP A3DJ38
A	477	ARG	-	EXPRESSION TAG	UNP A3DJ38
A	478	HIS	-	EXPRESSION TAG	UNP A3DJ38
A	529	GLY	GLU	ENGINEERED MUTATION	UNP A3DJ38
B	458	MET	-	EXPRESSION TAG	UNP A3DJ38
B	459	GLY	-	EXPRESSION TAG	UNP A3DJ38

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	460	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	461	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	462	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	463	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	464	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	465	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	466	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	467	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	468	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	469	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	470	SER	-	EXPRESSION TAG	UNP A3DJ38
B	471	SER	-	EXPRESSION TAG	UNP A3DJ38
B	472	GLY	-	EXPRESSION TAG	UNP A3DJ38
B	473	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	474	ILE	-	EXPRESSION TAG	UNP A3DJ38
B	475	GLU	-	EXPRESSION TAG	UNP A3DJ38
B	476	GLY	-	EXPRESSION TAG	UNP A3DJ38
B	477	ARG	-	EXPRESSION TAG	UNP A3DJ38
B	478	HIS	-	EXPRESSION TAG	UNP A3DJ38
B	529	GLY	GLU	ENGINEERED MUTATION	UNP A3DJ38

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	
			31	10	5	13	3	

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{10}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $\text{C}_6\text{H}_{14}\text{O}_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	117	Total 117	O 117	0	0
5	B	96	Total 96	O 96	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	63.99Å 94.38Å 75.31Å 90.00° 93.51° 90.00°	Depositor
Resolution (Å)	44.33 – 2.40 39.97 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.7 (44.33-2.40) 99.2 (39.97-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7_650)	Depositor
R, R_{free}	0.178 , 0.225 0.168 , 0.212	Depositor DCC
R_{free} test set	1571 reflections (5.11%)	DCC
Wilson B-factor (Å ²)	48.9	Xtriage
Anisotropy	0.167	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 48.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6381	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, ATP, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/3122	0.46	0/4213
1	B	0.28	0/3107	0.43	0/4192
All	All	0.28	0/6229	0.45	0/8405

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3057	0	3020	80	0
1	B	3043	0	3004	59	0
2	A	31	0	10	0	0
3	B	27	0	12	2	0
4	B	10	0	14	8	0
5	A	117	0	0	6	0
5	B	96	0	0	4	0
All	All	6381	0	6060	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:616:GLN:HG2	1:B:617:LYS:H	1.23	1.03
1:A:501:THR:HG21	1:A:815:ARG:HG3	1.43	1.01
1:B:491:TYR:HE1	4:B:1:PGE:H5	1.23	0.99
1:B:498:PRO:HB3	1:B:794:ARG:HH12	1.29	0.97
1:B:832:PHE:HA	4:B:1:PGE:H62	1.47	0.96
1:A:723:MET:HG3	5:A:194:HOH:O	1.67	0.93
1:A:819:ARG:HG2	1:A:819:ARG:HH11	1.37	0.87
1:A:812:ASN:O	1:A:815:ARG:HD2	1.79	0.83
1:B:494:PRO:HG2	4:B:1:PGE:H12	1.59	0.82
1:B:498:PRO:HB3	1:B:794:ARG:NH1	1.98	0.79
1:B:491:TYR:CE1	4:B:1:PGE:H5	2.15	0.75
1:B:531:LYS:HD3	3:B:1001:ADP:C8	2.23	0.73
1:A:812:ASN:O	1:A:815:ARG:HB2	1.89	0.73
1:B:616:GLN:CG	1:B:617:LYS:H	1.99	0.71
1:A:715:SER:HB3	1:A:836:MET:CE	2.21	0.69
1:A:519:ARG:HB2	1:A:747:VAL:CG1	2.23	0.69
4:B:1:PGE:H1	5:B:75:HOH:O	1.93	0.68
1:B:767:GLY:HA2	1:B:797:GLU:HB3	1.74	0.68
1:B:616:GLN:HG2	1:B:617:LYS:N	2.04	0.66
1:B:531:LYS:HE2	3:B:1001:ADP:O4'	1.96	0.66
1:B:811:GLU:O	1:B:812:ASN:HB3	1.95	0.65
1:A:715:SER:HB3	1:A:836:MET:HE1	1.77	0.64
1:A:717:LYS:HD3	1:A:721:TRP:CE2	2.34	0.63
1:A:517:TYR:O	1:A:521:ARG:HG3	2.00	0.61
1:A:819:ARG:CG	1:A:819:ARG:HH11	2.13	0.61
1:B:832:PHE:O	4:B:1:PGE:H6	2.01	0.60
1:B:780:VAL:HG23	1:B:787:LEU:HB2	1.83	0.60
1:A:817:ARG:O	1:A:820:ALA:N	2.35	0.59
1:B:832:PHE:HA	4:B:1:PGE:C6	2.29	0.59
1:A:611:TRP:CD2	1:A:700:LYS:HE2	2.38	0.58
1:A:814:GLU:HA	1:A:816:LEU:H	1.69	0.58
1:B:605:ASP:HB2	1:B:705:HIS:HB2	1.85	0.58
1:A:519:ARG:HB2	1:A:747:VAL:HG12	1.85	0.58
1:A:587:VAL:CG1	1:A:730:CYS:HA	2.34	0.57
1:A:640:LEU:HD23	1:B:641:LEU:HD11	1.86	0.57
1:B:495:THR:HB	1:B:862:GLU:OE1	2.04	0.57
1:A:493:PRO:HG2	1:A:565:ARG:CD	2.34	0.57
1:B:631:ARG:HG3	5:B:165:HOH:O	2.05	0.56
1:B:583:ARG:HD2	1:B:734:ASP:OD2	2.05	0.56
1:A:587:VAL:CG2	1:A:734:ASP:HB2	2.35	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:813:ILE:C	1:A:815:ARG:HB3	2.25	0.56
1:B:580:LEU:HD12	1:B:736:LEU:HD21	1.88	0.56
1:B:605:ASP:CB	1:B:705:HIS:HB2	2.36	0.56
1:B:838:ALA:HB2	1:B:854:CYS:HB2	1.89	0.55
1:A:782:ASN:HB3	1:A:787:LEU:HD21	1.88	0.55
1:A:819:ARG:CG	1:A:819:ARG:NH1	2.70	0.54
1:A:587:VAL:HG11	1:A:730:CYS:HA	1.89	0.54
1:A:687:ARG:HH22	1:B:630:GLY:HA2	1.71	0.54
1:A:737:ILE:N	1:A:737:ILE:HD12	2.22	0.54
1:A:493:PRO:HG2	1:A:565:ARG:HG2	1.90	0.54
1:A:819:ARG:HG2	1:A:819:ARG:NH1	2.11	0.53
1:B:622:GLN:NE2	1:B:631:ARG:HG2	2.24	0.53
1:A:727:ALA:HA	1:A:731:THR:HB	1.91	0.53
1:B:518:PHE:CE1	1:B:775:PRO:HG3	2.44	0.52
1:A:501:THR:HG23	1:A:508:LEU:HD12	1.91	0.52
1:A:519:ARG:HB2	1:A:747:VAL:HG11	1.91	0.51
1:A:840:GLU:O	1:A:844:ARG:HG2	2.09	0.51
1:A:717:LYS:HD3	1:A:721:TRP:CD2	2.46	0.51
1:A:814:GLU:N	1:A:815:ARG:HB3	2.25	0.51
1:A:813:ILE:HA	1:A:815:ARG:HD3	1.93	0.51
1:A:677:GLU:HG3	1:A:681:LYS:HE3	1.93	0.51
1:B:758:LYS:NZ	5:B:33:HOH:O	2.44	0.51
1:A:605:ASP:CB	1:A:705:HIS:HB2	2.41	0.50
1:A:781:LYS:HE2	1:A:784:ARG:C	2.32	0.50
1:A:777:ASP:HB2	1:A:780:VAL:HG13	1.94	0.50
1:A:812:ASN:O	1:A:815:ARG:CD	2.55	0.50
1:A:720:ILE:HG13	1:A:776:TYR:CE1	2.46	0.50
1:A:518:PHE:CE1	1:A:775:PRO:HG3	2.46	0.50
1:A:740:THR:HG21	5:A:210:HOH:O	2.13	0.49
1:A:732:GLN:HB2	5:A:174:HOH:O	2.13	0.48
1:A:687:ARG:NH2	1:B:630:GLY:HA2	2.29	0.48
1:A:744:LEU:HD11	5:A:198:HOH:O	2.12	0.48
1:A:813:ILE:HG22	1:A:813:ILE:O	2.14	0.48
1:A:821:VAL:O	1:A:825:ARG:HG3	2.14	0.48
1:B:792:LYS:HD2	1:B:794:ARG:HD2	1.96	0.48
1:A:720:ILE:HG13	1:A:776:TYR:HE1	1.78	0.47
1:B:616:GLN:CG	1:B:617:LYS:N	2.70	0.47
1:B:718:ASN:HB2	1:B:776:TYR:O	2.14	0.47
1:A:626:VAL:HG23	1:A:628:ILE:HG13	1.97	0.46
1:A:780:VAL:HG23	1:A:787:LEU:HB2	1.96	0.46
1:B:836:MET:HE3	4:B:1:PGE:H4	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:831:GLU:OE1	1:B:862:GLU:OE1	2.33	0.46
1:A:525:LYS:CE	1:A:744:LEU:HD21	2.46	0.46
1:B:579:GLU:HB3	1:B:696:ILE:HD12	1.97	0.46
1:B:817:ARG:O	1:B:821:VAL:HG23	2.16	0.46
1:B:623:TYR:CE1	1:B:631:ARG:HD3	2.51	0.46
1:B:614:LYS:HG2	1:B:615:ALA:N	2.31	0.46
1:B:614:LYS:HG2	1:B:615:ALA:H	1.80	0.46
1:A:605:ASP:HB3	1:A:705:HIS:HB2	1.98	0.45
1:A:525:LYS:HE2	5:A:198:HOH:O	2.16	0.45
1:A:700:LYS:NZ	1:A:735:SER:O	2.38	0.45
1:A:530:GLN:HG3	1:A:763:LEU:HD11	1.98	0.45
1:A:849:TYR:O	1:A:853:GLU:HG3	2.16	0.45
1:B:541:VAL:O	1:B:601:TRP:HA	2.16	0.45
1:A:611:TRP:CE2	1:A:700:LYS:HE2	2.52	0.45
1:A:782:ASN:O	1:A:785:GLU:HB3	2.17	0.45
1:B:577:GLU:O	1:B:581:ILE:HG12	2.16	0.45
1:A:580:LEU:C	1:A:580:LEU:HD23	2.37	0.45
1:A:814:GLU:N	1:A:815:ARG:CB	2.79	0.45
1:B:681:LYS:HD3	1:B:802:ILE:O	2.16	0.45
1:A:715:SER:HB3	1:A:836:MET:HE2	1.96	0.45
1:A:720:ILE:CG1	1:A:776:TYR:CE1	3.00	0.45
1:B:570:PHE:CE2	1:B:608:LEU:HD23	2.52	0.45
1:B:532:HIS:O	1:B:533:MET:HB2	2.17	0.44
1:B:693:VAL:HG23	1:B:693:VAL:O	2.18	0.44
1:B:584:VAL:O	1:B:588:LEU:HG	2.18	0.44
1:A:493:PRO:HG2	1:A:565:ARG:CG	2.48	0.43
1:A:815:ARG:C	1:A:817:ARG:H	2.21	0.43
1:B:580:LEU:HA	1:B:696:ILE:HD11	2.01	0.43
1:A:781:LYS:HE2	1:A:784:ARG:O	2.19	0.43
1:A:510:HIS:CG	1:A:511:PRO:HD2	2.54	0.43
1:B:582:ASP:OD1	1:B:585:ARG:NH2	2.51	0.43
1:B:532:HIS:HB2	5:B:192:HOH:O	2.19	0.43
1:B:631:ARG:HG3	1:B:631:ARG:HH11	1.84	0.42
1:B:488:TRP:CE2	1:B:554:VAL:HG21	2.54	0.42
1:A:517:TYR:CE1	1:A:521:ARG:CZ	3.02	0.42
1:A:488:TRP:CZ2	1:A:554:VAL:HG21	2.54	0.42
1:A:718:ASN:HB2	1:A:776:TYR:O	2.19	0.42
1:B:501:THR:HG21	1:B:809:MET:SD	2.60	0.42
1:A:579:GLU:O	1:A:583:ARG:HG2	2.19	0.42
1:B:759:TRP:O	1:B:763:LEU:HG	2.20	0.42
1:B:811:GLU:O	1:B:812:ASN:CB	2.65	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:800:ARG:HB3	1:A:805:PRO:HA	2.02	0.41
1:B:544:ASP:OD1	1:B:547:VAL:HG23	2.21	0.41
1:A:640:LEU:CD2	1:B:641:LEU:HD11	2.50	0.41
1:A:605:ASP:HB2	1:A:705:HIS:HB2	2.01	0.41
1:A:749:ASP:O	1:A:753:VAL:HG23	2.21	0.41
1:B:521:ARG:HD3	1:B:787:LEU:HD22	2.03	0.41
1:B:510:HIS:CG	1:B:511:PRO:HD2	2.55	0.41
1:A:493:PRO:HG2	1:A:565:ARG:HD2	2.02	0.40
1:A:492:LEU:HD22	1:A:565:ARG:O	2.21	0.40
1:A:767:GLY:HA2	5:A:213:HOH:O	2.20	0.40
1:A:758:LYS:HD3	1:A:762:ASP:OD1	2.21	0.40
1:A:490:ILE:HD13	1:A:552:PHE:HE1	1.85	0.40
1:A:817:ARG:O	1:A:820:ALA:HB3	2.22	0.40
1:B:864:GLU:HA	1:B:865:PRO:HD3	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	377/413 (91%)	362 (96%)	15 (4%)	0	100	100
1	B	375/413 (91%)	364 (97%)	11 (3%)	0	100	100
All	All	752/826 (91%)	726 (96%)	26 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/360 (91%)	323 (98%)	6 (2%)	64	81
1	B	328/360 (91%)	328 (100%)	0	100	100
All	All	657/720 (91%)	651 (99%)	6 (1%)	82	92

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	569	HIS
1	A	570	PHE
1	A	607	GLU
1	A	733	ASP
1	A	809	MET
1	A	814	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	569	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ATP	A	1001	-	27,33,33	1.95	7 (25%)	25,52,52	2.95	13 (52%)
4	PGE	B	1	-	9,9,9	0.58	0	8,8,8	1.36	1 (12%)
3	ADP	B	1001	-	25,29,29	2.49	8 (32%)	24,45,45	2.61	9 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	1001	-	-	0/18/38/38	0/3/3/3
4	PGE	B	1	-	-	0/7/7/7	0/0/0/0
3	ADP	B	1001	-	-	0/12/32/32	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	ATP	O3'-C3'	-2.93	1.36	1.43
2	A	1001	ATP	PG-O1G	2.22	1.58	1.50
3	B	1001	ADP	C6-C5	2.23	1.54	1.42
2	A	1001	ATP	C5'-C4'	2.44	1.59	1.51
2	A	1001	ATP	C5-C4	2.69	1.46	1.40
3	B	1001	ADP	C2-N3	2.74	1.36	1.32
3	B	1001	ADP	O4'-C1'	2.92	1.45	1.41
2	A	1001	ATP	O2'-C2'	3.20	1.50	1.43
3	B	1001	ADP	C2'-C1'	3.25	1.58	1.53
3	B	1001	ADP	C2-N1	3.77	1.41	1.33
3	B	1001	ADP	C4-N3	4.02	1.41	1.35
2	A	1001	ATP	PG-O3B	4.49	1.67	1.60
2	A	1001	ATP	O4'-C1'	5.17	1.48	1.41
3	B	1001	ADP	C5-C4	6.29	1.54	1.40
3	B	1001	ADP	PB-O3A	6.44	1.70	1.60

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	ATP	N3-C2-N1	-7.29	122.51	128.86
3	B	1001	ADP	N3-C2-N1	-5.78	123.83	128.86
3	B	1001	ADP	C4'-O4'-C1'	-5.25	104.18	109.77
3	B	1001	ADP	C4-C5-N7	-4.84	104.73	109.41
2	A	1001	ATP	C5-C6-N6	-3.80	112.72	120.47
3	B	1001	ADP	O5'-C5'-C4'	-3.39	96.97	109.00
3	B	1001	ADP	O2'-C2'-C3'	-3.23	101.48	111.83
3	B	1001	ADP	O5'-PA-O1A	-3.14	96.60	109.25
2	A	1001	ATP	C4'-O4'-C1'	-2.87	106.72	109.77
3	B	1001	ADP	C2'-C3'-C4'	-2.70	97.37	102.62
3	B	1001	ADP	C5-C6-N1	-2.08	113.40	119.70
2	A	1001	ATP	C2-N1-C6	2.38	122.93	118.77
2	A	1001	ATP	C1'-N9-C4	2.43	130.84	126.64
4	B	1	PGE	C5-O3-C4	2.51	124.18	113.30
2	A	1001	ATP	O5'-PA-O1A	2.66	119.99	109.25
2	A	1001	ATP	O3G-PG-O2G	2.82	119.00	107.61
2	A	1001	ATP	O2G-PG-O1G	2.88	121.75	110.50
2	A	1001	ATP	O2B-PB-O1B	3.01	127.84	112.28
2	A	1001	ATP	C4-C5-N7	3.18	112.48	109.41
3	B	1001	ADP	C2-N1-C6	3.40	124.72	118.77
2	A	1001	ATP	O4'-C4'-C5'	3.62	121.62	109.40
2	A	1001	ATP	O2'-C2'-C3'	4.10	124.97	111.83
2	A	1001	ATP	N6-C6-N1	6.52	131.70	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1	PGE	8	0
3	B	1001	ADP	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	381/413 (92%)	0.03	19 (4%) 30 28	27, 51, 98, 148	0
1	B	381/413 (92%)	0.11	25 (6%) 19 17	33, 56, 111, 149	0
All	All	762/826 (92%)	0.07	44 (5%) 24 22	27, 53, 106, 149	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	622	GLN	4.6
1	B	662	ASN	4.6
1	B	805	PRO	4.3
1	A	647	ASN	4.3
1	B	623	TYR	3.9
1	B	649	THR	3.7
1	B	651	SER	3.7
1	B	815	ARG	3.6
1	A	478	HIS	3.6
1	A	809	MET	3.5
1	A	783	GLY	3.3
1	B	806	GLU	3.2
1	B	624	SER	3.1
1	B	660	GLY	3.1
1	A	661	LYS	3.1
1	A	740	THR	2.9
1	B	595	GLY	2.8
1	A	483	ALA	2.8
1	B	615	ALA	2.8
1	B	811	GLU	2.8
1	A	477	ARG	2.7
1	A	812	ASN	2.6
1	B	807	TYR	2.6
1	B	808	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	626	VAL	2.6
1	A	481	ARG	2.6
1	A	781	LYS	2.6
1	B	661	LYS	2.6
1	A	782	ASN	2.6
1	B	812	ASN	2.5
1	B	816	LEU	2.5
1	B	781	LYS	2.5
1	A	506	GLY	2.5
1	A	813	ILE	2.4
1	B	480	SER	2.4
1	B	659	SER	2.4
1	B	785	GLU	2.3
1	A	607	GLU	2.3
1	A	646	LEU	2.2
1	A	642	LYS	2.1
1	A	662	ASN	2.1
1	A	808	THR	2.1
1	B	621	GLU	2.0
1	B	650	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	ADP	B	1001	27/27	0.81	0.41	5.41	91,137,167,252	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	PGE	B	1	10/10	0.90	0.22	1.20	55,63,69,70	0
2	ATP	A	1001	31/31	0.96	0.28	0.97	74,79,89,91	0

6.5 Other polymers [i](#)

There are no such residues in this entry.