



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 06:00 pm GMT

PDB ID : 3U4R
Title : Novel HCV NS5B polymerase Inhibitors: Discovery of Indole C2 Acyl sulfonamides
Authors : Anilkumar, G.N.; Selyutin, O.; Rosenblum, S.B.; Zeng, Q.; Jiang, Y.; Chan, T.-Y.; Pu, H.; Wang, L.; Bennett, F.; Chen, K.X.; Lesburg, C.A.; Duca, J.S.; Gavalas, S.; Huang, Y.; Pinto, P.; Sannagrahi, M.; Velazquez, F.; Venkataraman, S.; Vilbubhan, B.; Agrawal, S.; Ferrari, E.; Jiang, C.-K.; Huang, H.-C.; Shih, N.-Y.; Njoroge, F.G.; Kozlowski, J.A.
Deposited on : 2011-10-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	578	
1	B	578	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	08F	A	579	-	-	-	X
2	08F	B	579	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10100 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called RNA-directed RNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	558	Total	C	N	O	S	0	0	0
			4347	2739	769	807	32			
1	B	558	Total	C	N	O	S	0	0	0
			4347	2739	769	807	32			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	440	GLY	GLU	CONFLICT	UNP O92972
A	520	ILE	THR	CONFLICT	UNP O92972
A	571	LEU	-	EXPRESSION TAG	UNP O92972
A	572	GLU	-	EXPRESSION TAG	UNP O92972
A	573	HIS	-	EXPRESSION TAG	UNP O92972
A	574	HIS	-	EXPRESSION TAG	UNP O92972
A	575	HIS	-	EXPRESSION TAG	UNP O92972
A	576	HIS	-	EXPRESSION TAG	UNP O92972
A	577	HIS	-	EXPRESSION TAG	UNP O92972
A	578	HIS	-	EXPRESSION TAG	UNP O92972
B	440	GLY	GLU	CONFLICT	UNP O92972
B	520	ILE	THR	CONFLICT	UNP O92972
B	571	LEU	-	EXPRESSION TAG	UNP O92972
B	572	GLU	-	EXPRESSION TAG	UNP O92972
B	573	HIS	-	EXPRESSION TAG	UNP O92972
B	574	HIS	-	EXPRESSION TAG	UNP O92972
B	575	HIS	-	EXPRESSION TAG	UNP O92972
B	576	HIS	-	EXPRESSION TAG	UNP O92972
B	577	HIS	-	EXPRESSION TAG	UNP O92972
B	578	HIS	-	EXPRESSION TAG	UNP O92972

- Molecule 2 is 1-[(2-AMINOPYRIDIN-4-YL)METHYL]-5-CHLORO-N-({3-[(METHYLSULFONYL)AMINO]PHENYL}SULFONYL)-3-(2-OXO-1,2-DIHYDROPYRIDIN-3-YL)-1H-INDOLE-2-CARBOXAMIDE (three-letter code: 08F) (formula: C₂₇H₂₃ClN₆O₆S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C	Cl	N	O	S	0	0
			42	27	1	6	6	2		
2	B	1	Total	C	Cl	N	O	S	0	0
			42	27	1	6	6	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	723	Total	O	0	0
			723	723		
3	B	599	Total	O	0	0
			599	599		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.92Å 106.68Å 134.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.92 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.3 (20.00-2.00) 99.3 (19.92-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.01Å)	Xtriage
Refinement program	BUSTER 2.11.1	Depositor
R, R_{free}	0.192 , 0.237 0.191 , 0.235	Depositor DCC
R_{free} test set	4337 reflections (5.24%)	DCC
Wilson B-factor (Å ²)	34.0	Xtriage
Anisotropy	0.400	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 58.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10100	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 08F

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/4441	0.64	0/6026
1	B	0.48	0/4441	0.65	0/6026
All	All	0.49	0/8882	0.65	0/12052

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4347	0	4365	34	0
1	B	4347	0	4365	47	0
2	A	42	0	23	5	0
2	B	42	0	23	9	0
3	A	723	0	0	16	0
3	B	599	0	0	9	0
All	All	10100	0	8776	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:ASN:HD21	1:B:27:SER:HB3	1.37	0.87
1:B:201:VAL:HG22	1:B:384:LEU:HG	1.61	0.81
1:B:451:CYS:HB2	3:B:805:HOH:O	1.81	0.79
1:A:461:GLN:HG2	1:A:541:ALA:HB3	1.66	0.78
1:B:291:ASN:HD22	2:B:579:08F:C27	1.96	0.77
1:B:120:ARG:HD2	3:B:846:HOH:O	1.86	0.76
2:A:579:08F:H5	2:A:579:08F:H10	1.51	0.76
1:A:477:TYR:HB2	1:A:482:ILE:HD11	1.69	0.74
1:A:230:GLU:HG2	3:A:744:HOH:O	1.91	0.70
1:B:291:ASN:HD22	2:B:579:08F:H23	1.58	0.68
1:A:201:VAL:HG22	1:A:384:LEU:HG	1.77	0.67
2:B:579:08F:H10	2:B:579:08F:H5	1.59	0.66
1:A:563:SER:O	3:A:876:HOH:O	2.13	0.65
1:B:234:ARG:HG3	1:B:262:ILE:HD11	1.77	0.65
1:B:317:GLY:HA3	2:B:579:08F:O2	1.96	0.65
1:A:114:ARG:NH1	3:A:1283:HOH:O	2.32	0.63
1:B:141:LYS:HD2	1:B:160:ILE:HD11	1.81	0.61
1:B:291:ASN:HD22	2:B:579:08F:H22	1.65	0.61
2:A:579:08F:N3	2:A:579:08F:H5	2.16	0.60
1:A:563:SER:HB2	3:A:1292:HOH:O	2.02	0.60
2:A:579:08F:H7	3:A:1144:HOH:O	2.02	0.59
1:A:247:PRO:HG3	1:B:234:ARG:NH1	2.18	0.58
1:A:535:LYS:NZ	3:A:1172:HOH:O	2.36	0.58
1:A:200:ARG:HD3	1:A:384:LEU:HD11	1.88	0.56
1:B:234:ARG:NH1	1:B:258:GLU:OE2	2.39	0.56
1:B:544:GLN:HB2	3:B:1198:HOH:O	2.05	0.55
1:B:545:LEU:HG	3:B:1311:HOH:O	2.06	0.55
1:A:201:VAL:CG2	1:A:384:LEU:HG	2.35	0.54
1:A:184:GLN:NE2	3:A:1023:HOH:O	2.41	0.54
1:B:219:TYR:HB3	1:B:320:LEU:HD23	1.91	0.53
1:A:154:ARG:NH1	3:A:698:HOH:O	2.40	0.53
1:A:508:ARG:NE	3:A:726:HOH:O	2.20	0.53
1:A:316:ASN:HB3	2:A:579:08F:H11	1.91	0.52
2:B:579:08F:N3	2:B:579:08F:H5	2.24	0.52
1:B:531:ARG:HG3	1:B:531:ARG:HH11	1.77	0.50
1:B:531:ARG:NH1	1:B:531:ARG:HG3	2.26	0.49
1:B:498:ARG:NH1	3:B:879:HOH:O	2.45	0.49
1:A:234:ARG:HD2	1:A:258:GLU:OE2	2.12	0.49
1:B:309:GLN:HE22	1:B:327:ALA:HB2	1.77	0.48
1:A:172:LYS:HE3	1:A:560:ILE:HD13	1.94	0.48
1:A:84:SER:OG	1:A:86:GLU:HG2	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:VAL:CG2	1:B:384:LEU:HG	2.38	0.47
1:B:268:ASN:HB3	1:B:274:CYS:SG	2.55	0.47
1:B:172:LYS:HE3	1:B:560:ILE:HD13	1.97	0.47
1:A:197:PRO:O	1:A:201:VAL:HG23	2.15	0.46
1:A:154:ARG:N	3:A:1168:HOH:O	2.47	0.46
2:A:579:08F:C11	2:A:579:08F:N3	2.79	0.46
1:B:309:GLN:O	1:B:324:CYS:HB2	2.16	0.46
1:B:465:ARG:NH2	3:B:1090:HOH:O	2.46	0.45
1:B:74:LYS:NZ	3:B:904:HOH:O	2.49	0.45
1:A:402:HIS:HB3	3:A:1187:HOH:O	2.15	0.45
1:B:426:MET:O	1:B:430:PHE:HB2	2.17	0.45
1:A:477:TYR:HB2	1:A:482:ILE:CD1	2.43	0.45
1:A:508:ARG:HH22	1:A:534:LEU:HG	1.82	0.45
1:B:291:ASN:ND2	2:B:579:08F:H22	2.30	0.45
1:A:124:GLU:HG3	3:A:867:HOH:O	2.16	0.44
1:A:361:GLU:HG2	1:A:370:VAL:O	2.17	0.44
1:B:106:LYS:HD3	3:B:714:HOH:O	2.18	0.44
1:B:462:ILE:O	1:B:466:LEU:HG	2.18	0.44
1:B:144:VAL:HB	1:B:394:ARG:HG2	1.99	0.44
1:B:375:ASP:OD1	1:B:379:LYS:HB3	2.17	0.44
1:B:82:LEU:HD13	1:B:249:ALA:HB2	2.00	0.44
1:A:461:GLN:HG2	1:A:541:ALA:CB	2.42	0.43
1:B:32:ARG:NH2	1:B:495:PRO:HG3	2.33	0.43
1:A:490:ARG:NH1	3:A:905:HOH:O	2.51	0.43
1:B:32:ARG:HD2	1:B:32:ARG:N	2.33	0.43
1:A:183:PRO:HG3	1:A:289:CYS:SG	2.59	0.43
1:B:291:ASN:ND2	2:B:579:08F:C27	2.74	0.43
1:A:247:PRO:CB	1:B:234:ARG:HH11	2.31	0.42
1:B:466:LEU:HD22	1:B:551:PHE:HE2	1.84	0.42
2:B:579:08F:C11	2:B:579:08F:N3	2.83	0.42
1:B:32:ARG:HD3	1:B:493:GLY:O	2.19	0.42
1:A:106:LYS:HD3	3:A:658:HOH:O	2.19	0.42
1:A:209:LYS:NZ	3:A:937:HOH:O	2.52	0.42
1:B:461:GLN:HB3	1:B:542:ALA:HA	2.00	0.42
1:B:57:LEU:C	3:B:869:HOH:O	2.58	0.42
1:A:247:PRO:HB3	1:B:234:ARG:HH11	1.86	0.41
1:B:388:PRO:HB3	1:B:420:TRP:CD2	2.56	0.41
1:B:314:LEU:HB3	1:B:321:VAL:HG13	2.01	0.41
1:B:419:LEU:HD21	1:B:497:LEU:HD13	2.01	0.41
1:B:144:VAL:HG21	1:B:397:TRP:CG	2.55	0.41
1:B:469:LEU:HD23	1:B:472:PHE:HD2	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:545:LEU:HB3	1:A:547:LEU:HG	2.03	0.40
1:A:432:ILE:HD11	3:A:1125:HOH:O	2.21	0.40
1:B:562:HIS:HB3	1:B:563:SER:H	1.76	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	554/578 (96%)	547 (99%)	7 (1%)	0	100	100
1	B	554/578 (96%)	538 (97%)	13 (2%)	3 (0%)	32	26
All	All	1108/1156 (96%)	1085 (98%)	20 (2%)	3 (0%)	44	40

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	535	LYS
1	B	541	ALA
1	B	540	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	475/492 (96%)	457 (96%)	18 (4%)	38	35
1	B	475/492 (96%)	450 (95%)	25 (5%)	26	21
All	All	950/984 (96%)	907 (96%)	43 (4%)	32	27

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	LEU
1	A	51	LYS
1	A	56	ARG
1	A	57	LEU
1	A	100	LYS
1	A	113	SER
1	A	114	ARG
1	A	159	LEU
1	A	184	GLN
1	A	209	LYS
1	A	329	THR
1	A	336	LEU
1	A	432	ILE
1	A	461	GLN
1	A	482	ILE
1	A	487	SER
1	A	535	LYS
1	A	544	GLN
1	B	11	ILE
1	B	23	ILE
1	B	24	ASN
1	B	26	LEU
1	B	42	SER
1	B	57	LEU
1	B	81	LYS
1	B	90	LYS
1	B	184	GLN
1	B	209	LYS
1	B	262	ILE
1	B	330	GLN
1	B	336	LEU
1	B	377	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	402	HIS
1	B	403	THR
1	B	419	LEU
1	B	434	LEU
1	B	461	GLN
1	B	484	ARG
1	B	487	SER
1	B	492	LEU
1	B	533	LYS
1	B	534	LEU
1	B	547	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	291	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	08F	A	579	-	41,46,46	2.18	7 (17%)	55,69,69	1.43	8 (14%)
2	08F	B	579	-	41,46,46	2.12	10 (24%)	55,69,69	1.44	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	08F	A	579	-	-	0/24/28/28	0/5/5/5
2	08F	B	579	-	-	0/24/28/28	0/5/5/5

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	579	08F	C7-C4	-2.48	1.40	1.47
2	B	579	08F	C7-C4	-2.26	1.41	1.47
2	A	579	08F	C1-C7	-2.10	1.45	1.49
2	B	579	08F	C1-C7	-2.03	1.46	1.49
2	B	579	08F	C2-C3	2.03	1.40	1.36
2	B	579	08F	O3-S2	2.14	1.45	1.43
2	A	579	08F	C9-C8	2.18	1.41	1.36
2	B	579	08F	C9-C8	2.33	1.41	1.36
2	B	579	08F	S2-N3	2.34	1.69	1.64
2	B	579	08F	C12-C1	4.19	1.53	1.44
2	A	579	08F	C12-C1	4.23	1.53	1.44
2	A	579	08F	C14-C15	4.24	1.47	1.38
2	B	579	08F	C14-C15	4.35	1.47	1.38
2	B	579	08F	C12-N2	4.64	1.41	1.33
2	A	579	08F	C12-N2	4.81	1.41	1.33
2	B	579	08F	S1-N6	8.11	1.74	1.63
2	A	579	08F	S1-N6	8.70	1.75	1.63

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	579	08F	O4-S2-C16	-4.17	102.79	107.95
2	B	579	08F	O4-S2-C16	-3.92	103.10	107.95
2	A	579	08F	O3-S2-C16	-3.41	103.74	107.95
2	B	579	08F	O3-S2-C16	-3.25	103.94	107.95
2	A	579	08F	O2-S1-C27	-3.01	103.21	108.35
2	B	579	08F	O2-S1-C27	-2.62	103.87	108.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	579	08F	C17-C21-C20	2.07	119.51	117.97
2	B	579	08F	O1-S1-N6	2.50	112.29	107.13
2	A	579	08F	C17-C11-N1	2.57	116.71	112.62
2	B	579	08F	C17-C21-C20	2.59	119.89	117.97
2	A	579	08F	C15-C1-C7	2.86	125.32	119.13
2	B	579	08F	C15-C1-C7	2.87	125.34	119.13
2	A	579	08F	C13-N2-C12	2.97	123.35	116.60
2	B	579	08F	C13-N2-C12	2.99	123.39	116.60
2	A	579	08F	O3-S2-O4	3.25	123.71	119.55
2	B	579	08F	O3-S2-O4	3.63	124.19	119.55

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	579	08F	5	0
2	B	579	08F	9	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	558/578 (96%)	-0.06	18 (3%)	48 48	25, 33, 54, 79	0
1	B	558/578 (96%)	0.32	45 (8%)	13 13	24, 39, 78, 108	0
All	All	1116/1156 (96%)	0.13	63 (5%)	25 25	24, 36, 64, 108	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	25	PRO	10.0
1	B	26	LEU	9.7
1	B	542	ALA	9.5
1	B	541	ALA	7.7
1	B	545	LEU	6.9
1	B	543	SER	6.4
1	B	544	GLN	6.3
1	B	563	SER	6.0
1	B	24	ASN	5.0
1	B	548	SER	5.0
1	B	27	SER	4.6
1	B	532	THR	4.5
1	B	536	LEU	4.5
1	B	535	LYS	4.4
1	B	531	ARG	4.2
1	B	23	ILE	4.2
1	B	530	VAL	4.1
1	B	502	HIS	4.1
1	B	29	SER	4.0
1	B	537	THR	3.9
1	B	330	GLN	3.9
1	A	169	VAL	3.9
1	B	30	LEU	3.6
1	A	544	GLN	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	563	SER	3.6
1	B	14	CYS	3.5
1	A	352	ASP	3.5
1	B	540	PRO	3.4
1	A	548	SER	3.4
1	A	57	LEU	3.4
1	B	483	ASN	3.3
1	B	402	HIS	3.3
1	B	22	PRO	3.1
1	A	402	HIS	3.0
1	A	545	LEU	2.9
1	B	538	PRO	2.9
1	B	498	ARG	2.8
1	B	479	PRO	2.7
1	B	16	ALA	2.7
1	B	404	PRO	2.7
1	A	543	SER	2.7
1	A	546	ASP	2.6
1	A	16	ALA	2.5
1	B	34	HIS	2.5
1	B	487	SER	2.5
1	B	376	ALA	2.4
1	B	147	VAL	2.4
1	B	212	LYS	2.4
1	A	542	ALA	2.4
1	A	266	LEU	2.3
1	A	95	HIS	2.3
1	A	119	ILE	2.2
1	B	21	LEU	2.2
1	B	322	VAL	2.2
1	B	331	GLU	2.2
1	A	330	GLN	2.2
1	A	212	LYS	2.1
1	B	308	LEU	2.1
1	B	501	ARG	2.1
1	A	525	LEU	2.1
1	B	539	ILE	2.0
1	B	15	ALA	2.0
1	B	436	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	08F	B	579	42/42	0.86	0.26	4.47	52,57,70,74	0
2	08F	A	579	42/42	0.89	0.18	2.74	40,54,60,61	0

6.5 Other polymers [i](#)

There are no such residues in this entry.