



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 16, 2017 – 12:53 AM EST

PDB ID : 5U6Q
Title : Structure of human MR1-3-F-SA in complex with human MAIT A-F7 TCR
Authors : Keller, A.N.; Rossjohn, J.
Deposited on : unknown
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	5047 (1.90-1.90)
Clashscore	112137	5731 (1.90-1.90)
Ramachandran outliers	110173	5669 (1.90-1.90)
Sidechain outliers	110143	5670 (1.90-1.90)
RSRZ outliers	101464	5100 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> .% </div> <div style="width: 88%; height: 10px; background-color: green; position: relative;"> 88% </div> <div style="width: 8%; height: 10px; background-color: yellow; position: relative;"> 8% </div> <div style="width: 4%; height: 10px; background-color: grey; position: relative;"> . . </div> </div>
1	C	271	<div> <div style="width: 6%; height: 10px; background-color: red; position: relative;"> 6% </div> <div style="width: 89%; height: 10px; background-color: green; position: relative;"> 89% </div> <div style="width: 7%; height: 10px; background-color: yellow; position: relative;"> 7% </div> <div style="width: 8%; height: 10px; background-color: grey; position: relative;"> . </div> </div>
2	B	203	<div> <div style="width: 14%; height: 10px; background-color: red; position: relative;"> 14% </div> <div style="width: 84%; height: 10px; background-color: green; position: relative;"> 84% </div> <div style="width: 12%; height: 10px; background-color: yellow; position: relative;"> 12% </div> <div style="width: 10%; height: 10px; background-color: grey; position: relative;"> . </div> </div>
2	D	203	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> .% </div> <div style="width: 89%; height: 10px; background-color: green; position: relative;"> 89% </div> <div style="width: 9%; height: 10px; background-color: yellow; position: relative;"> 9% </div> <div style="width: 2%; height: 10px; background-color: grey; position: relative;"> . </div> </div>
3	E	245	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> .% </div> <div style="width: 91%; height: 10px; background-color: green; position: relative;"> 91% </div> <div style="width: 8%; height: 10px; background-color: yellow; position: relative;"> 8% </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	245	
4	F	99	
4	H	99	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	C	302	-	-	-	X
7	ACT	A	302	-	-	-	X
7	ACT	C	303	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 14317 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Major histocompatibility complex class I-related gene protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	261	Total	C	N	O	S	0	1	0
			2157	1377	372	397	11			
1	A	263	Total	C	N	O	S	0	2	0
			2184	1401	373	399	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	MET	-	initiating methionine	UNP Q95460
C	261	SER	CYS	conflict	UNP Q95460
A	0	MET	-	initiating methionine	UNP Q95460
A	261	SER	CYS	conflict	UNP Q95460

- Molecule 2 is a protein called MAIT T-cell receptor alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	200	Total	C	N	O	S	0	1	0
			1565	986	251	319	9			
2	B	195	Total	C	N	O	S	0	0	0
			1503	954	239	301	9			


- Molecule 3 is a protein called MAIT T-cell receptor beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	244	Total	C	N	O	S	0	2	0
			1943	1219	339	376	9			
3	G	239	Total	C	N	O	S	0	0	0
			1879	1183	323	364	9			

- Molecule 4 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	97	Total	C	N	O	S	0	0	0
			800	511	135	152	2			
4	H	99	Total	C	N	O	S	0	0	0
			820	522	138	157	3			

- Molecule 5 is 3-methanoyl-2-oxidanyl-benzoic acid (three-letter code: 7ZS) (formula: $C_8H_6O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			11	8	3		
5	A	1	Total	C	O	0	0
			11	8	3		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	G	1	Total Na 1 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	C	253	Total O 253 253	0	0
9	D	227	Total O 227 227	0	0
9	E	291	Total O 291 291	0	0
9	F	78	Total O 78 78	0	0
9	A	229	Total O 229 229	0	0
9	B	106	Total O 106 106	0	0
9	G	139	Total O 139 139	0	0
9	H	106	Total O 106 106	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Major histocompatibility complex class I-related gene protein




- Molecule 1: Major histocompatibility complex class I-related gene protein




- Molecule 2: MAIT T-cell receptor alpha chain





- Molecule 2: MAIT T-cell receptor alpha chain





- Molecule 3: MAIT T-cell receptor beta chain




- Molecule 3: MAIT T-cell receptor beta chain



- Molecule 4: Beta-2-microglobulin



- Molecule 4: Beta-2-microglobulin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	217.67Å 70.51Å 143.37Å 90.00° 104.77° 90.00°	Depositor
Resolution (Å)	44.39 – 1.90 44.39 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.4 (44.39-1.90) 97.4 (44.39-1.90)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 1.89Å)	Xtriage
Refinement program	PHENIX 1.11.1 _2575	Depositor
R, R_{free}	0.182 , 0.222 0.180 , 0.221	Depositor DCC
R_{free} test set	8116 reflections (5.03%)	DCC
Wilson B-factor (Å ²)	23.4	Xtriage
Anisotropy	0.657	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14317	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ACT, 7ZS, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/2250	0.57	1/3059 (0.0%)
1	C	0.44	0/2223	0.56	0/3023
2	B	0.41	0/1537	0.56	0/2088
2	D	0.46	0/1600	0.60	0/2170
3	E	0.49	0/1994	0.59	0/2712
3	G	0.38	0/1927	0.55	0/2620
4	F	0.34	0/823	0.52	0/1118
4	H	0.38	0/843	0.55	0/1144
All	All	0.43	0/13197	0.57	1/17934 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	LEU	CA-CB-CG	-7.51	98.03	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2184	0	2062	16	0
1	C	2157	0	2026	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1503	0	1399	15	0
2	D	1565	0	1474	17	0
3	E	1943	0	1836	18	0
3	G	1879	0	1773	19	0
4	F	800	0	753	9	0
4	H	820	0	772	4	0
5	A	11	0	0	0	0
5	C	11	0	0	0	0
6	C	6	0	8	2	0
7	A	4	0	3	0	0
7	C	4	0	3	0	0
8	G	1	0	0	0	0
9	A	229	0	0	3	0
9	B	106	0	0	1	0
9	C	253	0	0	1	0
9	D	227	0	0	2	0
9	E	291	0	0	5	0
9	F	78	0	0	1	0
9	G	139	0	0	2	0
9	H	106	0	0	2	0
All	All	14317	0	12109	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:150:ASP:HB2	2:D:177:LYS:HD2	1.63	0.78
2:D:170:SER:OG	3:E:194:ARG:NE	2.17	0.77
3:G:111:ARG:NH1	3:G:154:ASP:O	2.17	0.77
3:E:65[A]:ASN:OD1	3:E:77:ARG:HB3	1.88	0.74
2:B:112:GLN:NE2	9:B:301:HOH:O	2.20	0.73
2:D:28:GLY:HA3	2:D:93[B]:SER:OG	1.91	0.70
2:B:172:VAL:HG23	3:G:194:ARG:NH2	2.07	0.70
1:A:43:LYS:HD3	1:A:62:TYR:HB3	1.75	0.68
2:D:1:GLY:HA2	2:D:27:SER:H	1.60	0.66
1:C:0:MET:O	1:C:102:GLU:HG3	1.96	0.66
2:D:170:SER:O	3:E:194:ARG:NH1	2.28	0.64
1:A:152:TYR:CD1	3:G:100:GLY:HA3	2.33	0.63
2:B:170:SER:OG	3:G:194:ARG:HD3	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:21:ASN:HB3	4:H:70:PHE:CE2	2.37	0.59
3:G:165:LYS:HG2	3:G:166:GLU:H	1.68	0.59
1:A:82:ARG:HD2	9:A:518:HOH:O	2.02	0.58
1:C:268:GLN:OE1	9:C:401:HOH:O	2.17	0.58
4:H:71:THR:O	9:H:101:HOH:O	2.17	0.57
1:C:149:GLU:OE2	3:E:100:GLY:HA3	2.05	0.57
2:B:111:ILE:HG23	2:B:112:GLN:NE2	2.19	0.57
2:D:91:LYS:HE3	9:D:414:HOH:O	2.04	0.56
1:A:198:LEU:HD13	1:A:269:VAL:HG21	1.87	0.56
2:D:148:ASP:OD2	2:D:177:LYS:NZ	2.39	0.56
2:B:28:GLY:HA3	2:B:93:SER:OG	2.06	0.55
3:E:8:PRO:HD2	3:E:21:LEU:HD22	1.89	0.54
3:G:223:GLU:OE1	3:G:223:GLU:N	2.33	0.54
3:G:26:ASP:OD1	3:G:72:ARG:HD2	2.07	0.53
2:D:177:LYS:HE2	2:D:179:ASP:HB2	1.90	0.53
2:B:2:GLN:OE1	2:B:27:SER:N	2.38	0.53
1:C:113:ALA:HB2	4:F:60:TRP:CE2	2.44	0.53
1:C:152:TYR:CD2	3:E:100:GLY:HA2	2.43	0.52
3:G:155:HIS:HB3	3:G:216:TYR:HB2	1.92	0.52
3:E:243:ARG:NH1	9:E:309:HOH:O	2.43	0.51
3:G:165:LYS:HG2	3:G:166:GLU:N	2.26	0.50
1:A:152:TYR:CE1	3:G:100:GLY:HA3	2.46	0.50
1:A:113:ALA:HB2	4:H:60:TRP:CE2	2.47	0.50
2:B:24:TYR:CZ	2:B:69:GLY:HA2	2.47	0.50
3:G:108:GLU:OE1	9:G:401:HOH:O	2.20	0.49
4:F:21:ASN:HB3	4:F:70:PHE:CE2	2.47	0.49
3:G:30:ASN:O	3:G:51:SER:HA	2.12	0.49
2:B:158:VAL:HG22	2:B:169:ASN:OD1	2.13	0.48
2:D:138:ASP:OD2	2:D:140:GLN:HG3	2.12	0.48
3:E:116:GLU:OE1	9:E:301:HOH:O	2.20	0.48
1:A:4:SER:HB3	1:A:99:GLU:HG2	1.96	0.48
2:B:142:ASN:O	2:B:189:SER:OG	2.31	0.47
3:E:174:ASP:HB2	3:E:191:LEU:HD12	1.96	0.47
3:G:181:GLN:O	3:G:187:SER:HB2	2.14	0.47
4:H:41:LYS:NZ	9:H:106:HOH:O	2.46	0.47
4:F:19:LYS:O	4:F:72:PRO:HD2	2.15	0.47
2:D:28:GLY:N	9:D:302:HOH:O	2.32	0.46
1:C:4:SER:HB3	1:C:99:GLU:HG2	1.96	0.46
3:E:200:THR:HG23	9:E:496:HOH:O	2.15	0.46
3:E:72:ARG:NH1	9:E:305:HOH:O	2.36	0.46
1:A:151:LEU:HD22	2:B:51:LEU:HD12	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:28:GLY:HA3	2:D:93[A]:SER:HB3	1.98	0.45
3:G:174:ASP:OD1	3:G:194:ARG:NH1	2.48	0.45
4:F:17:ASN:HD21	4:F:74:GLU:HG2	1.80	0.45
2:D:121:LEU:HD11	2:D:133:LEU:HB2	1.97	0.45
2:B:50:VAL:O	2:B:66:ARG:HD3	2.17	0.45
1:A:1:ARG:HG2	9:A:550:HOH:O	2.17	0.45
1:C:34:THR:HB	1:C:43:LYS:HE3	1.99	0.45
4:F:87:LEU:O	9:F:101:HOH:O	2.21	0.45
3:G:128:VAL:HG23	3:G:238:ALA:HB3	1.99	0.45
2:B:131:VAL:HG22	2:B:174:TRP:HB3	1.97	0.45
2:B:3:ASN:ND2	2:B:25:GLN:OE1	2.41	0.44
4:F:50:GLU:HB2	4:F:67:TYR:CZ	2.52	0.44
6:C:302:GOL:H31	2:D:93[B]:SER:OG	2.18	0.44
4:F:41:LYS:HE2	4:F:78:TYR:CE1	2.53	0.44
1:A:6:ARG:HD3	9:A:528:HOH:O	2.17	0.43
3:E:117[A]:ASP:OD1	3:E:119:LYS:HG3	2.18	0.43
2:B:134:PHE:HB2	2:B:186:PHE:CE1	2.54	0.43
3:G:111:ARG:HH12	3:G:154:ASP:HB3	1.83	0.43
1:C:151:LEU:HD22	2:D:51:LEU:HD12	2.00	0.43
1:A:101:LEU:HD21	1:A:107:THR:HG23	2.00	0.43
3:E:206:ARG:HG2	1:A:210:ILE:O	2.18	0.43
1:C:14:ASP:HB3	1:C:89:SER:HB2	2.00	0.43
4:F:73:THR:OG1	4:F:76:ASP:OD2	2.35	0.42
2:D:4:ILE:HD11	2:D:88:CYS:SG	2.59	0.42
3:E:101:SER:HA	9:E:308:HOH:O	2.18	0.42
3:G:11:GLN:NE2	9:G:414:HOH:O	2.52	0.42
3:G:95:VAL:HG12	3:G:96:TRP:CD1	2.54	0.42
3:E:212:GLN:HG3	3:E:235:ILE:HG23	2.01	0.42
3:E:200:THR:HG21	1:A:221:ILE:O	2.20	0.41
2:D:170:SER:HG	3:E:194:ARG:HE	1.58	0.41
1:A:123:ASN:OD1	1:A:126:THR:N	2.44	0.41
1:A:215:MET:HG3	1:A:257:HIS:CD2	2.56	0.41
6:C:302:GOL:H31	2:D:28:GLY:CA	2.51	0.41
1:C:265:MET:HE2	1:C:265:MET:HB2	1.72	0.40
4:F:97:ARG:HE	4:F:97:ARG:HB2	1.69	0.40
1:A:28:VAL:HG23	1:A:33:ILE:HD13	2.03	0.40
2:B:172:VAL:HG23	3:G:194:ARG:HH22	1.83	0.40
1:C:244:ILE:HG12	1:C:245:GLU:N	2.35	0.40
3:E:128:VAL:HG23	3:E:238:ALA:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	259/271 (96%)	256 (99%)	3 (1%)	0	100	100
1	C	258/271 (95%)	253 (98%)	4 (2%)	1 (0%)	38	26
2	B	191/203 (94%)	183 (96%)	7 (4%)	1 (0%)	32	20
2	D	199/203 (98%)	196 (98%)	3 (2%)	0	100	100
3	E	244/245 (100%)	239 (98%)	5 (2%)	0	100	100
3	G	235/245 (96%)	227 (97%)	8 (3%)	0	100	100
4	F	95/99 (96%)	94 (99%)	1 (1%)	0	100	100
4	H	97/99 (98%)	96 (99%)	1 (1%)	0	100	100
All	All	1578/1636 (96%)	1544 (98%)	32 (2%)	2 (0%)	55	45

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	112	GLN
1	C	222	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/241 (96%)	229 (99%)	3 (1%)	73	72
1	C	230/241 (95%)	227 (99%)	3 (1%)	73	72
2	B	164/180 (91%)	162 (99%)	2 (1%)	75	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	176/180 (98%)	174 (99%)	2 (1%)	78	77
3	E	211/211 (100%)	210 (100%)	1 (0%)	91	91
3	G	203/211 (96%)	201 (99%)	2 (1%)	80	80
4	F	89/94 (95%)	88 (99%)	1 (1%)	78	77
4	H	92/94 (98%)	91 (99%)	1 (1%)	78	77
All	All	1397/1452 (96%)	1382 (99%)	15 (1%)	78	77

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	73	PHE
1	C	222	VAL
1	C	223	GLN
2	D	96	GLN
2	D	145	GLN
3	E	194	ARG
4	F	50	GLU
1	A	66	LEU
1	A	73	PHE
1	A	221	ILE
2	B	157	CYS
2	B	163	SER
3	G	79	GLU
3	G	194	ARG
4	H	70	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	D	96	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	7ZS	A	301	1	8,11,12	0.90	1 (12%)	11,15,16	0.83	0
7	ACT	A	302	-	1,3,3	1.99	0	0,3,3	0.00	-
5	7ZS	C	301	1	8,11,12	0.82	0	11,15,16	1.00	1 (9%)
6	GOL	C	302	-	5,5,5	0.43	0	5,5,5	0.82	0
7	ACT	C	303	-	1,3,3	2.33	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	7ZS	A	301	1	-	0/0/4/6	0/1/1/1
7	ACT	A	302	-	-	0/0/0/0	0/0/0/0
5	7ZS	C	301	1	-	0/0/4/6	0/1/1/1
6	GOL	C	302	-	-	0/4/4/4	0/0/0/0
7	ACT	C	303	-	-	0/0/0/0	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	301	7ZS	C7-C5	-2.34	1.46	1.51
7	C	303	ACT	CH3-C	2.33	1.51	1.48

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
5	C	301	7ZS	C1-C6-C5	-2.42	119.74	121.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	302	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	263/271 (97%)	-0.19	3 (1%) 80 83	19, 27, 52, 71	1 (0%)
1	C	261/271 (96%)	-0.05	16 (6%) 22 25	17, 28, 62, 92	1 (0%)
2	B	195/203 (96%)	0.58	29 (14%) 3 3	22, 42, 95, 106	0
2	D	200/203 (98%)	-0.29	2 (1%) 82 84	16, 25, 54, 74	0
3	E	244/245 (99%)	-0.38	3 (1%) 79 82	17, 26, 47, 73	1 (0%)
3	G	239/245 (97%)	0.13	17 (7%) 17 19	23, 39, 88, 109	0
4	F	97/99 (97%)	0.45	11 (11%) 6 6	22, 47, 75, 94	0
4	H	99/99 (100%)	-0.11	3 (3%) 51 54	19, 33, 60, 77	0
All	All	1598/1636 (97%)	-0.02	84 (5%) 27 31	16, 30, 73, 109	3 (0%)

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	222	VAL	6.2
2	B	199	SER	5.9
2	B	112	GLN	5.8
2	B	178	SER	5.5
2	B	200	PRO	5.5
2	B	146	SER	5.3
2	B	163	SER	5.0
1	C	221	ILE	4.8
2	B	180	PHE	4.8
3	G	162	VAL	4.8
3	G	2	ALA	4.5
1	C	17	HIS	4.4
4	F	74	GLU	4.4
1	A	0	MET	4.4
1	C	223	GLN	4.4
2	B	149	SER	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	G	227	ASP	4.0
3	G	221	ASN	3.8
4	F	43	GLY	3.8
1	C	247	ASP	3.7
3	G	241	TRP	3.6
2	B	176	ASN	3.5
1	C	211	TYR	3.5
4	F	47	GLU	3.4
2	B	190	ILE	3.4
1	C	246	LEU	3.4
1	A	223	GLN	3.4
1	C	249	GLN	3.3
2	B	197	PHE	3.3
3	G	200	THR	3.2
3	E	185	ASN	3.2
2	B	113	ASN	3.0
2	B	124	SER	2.9
1	C	18	GLY	2.9
3	G	220	GLU	2.9
4	F	77	GLU	2.8
2	B	123	ASP	2.8
3	E	184	LEU	2.8
2	B	184	ASN	2.8
3	G	165	LYS	2.8
4	H	48	LYS	2.8
2	B	175	SER	2.8
2	B	164	MET	2.7
2	B	193	GLU	2.7
2	B	191	ILE	2.7
2	B	188	ASN	2.7
2	B	162	ARG	2.7
4	F	88	SER	2.7
3	G	225	THR	2.6
2	B	151	VAL	2.6
3	G	224	TRP	2.6
4	F	94	LYS	2.6
4	F	44	GLU	2.6
3	E	183	ALA	2.5
3	G	201	PHE	2.5
1	A	222	VAL	2.5
1	C	245	GLU	2.4
2	D	1	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	189	SER	2.4
3	G	223	GLU	2.4
2	D	179	ASP	2.4
3	G	209	PHE	2.3
1	C	251	SER	2.3
2	B	148	ASP	2.3
1	C	244	ILE	2.3
2	B	150	ASP	2.3
2	B	181	ALA	2.3
3	G	240	ALA	2.2
3	G	98	GLY	2.2
4	F	78	TYR	2.2
2	B	165	ASP	2.2
4	H	47	GLU	2.2
4	F	42	ASN	2.2
1	C	250	SER	2.2
4	F	96	ASP	2.2
1	C	16	ILE	2.2
1	C	199	PHE	2.2
3	G	204	ASN	2.2
3	G	203	GLN	2.1
4	F	92	ILE	2.1
4	H	74	GLU	2.1
2	B	111	ILE	2.1
1	C	248	PRO	2.1
2	B	144	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
7	ACT	A	302	4/4	0.87	0.22	3.48	39,42,42,44	0
7	ACT	C	303	4/4	0.93	0.20	3.34	35,38,39,43	0
6	GOL	C	302	6/6	0.83	0.17	2.34	40,45,47,51	0
5	7ZS	A	301	11/12	0.96	0.15	1.23	24,28,32,33	0
8	NA	G	301	1/1	0.91	0.16	1.15	30,30,30,30	0
5	7ZS	C	301	11/12	0.94	0.11	0.20	19,22,24,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.