



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 10:13 pm GMT

PDB ID : 1UB7
Title : The Crystal Analysis of Beta-Keroacyl-[Acyl Carrier Protein] Synthase III (FABH)From Thermus Thermophilus.
Authors : Inagaki, E.; Miyano, M.; Tahirov, T.H.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2003-03-31
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	322	<div> <div>12%</div> <div>71%</div> <div>27%</div> <div>.</div> </div>
1	B	322	<div> <div>6%</div> <div>80%</div> <div>18%</div> <div>.</div> </div>
1	C	322	<div> <div>11%</div> <div>75%</div> <div>24%</div> <div>.</div> </div>
1	D	322	<div> <div>5%</div> <div>76%</div> <div>21%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	401	-	-	-	X
2	GOL	B	410	-	-	-	X
2	GOL	C	407	-	-	-	X
2	GOL	C	408	-	-	-	X
2	GOL	D	404	-	-	-	X
2	GOL	D	405	-	-	X	X

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 10103 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-oxoacyl-[acyl-carrier protein] synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	0	0
			2429	1544	427	452	6			
1	B	321	Total	C	N	O	S	0	0	0
			2429	1544	427	452	6			
1	C	321	Total	C	N	O	S	0	0	0
			2429	1544	427	452	6			
1	D	321	Total	C	N	O	S	0	0	0
			2429	1544	427	452	6			

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	67	Total O 67 67	0	0
3	B	93	Total O 93 93	0	0
3	C	74	Total O 74 74	0	0
3	D	93	Total O 93 93	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 3-oxoacyl-[acyl-carrier protein] synthase



• Molecule 1: 3-oxoacyl-[acyl-carrier protein] synthase





• Molecule 1: 3-oxoacyl-[acyl-carrier protein] synthase





- Molecule 1: 3-oxoacyl-[acyl-carrier protein] synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.59Å 91.36Å 149.44Å 90.00° 98.26° 90.00°	Depositor
Resolution (Å)	45.68 – 2.30 45.68 – 2.30	Depositor EDS
% Data completeness (in resolution range)	92.2 (45.68-2.30) 92.3 (45.68-2.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.02 (at 2.32Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.193 , 0.241 0.191 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	35.7	Xtriage
Anisotropy	0.555	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 63.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10103	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CSO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/2469	0.66	0/3354
1	B	0.44	0/2469	0.66	0/3354
1	C	0.43	0/2469	0.65	0/3354
1	D	0.43	0/2469	0.68	0/3354
All	All	0.43	0/9876	0.66	0/13416

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2429	0	2423	75	0
1	B	2429	0	2423	52	0
1	C	2429	0	2423	75	0
1	D	2429	0	2423	73	0
2	A	12	0	16	4	0
2	B	6	0	8	1	0
2	C	18	0	24	0	0
2	D	24	0	32	7	0
3	A	67	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	93	0	0	3	0
3	C	74	0	0	5	0
3	D	93	0	0	3	0
All	All	10103	0	9772	258	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (258) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:144:ILE:HD11	1:C:152:ALA:HA	1.25	1.15
1:D:138:GLU:HG3	1:D:278:SER:HB3	1.43	0.98
1:B:149:ARG:HH11	1:B:149:ARG:HG2	1.32	0.93
1:A:144:ILE:HD11	1:A:152:ALA:HA	1.53	0.90
1:A:138:GLU:HG3	1:A:278:SER:HB3	1.53	0.88
1:B:144:ILE:HD11	1:B:152:ALA:HA	1.56	0.86
1:B:138:GLU:HG3	1:B:278:SER:HB3	1.61	0.82
1:C:31:TRP:CH2	1:C:35:ARG:HD2	2.18	0.79
1:B:149:ARG:CG	1:B:149:ARG:HH11	1.96	0.79
1:D:212:ARG:H	1:D:212:ARG:HD3	1.48	0.78
1:D:22:GLU:HG2	1:D:28:SER:HA	1.68	0.76
1:D:296:ARG:HA	2:D:406:GOL:H12	1.66	0.76
1:B:196:ARG:O	1:B:196:ARG:HD2	1.88	0.73
1:A:270:ASN:C	1:A:270:ASN:HD22	1.91	0.73
1:A:204:LYS:HD3	1:A:205:ASN:N	2.03	0.73
1:B:149:ARG:HG2	1:B:149:ARG:NH1	1.96	0.73
1:B:247:GLN:HG3	1:B:270:ASN:HD21	1.54	0.71
1:B:247:GLN:HG3	1:B:270:ASN:ND2	2.06	0.70
1:D:296:ARG:HB3	2:D:406:GOL:H32	1.72	0.70
1:A:196:ARG:C	1:A:196:ARG:HD2	2.11	0.70
1:A:185:ALA:HB1	1:B:87:PRO:HG3	1.76	0.67
1:B:218:ALA:O	1:B:222:MET:HG3	1.94	0.67
1:B:270:ASN:C	1:B:270:ASN:HD22	1.98	0.67
1:C:185:ALA:HB1	1:D:87:PRO:HG3	1.78	0.66
1:A:174:ARG:HH12	1:A:235:LEU:HD21	1.61	0.65
1:D:287:LYS:HD3	2:D:405:GOL:H31	1.78	0.65
1:A:204:LYS:HD3	1:A:205:ASN:H	1.61	0.65
1:A:174:ARG:NH1	1:A:235:LEU:HD21	2.11	0.65
1:A:177:VAL:HA	2:A:401:GOL:H31	1.80	0.64
1:B:259:ARG:HD3	1:B:259:ARG:O	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:87:PRO:HG3	1:D:185:ALA:HB1	1.80	0.63
1:D:212:ARG:H	1:D:212:ARG:CD	2.10	0.63
1:D:212:ARG:N	1:D:212:ARG:HD3	2.13	0.63
1:D:217:PHE:CE1	1:D:221:VAL:HG21	2.33	0.63
1:C:84:ALA:HB1	1:D:190:HIS:O	2.00	0.62
1:C:255:ALA:O	1:C:259:ARG:HD3	2.00	0.61
1:C:22:GLU:HG2	1:C:27:THR:O	2.00	0.61
1:C:30:GLU:O	1:C:34:THR:HG23	2.00	0.61
1:A:257:ARG:HG3	1:A:262:LEU:HB2	1.83	0.61
1:A:188:LEU:HD13	1:A:209:MET:HG3	1.83	0.60
1:C:196:ARG:HD2	1:C:196:ARG:O	2.01	0.60
1:A:196:ARG:O	1:A:196:ARG:HD2	2.02	0.59
1:C:242:LEU:HD23	1:C:295:ILE:HD11	1.83	0.59
1:D:247:GLN:HG3	1:D:270:ASN:ND2	2.17	0.59
1:B:151:THR:HA	1:B:154:LEU:HD12	1.83	0.59
1:C:259:ARG:N	1:C:259:ARG:HD2	2.17	0.59
1:C:270:ASN:HD22	1:C:270:ASN:C	2.06	0.58
1:A:149:ARG:HG3	1:A:150:ALA:N	2.19	0.58
1:C:296:ARG:N	1:C:299:ASP:OD2	2.30	0.58
1:D:138:GLU:HG3	1:D:278:SER:CB	2.24	0.58
1:C:258:GLU:C	1:C:260:LEU:H	2.06	0.58
1:C:247:GLN:HB3	1:C:271:VAL:HB	1.86	0.57
1:D:218:ALA:O	1:D:222:MET:HG3	2.04	0.57
1:D:18:ASN:HD21	1:D:39:LYS:HA	1.67	0.57
1:D:18:ASN:ND2	1:D:39:LYS:HA	2.19	0.57
1:B:188:LEU:HD13	1:B:209:MET:HG3	1.87	0.57
1:A:149:ARG:HG3	1:A:150:ALA:H	1.69	0.57
1:B:144:ILE:CD1	1:B:152:ALA:HA	2.30	0.57
1:C:247:GLN:HG3	1:C:270:ASN:ND2	2.20	0.57
1:C:249:ASN:OD1	1:C:251:ARG:HB2	2.04	0.57
1:A:186:LYS:HG2	3:A:405:HOH:O	2.06	0.56
1:C:218:ALA:O	1:C:222:MET:HG3	2.05	0.56
1:C:49:TYR:CZ	1:D:195:PRO:HD2	2.40	0.56
1:D:144:ILE:CD1	1:D:152:ALA:HA	2.34	0.56
1:D:287:LYS:HZ3	2:D:405:GOL:H31	1.70	0.56
1:C:207:LEU:HD12	1:D:86:PHE:HZ	1.69	0.56
1:B:221:VAL:HG21	1:B:312:TRP:CG	2.41	0.56
1:B:223:ASN:ND2	1:B:259:ARG:HG3	2.19	0.56
1:A:144:ILE:CD1	1:A:152:ALA:HA	2.34	0.56
1:B:73:ASP:O	1:B:101:ALA:HB1	2.05	0.56
1:C:247:GLN:HG3	1:C:270:ASN:HD21	1.71	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:144:ILE:HD11	1:D:152:ALA:HA	1.89	0.55
1:A:172:GLY:C	1:A:317:LEU:HD12	2.27	0.55
1:C:138:GLU:HG3	1:C:278:SER:HB3	1.88	0.55
1:D:247:GLN:HG3	1:D:270:ASN:HD21	1.70	0.55
1:D:246:HIS:CE1	1:D:248:ALA:HB2	2.41	0.55
2:A:402:GOL:H2	3:A:469:HOH:O	2.06	0.55
1:B:196:ARG:C	1:B:196:ARG:HD2	2.28	0.54
1:C:258:GLU:O	1:C:260:LEU:N	2.41	0.54
1:C:29:ASP:O	1:C:33:VAL:HG23	2.06	0.54
1:A:221:VAL:CG1	1:A:222:MET:N	2.69	0.54
1:C:62:LEU:HD21	1:C:69:LEU:HG	1.87	0.54
1:A:36:THR:HA	1:A:249:ASN:ND2	2.23	0.54
1:B:73:ASP:C	1:B:101:ALA:HB1	2.28	0.53
1:A:189:TYR:HB3	1:B:87:PRO:HD3	1.90	0.53
1:B:227:LEU:HD22	3:B:491:HOH:O	2.09	0.53
1:A:223:ASN:ND2	1:A:259:ARG:HB3	2.23	0.53
1:C:9:ALA:HB1	1:C:284:LEU:HD23	1.91	0.53
1:B:246:HIS:CD2	3:B:412:HOH:O	2.62	0.52
1:A:247:GLN:HB3	1:A:271:VAL:HB	1.91	0.52
1:A:221:VAL:HG12	1:A:222:MET:N	2.24	0.52
1:B:249:ASN:HB3	1:B:252:ILE:HD12	1.92	0.52
1:A:210:ASN:O	1:A:214:VAL:HG23	2.09	0.52
1:A:10:TYR:CZ	1:A:56:LYS:HD3	2.45	0.52
1:C:196:ARG:NH2	1:D:52:ASP:OD2	2.42	0.52
1:C:221:VAL:HG13	1:C:222:MET:N	2.25	0.51
1:C:212:ARG:HD3	1:C:212:ARG:N	2.25	0.51
1:D:238:GLU:CD	1:D:238:GLU:H	2.14	0.51
1:D:29:ASP:O	1:D:33:VAL:HG23	2.09	0.51
1:A:212:ARG:N	1:A:212:ARG:HD3	2.26	0.51
1:C:196:ARG:C	1:C:196:ARG:HD2	2.32	0.51
1:C:309:GLY:N	1:C:310:LEU:HA	2.25	0.51
1:A:270:ASN:C	1:A:270:ASN:ND2	2.63	0.50
1:A:178:LEU:H	2:A:401:GOL:H31	1.76	0.50
1:D:55:PHE:O	1:D:59:GLU:HG3	2.11	0.50
1:B:270:ASN:C	1:B:270:ASN:ND2	2.64	0.50
1:A:194:ALA:HB3	1:B:83:ASP:HB3	1.92	0.50
1:C:249:ASN:HB3	1:C:252:ILE:HD12	1.93	0.50
1:A:226:THR:HG23	1:A:302:LEU:CD1	2.41	0.50
1:C:243:PHE:HD1	1:C:302:LEU:HD22	1.77	0.49
1:A:11:VAL:HB	1:A:42:ARG:HG3	1.93	0.49
1:B:232:LYS:NZ	2:B:410:GOL:O2	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:287:LYS:HD3	2:D:405:GOL:C3	2.41	0.49
1:A:115:TYR:OH	1:B:102:PHE:HB2	2.12	0.49
1:A:113:TRP:CZ3	1:A:117:LEU:HD11	2.48	0.49
1:D:41:ARG:CD	3:D:496:HOH:O	2.60	0.49
1:C:15:VAL:HG12	1:C:16:MET:N	2.27	0.49
1:B:212:ARG:O	1:B:216:LYS:HG3	2.13	0.49
1:C:171:TYR:CD1	1:C:171:TYR:N	2.81	0.49
1:D:148:ASP:O	1:D:150:ALA:N	2.46	0.48
1:B:24:TYR:CE1	1:B:25:LEU:HG	2.48	0.48
1:B:9:ALA:HB1	1:B:284:LEU:HD23	1.95	0.48
1:D:25:LEU:HD21	1:D:149:ARG:HB3	1.95	0.48
1:C:212:ARG:O	1:C:216:LYS:HG3	2.14	0.48
1:D:227:LEU:O	1:D:231:GLU:HB2	2.14	0.48
1:D:217:PHE:CE2	1:D:306:PHE:HB2	2.48	0.48
1:D:27:THR:O	1:D:27:THR:HG23	2.14	0.47
1:A:257:ARG:HG2	1:A:257:ARG:HH11	1.80	0.47
1:C:220:ARG:HH11	1:C:220:ARG:HG3	1.80	0.47
1:D:215:PHE:O	1:D:219:VAL:HG23	2.14	0.47
1:A:138:GLU:HG3	1:A:278:SER:CB	2.35	0.47
1:C:221:VAL:HG21	1:C:312:TRP:CB	2.44	0.47
1:A:145:ASP:OD2	1:A:148:ASP:HB2	2.15	0.47
1:A:263:PRO:HB2	1:A:265:GLU:HG2	1.97	0.47
1:B:306:PHE:C	1:B:306:PHE:CD1	2.88	0.46
1:B:263:PRO:HB2	1:B:265:GLU:OE1	2.14	0.46
1:D:226:THR:HG23	1:D:302:LEU:HD13	1.96	0.46
1:A:238:GLU:N	1:A:238:GLU:CD	2.69	0.46
1:D:220:ARG:HG3	1:D:220:ARG:HH11	1.80	0.46
1:D:287:LYS:NZ	2:D:405:GOL:H31	2.29	0.46
1:C:73:ASP:C	1:C:101:ALA:HB1	2.36	0.46
1:C:218:ALA:O	1:C:221:VAL:HG12	2.16	0.46
1:C:22:GLU:OE2	1:C:28:SER:HA	2.15	0.46
1:C:137:ALA:O	1:C:138:GLU:HG2	2.16	0.46
1:C:273:ARG:HH22	1:C:288:GLU:CD	2.18	0.46
1:A:17:THR:O	1:A:20:ASP:HB2	2.15	0.46
1:B:309:GLY:N	1:B:310:LEU:HA	2.31	0.46
1:C:189:TYR:HB3	1:D:87:PRO:HD3	1.98	0.46
1:C:258:GLU:C	1:C:260:LEU:N	2.68	0.46
1:B:21:PHE:O	1:B:25:LEU:HB2	2.15	0.46
1:A:9:ALA:HB1	1:A:284:LEU:HD23	1.97	0.45
1:C:210:ASN:HD22	1:C:213:GLU:HB2	1.82	0.45
1:D:25:LEU:CD2	1:D:149:ARG:HB3	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:210:ASN:ND2	1:C:213:GLU:HG2	2.31	0.45
1:D:22:GLU:HG2	1:D:27:THR:O	2.16	0.45
1:A:146:TRP:HA	1:A:146:TRP:CE3	2.50	0.45
1:A:215:PHE:O	1:A:219:VAL:HG23	2.17	0.45
1:D:106:LEU:HD23	1:D:106:LEU:C	2.37	0.45
1:A:18:ASN:HD21	1:A:39:LYS:HA	1.81	0.45
1:C:190:HIS:HD2	1:C:207:LEU:H	1.64	0.45
1:A:309:GLY:N	1:A:310:LEU:HA	2.32	0.45
1:C:100:LYS:NZ	3:C:480:HOH:O	2.49	0.45
1:C:61:LEU:C	1:C:61:LEU:HD23	2.37	0.45
1:C:86:PHE:HA	1:C:87:PRO:C	2.37	0.45
1:D:41:ARG:HD2	3:D:496:HOH:O	2.17	0.45
1:A:110:CSO:N	1:A:111:PRO:CD	2.80	0.45
1:C:18:ASN:HB3	1:C:32:ILE:HD12	1.99	0.45
1:C:192:CYS:N	1:D:84:ALA:HA	2.31	0.45
1:D:115:TYR:CD1	1:D:178:LEU:HD22	2.52	0.44
1:A:84:ALA:HB1	1:B:190:HIS:O	2.18	0.44
1:A:86:PHE:HA	1:A:87:PRO:C	2.37	0.44
1:B:249:ASN:OD1	1:B:251:ARG:HB2	2.17	0.44
1:A:62:LEU:HD23	1:A:62:LEU:HA	1.84	0.44
1:C:144:ILE:HD11	1:C:152:ALA:CA	2.18	0.44
1:C:47:ASP:O	1:D:196:ARG:NH2	2.51	0.44
1:A:38:ILE:HG12	1:A:271:VAL:HG22	1.98	0.44
1:A:31:TRP:O	1:A:35:ARG:HB2	2.18	0.44
1:B:30:GLU:O	1:B:34:THR:HG23	2.17	0.44
1:B:86:PHE:HA	1:B:87:PRO:C	2.38	0.44
1:C:270:ASN:C	1:C:270:ASN:ND2	2.71	0.44
1:D:287:LYS:HZ3	2:D:405:GOL:H12	1.81	0.44
1:A:73:ASP:HB3	3:A:412:HOH:O	2.18	0.44
1:D:226:THR:HG23	1:D:302:LEU:CD1	2.48	0.44
1:C:102:PHE:HB2	1:D:115:TYR:CZ	2.53	0.43
1:A:15:VAL:HG12	1:A:16:MET:N	2.33	0.43
1:A:265:GLU:O	1:A:294:ARG:NH2	2.48	0.43
1:D:311:THR:HG22	1:D:312:TRP:N	2.33	0.43
1:C:196:ARG:C	1:C:196:ARG:CD	2.86	0.43
1:D:9:ALA:HA	1:D:160:GLY:HA2	2.00	0.43
1:D:309:GLY:N	1:D:310:LEU:HA	2.33	0.43
1:D:41:ARG:HD3	3:D:496:HOH:O	2.17	0.43
1:A:291:ASP:HB3	1:D:265:GLU:HG2	2.00	0.43
1:A:144:ILE:HD11	1:A:152:ALA:CA	2.35	0.43
1:C:294:ARG:HD3	3:C:478:HOH:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:247:GLN:HB3	1:D:271:VAL:HB	2.00	0.43
1:A:18:ASN:ND2	1:A:39:LYS:HA	2.33	0.43
1:B:243:PHE:CD2	1:B:302:LEU:HD22	2.54	0.43
1:A:62:LEU:HD21	1:A:69:LEU:HG	2.00	0.43
1:B:149:ARG:HG3	1:B:150:ALA:N	2.33	0.43
1:C:190:HIS:CD2	1:C:207:LEU:H	2.36	0.43
1:B:249:ASN:OD1	1:B:251:ARG:N	2.48	0.42
1:A:84:ALA:HA	1:B:192:CYS:N	2.34	0.42
1:C:9:ALA:HB3	1:C:287:LYS:HD2	2.01	0.42
1:A:212:ARG:CD	1:A:212:ARG:N	2.82	0.42
1:A:258:GLU:C	1:A:260:LEU:H	2.23	0.42
1:C:273:ARG:HD2	3:C:457:HOH:O	2.18	0.42
1:D:217:PHE:CZ	1:D:221:VAL:HG21	2.54	0.42
1:A:226:THR:HG23	1:A:302:LEU:HD13	2.00	0.42
1:A:25:LEU:O	1:A:27:THR:N	2.53	0.42
1:A:18:ASN:OD1	1:A:32:ILE:HG21	2.19	0.42
1:B:110:CSO:N	1:B:111:PRO:CD	2.82	0.42
1:C:257:ARG:HG3	1:C:262:LEU:HB2	2.02	0.42
1:D:25:LEU:HB3	1:D:27:THR:HG22	2.00	0.42
1:D:238:GLU:N	1:D:238:GLU:CD	2.72	0.42
1:B:303:LEU:O	1:B:314:ALA:HA	2.19	0.42
1:C:74:ALA:HA	1:C:101:ALA:HB1	2.01	0.42
1:C:190:HIS:CD2	1:C:207:LEU:N	2.87	0.42
1:A:206:ARG:HD3	1:A:206:ARG:HA	1.85	0.42
1:A:113:TRP:CE3	1:A:283:PRO:HD3	2.55	0.42
1:B:240:ILE:O	1:B:266:ARG:NH2	2.42	0.42
1:C:18:ASN:ND2	1:C:39:LYS:HA	2.35	0.42
1:C:246:HIS:CD2	3:C:412:HOH:O	2.72	0.42
1:D:139:ALA:O	1:D:142:LYS:HB2	2.20	0.42
1:D:237:PRO:O	1:D:266:ARG:NH2	2.53	0.42
1:A:238:GLU:CD	1:A:238:GLU:H	2.23	0.41
1:A:254:ASP:OD1	1:A:257:ARG:NH2	2.53	0.41
1:D:303:LEU:O	1:D:314:ALA:HA	2.20	0.41
1:D:106:LEU:C	1:D:107:LEU:HD12	2.39	0.41
1:D:215:PHE:CD1	1:D:215:PHE:C	2.94	0.41
1:A:221:VAL:HG12	1:A:222:MET:H	1.84	0.41
1:B:150:ALA:O	1:B:154:LEU:HD11	2.19	0.41
1:C:212:ARG:CD	1:C:212:ARG:N	2.84	0.41
1:C:259:ARG:HD2	1:C:259:ARG:H	1.83	0.41
1:C:39:LYS:HE3	3:C:444:HOH:O	2.20	0.41
1:B:265:GLU:CD	1:B:265:GLU:H	2.23	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:196:ARG:C	1:D:196:ARG:HD2	2.41	0.41
1:A:258:GLU:O	1:A:260:LEU:N	2.53	0.41
1:C:110:CSO:N	1:C:111:PRO:CD	2.84	0.41
1:D:18:ASN:O	1:D:21:PHE:HB2	2.21	0.41
1:A:182:GLY:HA2	1:A:309:GLY:O	2.20	0.41
1:D:204:LYS:C	1:D:206:ARG:H	2.24	0.41
1:B:302:LEU:HG	1:B:303:LEU:N	2.35	0.41
1:C:251:ARG:HD3	1:C:251:ARG:HA	1.85	0.41
1:D:221:VAL:HG12	1:D:222:MET:N	2.34	0.41
1:D:273:ARG:HH11	1:D:273:ARG:HG3	1.86	0.41
1:B:67:GLY:HA2	3:B:429:HOH:O	2.20	0.41
1:D:205:ASN:HD22	1:D:205:ASN:N	2.19	0.41
1:A:29:ASP:O	1:A:33:VAL:HG23	2.20	0.41
1:A:303:LEU:O	1:A:314:ALA:HA	2.21	0.41
1:A:106:LEU:HG	1:B:104:TYR:CD1	2.56	0.41
1:B:217:PHE:O	1:B:221:VAL:HG12	2.21	0.40
1:D:144:ILE:HD13	1:D:152:ALA:HA	2.02	0.40
1:C:212:ARG:CD	1:C:212:ARG:H	2.34	0.40
1:C:15:VAL:HG11	1:C:40:GLU:OE2	2.20	0.40
1:A:178:LEU:H	2:A:401:GOL:C3	2.35	0.40
1:C:262:LEU:HA	1:C:263:PRO:HD3	1.74	0.40
1:D:223:ASN:HB2	1:D:259:ARG:HD3	2.04	0.40
1:D:251:ARG:HD3	1:D:251:ARG:HA	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	318/322 (99%)	299 (94%)	14 (4%)	5 (2%)	11	10
1	B	318/322 (99%)	300 (94%)	17 (5%)	1 (0%)	44	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	318/322 (99%)	299 (94%)	17 (5%)	2 (1%)	28	34
1	D	318/322 (99%)	296 (93%)	20 (6%)	2 (1%)	28	34
All	All	1272/1288 (99%)	1194 (94%)	68 (5%)	10 (1%)	22	26

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	152	ALA
1	B	24	TYR
1	C	259	ARG
1	D	23	ALA
1	D	149	ARG
1	A	26	ASP
1	A	259	ARG
1	A	191	ALA
1	A	270	ASN
1	C	24	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/238 (100%)	232 (98%)	5 (2%)	59	76
1	B	237/238 (100%)	229 (97%)	8 (3%)	42	57
1	C	237/238 (100%)	232 (98%)	5 (2%)	59	76
1	D	237/238 (100%)	228 (96%)	9 (4%)	38	52
All	All	948/952 (100%)	921 (97%)	27 (3%)	49	65

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ARG
1	A	63	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	212	ARG
1	A	221	VAL
1	A	270	ASN
1	B	41	ARG
1	B	149	ARG
1	B	198	PRO
1	B	222	MET
1	B	231	GLU
1	B	245	PRO
1	B	270	ASN
1	B	302	LEU
1	C	16	MET
1	C	41	ARG
1	C	212	ARG
1	C	270	ASN
1	C	302	LEU
1	D	16	MET
1	D	24	TYR
1	D	25	LEU
1	D	41	ARG
1	D	205	ASN
1	D	212	ARG
1	D	231	GLU
1	D	245	PRO
1	D	270	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	130	GLN
1	A	147	ASN
1	A	223	ASN
1	A	270	ASN
1	B	130	GLN
1	B	147	ASN
1	B	223	ASN
1	B	246	HIS
1	B	270	ASN
1	C	119	GLN
1	C	130	GLN
1	C	147	ASN
1	C	190	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	210	ASN
1	C	270	ASN
1	D	119	GLN
1	D	130	GLN
1	D	205	ASN
1	D	223	ASN
1	D	270	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSO	A	110	1	4,6,7	1.52	1 (25%)	1,6,8	1.60	0
1	CSO	B	110	1	4,6,7	1.45	1 (25%)	1,6,8	1.67	0
1	CSO	C	110	1	4,6,7	1.60	1 (25%)	1,6,8	1.93	0
1	CSO	D	110	1	4,6,7	1.73	1 (25%)	1,6,8	1.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	110	1	-	0/1/5/7	0/0/0/0
1	CSO	B	110	1	-	0/1/5/7	0/0/0/0
1	CSO	C	110	1	-	0/1/5/7	0/0/0/0
1	CSO	D	110	1	-	0/1/5/7	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	110	CSO	CA-C	2.57	1.53	1.50
1	B	110	CSO	CA-C	2.81	1.53	1.50
1	C	110	CSO	CA-C	3.07	1.54	1.50
1	D	110	CSO	CA-C	3.36	1.54	1.50

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	110	CSO	1	0
1	B	110	CSO	1	0
1	C	110	CSO	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	401	-	5,5,5	0.46	0	5,5,5	0.15	0
2	GOL	A	402	-	5,5,5	0.57	0	5,5,5	0.31	0
2	GOL	B	410	-	5,5,5	0.54	0	5,5,5	0.26	0
2	GOL	C	403	-	5,5,5	0.53	0	5,5,5	0.24	0
2	GOL	C	407	-	5,5,5	0.48	0	5,5,5	0.18	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	C	408	-	5,5,5	0.47	0	5,5,5	0.16	0
2	GOL	D	404	-	5,5,5	0.44	0	5,5,5	0.15	0
2	GOL	D	405	-	5,5,5	0.50	0	5,5,5	0.27	0
2	GOL	D	406	-	5,5,5	0.63	0	5,5,5	0.20	0
2	GOL	D	409	-	5,5,5	0.45	0	5,5,5	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	401	-	-	0/4/4/4	0/0/0/0
2	GOL	A	402	-	-	0/4/4/4	0/0/0/0
2	GOL	B	410	-	-	0/4/4/4	0/0/0/0
2	GOL	C	403	-	-	0/4/4/4	0/0/0/0
2	GOL	C	407	-	-	0/4/4/4	0/0/0/0
2	GOL	C	408	-	-	0/4/4/4	0/0/0/0
2	GOL	D	404	-	-	0/4/4/4	0/0/0/0
2	GOL	D	405	-	-	0/4/4/4	0/0/0/0
2	GOL	D	406	-	-	0/4/4/4	0/0/0/0
2	GOL	D	409	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	GOL	3	0
2	A	402	GOL	1	0
2	B	410	GOL	1	0
2	D	405	GOL	5	0
2	D	406	GOL	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	320/322 (99%)	0.72	40 (12%) 4 6	24, 49, 93, 121	0
1	B	320/322 (99%)	0.31	19 (5%) 23 30	19, 40, 88, 119	0
1	C	320/322 (99%)	0.48	35 (10%) 6 9	25, 42, 87, 121	0
1	D	320/322 (99%)	0.30	15 (4%) 32 39	24, 42, 81, 117	0
All	All	1280/1288 (99%)	0.45	109 (8%) 11 16	19, 43, 88, 121	0

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	206	ARG	6.5
1	C	206	ARG	6.2
1	C	205	ASN	6.0
1	A	209	MET	6.0
1	B	205	ASN	5.5
1	A	205	ASN	5.2
1	A	215	PHE	4.7
1	B	206	ARG	4.6
1	B	204	LYS	4.6
1	A	208	TYR	4.6
1	D	205	ASN	4.5
1	A	206	ARG	4.5
1	C	144	ILE	4.5
1	A	31	TRP	4.3
1	A	25	LEU	4.2
1	A	214	VAL	4.1
1	C	204	LYS	4.0
1	C	26	ASP	3.9
1	D	25	LEU	3.9
1	C	149	ARG	3.8
1	A	27	THR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	188	LEU	3.7
1	B	194	ALA	3.6
1	A	21	PHE	3.6
1	C	259	ARG	3.6
1	B	202	SER	3.6
1	B	208	TYR	3.6
1	D	202	SER	3.6
1	C	24	TYR	3.6
1	C	213	GLU	3.5
1	A	35	ARG	3.5
1	C	215	PHE	3.5
1	C	196	ARG	3.5
1	A	153	VAL	3.4
1	C	27	THR	3.4
1	A	150	ALA	3.4
1	C	150	ALA	3.4
1	A	189	TYR	3.4
1	A	211	GLY	3.3
1	A	149	ARG	3.3
1	A	26	ASP	3.3
1	B	214	VAL	3.3
1	A	253	ILE	3.2
1	C	217	PHE	3.1
1	C	31	TRP	3.1
1	A	34	THR	3.1
1	C	202	SER	3.1
1	A	212	ARG	3.0
1	B	217	PHE	3.0
1	D	260	LEU	3.0
1	A	146	TRP	2.9
1	C	25	LEU	2.9
1	A	234	GLY	2.8
1	A	213	GLU	2.8
1	C	212	ARG	2.8
1	B	195	PRO	2.8
1	C	146	TRP	2.8
1	A	196	ARG	2.7
1	B	262	LEU	2.7
1	A	217	PHE	2.7
1	C	23	ALA	2.7
1	A	28	SER	2.7
1	A	135	VAL	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	207	LEU	2.7
1	B	149	ARG	2.6
1	B	215	PHE	2.6
1	C	28	SER	2.6
1	B	189	TYR	2.6
1	C	208	TYR	2.6
1	B	191	ALA	2.6
1	D	194	ALA	2.5
1	A	147	ASN	2.5
1	A	204	LYS	2.5
1	B	26	ASP	2.5
1	A	210	ASN	2.5
1	C	22	GLU	2.5
1	C	210	ASN	2.4
1	C	32	ILE	2.4
1	A	75	VAL	2.4
1	B	211	GLY	2.4
1	C	211	GLY	2.4
1	D	209	MET	2.4
1	D	75	VAL	2.4
1	B	203	MET	2.4
1	C	152	ALA	2.3
1	C	201	THR	2.3
1	D	137	ALA	2.3
1	A	24	TYR	2.3
1	D	220	ARG	2.2
1	A	198	PRO	2.2
1	D	90	ALA	2.2
1	A	216	LYS	2.2
1	C	214	VAL	2.2
1	D	216	LYS	2.2
1	A	187	GLU	2.2
1	C	147	ASN	2.2
1	C	194	ALA	2.2
1	A	33	VAL	2.2
1	B	259	ARG	2.2
1	A	154	LEU	2.2
1	C	200	GLY	2.1
1	D	208	TYR	2.1
1	D	217	PHE	2.1
1	C	46	GLU	2.1
1	D	135	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	207	LEU	2.1
1	C	21	PHE	2.0
1	A	195	PRO	2.0
1	C	195	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CSO	B	110	7/8	0.98	0.14	-	25,30,42,52	0
1	CSO	D	110	7/8	0.98	0.17	-	36,38,48,53	0
1	CSO	A	110	7/8	0.95	0.16	-	36,38,53,54	0
1	CSO	C	110	7/8	0.98	0.17	-	23,35,49,55	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	GOL	A	401	6/6	0.94	0.21	4.16	43,55,56,66	0
2	GOL	B	410	6/6	0.88	0.24	3.93	40,68,76,79	0
2	GOL	D	405	6/6	0.91	0.23	3.78	54,59,64,66	0
2	GOL	C	408	6/6	0.82	0.31	3.64	64,68,73,73	0
2	GOL	D	404	6/6	0.94	0.17	3.18	38,42,44,59	0
2	GOL	C	407	6/6	0.90	0.22	3.06	61,65,76,76	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	GOL	A	402	6/6	0.79	0.20	1.57	53,63,69,70	0
2	GOL	C	403	6/6	0.96	0.15	1.03	37,48,53,63	0
2	GOL	D	406	6/6	0.89	0.20	-	50,51,62,68	0
2	GOL	D	409	6/6	0.87	0.23	-	69,74,80,89	0

6.5 Other polymers [i](#)

There are no such residues in this entry.