



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 15, 2017 – 04:02 am GMT

PDB ID : 4UFB
Title : Crystal structure of the Angiotensin-1 converting enzyme N-domain in complex with Lys-Pro
Authors : Masuyer, G.; Douglas, R.G.; Sturrock, E.D.; Acharya, K.R.
Deposited on : 2015-03-16
Resolution : 1.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4827 (1.80-1.80)
Clashscore	112137	5742 (1.80-1.80)
Ramachandran outliers	110173	5676 (1.80-1.80)
Sidechain outliers	110143	5675 (1.80-1.80)
RSRZ outliers	101464	4906 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	629	<div> <div>2%</div> <div> <div></div> <div>90%</div> <div>6%</div> <div>.</div> </div> </div>
1	B	629	<div> <div>4%</div> <div> <div></div> <div>89%</div> <div>7%</div> <div>.</div> </div> </div>
1	C	629	<div> <div>%</div> <div> <div></div> <div>93%</div> <div>.</div> <div>.</div> </div> </div>
1	D	629	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>6%</div> <div>.</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	P6G	A	1202	-	-	-	X
10	P6G	A	1204	-	-	-	X
10	P6G	B	1203	-	-	-	X
10	P6G	C	1202	-	-	-	X
10	P6G	D	1202	-	-	-	X
2	LYS	A	1303	-	-	-	X
2	LYS	D	1303	-	-	-	X
6	NAG	A	1100	-	-	-	X
7	NAG	A	1102	-	-	-	X
7	NAG	B	1102	-	-	-	X
7	NAG	D	1102	-	-	-	X
9	PEG	A	1200	-	-	-	X
9	PEG	A	1201	-	-	-	X
9	PEG	A	1203	-	-	-	X
9	PEG	B	1202	-	-	-	X
9	PEG	B	1204	-	-	-	X
9	PEG	B	1205	-	-	-	X
9	PEG	C	1201	-	-	-	X

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 22065 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANGIOTENSIN-CONVERTING ENZYME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	603	Total	C	N	O	S	0	0	0
			4917	3159	842	897	19			
1	B	605	Total	C	N	O	S	0	2	0
			4938	3174	847	898	19			
1	C	607	Total	C	N	O	S	0	1	0
			4953	3181	852	901	19			
1	D	609	Total	C	N	O	S	0	5	0
			5002	3212	861	910	19			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	629	LEU	-	EXPRESSION TAG	UNP P12821
A	9	GLN	ASN	ENGINEERED MUTATION	UNP P12821
A	25	GLN	ASN	ENGINEERED MUTATION	UNP P12821
A	82	GLN	ASN	ENGINEERED MUTATION	UNP P12821
A	117	GLN	ASN	ENGINEERED MUTATION	UNP P12821
A	131	GLN	ASN	ENGINEERED MUTATION	UNP P12821
A	289	GLN	ASN	ENGINEERED MUTATION	UNP P12821
A	545	ARG	GLN	ENGINEERED MUTATION	UNP P12821
A	576	LEU	PRO	ENGINEERED MUTATION	UNP P12821
B	629	LEU	-	EXPRESSION TAG	UNP P12821
B	9	GLN	ASN	ENGINEERED MUTATION	UNP P12821
B	25	GLN	ASN	ENGINEERED MUTATION	UNP P12821
B	82	GLN	ASN	ENGINEERED MUTATION	UNP P12821
B	117	GLN	ASN	ENGINEERED MUTATION	UNP P12821
B	131	GLN	ASN	ENGINEERED MUTATION	UNP P12821
B	289	GLN	ASN	ENGINEERED MUTATION	UNP P12821
B	545	ARG	GLN	ENGINEERED MUTATION	UNP P12821
B	576	LEU	PRO	ENGINEERED MUTATION	UNP P12821
C	629	LEU	-	EXPRESSION TAG	UNP P12821
C	9	GLN	ASN	ENGINEERED MUTATION	UNP P12821
C	25	GLN	ASN	ENGINEERED MUTATION	UNP P12821

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	82	GLN	ASN	ENGINEERED MUTATION	UNP P12821
C	117	GLN	ASN	ENGINEERED MUTATION	UNP P12821
C	131	GLN	ASN	ENGINEERED MUTATION	UNP P12821
C	289	GLN	ASN	ENGINEERED MUTATION	UNP P12821
C	545	ARG	GLN	ENGINEERED MUTATION	UNP P12821
C	576	LEU	PRO	ENGINEERED MUTATION	UNP P12821
D	629	LEU	-	EXPRESSION TAG	UNP P12821
D	9	GLN	ASN	ENGINEERED MUTATION	UNP P12821
D	25	GLN	ASN	ENGINEERED MUTATION	UNP P12821
D	82	GLN	ASN	ENGINEERED MUTATION	UNP P12821
D	117	GLN	ASN	ENGINEERED MUTATION	UNP P12821
D	131	GLN	ASN	ENGINEERED MUTATION	UNP P12821
D	289	GLN	ASN	ENGINEERED MUTATION	UNP P12821
D	545	ARG	GLN	ENGINEERED MUTATION	UNP P12821
D	576	LEU	PRO	ENGINEERED MUTATION	UNP P12821

- Molecule 2 is LYSINE (three-letter code: LYS) (formula: $C_6H_{15}N_2O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			9	6	2	1		
2	B	1	Total	C	N	O	0	0
			9	6	2	1		
2	C	1	Total	C	N	O	0	0
			9	6	2	1		
2	D	1	Total	C	N	O	0	0
			9	6	2	1		

- Molecule 3 is PROLINE (three-letter code: PRO) (formula: $C_5H_9NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	5	1	2		
3	B	1	Total	C	N	O	0	0
			8	5	1	2		
3	C	1	Total	C	N	O	0	0
			8	5	1	2		
3	D	1	Total	C	N	O	0	0
			8	5	1	2		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		
4	A	1	Total	Zn	0	0
			1	1		
4	D	1	Total	Zn	0	0
			1	1		
4	C	1	Total	Zn	0	0
			1	1		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Cl	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total 1	Cl 1	0	0
5	D	1	Total 1	Cl 1	0	0
5	C	1	Total 1	Cl 1	0	0

- Molecule 6 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	2	Total 24	C 14	N 1	O 9	0	0
6	B	2	Total 24	C 14	N 1	O 9	0	0
6	C	2	Total 24	C 14	N 1	O 9	0	0
6	D	2	Total 24	C 14	N 1	O 9	0	0


- Molecule 7 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	2	Total 28	C 16	N 2	O 10	0	0
7	B	2	Total 28	C 16	N 2	O 10	0	0
7	C	2	Total 28	C 16	N 2	O 10	0	0
7	D	2	Total 28	C 16	N 2	O 10	0	0

- Molecule 8 is a polymer of unknown type called SUGAR (3-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	3	Total 39	C 22	N 2	O 15	0	0
8	B	3	Total 39	C 22	N 2	O 15	0	0

- Molecule 9 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			7	4	3		
9	A	1	Total	C	O	0	0
			7	4	3		
9	A	1	Total	C	O	0	0
			7	4	3		
9	B	1	Total	C	O	0	0
			7	4	3		
9	B	1	Total	C	O	0	0
			7	4	3		
9	B	1	Total	C	O	0	0
			7	4	3		
9	B	1	Total	C	O	0	0
			7	4	3		
9	C	1	Total	C	O	0	0
			7	4	3		
9	C	1	Total	C	O	0	0
			7	4	3		
9	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 10 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: C₁₂H₂₆O₇).




Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	387	Total 387	O 387	0	0
12	C	434	Total 434	O 434	0	0
12	D	430	Total 430	O 430	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ANGIOTENSIN-CONVERTING ENZYME




• Molecule 1: ANGIOTENSIN-CONVERTING ENZYME




• Molecule 1: ANGIOTENSIN-CONVERTING ENZYME



• Molecule 1: ANGIOTENSIN-CONVERTING ENZYME





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	73.48Å 101.59Å 114.51Å 85.46° 85.90° 81.62°	Depositor
Resolution (Å)	113.94 – 1.80 30.34 – 1.80	Depositor EDS
% Data completeness (in resolution range)	97.2 (113.94-1.80) 95.4 (30.34-1.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.207 , 0.235 0.207 , 0.235	Depositor DCC
R_{free} test set	14577 reflections (5.22%)	DCC
Wilson B-factor (Å ²)	22.2	Xtriage
Anisotropy	0.232	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	22065	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 40.35 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.7728e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, NAG, CL, FUC, P6G, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/5072	0.56	0/6911
1	B	0.40	0/5097	0.54	0/6944
1	C	0.42	0/5112	0.57	0/6963
1	D	0.42	0/5170	0.56	0/7041
All	All	0.41	0/20451	0.56	0/27859

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4917	0	4681	20	0
1	B	4938	0	4698	29	0
1	C	4953	0	4722	18	0
1	D	5002	0	4785	28	0
2	A	9	0	12	1	0
2	B	9	0	12	0	0
2	C	9	0	12	0	0
2	D	9	0	12	2	0
3	A	8	0	7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	8	0	7	0	0
3	C	8	0	7	0	0
3	D	8	0	7	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
6	A	24	0	22	0	0
6	B	24	0	22	0	0
6	C	24	0	22	0	0
6	D	24	0	22	4	0
7	A	28	0	25	1	0
7	B	28	0	25	0	0
7	C	28	0	25	0	0
7	D	28	0	25	0	0
8	A	39	0	34	0	0
8	B	39	0	34	1	0
9	A	21	0	30	0	0
9	B	28	0	40	3	0
9	C	14	0	20	1	0
9	D	7	0	10	0	0
10	A	38	0	52	2	0
10	B	19	0	26	6	0
10	C	19	0	26	1	0
10	D	38	0	52	5	0
11	C	49	0	43	0	0
11	D	49	0	43	0	0
12	A	360	0	0	0	0
12	B	387	0	0	2	0
12	C	434	0	0	2	0
12	D	430	0	0	4	0
All	All	22065	0	19560	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 98 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:235:ARG:HH11	10:D:1201:P6G:H172	1.32	0.92
1:C:365:HIS:HD1	1:C:388:HIS:HD2	1.16	0.88
1:B:292:HIS:HE2	10:B:1203:P6G:H31	1.42	0.83
1:C:365:HIS:HD1	1:C:388:HIS:CD2	2.02	0.77
1:D:235:ARG:NH1	10:D:1201:P6G:H172	2.00	0.75

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	599/629 (95%)	588 (98%)	9 (2%)	2 (0%)	44	29
1	B	603/629 (96%)	590 (98%)	12 (2%)	1 (0%)	51	35
1	C	604/629 (96%)	595 (98%)	9 (2%)	0	100	100
1	D	610/629 (97%)	598 (98%)	12 (2%)	0	100	100
All	All	2416/2516 (96%)	2371 (98%)	42 (2%)	3 (0%)	55	38

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	416	ASN
1	B	45	ASN
1	A	78	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	516/541 (95%)	510 (99%)	6 (1%)	75	69
1	B	516/541 (95%)	509 (99%)	7 (1%)	71	64
1	C	519/541 (96%)	514 (99%)	5 (1%)	80	75
1	D	527/541 (97%)	520 (99%)	7 (1%)	73	66
All	All	2078/2164 (96%)	2053 (99%)	25 (1%)	73	69

5 of 25 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	418	THR
1	C	273	ASP
1	D	388	HIS
1	B	421	ASP
1	C	368	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	588	ASN
1	C	117	GLN
1	C	388	HIS
1	B	586	GLN
1	C	217	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

30 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	1100	1,6	14,14,15	0.68	0	15,19,21	1.13	1 (6%)
6	FUC	A	1101	6	9,10,11	0.95	0	13,14,16	1.15	1 (7%)
7	NAG	A	1102	1,7	14,14,15	0.55	0	15,19,21	1.18	1 (6%)
7	NAG	A	1103	7	14,14,15	0.68	0	15,19,21	1.13	2 (13%)
8	NAG	A	1104	1,8	14,14,15	0.46	0	15,19,21	1.46	3 (20%)
8	NAG	A	1105	8	14,14,15	0.50	0	15,19,21	0.96	1 (6%)
8	BMA	A	1106	8	11,11,12	0.79	0	13,15,17	1.61	3 (23%)
6	NAG	B	1100	1,6	14,14,15	0.68	0	15,19,21	2.30	5 (33%)
6	FUC	B	1101	6	9,10,11	0.80	0	13,14,16	1.64	3 (23%)
7	NAG	B	1102	1,7	14,14,15	0.58	0	15,19,21	1.42	2 (13%)
7	NAG	B	1103	7	14,14,15	0.63	0	15,19,21	1.25	1 (6%)
8	NAG	B	1104	1,8	14,14,15	0.43	0	15,19,21	0.98	1 (6%)
8	NAG	B	1105	8	14,14,15	0.49	0	15,19,21	1.01	1 (6%)
8	BMA	B	1106	8	11,11,12	0.70	0	13,15,17	1.36	3 (23%)
6	NAG	C	1100	1,6	14,14,15	0.55	0	15,19,21	1.51	1 (6%)
6	FUC	C	1101	6	9,10,11	0.88	0	13,14,16	1.98	3 (23%)
7	NAG	C	1102	1,7	14,14,15	0.50	0	15,19,21	1.19	1 (6%)
7	NAG	C	1103	7	14,14,15	0.56	0	15,19,21	1.06	1 (6%)
11	NAG	C	1104	1,11	14,14,15	0.63	0	15,19,21	0.93	1 (6%)
11	NAG	C	1105	11	14,14,15	0.60	0	15,19,21	0.92	1 (6%)
11	BMA	C	1106	11	11,11,12	0.66	0	13,15,17	1.68	2 (15%)
11	FUC	C	1107	11	9,10,11	0.62	0	13,14,16	0.77	0
6	NAG	D	1100	1,6	14,14,15	0.47	0	15,19,21	1.76	6 (40%)
6	FUC	D	1101	6	9,10,11	0.82	0	13,14,16	1.53	2 (15%)
7	NAG	D	1102	1,7	14,14,15	0.51	0	15,19,21	1.19	1 (6%)
7	NAG	D	1103	7	14,14,15	0.62	0	15,19,21	1.13	1 (6%)
11	NAG	D	1104	1,11	14,14,15	0.67	0	15,19,21	0.79	1 (6%)
11	NAG	D	1105	11	14,14,15	0.56	0	15,19,21	0.83	0
11	BMA	D	1106	11	11,11,12	0.58	0	13,15,17	1.33	2 (15%)
11	FUC	D	1107	11	9,10,11	0.61	0	13,14,16	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	1100	1,6	-	0/6/23/26	0/1/1/1
6	FUC	A	1101	6	-	0/0/17/20	0/1/1/1
7	NAG	A	1102	1,7	-	0/6/23/26	0/1/1/1
7	NAG	A	1103	7	-	0/6/23/26	0/1/1/1
8	NAG	A	1104	1,8	-	0/6/23/26	0/1/1/1
8	NAG	A	1105	8	-	0/6/23/26	0/1/1/1
8	BMA	A	1106	8	-	0/2/19/22	0/1/1/1
6	NAG	B	1100	1,6	-	0/6/23/26	0/1/1/1
6	FUC	B	1101	6	-	0/0/17/20	0/1/1/1
7	NAG	B	1102	1,7	-	0/6/23/26	0/1/1/1
7	NAG	B	1103	7	-	0/6/23/26	0/1/1/1
8	NAG	B	1104	1,8	-	0/6/23/26	0/1/1/1
8	NAG	B	1105	8	-	0/6/23/26	0/1/1/1
8	BMA	B	1106	8	-	0/2/19/22	0/1/1/1
6	NAG	C	1100	1,6	-	0/6/23/26	0/1/1/1
6	FUC	C	1101	6	-	0/0/17/20	0/1/1/1
7	NAG	C	1102	1,7	-	0/6/23/26	0/1/1/1
7	NAG	C	1103	7	-	0/6/23/26	0/1/1/1
11	NAG	C	1104	1,11	-	0/6/23/26	0/1/1/1
11	NAG	C	1105	11	-	0/6/23/26	0/1/1/1
11	BMA	C	1106	11	-	0/2/19/22	0/1/1/1
11	FUC	C	1107	11	-	0/0/17/20	0/1/1/1
6	NAG	D	1100	1,6	-	0/6/23/26	0/1/1/1
6	FUC	D	1101	6	-	0/0/17/20	0/1/1/1
7	NAG	D	1102	1,7	-	0/6/23/26	0/1/1/1
7	NAG	D	1103	7	-	0/6/23/26	0/1/1/1
11	NAG	D	1104	1,11	-	0/6/23/26	0/1/1/1
11	NAG	D	1105	11	-	0/6/23/26	0/1/1/1
11	BMA	D	1106	11	-	0/2/19/22	0/1/1/1
11	FUC	D	1107	11	-	0/0/17/20	0/1/1/1

There are no bond length outliers.

The worst 5 of 51 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	1100	NAG	C2-N2-C7	-6.76	113.08	122.94
6	B	1100	NAG	O7-C7-N2	-2.92	116.29	121.92
11	C	1106	BMA	C3-C4-C5	-2.33	106.11	110.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1103	NAG	C3-C4-C5	-2.22	106.30	110.22
6	D	1100	NAG	O5-C1-C2	-2.19	108.42	111.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	1103	NAG	1	0
8	B	1106	BMA	1	0
6	D	1100	NAG	3	0
6	D	1101	FUC	1	0

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 8 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	PEG	A	1200	-	6,6,6	0.45	0	5,5,5	0.35	0
9	PEG	A	1201	-	6,6,6	0.41	0	5,5,5	0.47	0
10	P6G	A	1202	-	18,18,18	0.48	0	17,17,17	0.29	0
9	PEG	A	1203	-	6,6,6	0.47	0	5,5,5	0.21	0
10	P6G	A	1204	-	18,18,18	0.52	0	17,17,17	0.21	0
2	LYS	A	1303	3	8,8,9	1.11	1 (12%)	5,8,10	1.04	1 (20%)
3	PRO	A	1304	2	5,8,8	0.41	0	6,10,10	1.04	0
9	PEG	B	1201	-	6,6,6	0.51	0	5,5,5	0.18	0
9	PEG	B	1202	-	6,6,6	0.53	0	5,5,5	0.28	0
10	P6G	B	1203	-	18,18,18	0.62	0	17,17,17	0.47	0
9	PEG	B	1204	-	6,6,6	0.41	0	5,5,5	0.38	0
9	PEG	B	1205	-	6,6,6	0.45	0	5,5,5	0.30	0
2	LYS	B	1303	3	8,8,9	1.02	1 (12%)	5,8,10	1.08	1 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PRO	B	1304	2	5,8,8	0.44	0	6,10,10	1.07	0
9	PEG	C	1200	-	6,6,6	0.42	0	5,5,5	0.44	0
9	PEG	C	1201	-	6,6,6	0.46	0	5,5,5	0.35	0
10	P6G	C	1202	-	18,18,18	0.52	0	17,17,17	0.23	0
2	LYS	C	1303	3	8,8,9	1.02	1 (12%)	5,8,10	1.03	1 (20%)
3	PRO	C	1304	2	5,8,8	0.39	0	6,10,10	1.08	0
9	PEG	D	1200	-	6,6,6	0.45	0	5,5,5	0.36	0
10	P6G	D	1201	-	18,18,18	0.56	0	17,17,17	0.49	0
10	P6G	D	1202	-	18,18,18	0.52	0	17,17,17	0.21	0
2	LYS	D	1303	3	8,8,9	1.05	1 (12%)	5,8,10	1.21	1 (20%)
3	PRO	D	1304	2	5,8,8	0.31	0	6,10,10	1.00	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	PEG	A	1200	-	-	0/4/4/4	0/0/0/0
9	PEG	A	1201	-	-	0/4/4/4	0/0/0/0
10	P6G	A	1202	-	-	0/16/16/16	0/0/0/0
9	PEG	A	1203	-	-	0/4/4/4	0/0/0/0
10	P6G	A	1204	-	-	0/16/16/16	0/0/0/0
2	LYS	A	1303	3	-	0/5/7/9	0/0/0/0
3	PRO	A	1304	2	-	0/0/11/11	0/1/1/1
9	PEG	B	1201	-	-	0/4/4/4	0/0/0/0
9	PEG	B	1202	-	-	0/4/4/4	0/0/0/0
10	P6G	B	1203	-	-	0/16/16/16	0/0/0/0
9	PEG	B	1204	-	-	0/4/4/4	0/0/0/0
9	PEG	B	1205	-	-	0/4/4/4	0/0/0/0
2	LYS	B	1303	3	-	0/5/7/9	0/0/0/0
3	PRO	B	1304	2	-	0/0/11/11	0/1/1/1
9	PEG	C	1200	-	-	0/4/4/4	0/0/0/0
9	PEG	C	1201	-	-	0/4/4/4	0/0/0/0
10	P6G	C	1202	-	-	0/16/16/16	0/0/0/0
2	LYS	C	1303	3	-	0/5/7/9	0/0/0/0
3	PRO	C	1304	2	-	0/0/11/11	0/1/1/1
9	PEG	D	1200	-	-	0/4/4/4	0/0/0/0
10	P6G	D	1201	-	-	0/16/16/16	0/0/0/0
10	P6G	D	1202	-	-	0/16/16/16	0/0/0/0
2	LYS	D	1303	3	-	0/5/7/9	0/0/0/0
3	PRO	D	1304	2	-	0/0/11/11	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1303	LYS	CA-C	2.52	1.53	1.50
2	D	1303	LYS	CA-C	2.58	1.53	1.50
2	B	1303	LYS	CA-C	2.64	1.53	1.50
2	A	1303	LYS	CA-C	2.87	1.54	1.50

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1303	LYS	O-C-CA	-2.24	118.84	125.02
2	A	1303	LYS	O-C-CA	-2.14	119.12	125.02
2	B	1303	LYS	O-C-CA	-2.08	119.26	125.02
2	C	1303	LYS	O-C-CA	-2.01	119.47	125.02

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

9 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	1202	P6G	1	0
10	A	1204	P6G	1	0
2	A	1303	LYS	1	0
9	B	1201	PEG	3	0
10	B	1203	P6G	6	0
9	C	1200	PEG	1	0
10	C	1202	P6G	1	0
10	D	1201	P6G	5	0
2	D	1303	LYS	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	603/629 (95%)	-0.29	11 (1%) 69 65	18, 28, 47, 76	0
1	B	605/629 (96%)	-0.13	26 (4%) 36 30	17, 28, 53, 80	0
1	C	607/629 (96%)	-0.40	9 (1%) 74 70	16, 24, 39, 85	0
1	D	609/629 (96%)	-0.40	9 (1%) 74 70	16, 24, 39, 72	0
All	All	2424/2516 (96%)	-0.31	55 (2%) 61 57	16, 26, 47, 85	0

The worst 5 of 55 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	415	THR	7.2
1	B	78	PRO	5.9
1	D	134	ALA	5.9
1	A	135	THR	5.8
1	B	135	THR	5.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
7	NAG	B	1102	14/15	0.82	0.24	4.58	41,46,51,57	0
6	NAG	A	1100	14/15	0.66	0.25	3.82	51,58,62,66	0
7	NAG	A	1102	14/15	0.86	0.25	3.17	39,42,46,54	0
7	NAG	D	1102	14/15	0.82	0.24	2.96	39,43,49,56	0
7	NAG	C	1102	14/15	0.93	0.17	1.95	31,34,37,41	0
6	NAG	C	1100	14/15	0.83	0.15	1.66	42,49,51,56	0
8	NAG	B	1104	14/15	0.92	0.17	1.30	52,55,58,58	0
11	NAG	D	1104	14/15	0.95	0.13	1.11	34,37,38,41	0
11	FUC	D	1107	10/11	0.92	0.16	0.83	40,41,44,44	0
6	NAG	B	1100	14/15	0.84	0.11	0.43	39,44,47,53	0
6	NAG	D	1100	14/15	0.91	0.09	0.34	35,40,47,52	0
11	NAG	C	1104	14/15	0.96	0.08	-0.36	33,36,40,40	0
8	NAG	A	1104	14/15	0.84	0.28	-	68,71,72,73	0
11	FUC	C	1107	10/11	0.88	0.21	-	41,43,45,46	0
6	FUC	C	1101	10/11	0.59	0.34	-	59,65,68,70	0
6	FUC	D	1101	10/11	0.75	0.22	-	56,59,60,61	0
8	NAG	A	1105	14/15	0.85	0.30	-	74,75,77,79	0
11	NAG	D	1105	14/15	0.89	0.16	-	46,50,54,59	0
6	FUC	A	1101	10/11	0.53	0.28	-	71,73,74,74	0
11	BMA	C	1106	11/12	0.68	0.21	-	57,59,62,62	0
11	BMA	D	1106	11/12	0.71	0.23	-	61,63,66,67	0
6	FUC	B	1101	10/11	0.75	0.30	-	59,65,68,70	0
8	NAG	B	1105	14/15	0.87	0.24	-	61,65,67,70	0
7	NAG	A	1103	14/15	0.74	0.48	-	61,68,71,74	0
7	NAG	D	1103	14/15	0.70	0.42	-	62,67,69,71	0
8	BMA	B	1106	11/12	0.79	0.36	-	74,76,77,77	0
7	NAG	B	1103	14/15	0.66	0.49	-	66,71,74,74	0
7	NAG	C	1103	14/15	0.83	0.34	-	45,49,57,60	0
8	BMA	A	1106	11/12	0.78	0.33	-	81,82,82,84	0
11	NAG	C	1105	14/15	0.91	0.18	-	44,49,54,54	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
9	PEG	B	1204	7/7	0.79	0.24	17.74	54,54,58,61	0
9	PEG	A	1201	7/7	0.89	0.15	6.17	41,44,48,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
9	PEG	B	1202	7/7	0.85	0.18	5.98	39,41,42,43	0
10	P6G	A	1204	19/19	0.72	0.31	5.98	61,70,77,77	0
2	LYS	A	1303	9/10	0.91	0.15	4.37	21,24,35,35	0
10	P6G	C	1202	19/19	0.86	0.19	4.27	43,50,56,56	0
10	P6G	A	1202	19/19	0.88	0.14	4.16	40,43,45,46	0
9	PEG	A	1203	7/7	0.87	0.26	4.15	50,50,52,54	0
10	P6G	B	1203	19/19	0.80	0.14	4.01	42,46,55,56	0
10	P6G	D	1202	19/19	0.84	0.19	3.81	50,55,61,61	0
9	PEG	B	1205	7/7	0.87	0.17	2.42	61,62,64,65	0
2	LYS	D	1303	9/10	0.93	0.13	2.28	20,22,33,39	0
9	PEG	C	1201	7/7	0.89	0.18	2.22	39,40,42,43	0
9	PEG	A	1200	7/7	0.84	0.26	2.16	56,58,63,64	0
2	LYS	C	1303	9/10	0.94	0.12	1.50	21,24,33,35	0
9	PEG	B	1201	7/7	0.78	0.16	1.49	46,47,49,50	0
2	LYS	B	1303	9/10	0.95	0.11	1.08	22,24,35,40	0
3	PRO	D	1304	8/8	0.96	0.11	0.67	18,20,21,22	0
10	P6G	D	1201	19/19	0.88	0.12	0.65	32,41,49,51	0
9	PEG	C	1200	7/7	0.89	0.12	0.08	47,47,48,49	0
5	CL	B	1002	1/1	1.00	0.07	-0.08	22,22,22,22	0
5	CL	A	1002	1/1	1.00	0.08	-0.09	21,21,21,21	0
5	CL	C	1002	1/1	0.99	0.07	-0.58	18,18,18,18	0
3	PRO	B	1304	8/8	0.97	0.08	-0.68	19,23,24,24	0
3	PRO	A	1304	8/8	0.97	0.08	-0.85	21,23,24,24	0
5	CL	D	1002	1/1	0.99	0.07	-1.20	20,20,20,20	0
3	PRO	C	1304	8/8	0.97	0.08	-3.68	21,22,24,25	0
9	PEG	D	1200	7/7	0.80	0.20	-	54,55,58,59	0
4	ZN	D	1001	1/1	1.00	0.07	-	19,19,19,19	0
4	ZN	A	1001	1/1	1.00	0.06	-	21,21,21,21	0
4	ZN	B	1001	1/1	1.00	0.06	-	21,21,21,21	0
4	ZN	C	1001	1/1	1.00	0.06	-	19,19,19,19	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.