



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 07:46 am GMT

PDB ID : 4UH9
Title : Structure of bovine endothelial nitric oxide synthase heme domain in complex with N1-(3-(2-(6-Amino-4-methylpyridin-2-yl)ethyl)-5- fluorophenyl)-N1,N2-dimethylethane-1,2-diamine
Authors : Li, H.; Poulos, T.L.
Deposited on : 2015-03-23
Resolution : 2.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1915 (2.16-2.12)
Clashscore	112137	2047 (2.16-2.12)
Ramachandran outliers	110173	2020 (2.16-2.12)
Sidechain outliers	110143	2019 (2.16-2.12)
RSRZ outliers	101464	1921 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	443	<div> <div>6%</div> <div> <div></div> <div>77%</div> <div>12%</div> <div>9%</div> </div> </div>
1	B	443	<div> <div>5%</div> <div> <div></div> <div>77%</div> <div>12%</div> <div>9%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	A	860	-	-	-	X
5	ACT	B	860	-	-	-	X
6	GOL	A	880	-	-	-	X
6	GOL	B	880	-	-	-	X

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 6885 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NITRIC OXIDE SYNTHASE, ENDOTHELIAL.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	404	Total	As	C	N	O	S	0	0	0
			3212	1	2043	564	588	16			
1	B	403	Total	As	C	N	O	S	0	0	0
			3212	1	2042	566	587	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	VARIANT	UNP P29473
B	100	ARG	CYS	VARIANT	UNP P29473

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: $C_9H_{15}N_5O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is N1-(3-(2-(6-AMINO-4-METHYLPYRIDIN-2-YL)ETHYL)-5-FLUOROPHENYL)-N1,N2-DIMETHYLETHANE-1,2-DIAMINE (three-letter code: S85) (formula: $C_{18}H_{25}FN_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	F	N	0	0
			23	18	1	4		
4	A	1	Total	C	F	N	0	0
			23	18	1	4		
4	B	1	Total	C	F	N	0	0
			23	18	1	4		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Zn	0	0
			1	1		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	134	Total	O	0	0
			134	134		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	109	Total 109	O 109	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NITRIC OXIDE SYNTHASE, ENDOTHELIAL



• Molecule 1: NITRIC OXIDE SYNTHASE, ENDOTHELIAL



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	58.22Å 106.78Å 157.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	88.46 – 2.14 39.48 – 2.14	Depositor EDS
% Data completeness (in resolution range)	98.2 (88.46-2.14) 98.3 (39.48-2.14)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.14Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.174 , 0.227 0.174 , 0.228	Depositor DCC
R_{free} test set	2698 reflections (5.22%)	DCC
Wilson B-factor (Å ²)	42.0	Xtriage
Anisotropy	0.490	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6885	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, H4B, CAS, S85, ACT, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	2/3292 (0.1%)	0.94	10/4483 (0.2%)
1	B	0.82	0/3291	0.91	3/4480 (0.1%)
All	All	0.85	2/6583 (0.0%)	0.92	13/8963 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	449	TRP	CE3-CZ3	5.55	1.47	1.38
1	A	288	PHE	CG-CD1	5.36	1.46	1.38

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	240	ARG	NE-CZ-NH1	14.22	127.41	120.30
1	B	240	ARG	NE-CZ-NH2	-13.56	113.52	120.30
1	A	240	ARG	NE-CZ-NH2	-10.74	114.93	120.30
1	A	240	ARG	NE-CZ-NH1	9.80	125.20	120.30
1	A	168	ARG	NE-CZ-NH1	6.94	123.77	120.30
1	A	168	ARG	NE-CZ-NH2	-6.58	117.01	120.30
1	A	328	LEU	CB-CG-CD1	6.08	121.34	111.00
1	A	242	ASP	CB-CG-OD1	5.88	123.59	118.30
1	A	294	LEU	CB-CG-CD1	5.47	120.30	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	388	ASP	CB-CG-OD1	5.40	123.16	118.30
1	A	378	LEU	CA-CB-CG	5.28	127.45	115.30
1	A	414	LEU	CB-CG-CD2	-5.25	102.07	111.00
1	B	378	LEU	CB-CG-CD1	5.19	119.82	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	239	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3212	0	3114	50	0
1	B	3212	0	3117	35	1
2	A	43	0	30	5	0
2	B	43	0	30	4	0
3	A	17	0	15	1	0
3	B	17	0	15	1	0
4	A	46	0	50	3	0
4	B	23	0	25	3	0
5	A	8	0	6	0	0
5	B	8	0	6	0	0
6	A	6	0	8	0	0
6	B	6	0	8	0	0
7	A	1	0	0	0	0
8	A	134	0	0	5	1
8	B	109	0	0	2	0
All	All	6885	0	6424	85	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:384:CAS:AS	1:A:384:CAS:SG	2.52	1.27
1:A:107:LEU:HD12	1:A:108:PRO:HD2	1.35	1.04
1:A:158:GLU:OE2	1:A:166:HIS:HD2	1.49	0.94
1:A:257:ARG:HG3	1:A:257:ARG:HH11	1.33	0.93
1:A:121:PRO:HB3	1:A:124:GLN:HG2	1.59	0.84
1:B:99:ARG:NH1	1:B:100:ARG:HD2	1.99	0.77
2:A:500:HEM:HBB2	2:A:500:HEM:HHC	1.66	0.77
1:B:223:ARG:NH1	1:B:223:ARG:HB2	1.99	0.76
1:B:99:ARG:HH11	1:B:100:ARG:HD2	1.49	0.75
1:B:236:ARG:HD3	1:B:351:SER:HB3	1.69	0.74
1:A:158:GLU:OE2	1:A:166:HIS:CD2	2.39	0.73
1:A:294:LEU:HD13	1:A:304:LEU:HD13	1.73	0.70
1:B:106:VAL:HG12	1:B:107:LEU:HD13	1.72	0.70
1:A:107:LEU:HD12	1:A:108:PRO:CD	2.17	0.70
1:A:105:LEU:HD13	1:B:465:GLU:OE1	1.93	0.69
1:A:257:ARG:NH1	1:A:257:ARG:HG3	2.03	0.69
1:B:281:TRP:HB2	1:B:304:LEU:HD21	1.75	0.68
1:A:240:ARG:HD3	1:A:298:PRO:HB3	1.75	0.68
1:B:236:ARG:HD2	1:B:242:ASP:OD1	1.95	0.66
1:A:384:CAS:CE2	1:A:384:CAS:SG	2.85	0.64
4:B:800:S85:H231	8:B:2107:HOH:O	1.96	0.63
1:B:481:PRO:HD2	1:B:482:TRP:CE3	2.37	0.60
1:A:121:PRO:HB3	1:A:124:GLN:CG	2.29	0.60
1:B:223:ARG:HH11	1:B:223:ARG:HB2	1.67	0.60
1:B:324:TRP:O	1:B:327:ALA:HB3	2.07	0.55
1:A:95:PRO:HB3	1:A:108:PRO:HB2	1.89	0.54
2:B:500:HEM:C1C	4:B:800:S85:H073	2.42	0.54
1:A:87:CYS:SG	1:B:99:ARG:NH1	2.81	0.53
1:A:465:GLU:HB3	1:B:105:LEU:HD22	1.91	0.53
1:B:167:LEU:HG	1:B:348:LEU:HD12	1.91	0.52
2:A:500:HEM:CBB	2:A:500:HEM:HHC	2.38	0.52
1:A:264:ARG:HD3	8:A:2064:HOH:O	2.10	0.51
1:A:340:ASN:HD22	1:A:340:ASN:H	1.58	0.51
1:A:376:ASN:ND2	8:A:2092:HOH:O	2.41	0.50
1:A:154:GLU:CG	4:A:801:S85:H092	2.42	0.49
1:A:76:TRP:HH2	1:B:107:LEU:HD22	1.78	0.49
1:A:384:CAS:CB	1:A:384:CAS:AS	3.21	0.48
1:B:317:LEU:HG	1:B:331:ARG:HA	1.95	0.48
1:A:214:CYS:SG	8:A:2043:HOH:O	2.56	0.48
1:A:214:CYS:O	1:A:218:LYS:HG3	2.14	0.47
1:A:152:LEU:O	1:A:156:GLU:HG2	2.14	0.47
1:B:455:SER:HB3	1:B:458:LEU:HD22	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:223:ARG:CZ	1:B:223:ARG:HB2	2.42	0.47
1:B:178:GLN:HE22	1:B:181:ARG:HH11	1.61	0.47
1:A:246:TRP:HB2	1:A:294:LEU:HB3	1.96	0.47
1:B:390:ARG:HB2	1:B:390:ARG:HE	1.23	0.46
1:B:385:MET:O	1:B:386:ASP:HB3	2.15	0.46
1:A:257:ARG:CG	1:A:257:ARG:NH1	2.74	0.46
1:A:105:LEU:N	1:A:105:LEU:CD2	2.79	0.45
1:A:100:ARG:HD2	8:B:2008:HOH:O	2.16	0.45
1:A:338:VAL:HG21	4:A:800:S85:C13	2.46	0.45
1:A:287:ARG:NH1	8:A:2070:HOH:O	2.30	0.45
1:B:449:TRP:HA	3:B:600:H4B:N1	2.31	0.44
1:A:449:TRP:HA	3:A:600:H4B:N1	2.32	0.44
1:A:70:PHE:HB3	1:A:84:ASP:O	2.17	0.44
1:A:457:SER:HA	1:A:462:PHE:CG	2.53	0.44
1:A:477:TYR:OH	2:A:500:HEM:O2D	2.26	0.44
1:A:126:LEU:HA	1:A:126:LEU:HD12	1.74	0.44
1:B:185:ARG:HD3	1:B:449:TRP:CD2	2.53	0.44
1:B:288:PHE:CB	1:B:331:ARG:HD3	2.48	0.44
1:A:142:ARG:HA	1:A:142:ARG:HD3	1.79	0.43
1:A:294:LEU:HD13	1:A:304:LEU:CD1	2.47	0.43
1:A:338:VAL:HG23	4:A:800:S85:H05	1.99	0.43
1:B:140:ILE:C	1:B:141:LYS:HG2	2.35	0.43
1:A:86:LEU:O	1:A:89:GLN:HB2	2.18	0.43
2:B:500:HEM:CBA	4:B:800:S85:H092	2.48	0.43
1:A:410:HIS:ND1	8:A:2104:HOH:O	2.35	0.43
1:A:449:TRP:HZ3	2:A:500:HEM:O2A	2.00	0.43
1:B:481:PRO:HD2	1:B:482:TRP:CZ3	2.54	0.43
1:B:121:PRO:HD2	1:B:123:GLU:OE1	2.19	0.43
1:A:457:SER:HA	1:A:462:PHE:CB	2.50	0.42
1:B:233:PHE:HB3	1:B:234:PRO:CD	2.49	0.42
1:B:477:TYR:OH	2:B:500:HEM:O1D	2.25	0.42
1:A:340:ASN:HD22	1:A:340:ASN:N	2.17	0.42
1:A:355:PHE:CD1	2:A:500:HEM:CAC	3.02	0.42
1:B:142:ARG:O	1:B:145:SER:OG	2.29	0.42
1:B:122:ALA:O	1:B:126:LEU:HB2	2.20	0.41
1:A:472:SER:HA	1:A:473:PRO:C	2.40	0.41
1:B:241:GLY:O	1:B:298:PRO:HB3	2.20	0.41
1:A:370:CYS:SG	1:A:378:LEU:HD13	2.60	0.41
1:A:76:TRP:CH2	1:B:107:LEU:HD22	2.56	0.41
1:B:236:ARG:HG3	1:B:349:GLU:HB2	2.03	0.41
1:A:325:PHE:O	1:A:328:LEU:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:CYS:SG	1:B:99:ARG:CZ	3.10	0.40
2:B:500:HEM:HBB2	2:B:500:HEM:HHC	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:240:ARG:NH2	8:A:2039:HOH:O[2_555]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	399/443 (90%)	387 (97%)	11 (3%)	1 (0%)	44	39
1	B	398/443 (90%)	382 (96%)	15 (4%)	1 (0%)	44	39
All	All	797/886 (90%)	769 (96%)	26 (3%)	2 (0%)	44	39

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	328	LEU
1	A	122	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	342/375 (91%)	324 (95%)	18 (5%)	26	21
1	B	342/375 (91%)	316 (92%)	26 (8%)	15	9
All	All	684/750 (91%)	640 (94%)	44 (6%)	20	14

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	LYS
1	A	99	ARG
1	A	100	ARG
1	A	102	LEU
1	A	105	LEU
1	A	123	GLU
1	A	124	GLN
1	A	125	LEU
1	A	146	GLN
1	A	156	GLU
1	A	293	LEU
1	A	294	LEU
1	A	311	LEU
1	A	328	LEU
1	A	340	ASN
1	A	391	THR
1	A	416	LYS
1	A	458	LEU
1	B	69	LYS
1	B	91	GLN
1	B	99	ARG
1	B	100	ARG
1	B	102	LEU
1	B	105	LEU
1	B	107	LEU
1	B	123	GLU
1	B	131	ASP
1	B	138	SER
1	B	139	SER
1	B	149	GLU
1	B	156	GLU
1	B	203	CYS
1	B	223	ARG
1	B	240	ARG
1	B	258	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	259	GLN
1	B	278	GLN
1	B	330	LEU
1	B	331	ARG
1	B	340	ASN
1	B	378	LEU
1	B	389	THR
1	B	438	LYS
1	B	458	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	128	GLN
1	A	146	GLN
1	A	166	HIS
1	A	191	GLN
1	A	340	ASN
1	A	376	ASN
1	A	413	GLN
1	A	468	ASN
1	B	178	GLN
1	B	191	GLN
1	B	222	ASN
1	B	225	ASN
1	B	258	GLN
1	B	340	ASN
1	B	376	ASN
1	B	405	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CAS	A	384	1	6,8,9	1.73	1 (16%)	2,9,11	1.25	0
1	CAS	B	384	1	6,8,9	1.36	2 (33%)	2,9,11	1.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CAS	A	384	1	-	0/0/7/9	0/0/0/0
1	CAS	B	384	1	-	0/0/7/9	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	384	CAS	AS-CE1	2.00	2.01	1.96
1	B	384	CAS	AS-CE2	2.23	2.01	1.96
1	A	384	CAS	AS-CE1	3.60	2.05	1.96

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	384	CAS	3	0

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 14 ligands modelled in this entry, 1 is monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HEM	A	500	1	28,50,50	1.14	2 (7%)	17,82,82	2.01	8 (47%)
3	H4B	A	600	-	14,18,18	1.04	1 (7%)	12,26,26	2.93	6 (50%)
4	S85	A	800	-	24,24,24	1.27	1 (4%)	32,32,32	2.23	10 (31%)
4	S85	A	801	-	24,24,24	1.18	1 (4%)	32,32,32	1.80	5 (15%)
5	ACT	A	860	-	1,3,3	0.34	0	0,3,3	0.00	-
5	ACT	A	861	-	1,3,3	4.08	1 (100%)	0,3,3	0.00	-
6	GOL	A	880	-	5,5,5	0.69	0	5,5,5	0.71	0
2	HEM	B	500	1	28,50,50	1.27	2 (7%)	17,82,82	1.73	1 (5%)
3	H4B	B	600	-	14,18,18	1.06	2 (14%)	12,26,26	2.47	5 (41%)
4	S85	B	800	-	24,24,24	0.93	1 (4%)	32,32,32	2.00	10 (31%)
5	ACT	B	860	-	1,3,3	1.22	0	0,3,3	0.00	-
5	ACT	B	861	-	1,3,3	2.66	1 (100%)	0,3,3	0.00	-
6	GOL	B	880	-	5,5,5	0.27	0	5,5,5	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	500	1	-	0/6/54/54	0/0/8/8
3	H4B	A	600	-	-	0/8/17/17	0/2/2/2
4	S85	A	800	-	-	0/13/13/13	0/2/2/2
4	S85	A	801	-	-	0/13/13/13	0/2/2/2
5	ACT	A	860	-	-	0/0/0/0	0/0/0/0
5	ACT	A	861	-	-	0/0/0/0	0/0/0/0
6	GOL	A	880	-	-	0/4/4/4	0/0/0/0
2	HEM	B	500	1	-	0/6/54/54	0/0/8/8
3	H4B	B	600	-	-	0/8/17/17	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	S85	B	800	-	-	0/13/13/13	0/2/2/2
5	ACT	B	860	-	-	0/0/0/0	0/0/0/0
5	ACT	B	861	-	-	0/0/0/0	0/0/0/0
6	GOL	B	880	-	-	0/4/4/4	0/0/0/0

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	HEM	C1B-NB	-3.87	1.32	1.36
2	A	500	HEM	C1B-NB	-3.10	1.33	1.36
2	B	500	HEM	C3B-C2B	-2.63	1.36	1.40
2	A	500	HEM	C3B-C2B	-2.31	1.37	1.40
3	B	600	H4B	C4-C4A	-2.06	1.38	1.41
3	B	600	H4B	C4-N3	2.02	1.36	1.33
4	A	801	S85	C05-C04	2.34	1.43	1.39
4	A	800	S85	C14-C13	2.48	1.41	1.37
4	B	800	S85	C14-C13	2.60	1.42	1.37
3	A	600	H4B	C2-N2	2.64	1.39	1.34
5	B	861	ACT	CH3-C	2.66	1.52	1.48
5	A	861	ACT	CH3-C	4.08	1.54	1.48

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	HEM	CBA-CAA-C2A	-5.69	101.61	112.48
3	A	600	H4B	N3-C2-N1	-5.12	117.14	125.45
4	A	800	S85	C09-C11-C12	-4.81	112.66	120.56
4	B	800	S85	C05-C06-N01	-4.54	117.99	122.91
3	B	600	H4B	N3-C2-N1	-3.98	119.00	125.45
4	A	800	S85	C12-C13-C14	-3.70	118.83	123.53
2	A	500	HEM	C1D-C2D-C3D	-3.15	104.80	107.00
4	A	800	S85	C05-C06-N01	-3.05	119.60	122.91
4	A	801	S85	C21-C20-N18	-3.05	100.85	112.34
4	B	800	S85	C12-C13-C14	-3.04	119.67	123.53
4	A	800	S85	C14-C15-N18	-2.96	117.52	121.25
4	B	800	S85	C09-C11-C12	-2.74	116.05	120.56
2	A	500	HEM	CBA-CAA-C2A	-2.70	107.32	112.48
2	A	500	HEM	CMA-C3A-C4A	-2.48	124.65	128.46
4	A	801	S85	C05-C06-N01	-2.39	120.32	122.91
2	A	500	HEM	C4A-C3A-C2A	-2.22	105.45	107.00
4	B	800	S85	C21-C20-N18	-2.16	104.17	112.34
4	B	800	S85	C14-C15-N18	-2.05	118.68	121.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	HEM	CAA-CBA-CGA	2.21	116.44	112.66
4	A	800	S85	C16-C11-C12	2.27	122.22	118.96
3	A	600	H4B	N2-C2-N3	2.34	120.98	117.24
4	A	801	S85	C15-C14-C13	2.35	120.56	118.01
4	B	800	S85	C15-C14-C13	2.36	120.57	118.01
2	A	500	HEM	CMA-C3A-C2A	2.56	129.77	124.94
4	A	800	S85	C16-C15-N18	2.57	124.48	121.25
4	B	800	S85	F17-C13-C14	2.65	122.10	118.24
3	B	600	H4B	N2-C2-N1	2.72	121.59	117.24
4	A	800	S85	C09-C11-C16	2.78	125.12	120.56
3	B	600	H4B	C2-N1-C8A	2.79	120.80	114.51
3	A	600	H4B	N2-C2-N1	2.85	121.80	117.24
4	B	800	S85	C08-C06-N01	2.94	120.03	115.78
2	A	500	HEM	CMC-C2C-C3C	3.00	130.46	124.89
4	B	800	S85	C09-C08-C06	3.16	119.30	112.71
4	A	800	S85	F17-C13-C14	3.20	122.90	118.24
3	A	600	H4B	C2-N1-C8A	3.43	122.25	114.51
3	B	600	H4B	C4-C4A-C8A	3.63	117.85	114.56
2	A	500	HEM	CBD-CAD-C3D	3.81	119.74	112.47
3	A	600	H4B	C4-C4A-C8A	4.12	118.29	114.56
4	A	800	S85	C15-C14-C13	4.14	122.50	118.01
4	A	801	S85	C20-C21-N22	4.15	121.38	111.00
3	B	600	H4B	C4-N3-C2	4.44	122.44	116.06
3	A	600	H4B	C4-N3-C2	5.35	123.76	116.06
4	B	800	S85	C02-N01-C06	5.39	121.98	118.17
4	A	801	S85	C02-N01-C06	5.43	122.01	118.17
4	A	800	S85	C02-N01-C06	6.16	122.52	118.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	HEM	5	0
3	A	600	H4B	1	0
4	A	800	S85	2	0
4	A	801	S85	1	0
2	B	500	HEM	4	0
3	B	600	H4B	1	0
4	B	800	S85	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/443 (90%)	0.10	26 (6%) 20 24	32, 45, 78, 109	0
1	B	402/443 (90%)	0.09	23 (5%) 24 30	33, 49, 84, 119	0
All	All	805/886 (90%)	0.09	49 (6%) 22 27	32, 47, 82, 119	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	91	GLN	6.5
1	B	122	ALA	5.3
1	B	259	GLN	5.3
1	A	123	GLU	5.2
1	A	160	ALA	5.2
1	A	67	GLY	4.8
1	B	121	PRO	4.7
1	A	259	GLN	4.6
1	A	121	PRO	4.5
1	B	98	PRO	4.4
1	B	123	GLU	4.4
1	A	122	ALA	4.2
1	A	91	GLN	4.1
1	A	69	LYS	4.1
1	A	126	LEU	3.9
1	B	146	GLN	3.4
1	B	93	ASP	3.4
1	B	142	ARG	3.3
1	A	157	ALA	3.3
1	A	98	PRO	3.3
1	A	124	GLN	3.2
1	A	338	VAL	3.2
1	B	260	ASP	3.0
1	B	99	ARG	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	261	GLY	3.0
1	A	130	ARG	2.9
1	B	92	GLN	2.8
1	A	97	THR	2.7
1	A	260	ASP	2.7
1	B	145	SER	2.7
1	A	99	ARG	2.5
1	A	239	GLY	2.5
1	A	156	GLU	2.5
1	B	239	GLY	2.5
1	B	223	ARG	2.4
1	B	258	GLN	2.4
1	A	93	ASP	2.4
1	B	140	ILE	2.4
1	B	144	GLY	2.4
1	B	97	THR	2.2
1	A	161	SER	2.2
1	A	257	ARG	2.2
1	B	141	LYS	2.2
1	B	338	VAL	2.1
1	A	414	LEU	2.1
1	A	108	PRO	2.1
1	B	337	ALA	2.0
1	A	94	GLY	2.0
1	B	261	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CAS	A	384	9/10	0.95	0.09	-	39,42,80,81	0
1	CAS	B	384	9/10	0.97	0.13	-	55,60,112,112	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	ACT	B	860	4/4	0.99	0.17	9.97	46,50,52,53	0
6	GOL	A	880	6/6	0.78	0.42	7.44	59,85,87,91	0
6	GOL	B	880	6/6	0.92	0.30	4.53	69,76,78,79	0
5	ACT	A	860	4/4	0.95	0.12	2.97	40,47,47,53	0
4	S85	B	800	23/23	0.92	0.25	1.98	44,60,95,109	0
5	ACT	A	861	4/4	0.96	0.21	1.97	41,44,47,49	0
4	S85	A	800	23/23	0.95	0.25	1.85	29,55,82,94	0
2	HEM	A	500	43/43	0.98	0.19	1.29	22,30,65,72	0
5	ACT	B	861	4/4	0.98	0.18	1.08	43,45,51,54	0
4	S85	A	801	23/23	0.86	0.16	0.93	42,68,75,76	0
3	H4B	A	600	17/17	0.96	0.17	0.84	40,49,53,55	0
3	H4B	B	600	17/17	0.97	0.14	0.19	43,47,55,57	0
2	HEM	B	500	43/43	0.98	0.14	0.12	35,41,52,64	0
7	ZN	A	1483	1/1	0.99	0.04	-3.28	64,64,64,64	0

6.5 Other polymers [i](#)

There are no such residues in this entry.