



wwPDB X-ray Structure Validation Summary Report ⓘ

Jul 16, 2017 – 07:35 PM EDT

PDB ID : 5UK3
Title : Crystal structure of cyanase from *T. urticae*
Authors : Schlachter, C.R.; Chruszcz, M.
Deposited on : unknown
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20029824
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	176	<div> <div>2%</div> <div> <div></div> <div>66%</div> <div>9%</div> <div>23%</div> </div> </div>
1	B	176	<div> <div>0%</div> <div> <div></div> <div>69%</div> <div>9%</div> <div>22%</div> </div> </div>
1	C	176	<div> <div>0%</div> <div> <div></div> <div>68%</div> <div>10%</div> <div>22%</div> </div> </div>
1	D	176	<div> <div>0%</div> <div> <div></div> <div>67%</div> <div>11%</div> <div>22%</div> </div> </div>
1	E	176	<div> <div>3%</div> <div> <div></div> <div>67%</div> <div>10%</div> <div>22%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	176	<div><div><div></div><div></div><div></div></div><div>3%67%11%•22%</div></div>
1	G	176	<div><div><div></div><div></div><div></div></div><div>5%67%11%•22%</div></div>
1	H	176	<div><div><div></div><div></div><div></div></div><div>%68%10%•22%</div></div>
1	I	176	<div><div><div></div><div></div><div></div></div><div>72%9%20%</div></div>
1	J	176	<div><div><div></div><div></div><div></div></div><div>71%7%•22%</div></div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10811 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	135	Total	C	N	O	S	0	0	0
			1039	662	180	191	6			
1	B	137	Total	C	N	O	S	0	1	0
			1087	689	191	201	6			
1	C	138	Total	C	N	O	S	0	0	0
			1085	690	188	201	6			
1	D	138	Total	C	N	O	S	0	1	0
			1097	696	192	203	6			
1	E	137	Total	C	N	O	S	0	0	0
			1077	686	189	196	6			
1	F	138	Total	C	N	O	S	0	0	0
			1068	681	187	194	6			
1	G	138	Total	C	N	O	S	0	0	0
			1066	679	186	195	6			
1	H	138	Total	C	N	O	S	0	0	0
			1083	688	189	200	6			
1	I	141	Total	C	N	O	S	0	0	0
			1104	698	192	208	6			
1	J	138	Total	C	N	O	S	0	0	0
			1085	690	190	199	6			

There are 170 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	160	ALA	-	expression tag	UNP T1KZQ3
A	161	GLY	-	expression tag	UNP T1KZQ3
A	162	GLU	-	expression tag	UNP T1KZQ3
A	163	ASN	-	expression tag	UNP T1KZQ3
A	164	LEU	-	expression tag	UNP T1KZQ3
A	165	TYR	-	expression tag	UNP T1KZQ3
A	166	PHE	-	expression tag	UNP T1KZQ3
A	167	GLN	-	expression tag	UNP T1KZQ3
A	168	SER	-	expression tag	UNP T1KZQ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	169	ALA	-	expression tag	UNP T1KZQ3
A	170	GLY	-	expression tag	UNP T1KZQ3
A	171	HIS	-	expression tag	UNP T1KZQ3
A	172	HIS	-	expression tag	UNP T1KZQ3
A	173	HIS	-	expression tag	UNP T1KZQ3
A	174	HIS	-	expression tag	UNP T1KZQ3
A	175	HIS	-	expression tag	UNP T1KZQ3
A	176	HIS	-	expression tag	UNP T1KZQ3
B	160	ALA	-	expression tag	UNP T1KZQ3
B	161	GLY	-	expression tag	UNP T1KZQ3
B	162	GLU	-	expression tag	UNP T1KZQ3
B	163	ASN	-	expression tag	UNP T1KZQ3
B	164	LEU	-	expression tag	UNP T1KZQ3
B	165	TYR	-	expression tag	UNP T1KZQ3
B	166	PHE	-	expression tag	UNP T1KZQ3
B	167	GLN	-	expression tag	UNP T1KZQ3
B	168	SER	-	expression tag	UNP T1KZQ3
B	169	ALA	-	expression tag	UNP T1KZQ3
B	170	GLY	-	expression tag	UNP T1KZQ3
B	171	HIS	-	expression tag	UNP T1KZQ3
B	172	HIS	-	expression tag	UNP T1KZQ3
B	173	HIS	-	expression tag	UNP T1KZQ3
B	174	HIS	-	expression tag	UNP T1KZQ3
B	175	HIS	-	expression tag	UNP T1KZQ3
B	176	HIS	-	expression tag	UNP T1KZQ3
C	160	ALA	-	expression tag	UNP T1KZQ3
C	161	GLY	-	expression tag	UNP T1KZQ3
C	162	GLU	-	expression tag	UNP T1KZQ3
C	163	ASN	-	expression tag	UNP T1KZQ3
C	164	LEU	-	expression tag	UNP T1KZQ3
C	165	TYR	-	expression tag	UNP T1KZQ3
C	166	PHE	-	expression tag	UNP T1KZQ3
C	167	GLN	-	expression tag	UNP T1KZQ3
C	168	SER	-	expression tag	UNP T1KZQ3
C	169	ALA	-	expression tag	UNP T1KZQ3
C	170	GLY	-	expression tag	UNP T1KZQ3
C	171	HIS	-	expression tag	UNP T1KZQ3
C	172	HIS	-	expression tag	UNP T1KZQ3
C	173	HIS	-	expression tag	UNP T1KZQ3
C	174	HIS	-	expression tag	UNP T1KZQ3
C	175	HIS	-	expression tag	UNP T1KZQ3
C	176	HIS	-	expression tag	UNP T1KZQ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	160	ALA	-	expression tag	UNP T1KZQ3
D	161	GLY	-	expression tag	UNP T1KZQ3
D	162	GLU	-	expression tag	UNP T1KZQ3
D	163	ASN	-	expression tag	UNP T1KZQ3
D	164	LEU	-	expression tag	UNP T1KZQ3
D	165	TYR	-	expression tag	UNP T1KZQ3
D	166	PHE	-	expression tag	UNP T1KZQ3
D	167	GLN	-	expression tag	UNP T1KZQ3
D	168	SER	-	expression tag	UNP T1KZQ3
D	169	ALA	-	expression tag	UNP T1KZQ3
D	170	GLY	-	expression tag	UNP T1KZQ3
D	171	HIS	-	expression tag	UNP T1KZQ3
D	172	HIS	-	expression tag	UNP T1KZQ3
D	173	HIS	-	expression tag	UNP T1KZQ3
D	174	HIS	-	expression tag	UNP T1KZQ3
D	175	HIS	-	expression tag	UNP T1KZQ3
D	176	HIS	-	expression tag	UNP T1KZQ3
E	160	ALA	-	expression tag	UNP T1KZQ3
E	161	GLY	-	expression tag	UNP T1KZQ3
E	162	GLU	-	expression tag	UNP T1KZQ3
E	163	ASN	-	expression tag	UNP T1KZQ3
E	164	LEU	-	expression tag	UNP T1KZQ3
E	165	TYR	-	expression tag	UNP T1KZQ3
E	166	PHE	-	expression tag	UNP T1KZQ3
E	167	GLN	-	expression tag	UNP T1KZQ3
E	168	SER	-	expression tag	UNP T1KZQ3
E	169	ALA	-	expression tag	UNP T1KZQ3
E	170	GLY	-	expression tag	UNP T1KZQ3
E	171	HIS	-	expression tag	UNP T1KZQ3
E	172	HIS	-	expression tag	UNP T1KZQ3
E	173	HIS	-	expression tag	UNP T1KZQ3
E	174	HIS	-	expression tag	UNP T1KZQ3
E	175	HIS	-	expression tag	UNP T1KZQ3
E	176	HIS	-	expression tag	UNP T1KZQ3
F	160	ALA	-	expression tag	UNP T1KZQ3
F	161	GLY	-	expression tag	UNP T1KZQ3
F	162	GLU	-	expression tag	UNP T1KZQ3
F	163	ASN	-	expression tag	UNP T1KZQ3
F	164	LEU	-	expression tag	UNP T1KZQ3
F	165	TYR	-	expression tag	UNP T1KZQ3
F	166	PHE	-	expression tag	UNP T1KZQ3
F	167	GLN	-	expression tag	UNP T1KZQ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	168	SER	-	expression tag	UNP T1KZQ3
F	169	ALA	-	expression tag	UNP T1KZQ3
F	170	GLY	-	expression tag	UNP T1KZQ3
F	171	HIS	-	expression tag	UNP T1KZQ3
F	172	HIS	-	expression tag	UNP T1KZQ3
F	173	HIS	-	expression tag	UNP T1KZQ3
F	174	HIS	-	expression tag	UNP T1KZQ3
F	175	HIS	-	expression tag	UNP T1KZQ3
F	176	HIS	-	expression tag	UNP T1KZQ3
G	160	ALA	-	expression tag	UNP T1KZQ3
G	161	GLY	-	expression tag	UNP T1KZQ3
G	162	GLU	-	expression tag	UNP T1KZQ3
G	163	ASN	-	expression tag	UNP T1KZQ3
G	164	LEU	-	expression tag	UNP T1KZQ3
G	165	TYR	-	expression tag	UNP T1KZQ3
G	166	PHE	-	expression tag	UNP T1KZQ3
G	167	GLN	-	expression tag	UNP T1KZQ3
G	168	SER	-	expression tag	UNP T1KZQ3
G	169	ALA	-	expression tag	UNP T1KZQ3
G	170	GLY	-	expression tag	UNP T1KZQ3
G	171	HIS	-	expression tag	UNP T1KZQ3
G	172	HIS	-	expression tag	UNP T1KZQ3
G	173	HIS	-	expression tag	UNP T1KZQ3
G	174	HIS	-	expression tag	UNP T1KZQ3
G	175	HIS	-	expression tag	UNP T1KZQ3
G	176	HIS	-	expression tag	UNP T1KZQ3
H	160	ALA	-	expression tag	UNP T1KZQ3
H	161	GLY	-	expression tag	UNP T1KZQ3
H	162	GLU	-	expression tag	UNP T1KZQ3
H	163	ASN	-	expression tag	UNP T1KZQ3
H	164	LEU	-	expression tag	UNP T1KZQ3
H	165	TYR	-	expression tag	UNP T1KZQ3
H	166	PHE	-	expression tag	UNP T1KZQ3
H	167	GLN	-	expression tag	UNP T1KZQ3
H	168	SER	-	expression tag	UNP T1KZQ3
H	169	ALA	-	expression tag	UNP T1KZQ3
H	170	GLY	-	expression tag	UNP T1KZQ3
H	171	HIS	-	expression tag	UNP T1KZQ3
H	172	HIS	-	expression tag	UNP T1KZQ3
H	173	HIS	-	expression tag	UNP T1KZQ3
H	174	HIS	-	expression tag	UNP T1KZQ3
H	175	HIS	-	expression tag	UNP T1KZQ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	176	HIS	-	expression tag	UNP T1KZQ3
I	160	ALA	-	expression tag	UNP T1KZQ3
I	161	GLY	-	expression tag	UNP T1KZQ3
I	162	GLU	-	expression tag	UNP T1KZQ3
I	163	ASN	-	expression tag	UNP T1KZQ3
I	164	LEU	-	expression tag	UNP T1KZQ3
I	165	TYR	-	expression tag	UNP T1KZQ3
I	166	PHE	-	expression tag	UNP T1KZQ3
I	167	GLN	-	expression tag	UNP T1KZQ3
I	168	SER	-	expression tag	UNP T1KZQ3
I	169	ALA	-	expression tag	UNP T1KZQ3
I	170	GLY	-	expression tag	UNP T1KZQ3
I	171	HIS	-	expression tag	UNP T1KZQ3
I	172	HIS	-	expression tag	UNP T1KZQ3
I	173	HIS	-	expression tag	UNP T1KZQ3
I	174	HIS	-	expression tag	UNP T1KZQ3
I	175	HIS	-	expression tag	UNP T1KZQ3
I	176	HIS	-	expression tag	UNP T1KZQ3
J	160	ALA	-	expression tag	UNP T1KZQ3
J	161	GLY	-	expression tag	UNP T1KZQ3
J	162	GLU	-	expression tag	UNP T1KZQ3
J	163	ASN	-	expression tag	UNP T1KZQ3
J	164	LEU	-	expression tag	UNP T1KZQ3
J	165	TYR	-	expression tag	UNP T1KZQ3
J	166	PHE	-	expression tag	UNP T1KZQ3
J	167	GLN	-	expression tag	UNP T1KZQ3
J	168	SER	-	expression tag	UNP T1KZQ3
J	169	ALA	-	expression tag	UNP T1KZQ3
J	170	GLY	-	expression tag	UNP T1KZQ3
J	171	HIS	-	expression tag	UNP T1KZQ3
J	172	HIS	-	expression tag	UNP T1KZQ3
J	173	HIS	-	expression tag	UNP T1KZQ3
J	174	HIS	-	expression tag	UNP T1KZQ3
J	175	HIS	-	expression tag	UNP T1KZQ3
J	176	HIS	-	expression tag	UNP T1KZQ3

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	4	Total O 4 4	0	0
2	C	2	Total O 2 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	2	Total 2	O 2	0	0
2	E	1	Total 1	O 1	0	0
2	F	1	Total 1	O 1	0	0
2	G	3	Total 3	O 3	0	0
2	H	1	Total 1	O 1	0	0
2	I	4	Total 4	O 4	0	0
2	J	2	Total 2	O 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Uncharacterized protein




• Molecule 1: Uncharacterized protein




• Molecule 1: Uncharacterized protein




• Molecule 1: Uncharacterized protein







- Molecule 1: Uncharacterized protein




- Molecule 1: Uncharacterized protein



- Molecule 1: Uncharacterized protein



- Molecule 1: Uncharacterized protein



- Molecule 1: Uncharacterized protein



HIS

HIS

HIS

HIS

HIS

HIS

● Molecule 1: Uncharacterized protein



GLY

HIS

HIS

HIS

HIS

HIS

HIS

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.07Å 81.61Å 136.47Å 90.00° 100.37° 90.00°	Depositor
Resolution (Å)	40.00 – 2.80 35.24 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.6 (40.00-2.80) 99.7 (35.24-2.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.221 , 0.240 0.215 , 0.234	Depositor DCC
R_{free} test set	1886 reflections (5.22%)	DCC
Wilson B-factor (Å ²)	79.6	Xtriage
Anisotropy	0.194	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 42.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10811	wwPDB-VP
Average B, all atoms (Å ²)	95.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/1057	0.78	2/1431 (0.1%)
1	B	0.63	0/1106	0.78	0/1493
1	C	0.67	0/1104	0.81	1/1491 (0.1%)
1	D	0.61	0/1116	0.77	1/1507 (0.1%)
1	E	0.57	0/1096	0.80	2/1480 (0.1%)
1	F	0.60	0/1087	0.81	3/1469 (0.2%)
1	G	0.58	0/1085	0.80	3/1469 (0.2%)
1	H	0.61	0/1102	0.78	1/1489 (0.1%)
1	I	0.73	0/1123	0.77	0/1517
1	J	0.71	0/1104	0.84	1/1491 (0.1%)
All	All	0.63	0/10980	0.79	14/14837 (0.1%)

There are no bond length outliers.

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	86	LEU	N-CA-C	-6.97	92.18	111.00
1	E	86	LEU	N-CA-C	-6.45	93.58	111.00
1	G	84	ILE	C-N-CD	5.47	139.90	128.40
1	H	28	LYS	CD-CE-NZ	5.46	124.25	111.70
1	A	84	ILE	C-N-CD	5.42	139.77	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1039	0	1018	26	0
1	B	1087	0	1071	12	0
1	C	1085	0	1076	14	1
1	D	1097	0	1089	22	0
1	E	1077	0	1076	22	0
1	F	1068	0	1053	15	0
1	G	1066	0	1044	24	0
1	H	1083	0	1074	25	0
1	I	1104	0	1082	19	1
1	J	1085	0	1080	10	0
2	B	4	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	3	0	0	0	0
2	H	1	0	0	0	0
2	I	4	0	0	0	0
2	J	2	0	0	0	0
All	All	10811	0	10663	130	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 130 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:91:ASN:O	1:F:92:ILE:HD13	1.80	0.80
1:H:23:GLN:NE2	1:H:80:GLU:OE2	2.13	0.80
1:E:137:ASN:HB3	1:E:143:ILE:HD12	1.65	0.78
1:D:100:ARG:HD3	1:H:124:ILE:HD12	1.66	0.77
1:C:137:ASN:HB3	1:C:143:ILE:HD12	1.65	0.76

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:31:LYS:NZ	1:I:76:GLU:OE2[1_455]	1.67	0.53

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	133/176 (76%)	131 (98%)	2 (2%)	0	100	100
1	B	136/176 (77%)	135 (99%)	1 (1%)	0	100	100
1	C	136/176 (77%)	136 (100%)	0	0	100	100
1	D	137/176 (78%)	136 (99%)	1 (1%)	0	100	100
1	E	135/176 (77%)	133 (98%)	2 (2%)	0	100	100
1	F	136/176 (77%)	133 (98%)	3 (2%)	0	100	100
1	G	136/176 (77%)	134 (98%)	2 (2%)	0	100	100
1	H	136/176 (77%)	135 (99%)	1 (1%)	0	100	100
1	I	139/176 (79%)	136 (98%)	3 (2%)	0	100	100
1	J	136/176 (77%)	136 (100%)	0	0	100	100
All	All	1360/1760 (77%)	1345 (99%)	15 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	110/155 (71%)	110 (100%)	0	100	100
1	B	118/155 (76%)	118 (100%)	0	100	100
1	C	118/155 (76%)	118 (100%)	0	100	100
1	D	120/155 (77%)	120 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	117/155 (76%)	117 (100%)	0	100	100
1	F	113/155 (73%)	113 (100%)	0	100	100
1	G	113/155 (73%)	113 (100%)	0	100	100
1	H	118/155 (76%)	118 (100%)	0	100	100
1	I	119/155 (77%)	119 (100%)	0	100	100
1	J	118/155 (76%)	118 (100%)	0	100	100
All	All	1164/1550 (75%)	1164 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	90	GLN
1	G	90	GLN
1	I	90	GLN
1	J	90	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	135/176 (76%)	-0.16	4 (2%) 51 39	67, 104, 152, 173	0
1	B	137/176 (77%)	-0.32	1 (0%) 87 83	54, 89, 138, 166	0
1	C	138/176 (78%)	-0.36	1 (0%) 87 83	55, 76, 112, 128	0
1	D	138/176 (78%)	-0.28	2 (1%) 75 69	58, 91, 131, 142	0
1	E	137/176 (77%)	0.07	5 (3%) 43 32	78, 113, 164, 177	0
1	F	138/176 (78%)	-0.15	6 (4%) 36 26	69, 95, 143, 165	0
1	G	138/176 (78%)	0.06	8 (5%) 24 15	67, 110, 157, 172	0
1	H	138/176 (78%)	-0.29	2 (1%) 75 69	58, 90, 131, 158	0
1	I	141/176 (80%)	-0.44	0 100 100	49, 72, 120, 159	0
1	J	138/176 (78%)	-0.34	0 100 100	50, 73, 105, 120	0
All	All	1378/1760 (78%)	-0.22	29 (2%) 64 54	49, 92, 147, 177	0

The worst 5 of 29 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	73	ILE	4.1
1	G	159	ASP	3.8
1	A	71	LEU	3.5
1	E	67	ILE	3.4
1	D	91	ASN	3.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.