



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 10:28 am GMT

PDB ID : 1UQT  
Title : TREHALOSE-6-PHOSPHATE FROM E. COLI BOUND WITH UDP-2-FLUORO GLUCOSE.  
Authors : Gibson, R.P.; Tarling, C.A.; Roberts, S.; Withers, S.G.; Davies, G.J.  
Deposited on : 2003-10-20  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	482	<div> <div>10%</div> <div> <div></div> <div>75%</div> <div>16%</div> <div>• 6%</div> </div> </div>
1	B	482	<div> <div>19%</div> <div> <div></div> <div>68%</div> <div>22%</div> <div>• 7%</div> </div> </div>

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7411 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA, ALPHA-TREHALOSE-PHOSPHATE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	452	Total	C	N	O	S	0	0	0
			3625	2329	631	658	7			
1	B	450	Total	C	N	O	S	0	0	0
			3611	2322	629	653	7			

- Molecule 2 is URIDINE-5'-DIPHOSPHATE-2-DEOXY-2-FLUORO-ALPHA-D-GLUCOSE (three-letter code: U2F) (formula:  $C_{15}H_{23}FN_2O_{16}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	P	0
			36	15	1	2	16	2	
2	B	1	Total	C	F	N	O	P	0
			36	15	1	2	16	2	


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	72	Total 72	O 72	0	0
3	B	31	Total 31	O 31	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: ALPHA, ALPHA-TREHALOSE-PHOSPHATE SYNTHASE



#### • Molecule 1: ALPHA, ALPHA-TREHALOSE-PHOSPHATE SYNTHASE



HIS  
STH

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	88.92Å 101.52Å 118.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.92 – 2.00 19.90 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.7 (19.92-2.00) 97.7 (19.90-2.00)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.69 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.219 , 0.251 0.257 , 0.280	Depositor DCC
$R_{free}$ test set	3592 reflections (5.05%)	DCC
Wilson B-factor (Å <sup>2</sup> )	31.0	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 33.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	7411	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: U2F

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.69	0/3716	0.90	8/5051 (0.2%)
1	B	0.69	4/3702 (0.1%)	0.89	14/5032 (0.3%)
All	All	0.69	4/7418 (0.1%)	0.89	22/10083 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	363	MET	SD-CE	-10.05	1.21	1.77
1	B	124	ASP	C-O	6.96	1.36	1.23
1	B	123	ASP	CG-OD1	5.31	1.37	1.25
1	B	345	MET	SD-CE	-5.00	1.49	1.77

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	272	ARG	NE-CZ-NH2	-11.88	114.36	120.30
1	B	272	ARG	NE-CZ-NH1	9.67	125.13	120.30
1	A	272	ARG	NE-CZ-NH1	8.90	124.75	120.30
1	B	272	ARG	NE-CZ-NH2	-8.90	115.85	120.30
1	B	438	ASP	CB-CG-OD2	8.46	125.92	118.30
1	B	406	ASP	CB-CG-OD2	7.52	125.07	118.30
1	A	404	ASP	CB-CG-OD2	7.45	125.01	118.30
1	B	302	ASP	CB-CG-OD2	7.41	124.97	118.30
1	A	406	ASP	CB-CG-OD2	6.97	124.58	118.30
1	A	170	ASP	CB-CG-OD2	6.84	124.46	118.30
1	B	73	ASP	CB-CG-OD2	6.83	124.45	118.30
1	B	178	ASP	CB-CG-OD2	6.64	124.28	118.30
1	B	404	ASP	CB-CG-OD2	6.55	124.19	118.30
1	A	405	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	B	195	ASP	CB-CG-OD2	6.16	123.84	118.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	291	ARG	NE-CZ-NH2	-6.03	117.28	120.30
1	B	114	ASP	CB-CG-OD2	5.93	123.64	118.30
1	B	122	ASP	CB-CG-OD2	5.79	123.51	118.30
1	B	71	ASP	CB-CG-OD2	5.48	123.23	118.30
1	B	103	ASP	CB-CG-OD2	5.42	123.17	118.30
1	B	413	ASP	CB-CG-OD2	5.23	123.01	118.30
1	A	195	ASP	CB-CG-OD2	5.04	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3625	0	3600	39	0
1	B	3611	0	3591	57	0
2	A	36	0	21	0	0
2	B	36	0	21	0	0
3	A	72	0	0	3	0
3	B	31	0	0	3	0
All	All	7411	0	7233	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:ARG:HD2	1:A:357:THR:OG1	1.68	0.94
1:B:315:ASN:HB2	3:B:2015:HOH:O	1.72	0.89
1:B:75:TYR:CD2	1:B:108:VAL:HG11	2.10	0.87
1:B:232:ILE:HG23	1:B:345:MET:HE2	1.65	0.79
1:B:261:GLU:CD	1:B:272:ARG:HH22	1.87	0.79
1:A:272:ARG:CD	1:A:357:THR:OG1	2.39	0.70
1:B:75:TYR:CG	1:B:108:VAL:HG11	2.27	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:ARG:O	3:A:2052:HOH:O	2.13	0.66
1:B:232:ILE:HG23	1:B:345:MET:CE	2.25	0.66
1:B:71:ASP:O	1:B:75:TYR:HB3	1.98	0.64
1:B:261:GLU:OE2	1:B:272:ARG:NH2	2.32	0.62
1:B:8:ASN:ND2	1:B:75:TYR:OH	2.33	0.61
1:B:263:LEU:HD21	1:B:309:ILE:HG13	1.82	0.59
1:A:261:GLU:CD	1:A:272:ARG:HH22	2.05	0.59
1:A:8:ASN:O	1:A:41:TRP:HB3	2.02	0.59
1:A:355:LEU:HG	1:A:412:LEU:HD21	1.85	0.58
1:B:272:ARG:HD2	1:B:357:THR:OG1	2.04	0.57
1:B:140:LEU:O	1:B:145:VAL:HG13	2.05	0.57
1:B:374:GLN:OE1	3:B:2021:HOH:O	2.18	0.56
1:B:41:TRP:CE2	1:B:43:GLY:HA2	2.41	0.56
1:B:2:ARG:HD3	1:B:121:GLN:HE22	1.70	0.56
1:A:401:ASN:C	1:A:401:ASN:HD22	2.09	0.55
1:B:363:MET:HE1	1:B:390:ALA:HA	1.89	0.54
1:A:8:ASN:ND2	1:A:75:TYR:OH	2.40	0.54
1:B:401:ASN:HD22	1:B:401:ASN:C	2.12	0.53
1:B:137:ALA:HB2	1:B:179:TYR:CE1	2.43	0.53
1:A:258:PHE:HZ	1:A:295:ILE:HD12	1.74	0.52
1:B:158:PRO:HG2	1:B:163:PHE:HB2	1.91	0.52
1:B:363:MET:CE	1:B:390:ALA:HA	2.39	0.52
1:B:65:PHE:CE1	1:B:112:LEU:HD11	2.45	0.52
1:B:363:MET:HE3	1:B:390:ALA:HB2	1.92	0.52
1:B:401:ASN:ND2	1:B:403:TYR:H	2.08	0.52
1:B:363:MET:HE2	1:B:368:LYS:HE3	1.92	0.51
1:B:401:ASN:HD21	1:B:403:TYR:HD1	1.58	0.51
1:A:78:GLN:O	1:A:82:ALA:HB3	2.11	0.50
1:A:437:ASN:HD22	1:A:441:HIS:HD2	1.58	0.50
1:A:212:THR:HG22	3:A:2032:HOH:O	2.12	0.49
1:A:147:ASN:HD22	1:A:147:ASN:H	1.61	0.49
1:A:163:PHE:CE2	1:A:169:TYR:HB2	2.48	0.49
1:B:59:ASN:HB3	1:B:60:ILE:HG23	1.95	0.48
1:B:92:LEU:HA	1:B:95:VAL:HG13	1.96	0.48
1:A:401:ASN:HD21	1:A:403:TYR:HD1	1.62	0.48
1:B:371:VAL:HG22	1:B:434:ILE:HD13	1.95	0.48
1:A:6:VAL:HG13	1:A:128:ILE:CD1	2.43	0.48
1:B:379:PRO:CD	1:B:424:ILE:HD13	2.45	0.47
1:A:102:TRP:CE3	1:A:168:THR:HG21	2.48	0.47
1:A:261:GLU:O	1:A:296:ALA:HA	2.14	0.47
1:A:148:ARG:HG2	1:A:453:ILE:HG13	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:261:GLU:O	1:B:296:ALA:HA	2.16	0.46
1:B:60:ILE:HD11	1:B:62:TRP:CZ2	2.51	0.46
1:B:6:VAL:HG13	1:B:128:ILE:CD1	2.46	0.45
1:B:60:ILE:HD11	1:B:62:TRP:CH2	2.51	0.45
1:B:363:MET:HE3	1:B:390:ALA:CA	2.46	0.45
1:B:75:TYR:CD2	1:B:108:VAL:CG1	2.92	0.45
1:A:401:ASN:HD22	1:A:403:TYR:H	1.64	0.45
1:A:261:GLU:OE2	1:A:272:ARG:NH2	2.50	0.45
1:A:401:ASN:ND2	1:A:403:TYR:H	2.15	0.45
1:A:443:GLN:O	1:A:447:ILE:HG12	2.18	0.44
1:A:72:LEU:HD22	1:A:76:TYR:HB3	1.99	0.44
1:B:138:HIS:CE1	1:B:142:LYS:HD2	2.52	0.44
1:B:8:ASN:O	1:B:41:TRP:HB3	2.18	0.44
1:A:151:PHE:HB2	1:A:179:TYR:CD1	2.53	0.44
1:A:159:THR:HB	3:A:2020:HOH:O	2.18	0.43
1:B:102:TRP:CE3	1:B:168:THR:HG21	2.52	0.43
1:A:315:ASN:HB2	3:B:2015:HOH:O	2.18	0.43
1:B:116:LEU:HD12	1:B:136:PHE:CZ	2.54	0.43
1:B:264:ASP:HB3	1:B:267:LYS:HG2	2.01	0.43
1:B:117:LEU:HB3	1:B:118:PRO:HD3	1.99	0.43
1:B:209:LYS:HB3	1:B:220:THR:O	2.18	0.43
1:B:72:LEU:HD22	1:B:76:TYR:HB3	2.00	0.43
1:A:102:TRP:CZ3	1:A:168:THR:HG21	2.53	0.43
1:A:230:LYS:HZ3	1:A:230:LYS:H	1.66	0.43
1:B:127:TRP:CD1	1:B:446:PHE:CE2	3.06	0.43
1:A:259:SER:HB3	1:A:272:ARG:HH21	1.84	0.43
1:A:6:VAL:HG13	1:A:128:ILE:HD13	2.01	0.43
1:A:258:PHE:CZ	1:A:295:ILE:HD12	2.53	0.43
1:A:230:LYS:HD2	1:A:230:LYS:N	2.34	0.42
1:B:163:PHE:CE2	1:B:169:TYR:HB2	2.54	0.42
1:A:3:LEU:O	1:A:36:GLY:HA3	2.20	0.42
1:B:2:ARG:HD3	1:B:121:GLN:NE2	2.33	0.42
1:B:303:VAL:HG22	1:B:306:TYR:HD1	1.84	0.42
1:B:401:ASN:HD22	1:B:403:TYR:H	1.66	0.42
1:B:59:ASN:HD22	1:B:59:ASN:HA	1.53	0.42
1:A:155:ILE:HB	1:A:156:PRO:CD	2.50	0.42
1:B:430:MET:O	1:B:434:ILE:HG23	2.19	0.42
1:B:207:SER:C	1:B:209:LYS:H	2.23	0.41
1:B:225:ILE:HG23	1:B:365:LEU:HD21	2.02	0.41
1:B:138:HIS:HE1	1:B:142:LYS:HD2	1.85	0.41
1:A:200:LEU:HD13	1:A:214:TRP:CZ2	2.56	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:TRP:CZ2	1:B:43:GLY:HA2	2.56	0.41
1:B:379:PRO:CD	1:B:424:ILE:CD1	2.99	0.41
1:B:134:LEU:N	1:B:135:PRO:CD	2.83	0.40
1:B:138:HIS:CE1	1:B:142:LYS:CD	3.04	0.40
1:A:230:LYS:HD2	1:A:230:LYS:H	1.86	0.40
1:A:138:HIS:HD2	1:A:178:ASP:OD2	2.05	0.40
1:A:231:GLU:O	1:A:235:GLN:HG3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	448/482 (93%)	431 (96%)	14 (3%)	3 (1%)	25	18
1	B	446/482 (92%)	422 (95%)	22 (5%)	2 (0%)	38	33
All	All	894/964 (93%)	853 (95%)	36 (4%)	5 (1%)	28	21

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	45	THR
1	A	364	ASN
1	B	58	GLY
1	A	13	PRO
1	A	130	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	382/407 (94%)	333 (87%)	49 (13%)	5	2
1	B	380/407 (93%)	326 (86%)	54 (14%)	4	2
All	All	762/814 (94%)	659 (86%)	103 (14%)	4	2

All (103) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	VAL
1	A	9	ARG
1	A	14	ASP
1	A	19	SER
1	A	32	LYS
1	A	37	LEU
1	A	47	ASN
1	A	52	LEU
1	A	53	LYS
1	A	67	LEU
1	A	72	LEU
1	A	75	TYR
1	A	92	LEU
1	A	94	LEU
1	A	95	VAL
1	A	99	ARG
1	A	116	LEU
1	A	117	LEU
1	A	123	ASP
1	A	130	ASP
1	A	142	LYS
1	A	153	LEU
1	A	159	THR
1	A	166	LEU
1	A	170	ASP
1	A	172	LEU
1	A	182	LEU
1	A	191	LEU
1	A	195	ASP
1	A	200	LEU
1	A	230	LYS
1	A	244	LEU
1	A	269	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	272	ARG
1	A	274	LEU
1	A	280	LEU
1	A	285	GLN
1	A	291	ARG
1	A	350	TYR
1	A	355	LEU
1	A	359	LEU
1	A	360	ARG
1	A	371	VAL
1	A	384	LEU
1	A	395	THR
1	A	398	LEU
1	A	401	ASN
1	A	405	ARG
1	A	453	ILE
1	B	2	ARG
1	B	6	VAL
1	B	25	VAL
1	B	28	LEU
1	B	37	LEU
1	B	45	THR
1	B	47	ASN
1	B	48	GLU
1	B	49	ASP
1	B	50	GLN
1	B	52	LEU
1	B	56	LYS
1	B	59	ASN
1	B	61	THR
1	B	72	LEU
1	B	92	LEU
1	B	94	LEU
1	B	96	GLN
1	B	98	GLN
1	B	99	ARG
1	B	116	LEU
1	B	119	LEU
1	B	130	ASP
1	B	145	VAL
1	B	148	ARG
1	B	153	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	166	LEU
1	B	172	LEU
1	B	173	LEU
1	B	191	LEU
1	B	194	LEU
1	B	198	SER
1	B	200	LEU
1	B	227	ILE
1	B	261	GLU
1	B	269	LEU
1	B	272	ARG
1	B	274	LEU
1	B	280	LEU
1	B	285	GLN
1	B	291	ARG
1	B	302	ASP
1	B	309	ILE
1	B	312	GLN
1	B	313	LEU
1	B	350	TYR
1	B	355	LEU
1	B	359	LEU
1	B	360	ARG
1	B	395	THR
1	B	398	LEU
1	B	401	ASN
1	B	405	ARG
1	B	434	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	77	ASN
1	A	78	GLN
1	A	138	HIS
1	A	147	ASN
1	A	175	GLN
1	A	312	GLN
1	A	401	ASN
1	A	441	HIS
1	B	8	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	47	ASN
1	B	59	ASN
1	B	66	ASN
1	B	77	ASN
1	B	96	GLN
1	B	121	GLN
1	B	138	HIS
1	B	175	GLN
1	B	255	GLN
1	B	256	ASN
1	B	307	GLN
1	B	315	ASN
1	B	401	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	U2F	A	900	-	30,38,38	3.59	10 (33%)	37,58,58	4.41	12 (32%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	U2F	B	901	-	30,38,38	3.88	10 (33%)	37,58,58	4.43	11 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	U2F	A	900	-	-	0/18/59/59	0/3/3/3
2	U2F	B	901	-	-	0/18/59/59	0/3/3/3

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	U2F	O7'-C7'	-5.31	1.11	1.24
2	B	901	U2F	C2'-C1'	-3.68	1.47	1.53
2	A	900	U2F	C2'-C1'	-2.67	1.49	1.53
2	A	900	U2F	C7'-N3	2.11	1.36	1.33
2	A	900	U2F	C6-C5	2.16	1.59	1.51
2	A	900	U2F	C9'-N1	2.22	1.38	1.35
2	B	901	U2F	C4-C3	2.28	1.58	1.52
2	B	901	U2F	C6-C5	3.14	1.62	1.51
2	B	901	U2F	C9'-N1	3.40	1.40	1.35
2	B	901	U2F	C7'-N3	3.99	1.40	1.33
2	A	900	U2F	O4-C4	5.18	1.54	1.43
2	B	901	U2F	O5-C1	5.33	1.55	1.41
2	B	901	U2F	O3-C3	5.69	1.56	1.43
2	A	900	U2F	O5-C1	5.98	1.56	1.41
2	B	901	U2F	O4-C4	6.10	1.57	1.43
2	A	900	U2F	O3-C3	6.23	1.57	1.43
2	A	900	U2F	C4-C5	7.72	1.69	1.53
2	B	901	U2F	C4-C5	8.70	1.71	1.53
2	A	900	U2F	C2-C3	12.50	1.62	1.52
2	B	901	U2F	C2-C3	14.16	1.64	1.52

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	U2F	O5-C1-C2	-8.73	91.44	109.95
2	B	901	U2F	O5-C1-C2	-8.06	92.86	109.95
2	A	900	U2F	F1-C2-C3	-6.65	103.62	108.49
2	B	901	U2F	O5-C1-O1	-3.80	106.40	111.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	U2F	O5-C1-O1	-3.04	107.39	111.36
2	A	900	U2F	C6-C5-C4	-2.39	107.41	113.00
2	A	900	U2F	O2B-PB-O1B	-2.34	100.15	112.28
2	A	900	U2F	O2B-PB-O1	-2.33	97.12	106.49
2	B	901	U2F	O4'-C1'-N1	-2.21	103.66	108.08
2	A	900	U2F	O4'-C1'-N1	-2.18	103.70	108.08
2	B	901	U2F	O2B-PB-O1	-2.06	98.21	106.49
2	B	901	U2F	O5-C5-C6	2.18	111.63	106.41
2	B	901	U2F	O6-C6-C5	2.44	119.55	111.34
2	B	901	U2F	C1-O5-C5	3.40	120.13	113.72
2	A	900	U2F	O5-C5-C6	3.43	114.63	106.41
2	A	900	U2F	O3-C3-C2	6.43	121.44	109.15
2	B	901	U2F	O3-C3-C2	6.99	122.52	109.15
2	A	900	U2F	C7'-N3-C6'	7.75	120.79	114.13
2	B	901	U2F	C7'-N3-C6'	9.13	121.97	114.13
2	A	900	U2F	O1-C1-C2	11.58	129.60	108.38
2	B	901	U2F	O1-C1-C2	12.17	130.67	108.38
2	A	900	U2F	O3A-PB-O1	17.00	132.43	102.05
2	B	901	U2F	O3A-PB-O1	17.34	133.04	102.05

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	452/482 (93%)	0.70	47 (10%) <b>7</b> <b>7</b>	14, 20, 29, 38	0
1	B	450/482 (93%)	1.18	93 (20%) <b>1</b> <b>1</b>	13, 21, 30, 38	0
All	All	902/964 (93%)	0.94	140 (15%) <b>2</b> <b>2</b>	13, 20, 30, 38	0

All (140) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	46	GLY	9.4
1	B	208	ALA	7.4
1	B	11	ALA	7.3
1	B	62	TRP	7.1
1	B	49	ASP	7.0
1	B	249	ALA	6.9
1	A	14	ASP	6.8
1	B	47	ASN	6.3
1	B	44	GLU	6.2
1	B	41	TRP	6.2
1	A	19	SER	6.0
1	B	53	LYS	5.9
1	B	45	THR	5.5
1	B	9	ARG	5.5
1	A	47	ASN	5.3
1	A	13	PRO	5.3
1	B	55	VAL	5.2
1	B	253	ASN	5.1
1	B	48	GLU	5.1
1	B	50	GLN	5.1
1	B	51	PRO	4.9
1	B	299	SER	4.8
1	B	302	ASP	4.8
1	B	12	PRO	4.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	206	ARG	4.7
1	A	49	ASP	4.6
1	A	51	PRO	4.5
1	B	52	LEU	4.5
1	B	244	LEU	4.5
1	B	57	LYS	4.3
1	B	32	LYS	4.2
1	A	20	ALA	4.2
1	B	20	ALA	4.1
1	B	13	PRO	4.1
1	B	252	LYS	4.0
1	B	56	LYS	3.9
1	B	60	ILE	3.9
1	A	1	SER	3.9
1	B	146	ASN	3.9
1	A	176	LEU	3.9
1	B	59	ASN	3.8
1	B	117	LEU	3.8
1	B	69	GLU	3.8
1	B	304	GLN	3.8
1	B	122	ASP	3.7
1	B	65	PHE	3.7
1	A	50	GLN	3.6
1	B	240	LEU	3.5
1	B	123	ASP	3.5
1	B	1	SER	3.5
1	B	76	TYR	3.5
1	B	10	ILE	3.4
1	B	43	GLY	3.4
1	B	242	PRO	3.4
1	B	33	ALA	3.4
1	B	202	ARG	3.4
1	B	245	ALA	3.4
1	B	58	GLY	3.3
1	B	305	ALA	3.3
1	B	73	ASP	3.3
1	B	207	SER	3.3
1	A	258	PHE	3.3
1	B	34	ALA	3.3
1	B	246	GLN	3.2
1	B	205	THR	3.2
1	B	301	GLY	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	67	LEU	3.2
1	B	215	GLY	3.2
1	A	55	VAL	3.2
1	B	42	SER	3.1
1	B	243	LYS	3.1
1	B	454	VAL	3.1
1	B	38	TRP	3.0
1	A	53	LYS	3.0
1	A	257	ILE	3.0
1	A	44	GLU	2.9
1	B	456	ARG	2.9
1	A	9	ARG	2.9
1	B	350	TYR	2.9
1	A	12	PRO	2.9
1	B	8	ASN	2.8
1	A	177	CYS	2.8
1	A	34	ALA	2.8
1	B	251	LEU	2.8
1	B	70	GLN	2.8
1	B	54	LYS	2.8
1	A	173	LEU	2.8
1	B	250	GLU	2.7
1	B	300	ARG	2.7
1	A	353	VAL	2.6
1	B	63	ALA	2.6
1	B	61	THR	2.6
1	B	217	ALA	2.5
1	A	134	LEU	2.5
1	B	74	GLU	2.5
1	A	45	THR	2.5
1	B	120	LEU	2.4
1	A	149	ILE	2.4
1	B	237	ALA	2.4
1	A	179	TYR	2.4
1	B	248	LYS	2.3
1	A	357	THR	2.3
1	A	292	TYR	2.3
1	B	64	SER	2.3
1	B	144	GLY	2.3
1	B	35	GLY	2.3
1	A	79	PHE	2.3
1	A	57	LYS	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	253	ASN	2.2
1	B	412	LEU	2.2
1	B	25	VAL	2.2
1	B	148	ARG	2.2
1	A	122	ASP	2.2
1	A	371	VAL	2.2
1	B	371	VAL	2.2
1	A	71	ASP	2.2
1	A	356	VAL	2.2
1	A	370	TYR	2.2
1	A	58	GLY	2.2
1	B	411	ALA	2.2
1	B	452	GLN	2.1
1	B	107	ARG	2.1
1	A	184	PHE	2.1
1	B	71	ASP	2.1
1	A	172	LEU	2.1
1	A	182	LEU	2.1
1	B	111	LEU	2.1
1	A	83	VAL	2.1
1	B	108	VAL	2.1
1	A	367	ALA	2.1
1	A	377	ALA	2.1
1	A	355	LEU	2.1
1	B	66	ASN	2.1
1	A	202	ARG	2.1
1	B	450	LEU	2.0
1	A	48	GLU	2.0
1	A	126	ILE	2.0
1	B	355	LEU	2.0
1	B	72	LEU	2.0
1	A	70	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	U2F	B	901	36/36	0.84	0.19	1.19	36,42,45,45	0
2	U2F	A	900	36/36	0.93	0.15	-0.33	22,25,28,31	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.