



wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 13, 2017 – 09:51 PM EST

PDB ID : 4V4P
Title : Crystal structure of 70S ribosome with thrS operator and tRNAs.
Authors : Jenner, L.; Romby, P.; Rees, B.; Schulze-Briese, C.; Springer, M.; Ehresmann, C.; Ehresmann, B.; Moras, D.; Yusupova, G.; Yusupov, M.
Deposited on : unknown
Resolution : 5.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 5.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1052 (7.20-3.70)
Clashscore	112137	1021 (7.20-3.76)
Ramachandran outliers	110173	1082 (7.20-3.70)
Sidechain outliers	110143	1055 (7.20-3.70)
RSRZ outliers	101464	1061 (7.20-3.70)
RNA backbone	2435	1049 (7.80-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AB	123	
2	AA	2915	
3	AC	228	
4	AD	178	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	AE	338	
6	AF	246	
7	AG	176	
8	AH	177	
9	AI	128	
9	AJ	128	
10	AK	149	
11	AL	141	
12	AM	145	
13	AN	122	
14	AO	164	
15	AP	138	
16	AQ	186	
17	AR	66	
18	AS	113	
19	AT	84	
20	AU	119	
21	AV	253	
22	AW	70	
23	AX	60	
24	A0	118	
25	A1	118	
26	A2	100	
27	A3	91	
28	A4	73	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	A5	60	
30	A6	82	
31	A7	47	
32	A8	64	
33	A9	36	
34	BA	1522	
35	BB	76	
35	BC	76	
36	B1	78	
37	BE	256	
38	BF	239	
39	BG	209	
40	BH	162	
41	BI	101	
42	BJ	156	
43	BK	138	
44	BL	128	
45	BM	105	
46	BN	129	
47	BO	135	
48	BP	126	
49	BQ	61	
50	BR	89	
51	BS	88	
52	BT	105	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	BU	88	
54	BV	93	
55	BW	106	
56	BX	27	

2 Entry composition

There are 56 unique types of molecules in this entry. The entry contains 148539 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AB	123	Total	C	N	O	P	0	0	0
			2641	1175	488	855	123			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AB	-1	A	-	INSERTION	GB 48271
AB	120	U	-	INSERTION	GB 48271

- Molecule 2 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AA	2872	Total	C	N	O	P	0	0	0
			61847	27526	11556	19893	2872			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	494	G	-	INSERTION	GB 48268

- Molecule 3 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	221	Total	C	N	O	S	0	0	0
			1687	1066	306	312	3			

- Molecule 4 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	173	Total	C	N	O	S	0	0	0
			1308	820	246	236	6			

- Molecule 5 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	191	Total	C	N	O	S	0	0	0
			1507	940	290	273	4			

- Molecule 6 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	189	Total	C	N	O	S	0	0	0
			1430	872	255	302	1			

- Molecule 7 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	122	Total	C	N	O	S	0	0	0
			957	597	176	180	4			

- Molecule 8 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	164	Total	C	N	O	S	0	0	0
			1251	787	225	237	2			

- Molecule 9 is a protein called 50S ribosomal protein L7/L12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AI	128	Total	C	N	O	S	0	0	0
			945	599	152	193	1			
9	AJ	128	Total	C	N	O	S	0	0	0
			945	599	152	193	1			

- Molecule 10 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AK	148	Total	C	N	O	S	0	0	0
			1145	727	205	212	1			

- Molecule 11 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AL	133	Total	C	N	O	S	0	0	0
			999	642	169	182	6			

- Molecule 12 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AM	117	Total	C	N	O	S	0	0	0
			917	570	164	180	3			

- Molecule 13 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AN	122	Total	C	N	O	S	0	0	0
			937	585	180	169	3			

- Molecule 14 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	AO	84	Total	C	N	O	0	0	0
			639	391	109	139			

- Molecule 15 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AP	138	Total	C	N	O	S	0	0	0
			1081	678	208	192	3			

- Molecule 16 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AQ	113	Total	C	N	O	S	0	0	0
			866	536	165	164	1			

- Molecule 17 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AR	52	Total	C	N	O	S	0	0	0
			406	242	74	85	5			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AS	108	Total	C	N	O	0	0	0
			860	542	169	149			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AT	76	Total	C	N	O	S	0	0	0
			602	366	102	131	3			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AU	110	Total	C	N	O		0	0	0
			879	531	166	182				

- Molecule 21 is a protein called 50S general stress protein CTC (L25).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AV	177	Total	C	N	O	S	0	0	0
			1360	859	238	257	6			

- Molecule 22 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	AW	64	Total	C	N	O	S	0	0	0
			494	301	93	99	1			

- Molecule 23 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	AX	60	Total	C	N	O	S	0	0	0
			477	303	91	82	1			

- Molecule 24 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	A0	105	Total	C	N	O		0	0	0
			855	536	174	145				

- Molecule 25 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	A1	117	Total	C	N	O	S	0	0	0
			978	608	210	159	1			

- Molecule 26 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	A2	100	Total	C	N	O	S	0	0	0
			787	495	146	145	1			

- Molecule 27 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	A3	86	Total	C	N	O	S	0	0	0
			641	402	124	114	1			

- Molecule 28 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	A4	73	Total	C	N	O	S	0	0	0
			604	382	110	108	4			

- Molecule 29 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	A5	58	Total	C	N	O	S	0	0	0
			457	281	94	77	5			

- Molecule 30 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	A6	53	Total	C	N	O	S	0	0	0
			431	274	80	76	1			

- Molecule 31 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	A7	46	Total	C	N	O	S	0	0	0
			383	230	91	60	2			

- Molecule 32 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	A8	63	Total	C	N	O	S	0	0	0
			496	312	101	78	5			

- Molecule 33 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	A9	35	Total	C	N	O	S	0	0	0
			285	172	64	45	4			

- Molecule 34 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BA	1515	Total	C	N	O	P	0	0	0
			32554	14490	6022	10527	1515			

- Molecule 35 is a RNA chain called tRNA Phe (unmodified bases).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	BB	76	Total	C	N	O	P	0	0	0
			1626	725	293	532	76			
35	BC	76	Total	C	N	O	P	0	0	0
			1626	725	293	532	76			

- Molecule 36 is a RNA chain called thrS mRNA operator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	B1	66	Total	C	N	O	P	0	0	0
			1405	629	247	463	66			

- Molecule 37 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BE	234	Total	C	N	O	S	0	0	0
			1900	1213	341	341	5			

- Molecule 38 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BF	206	Total	C	N	O	S	0	0	0
			1612	1016	314	281	1			

- Molecule 39 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BG	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 40 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	BH	150	Total	C	N	O	S	0	0	0
			1146	724	217	201	4			

- Molecule 41 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	BI	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 42 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BJ	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 43 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	BK	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BK	25	ASP	GLU	CONFLICT	UNP Q5SHQ2
BK	37	ARG	LYS	CONFLICT	UNP Q5SHQ2
BK	52	ASP	GLU	CONFLICT	UNP Q5SHQ2
BK	61	VAL	ILE	CONFLICT	UNP Q5SHQ2
BK	62	TYR	HIS	CONFLICT	UNP Q5SHQ2
BK	81	HIS	LYS	CONFLICT	UNP Q5SHQ2
BK	88	LYS	ARG	CONFLICT	UNP Q5SHQ2
BK	115	SER	PRO	CONFLICT	UNP Q5SHQ2

- Molecule 44 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
44	BL	127	Total	C	N	O	0	0	0
			1011	639	198	174			

- Molecule 45 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	BM	98	Total	C	N	O	S	0	0	0
			794	499	156	138	1			

- Molecule 46 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	BN	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 47 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	BO	124	Total	C	N	O	S	0	0	0
			970	611	195	163	1			

- Molecule 48 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	BP	125	Total	C	N	O	S	0	0	0
			997	617	207	171	2			

- Molecule 49 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	BQ	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 50 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	BR	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 51 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	BS	83	Total	C	N	O	S	0	0	0
			700	443	139	117	1			

- Molecule 52 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	BT	104	Total	C	N	O	S	0	0	0
			857	547	161	147	2			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BT	96	GLN	GLU	CONFLICT	UNP Q5SHP7

- Molecule 53 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	BU	73	Total	C	N	O	S	0	0	0
			597	380	118	99				

- Molecule 54 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	BV	80	Total	C	N	O	S	0	0	0
			647	414	119	112	2			

- Molecule 55 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	BW	99	Total	C	N	O	S	0	0	0
			762	469	162	129	2			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BW	41	VAL	ILE	CONFLICT	UNP Q5SIH2


- Molecule 56 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	BX	24	Total	C	N	O	S	0	0	0
			208	128	50	30				


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 5S ribosomal RNA




• Molecule 2: 23S ribosomal RNA




A1275	G1215	G1154	A1095	U1035	G975	C915	G854	G794	A734	G674	C635	G577	A515	A454	A394
A1276	G1216	A1155	A1096	G1036	C976	G916	G855	C795	A735	G675	C636	A578	C516	C485	A395
A1277	C1217	A1156	U1097	G1037	G977	A917	C856	C796	C736	A676	A637	G579	C517	C456	G396
A1278	C1218	G1157	A1098	C1038	G978	A918	C857	C797	G737	A677	G638	C580	G518	A457	G397
G1219	G1219	G1158	G1099	G1039	G979	G919	U858	G798	G738	C578	U639	C581	U519	G458	G398
G1220	A1220	U1159	C1100	C1040	A980	G920	G859	G799	G739	C579	G640	G582	U520	U459	G399
G1281	C1221	G1160	U1101	C1041	A981	G921	U860	A800	U740	G680	C641	G583	G521	A460	G400
U1282	C1222	G1161	C1102	G1042	C982	U922	A861	G801	G741	G681	C642	C584	G522	C461	A401
G1283	C1223	G1162	A1103	C1043	A983	U923	G862	A802	G742	G682	A643	G585	G523	C462	A402
A1284	G1224	C1163	C1104	G1044	A984	C924	A863	U803	G743	C683	A644	A586	U524	G463	U403
G1285	C1225	G1164	U1105	A1045	C985	C925	G864	A804	G744	C684	C645	C587	U525	U464	C404
A1286	G1226	U1165	G1106	A1046	C986	A926	G865	G805	G745	A685	G646	U588	A526	G465	U405
A1287	A1227	C1166	G1107	G1047	G987	G928	A866	C806	U746	G686	G647	C589	C527	A466	G406
G1288	G1228	U1167	U1108	A1048	A988	G929	C867	U807	U747	C687	G648	A590	A528	G467	G407
C1289	G1229	G1168	C1109	C1049	G989	U930	U868	G808	G748	U688	G649	C591	A529	G468	G408
C1290	C1230	G1169	G1110	A1050	A990	G931	G869	G809	C749	A689	C	G592	G530	G469	C409
C1291	G1231	G1170	A1111	G1051	A870	A932	U871	U810	A750	G690	C	G593	C531	A470	G410
U1292	G1232	G1171	C1112	C1052	C992	G933	U872	U811	A751	C691	C	U594	A532	A471	G411
C1293	C1233	G1173	U1113	C1053	G993	G934	A873	C812	A752	C692	A	C595	G533	A472	A412
U1294	U1234	A1174	G1114	A1054	C994	C935	G873	U813	C753	C693	A	G596	U534	G473	C413
G1295	G1235	U1175	G1115	G1055	C995	C936	G874	C814	C754	U694	A	C597	C535	U474	C414
G1296	G1236	G1176	C1116	G1056	A996	U937	G875	C815	C755	G695	C	G598	A536	U475	A415
C1297	A1237	A1177	G1117	A1057	G997	G938	C876	C816	C756	G696	G	G599	C537	G476	C416
G1298	G1238	C1178	C1118	G1058	C998	G939	U877	C817	U757	C697	G	G600	G539	A477	C417
G1299	C1239	C1179	C1119	G1059	U999	G940	A878	G818	C758	C698	C	C601	G540	A478	G
U1300	U1240	C1180	G1120	U1060	A1000	A941	G879	A819	G759	A699	C	G602	C541	A479	G418
A1301	A1241	A1181	C1121	U1061	G1001	G942	G880	A820	G760	G700	C	A603	C542	A480	C419
A1302	A1242	A1182	G1122	G1062	G1002	U943	G881	A821	A761	G701	C	G604	C543	G481	C420
G1303	G1243	G1183	C1123	G1063	G1003	G944	G882	U822	U762	G702	C	C605	C544	G482	U421
C1304	G1244	G1184	C1124	C1064	C1004	A945	G883	G823	G763	U703	A	U606	G545	A483	A422
C1305	G1245	C1185	G1125	U1065	C1005	G946	C884	A824	A764	C704	C	U607	C546	C484	A423
C1306	A1246	G1186	A1126	U1066	C1006	G947	C885	C825	G765	A705	C	A608	A547	C485	G424
A1307	A1247	A1187	A1127	A1067	G1007	G948	C886	U826	C766	A706	C	A609	A548	C486	G425
A1308	G1248	U1188	A1128	G1068	C1008	C949	A887	U827	U767	G707	G	G609A	G549	C487	C426
G1309	U1249	A1189	A1129	A1069	A1009	G950	C888	U828	G768	C708	C	C610	G550	G488	U427
G1310	G1250	G1190	U1130	A1070	A1010	C951	C889	A829	G769	U709	C	C611	G551	G489	A428
G1311	C1251	G1191	G1131	G1071	G1011	G952	A890	G830	G770	G710	C650	G612	G552	G491	A429
U1312	G1252	G1192	A1132	C1072	U1012	A953	C892	G831	G771	G711	C651	U613	U553	A492	G430
C1313	A1253	G1193	U1133	A1073	C1013	G954	C893	G832	C772	G712	C652	U614	U554	G493	U431
C1314	U1254	A1194	G1134	G1074	U1014	C955	C894	U833	U773	G713	A653	G615	G556	G494	A432
C1315	U1255	G1195	C1135	C1075	G1015	G956	U895	C834	A774	U714	A654	A616	U557	G495	C433
U1316	G1256	C1196	G1136	C1076	G1016	A957	A896	A835	G775	G715	A655	G617	G558	G496	U434
A1317	C1257	G1197	G1137	A1077	G1017	U958	C897	G836	G776	A716	G656	G618	G559	A497	C435
C1318	C1258	U1198	G1138	U1078	C1018	A959	C898	C837	A777	G717	U657	C618A	C560	G498	C436
G1319	G1259	U1199	G1139	C1079	U1019	A960	A899	C838	G778	A718	C658	G619	C561	U499	G438
C1320	G1260	C1200	C1140	C1080	A1020	C961	A900	U839	U779	G719	C659	G620	U562	G500	G439
A1321	C1261	C1201	U1141	U1081	A1021	G962	A901	C940	G780	C720	G660	A621	G563	A501	G440
A1322	A1262	G1202	U1142	U1082	G1022	U963	C902	A941	A781	C721	C661	G622	C564	A502	U441
U1323	U1263	G1203	A1424	U1083	U1023	C964	C903	G942	A782	A722	G662	G623	C565	A503	G442
G1324	G1264	A1204	A1143	A1084	G1024	C965	C904	G843	A783	G723	G663	C624	U566	U504	A443
G1325	A1265	U1205	G1144	A1085	G1025	G966	U905	C844	A784	U724	C664	G625	A567	A505	C444
U1326	G1266	G1206	C1145	A1086	U1026	C967	A906	G845	G785	G725	C665	U626	U568	G506	C445
C1327	U1267	C1207	C1146	G1087	A1027	G968	U907	C846	C786	G726	G666	A627	U569	A507	G446
G1328	A1268	C1208	C1147	A1088	A1028	U969	C908	U847	U787	A727	U667	G628	G570	G508	A447
U1329	A1269	G1209	A1148	G1089	A1029	C970	A909	G848	A788	G728	G668	G629	A571	C509	U448
C1330	C1270	A1210	G1149	U1090	G1030	C971	A910	A849	A789	G729	G669	G630	A572	C510	A449
A1331	G1271	U1211	C1150	G1091	G1031	G972	A911	C850	C790	C730	A670	A631	G573	U511	G450
G1332	A1272	G1212	G1151	C1092	A1032	A973	C912	U851	C791	C731	C671	A632	C574	G512	G451
C1333	U1273	A1213	C1152	G1093	U1033	G974	U913	G852	G792	C732	C672	A633	A575	G452	G453
G1334	A1274	C1214	C1153	U1094	G1034	C974A	C914	G853	A793	G733	C673	C634	U576	A514	C453


A2199	C2139	U2079	A2019	G1959	C1830	G1770	C1694	A1634	C1574	C1515	U1454	A1395	U1335
C2205	C2140	G2080	A2020	A1960	G1831	C1771	G1695	G1635	C1575	U1516	G1485	U1396	A1336
C2206	C2141	G2081	C2021	C1961	C1832	G1772	G1696	C1636	U1576	G1517	G1456	U1397	G1337
C2207	C2142	A2082	U2022	C1962	C1833	A1773	G1697	A1637	C1577	C1518	G1457	C1398	G1338
U2208	C2143	G2083	G2023	G1963	U1834	C1774	A1698	U1638	U1578	G1519	C1458	C1399	G1339
C2209	U2144	C2084	G2024	G1964	U1835	U1775	G1699	U1639	A1579	U1520	C1459	G1400	U1340
G2210	C2145	C2085	C2025	C1965	C1836	G1776	A1700	C1640	A1580	G1521	A1460	G1401	U1341
G2211	C2146	C2086	C2026	G1966	C1837	U1777	A1701	A1641	U1581	G1522	C1461	C1402	A1342
A2212	C2147	G2087	G2027	C1967	C1838	U1778	G1702	G1642	C1582	U1523	C1462	C1403	G1343
U2213	G2148	G2088	U2028	G1968	G1839	U1779	G1703	G1643	U1583	G1524	C1463	C1404	G1344
G2215	C2149	U2089	G2029	A1969	G1840	A1780	G1704	G1644	C1585	U1525	C1464	U1405	G1345
G2216	U2150	G2090	A2030	U1970	U1841	C1781	G1705	G1645	U1586	G1526	C1465	U1406	G1346
G2217	C2151	A2031	A2031	A1971	G1842	G1782	U1706	G1646	A1587	G1527	G1466	G1347	U1347
G2218	G2152	U2092	G2032	A1972	C1843	A1783	G1707	G1647	C1588	A1528	C1467	C1408	G1348
G2219	G2153	G2093	A2033	G1973	C1844	A1784	C1708	G1648	U1589	A1529	C1468	A1409	A1349
G2224	G2154	G2094	U2034	C1974	G1845	A1785	U1709	G1649	U1590	G1530	C1469	G1410	C1350
A2225	G2155	C2095	G2035	G1975	A1846	A1786	G1710	G1650	U1591	C1531	G1470	C1411	C1351
C2226	G2156	U2096	C2036	U1976	A1847	A1787	C1711	G1651	C1592	C1532	A1471	A1412	U1352
G2227	G	C2097	G2037	A1977	A1848	G1788	C1712	G1652	G1593	C1533	A1472	G1413	A1353
G2228	A	U2098	G2038	A1978	G1849	A1789	U1716	G1653	G1594	U1535	G1473	G1414	A1354
G2229	G	C2099	C2039	C1979	G1850	C1790	G1717	A1654	G1595	U1536	G1474	U1415	G1355
G2230	G	G2100	C2040	G1980	U1851	A1791	G1718	A1655	U1596	A1536	G1475	G1416	G1356
C2231	C	G2101	U2041	A1981	C1852	G1792	G1725	C1656	A1597	C1537	C1476	C1417	U1357
U2232	C	U2102	A2042	G1982	A1853	C1793	G1726	C1657	C1598	G1538	A1477	G1418	G1358
U2233	C	C2103	C2043	C1983	A1854	U1794	U1727	C1658	C1599	G1539	G1478	A1419	A1359
G2234	C	G2104	C2044	G1984	G1855	C1795	G1728	U1659	C1600	G1540	G1479	U1420	A1360
G2235	G	C2105	C2045	G1985	G1856	U1796	A1729	U1660	G1601	U1541	G1480	G1421	G1361
G2236	G	G2106	G2046	A1986	G1857	C1797	U1730	G1661	U1602	G1542	U1482	G1422	C1362
G2237	U	C2107	U2047	G1987	C1858	U1798	G1731	C1662	A1603	A1543	G1483	G1423	C1363
G2238	G	C2108	G2048	C1988	A1859	G1799	A1732	C1663	C1604	C1544	G1484	G1424	G1364
C2239	A	U2109	C2049	G1989	G1860	G1800	G1733	A1664	C1605	A1545	G1485	G1425	A1365
C2240	A	G2110	C2050	C1990	G1861	G1801	C1734	A1665	G1606	A545A	A1486	G1426	A1366
A2241	A	C2111	A2051	U1991	G1862	A1802	C1735	G1666	C1607	C1546	G1487	G1427	A1367
G2242	U	G2112	C2052	G1992	C1863	C1803	C1741	G1667	A1608	C1547	G1488	C1428	G1368
U2243	A	U2113	G2053	U1993	U1864	C1804	G1742	A1668	A1609	C1548	U1489	G1369	G1370
U2244	C2174	A2114	A2054	C1994	G1869	G1805	G1743	A1669	A1610	C1549	A1490	C1430	G1371
U2245	C2175	G2115	C2055	U1995	C1870	C1806	G1746	G1670	C1611	C1550	G1491	U1431	G1372
G2246	A2176	G2116	G2056	C1996	A1871	G1807	G1747	U1671	C1612	C1551	G1492	C1432	U1372
A2247	C2177	A2117	A2057	G1997	A1872	U1808	G1748	C1672	G1613	G1552	C1493	U1433	A1373
C2248	C2178	U2118	A2058	G1998	G1878	A1809	A1749	U1673	A1614	A1553	A1494	A1434	G1374
U2249	C2179	A2119	A2059	C1999	C1879	A1810	G1750	G1674	C1615	A1554	A1495	G1435	C1375
G2250	U2180	G2120	G2060	G2000	C1880	G1811	C1751	A1675	A1616	G1555	A1496	G1436	C1376
G2251	G2181	G2121	G2061	A2001	C1881	A1812	C1752	A1676	C1617	G1556	U1497	U1437	G1377
G2252	G2182	U2122	A2062	C2002	C1882	G1813	G1753	A1677	G1618	G1557	C1498	U1438	A1378
G2253	C2183	G2123	C2063	G2003	G1883	G1814	C1754	G1678	G1619	A1558	C1499	A1439	A1379
G2254	G2184	G2124	C2064	C2004	A1884	A1755	A1755	U1679	U1621	G1559	G1500	G1440	G1380
G2255	G2185	G2125	C2065	A2005	A1885	G1816	G1756	A1680	G1622	G1560	G1501	G1441	G1381
G2256	C2186	A2126	C2066	C2006	C1886	G1817	U1757	G1681	G1623	G1561	C1502	G1442	G1382
U2257	G2187	G2127	G2067	G2007	C1887	U1818	G1758	G1682	G1624	A1562	U1503	G1443	C1383
C2258	C2188	C2128	U2068	C2008	G1888	A1819	A1759	C1683	G1624	C1563	C1504	G1444	A1384
G2259	U2189	G2129	G2069	G1949	A1889	U1820	A1760	C1684	G1625	C1564	C1505	A444A	G1385
C2260	G2190	U2130	G2070	G1950	A1890	A1821	C1761	C1685	U1626	C1565	C1506	C1445	G1386
C2261	G2191	G2131	A2071	U1951	G1891	G1822	A1762	C1686	G1627	A1566	A1507	G1446	C1387
U2262	G2192	U2132	G2072	A1952	C1892	G1823	G1763	G1687	A1567	G1567	A1508	G1447	G1388
C2263	G2193	G2133	C2073	A1953	C1893	G1824	G1764	U1688	U1629	G1568	G1509	G1448	G1389
C2264	G2194	A2134	U2074	A1954	C1894	A1825	C1765	A1689	G1630	A1510	A1510	A1449	U1390
U2265	C2195	A2135	U2075	U1955	C1895	G1826	U1766	A1690	C630A	A1570	A1511	G449A	U1391
A2266	C2196	U2136	U2076	U1956	G1896	C1827	U1767	A1691	A1631	A1572	G1512	C1450	A1392
C2267	U2197	G2137	C2077	C1957	G1897	G1828	U1768	U1692	A1632	A1573	G1513	C1451	A1393
A2268	A2198	C2138	C2078	G2018	U1998	A1829	G1769	U1693	G1633	G1573	U1514	A1453	U1394




• Molecule 4: 50S ribosomal protein L2




• Molecule 5: 50S ribosomal protein L3




• Molecule 6: 50S ribosomal protein L4







• Molecule 7: 50S ribosomal protein L5



• Molecule 8: 50S ribosomal protein L6




• Molecule 9: 50S ribosomal protein L7/L12




• Molecule 9: 50S ribosomal protein L7/L12








• Molecule 10: 50S ribosomal protein L9




• Molecule 11: 50S ribosomal protein L11




• Molecule 12: 50S ribosomal protein L13




• Molecule 13: 50S ribosomal protein L14




• Molecule 14: 50S ribosomal protein L15



• Molecule 15: 50S ribosomal protein L16



• Molecule 16: 50S ribosomal protein L18



ASP
GLY
ASP
ILE
GLU
LEU

• Molecule 17: 50S ribosomal protein L19



PRO ARG THR R4 E5 C6 D7 Y8 C9 G10 T11 D12 I13 E14 P15 G16 T17 G18 T19 N20 F21 Y22 R23 K24 D25 G26 A27 T28 T29 H30 F31 F32 G33 S33 S34 K35 C36 E37 N38 N39 A40 D41 L42 GLY R44 E45 A46 R47 N48 L49 E50 N51 T52 D53 T54 A55 R56 GLY GLU ALA GLY

GLU
ALA
GLU
ASP
GLU
ALA

• Molecule 18: 50S ribosomal protein L22



MET E2 K4 K6 I6 A7 R8 Y9 V10 R11 I12 S13 P14 R15 K16 V17 D17 R18 D19 V20 V21 D22 L23 R24 R25 G26 A27 S28 R29 L29 E30 E31 A32 S33 R34 I35 I36 R37 R38 T39 N40 R41 R42 R43 G43 A44 Y45 F46 V47 T48 K49 V50 L51 E52 S53 A54 A55 A56 N57 A58 V59 N60

N61 N62 D63 MET L65 E66 D67 R68 R69 V70 V71 K72 K73 A74 A75 V76 V77 E78 G79 P80 A81 R82 K83 R84 V85 L86 P87 R88 R89 D89 A89 R90 R91 R92 A93 A94 I95 I96 R97 R98 R99 T100 T101 S101 H102 G103 T104 V105 L106 G108 E109 K110 H110 LYS

• Molecule 19: 50S ribosomal protein L23



S1 V2 D3 V4 I5 K6 H7 P8 H9 V10 T11 E12 K13 A14 M15 N16 D17 M18 V19 F20 GLN N22 K23 L24 Q25 F26 A27 V28 D29 D30 R31 A32 S33 K34 Y35 E36 V37 A38 D39 A40 V41 E42 E43 Q44 Y45 D46 V47 T48 V49 E50 Q51 V52 N53 T54 Q55 N56 T57 M58 D59 G60

R61 R62 A63 A64 V65 V66 R67 L68 S69 E70 D71 D72 D73 ALA E75 E76 V77 A78 SER ARG ILE GLY VAL PHE

• Molecule 20: 50S ribosomal protein L24




S1 K2 Q3 P4 D5 K6 Q7 R8 R9 Q10 Q11 R12 R13 A14 P15 H17 H18 R19 H20 K21 Q22 V23 R24 A25 T26 L27 S28 A29 D30 R31 R32 R33 E34 Y35 G36 GLN ARG ASR V40 R41 V42 V43 A44 G45 D46 T47 S41 R108 E109 V50 L51 R52 G53 D54 F55 A56 G57 E58 D59 G60

R61 V62 H63 R64 V65 GLN D66 L67 D68 R69 A70 V71 W72 H73 V74 E75 D76 V77 T78 L79 E80 R81 T82 D83 G84 E85 E86 R87 P88 R89 P90 P91 D92 D93 T93 M94 S94 I95 Y96 R97 R98 T99 D100 L101 D102 L103 E104 D105 E106 K107 R108 E109 A110 R111 R112 E113 SER GLU ASP ASP SER ALA


• Molecule 21: 50S general stress protein CTC (L25)



MET ALA HIS THR GLN THR ALA LYS SER GLN ASP THR M1 E2 L3 T4 A5 K6 P7 R8 T9 F10 K11 Q12 K13 L14 D15 E16 S17 M18 I19 A20 A21 V22 A23 Y24 N25 K26 E27 N28 N29 V30 S31 F32 E33 L34 D35 R36 E37 A38 F39 D40 R41 F42 F43 F44




• Molecule 22: 50S ribosomal protein L29




• Molecule 23: 50S ribosomal protein L30




• Molecule 24: 50S ribosomal protein L17




• Molecule 25: 50S ribosomal protein L20




• Molecule 26: 50S ribosomal protein L21




• Molecule 27: 50S ribosomal protein L27




• Molecule 28: 50S ribosomal protein L31



• Molecule 29: 50S ribosomal protein L32



• Molecule 30: 50S ribosomal protein L33




• Molecule 31: 50S ribosomal protein L34




C1463	A1398	U1219	C1158	C1098	C1038	A983	A923	U863	C797	A737	U677	G617	G557
G1464	C1399	G1220	U1189	G1099	C1039	C984	C924	A864	G798	C738	U678	C618	G558
C1465	C1400	G1221	U1190	G1100	U1040	C985	G925	A865	G799	C739	G679	U619	A559
C1466	C1341	G1222	C1161	A1101	A1041	A986	G926	A866	G800	U740	C680	C620	U560
C1467	C1342	G1223	C1162	C1102	G1042	G987	G927	G867	U801	G741	C681	A621	U561
A1468	C1403	G1224	C1163	C1103	C1043	G988	G928	G868	A802	G742	C682	C562	C562
G1469	U1345	A1225	G1164	G1104	A1044	C989	G929	G869	G803	U743	C683	G623	A563
G1470	A1346	C1226	C1165	A1105	C1045	C990	C930	U870	U804	C744	A684	C624	C564
U1471	G1347	A1227	C1166	G1106	C1046	U991	C931	U871	C805	C745	G685	G625	U565
U1472	U1348	C1228	A1167	C1107	G1047	U992	C932	A872	C806	U746	G686	U626	G566
A1473	A1289	A1229	A1168	G1108	G1048	G993	G933	A873	A807	C747	A687	G627	G567
G1474	C1350	G1230	A1169	C1109	U1049	A994	C934	G874	C808	C748	G688	G628	G568
G1475	G1291	G1231	G1171	A1110	C995	C935	A935	C875	G809	C749	C689	G629	C569
G1476	C1352	U1232	C1172	A1111	A996	C936	C936	G876	C810	G750	G690	G630	G570
C1477	G1353	G1233	G1173	C1112	U1052	U997	A937	C877	G691	U751	G691	G631	U571
C1478	C1354	C1234	G1174	C1113	G1053	G998	A938	G878	C812	G752	G692	A632	A572
C1479	G1355	U1235	A1175	C1114	C1054	C999	G939	C879	U813	A753	G693	G633	A573
G1480	G1356	A1236	A1176	C1115	A1055	U1000	C940	C880	A814	C754	A694	C634	A574
U1481	A1357	C1237	G1177	C1116	U1056	A1001	G941	G881	A815	G755	A695	G635	G575
G1482	U1358	A1238	G1178	G1117	G1057	G1002	G942	C882	A816	C756	A696	U636	G576
A1483	C1359	A1239	A1179	C1118	U1058	G1003	G943	C883	C822	U757	G697	G637	G577
C1484	A1360	U1240	A1180	C1119	C1059	U894	G944	U894	G818	G758	G698	G638	C578
U1485	G1361	G1241	G1181	G1120	C1060	G3A	G945	G885	A819	A759	C699	G639	C579
G1486	C361A	C1242	G1182	U1121	A1005	A946	G946	G886	U820	G760	G700	A640	U580
G1487	C1362	C1243	A1183	U1122	G1061	C1006	G947	G887	G821	G761	C701	U641	G581
G1488	A1363	C1244	G1184	A1123	C1063	C1007	G948	C888	C822	C762	A702	A642	U582
C1489	G1364	A1245	G1185	G1124	C1064	C1008	G949	A889	G823	G763	G703	C643	A583
U1490	C1365	C1246	C1186	U1125	U1065	G1009	U950	G890	C824	C764	A704	G644	G584
C1491	C1366	U1247	G1187	U1126	C1066	G1010	G951	U891	G825	G765	U705	C645	G585
A1492	C1367	A1248	A1188	G1127	A1067	G1011	U952	A892	C826	A766	A706	U646	C586
A1493	G1368	C1249	C1189	C1128	G1068	C993	G953	C893	U827	A767	C707	C647	C587
C1494	C1369	A1250	G1190	C1129	C1069	C894	G954	C894	A828	A768	C708	A648	G588
U1495	G1370	A1251	A1191	U1130	U1070	A1014	U955	G895	G829	G769	G709	G649	C589
C1496	C1371	C1252	C1192	G1131	C1071	A1015	U956	C896	G830	C770	G710	G650	C590
G1497	U1372	G1253	U1193	G1132	G1072	A1016	U957	C897	U831	G771	G711	C651	U591
U1498	G1373	C1254	U1194	G1133	U1073	G1017	A958	G898	C832	U772	G712	U652	G592
A1499	A1374	G1255	C1195	G1134	G1074	C1018	A959	C899	U833	G773	G713	A653	G593
G1495	A1375	A1256	U1196	U1135	C1075	C1019	U860	A900	C834	G774	G714	G654	G594
U1500	U1376	U1257	G1197	U1136	C1076	U1020	U961	A901	U835	G775	A715	A655	G595
C1501	A1377	G1258	G1198	C1137	U1077	G1021	C962	G902	G836	G776	A716	C656	C596
G1502	C1378	C1259	U1199	G1138	U1078	G1022	G963	G903	G837	A777	C717	G657	G597
U1503	G1379	C1260	A1201	G1139	G1079	G1023	A964	C904	G838	G778	G718	G658	U598
G1504	C1380	A1261	C1202	C1141	G1081	U1025	A965	U905	U839	C779	C719	U659	C599
U1505	U1381	C1262	G1203	G1142	G1082	G1026	G966	G906	C840	A780	C720	G660	C600
G1506	C1382	C1263	C1204	G1143	U1083	C1027	C967	A907	U841	A781	G721	G661	C601
C1507	C1383	G1264	A1205	G1144	G1084	C1028	A968	A908	C948	A782	A722	G662	A602
G1508	C1384	G1265	U1206	C1145	U1085	C1029	A969	A909	U850	C783	U723	A663	U603
C1509	G1385	G1266	G1207	A1146	U1086	C1030	C970	C910	U851	C784	G724	G664	G604
U1510	C1386	C1267	G1208	C1147	U1087	G30A	G971	U911	G851	G785	G725	A665	U605
G1511	C1387	A1268	C1209	U1148	G1088	C30B	C972	C912	G852	G786	C726	G666	G606
U1512	C1388	A1269	C1210	U1149	G1089	G30C	G973	C913	G853	A787	G727	G667	A607
A1513	U1389	C1270	C1211	C1149	U1090	G30D	A974	A914	G854	U788	A728	G668	A608
C1514	C1390	G1271	U1211	U1150	U1091	A30D	A975	A915	U855	U789	A729	U669	A609
G1515	U1391	C1272	U1212	A1151	U1091	G1031	G976	G916	C956	A790	G730	G670	G610
G1516	A1392	G1273	A1213	A1152	A1092	G1032	A977	G917	C957	G791	G731	G671	A611
A1517	G1403	G1274	C1214	C1153	A1093	G1033	A978	A918	G858	A792	C732	U672	C612
U1518	U1393	A1275	G1215	G1154	G1094	G1034	C979	A919	A859	U793	A733	G673	C613
A1519	A1394	C1276	G1216	G1155	U1095	A1035	C980	U921	A860	A794	G734	A674	A614
C1520	C1395	G1277	C1217	G1156	C1096	G1036	U981	U922	G861	C795	C735	G675	C615
G1521	A1396	C1277	G1217	G1156	C1096	G1036	U981	U922	G861	C795	C735	G675	C615
U1522	C1397	U1278	C1218	A1157	C1097	C1037	U982	G922	C962	C796	C736	A676	G616




• Molecule 35: tRNA Phe (unmodified bases)




• Molecule 35: tRNA Phe (unmodified bases)



• Molecule 36: thrS mRNA operator




• Molecule 37: 30S ribosomal protein S2




GLU
ALA
GLU
ALA
THR
GLU
THR
PRO
GLU
GLU
GLU
SER
GLU
VAL
GLU
ALA


• Molecule 38: 30S ribosomal protein S3




• Molecule 39: 30S ribosomal protein S4




• Molecule 40: 30S ribosomal protein S5




• Molecule 41: 30S ribosomal protein S6




- Molecule 42: 30S ribosomal protein S7




- Molecule 43: 30S ribosomal protein S8




- Molecule 44: 30S ribosomal protein S9



- Molecule 45: 30S ribosomal protein S10




- Molecule 46: 30S ribosomal protein S11




- Molecule 47: 30S ribosomal protein S12




- Molecule 48: 30S ribosomal protein S13




- Molecule 49: 30S ribosomal protein S14




• Molecule 50: 30S ribosomal protein S15




• Molecule 51: 30S ribosomal protein S16



• Molecule 52: 30S ribosomal protein S17




• Molecule 53: 30S ribosomal protein S18





• Molecule 54: 30S ribosomal protein S19





● Molecule 55: 30S ribosomal protein S20



● Molecule 56: 30S ribosomal protein Thx



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	508.64Å 508.64Å 806.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	300.00 – 5.50 268.38 – 5.50	Depositor EDS
% Data completeness (in resolution range)	94.6 (300.00-5.50) 97.5 (268.38-5.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 5.42Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.307 , 0.356 0.308 , 0.354	Depositor DCC
R_{free} test set	7724 reflections (5.06%)	DCC
Wilson B-factor (Å ²)	206.2	Xtriage
Anisotropy	0.054	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.11 , 178.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	148539	wwPDB-VP
Average B, all atoms (Å ²)	338.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AB	0.95	1/2954 (0.0%)	1.06	7/4606 (0.2%)
2	AA	1.16	181/69267 (0.3%)	1.22	549/108130 (0.5%)
3	AC	0.62	0/1715	0.94	2/2310 (0.1%)
4	AD	1.11	6/1329 (0.5%)	1.52	22/1787 (1.2%)
5	AE	1.04	3/1542 (0.2%)	1.41	21/2084 (1.0%)
6	AF	0.82	0/1446	1.26	14/1960 (0.7%)
7	AG	0.83	0/972	1.20	6/1307 (0.5%)
8	AH	0.76	0/1272	1.13	1/1721 (0.1%)
9	AI	0.48	0/950	0.72	0/1275
9	AJ	0.43	0/950	0.68	0/1275
10	AK	0.73	0/1157	1.17	8/1547 (0.5%)
11	AL	0.48	0/1015	0.91	4/1366 (0.3%)
12	AM	1.04	2/928 (0.2%)	1.23	2/1248 (0.2%)
13	AN	1.06	2/946 (0.2%)	1.43	14/1269 (1.1%)
14	AO	0.67	0/643	1.30	9/870 (1.0%)
15	AP	1.04	1/1109 (0.1%)	1.43	16/1499 (1.1%)
16	AQ	0.71	0/880	1.23	5/1189 (0.4%)
17	AR	1.37	4/413 (1.0%)	2.01	18/557 (3.2%)
18	AS	0.81	0/869	1.19	3/1166 (0.3%)
19	AT	0.76	0/609	1.05	0/823
20	AU	0.46	0/887	0.89	0/1195
21	AV	0.71	0/1385	1.10	7/1883 (0.4%)
22	AW	0.73	0/497	1.05	1/668 (0.1%)
23	AX	0.81	0/482	1.18	2/646 (0.3%)
24	A0	0.86	0/867	1.24	3/1162 (0.3%)
25	A1	1.03	0/994	1.33	6/1323 (0.5%)
26	A2	0.71	0/797	1.14	4/1061 (0.4%)
27	A3	0.72	0/649	1.14	3/860 (0.3%)
28	A4	0.97	1/620 (0.2%)	1.18	4/831 (0.5%)
29	A5	0.79	0/469	1.41	5/629 (0.8%)
30	A6	0.93	0/438	1.25	4/583 (0.7%)
31	A7	0.78	0/387	1.05	0/509
32	A8	0.98	2/503 (0.4%)	1.48	8/657 (1.2%)
33	A9	1.36	1/286 (0.3%)	1.44	4/375 (1.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
34	BA	1.03	30/36438 (0.1%)	1.17	167/56869 (0.3%)
35	BB	2.33	76/1818 (4.2%)	2.48	157/2831 (5.5%)
35	BC	1.09	5/1818 (0.3%)	1.11	7/2831 (0.2%)
36	B1	1.14	7/1571 (0.4%)	0.96	7/2445 (0.3%)
37	BE	0.75	0/1935	1.06	3/2609 (0.1%)
38	BF	0.62	0/1636	0.99	5/2205 (0.2%)
39	BG	0.86	2/1733 (0.1%)	1.16	4/2318 (0.2%)
40	BH	0.85	0/1162	1.12	1/1564 (0.1%)
41	BI	0.78	0/856	1.06	1/1154 (0.1%)
42	BJ	0.70	1/1276 (0.1%)	1.00	6/1709 (0.4%)
43	BK	0.81	0/1136	1.18	5/1527 (0.3%)
44	BL	0.52	0/1029	0.86	1/1378 (0.1%)
45	BM	0.58	0/807	0.94	2/1085 (0.2%)
46	BN	0.75	0/900	1.04	0/1213
47	BO	0.78	0/986	1.22	3/1320 (0.2%)
48	BP	0.59	0/1008	0.98	0/1347
49	BQ	0.83	1/501 (0.2%)	1.09	2/664 (0.3%)
50	BR	0.74	0/745	1.05	2/992 (0.2%)
51	BS	0.81	0/716	1.10	3/963 (0.3%)
52	BT	0.82	0/870	1.11	2/1159 (0.2%)
53	BU	0.72	0/603	1.18	2/799 (0.3%)
54	BV	0.59	0/661	0.98	1/890 (0.1%)
55	BW	0.84	0/764	1.12	2/1006 (0.2%)
56	BX	0.45	0/212	0.81	0/277
All	All	1.05	326/161408 (0.2%)	1.21	1135/241526 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AB	0	14
2	AA	0	527
4	AD	0	1
5	AE	0	1
6	AF	0	1
7	AG	0	2
12	AM	0	2
13	AN	0	2
14	AO	0	2
16	AQ	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
23	AX	0	1
25	A1	0	3
26	A2	0	1
28	A4	0	1
30	A6	0	1
34	BA	0	220
35	BB	0	35
35	BC	0	12
36	B1	0	4
38	BF	0	1
39	BG	0	1
41	BI	0	1
43	BK	0	1
48	BP	0	1
51	BS	0	2
All	All	0	838

The worst 5 of 326 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AA	142	G	C5-C6	27.73	1.70	1.42
36	B1	48	A	C5-C6	27.45	1.65	1.41
35	BB	37	G	C2-N2	18.34	1.52	1.34
34	BA	1541	U	C4-C5	17.23	1.59	1.43
2	AA	142	G	C2-N3	16.69	1.46	1.32

The worst 5 of 1135 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BA	1064	G	N1-C2-N2	-65.61	57.15	116.20
34	BA	1064	G	N3-C2-N2	63.69	164.48	119.90
34	BA	1064	G	N1-C2-N3	-27.38	107.47	123.90
2	AA	1084	A	O5'-P-OP2	-26.59	78.79	110.70
35	BB	36	A	OP1-P-O3'	-18.47	64.57	105.20

There are no chirality outliers.

5 of 838 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AB	12	C	Sidechain
1	AB	18	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AB	34	U	Sidechain
1	AB	39	A	Sidechain
1	AB	44	G	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AB	2641	0	1337	635	1
2	AA	61847	0	31165	17729	1
3	AC	1687	0	1737	723	0
4	AD	1308	0	1355	898	0
5	AE	1507	0	1494	986	0
6	AF	1430	0	1386	832	0
7	AG	957	0	959	519	0
8	AH	1251	0	1298	612	0
9	AI	945	0	999	497	0
9	AJ	945	0	999	362	0
10	AK	1145	0	1227	630	0
11	AL	999	0	1071	497	0
12	AM	917	0	904	616	0
13	AN	937	0	1000	549	0
14	AO	639	0	615	373	0
15	AP	1081	0	1062	743	0
16	AQ	866	0	875	512	0
17	AR	406	0	361	160	0
18	AS	860	0	919	442	0
19	AT	602	0	563	332	0
20	AU	879	0	868	477	0
21	AV	1360	0	1390	788	0
22	AW	494	0	506	240	0
23	AX	477	0	529	309	0
24	A0	855	0	906	492	0
25	A1	978	0	1020	685	0
26	A2	787	0	804	571	0
27	A3	641	0	668	421	0
28	A4	604	0	595	365	0
29	A5	457	0	462	294	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
30	A6	431	0	456	224	0
31	A7	383	0	414	260	0
32	A8	496	0	549	296	0
33	A9	285	0	312	125	0
34	BA	32554	0	16429	7563	1
35	BB	1626	0	817	629	0
35	BC	1626	0	820	429	0
36	B1	1405	0	706	258	1
37	BE	1900	0	1951	930	0
38	BF	1612	0	1677	662	0
39	BG	1703	0	1763	719	0
40	BH	1146	0	1207	489	1
41	BI	843	0	857	398	0
42	BJ	1257	0	1296	527	0
43	BK	1116	0	1177	677	0
44	BL	1011	0	1043	442	0
45	BM	794	0	840	332	0
46	BN	885	0	904	409	0
47	BO	970	0	1057	459	0
48	BP	997	0	1072	493	0
49	BQ	492	0	529	258	0
50	BR	734	0	771	330	0
51	BS	700	0	720	318	0
52	BT	857	0	930	423	0
53	BU	597	0	668	334	0
54	BV	647	0	673	254	0
55	BW	762	0	859	366	0
56	BX	208	0	221	103	0
All	All	148539	0	99792	47710	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 193.

The worst 5 of 47710 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:AA:2515:C:N4	2:AA:2569:G:H1	1.08	1.45
34:BA:292:G:H1	34:BA:308:C:N4	1.08	1.45
34:BA:144:G:H1	34:BA:178:C:N4	1.13	1.45
2:AA:447:A:H1'	2:AA:449:A:N6	1.28	1.44
33:A9:11:CYS:SG	33:A9:11:CYS:CB	2.06	1.44

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AB:-1:A:O2'	1:AB:-1:A:O2'[15_545]	1.59	0.61
2:AA:2153:G:O2'	34:BA:423:G:OP2[3_655]	2.16	0.04
36:B1:29:G:O3'	40:BH:5:ASP:OD2[3_655]	2.17	0.03

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	AC	217/228 (95%)	143 (66%)	36 (17%)	38 (18%)	0	3
4	AD	171/178 (96%)	71 (42%)	38 (22%)	62 (36%)	0	0
5	AE	187/338 (55%)	89 (48%)	41 (22%)	57 (30%)	0	0
6	AF	183/246 (74%)	83 (45%)	40 (22%)	60 (33%)	0	0
7	AG	118/176 (67%)	57 (48%)	29 (25%)	32 (27%)	0	0
8	AH	162/177 (92%)	89 (55%)	39 (24%)	34 (21%)	0	2
9	AI	126/128 (98%)	87 (69%)	24 (19%)	15 (12%)	0	7
9	AJ	126/128 (98%)	86 (68%)	25 (20%)	15 (12%)	0	7
10	AK	146/149 (98%)	83 (57%)	34 (23%)	29 (20%)	0	3
11	AL	131/141 (93%)	66 (50%)	33 (25%)	32 (24%)	0	2
12	AM	113/145 (78%)	48 (42%)	26 (23%)	39 (34%)	0	0
13	AN	120/122 (98%)	60 (50%)	33 (28%)	27 (22%)	0	2
14	AO	82/164 (50%)	40 (49%)	17 (21%)	25 (30%)	0	0
15	AP	136/138 (99%)	50 (37%)	43 (32%)	43 (32%)	0	0
16	AQ	111/186 (60%)	41 (37%)	32 (29%)	38 (34%)	0	0
17	AR	50/66 (76%)	19 (38%)	17 (34%)	14 (28%)	0	0
18	AS	104/113 (92%)	70 (67%)	18 (17%)	16 (15%)	0	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	AT	74/84 (88%)	33 (45%)	17 (23%)	24 (32%)	0	0
20	AU	108/119 (91%)	60 (56%)	25 (23%)	23 (21%)	0	2
21	AV	175/253 (69%)	69 (39%)	46 (26%)	60 (34%)	0	0
22	AW	62/70 (89%)	21 (34%)	25 (40%)	16 (26%)	0	1
23	AX	58/60 (97%)	29 (50%)	13 (22%)	16 (28%)	0	0
24	A0	103/118 (87%)	50 (48%)	33 (32%)	20 (19%)	0	3
25	A1	115/118 (98%)	48 (42%)	40 (35%)	27 (24%)	0	2
26	A2	98/100 (98%)	54 (55%)	18 (18%)	26 (26%)	0	1
27	A3	84/91 (92%)	32 (38%)	16 (19%)	36 (43%)	0	0
28	A4	71/73 (97%)	21 (30%)	19 (27%)	31 (44%)	0	0
29	A5	56/60 (93%)	25 (45%)	11 (20%)	20 (36%)	0	0
30	A6	51/82 (62%)	26 (51%)	8 (16%)	17 (33%)	0	0
31	A7	44/47 (94%)	14 (32%)	12 (27%)	18 (41%)	0	0
32	A8	61/64 (95%)	24 (39%)	16 (26%)	21 (34%)	0	0
33	A9	33/36 (92%)	19 (58%)	8 (24%)	6 (18%)	0	3
37	BE	232/256 (91%)	107 (46%)	58 (25%)	67 (29%)	0	0
38	BF	204/239 (85%)	113 (55%)	46 (22%)	45 (22%)	0	2
39	BG	206/209 (99%)	97 (47%)	63 (31%)	46 (22%)	0	2
40	BH	148/162 (91%)	90 (61%)	38 (26%)	20 (14%)	0	6
41	BI	99/101 (98%)	55 (56%)	24 (24%)	20 (20%)	0	3
42	BJ	153/156 (98%)	63 (41%)	49 (32%)	41 (27%)	0	1
43	BK	136/138 (99%)	67 (49%)	39 (29%)	30 (22%)	0	2
44	BL	125/128 (98%)	64 (51%)	27 (22%)	34 (27%)	0	0
45	BM	96/105 (91%)	54 (56%)	19 (20%)	23 (24%)	0	2
46	BN	117/129 (91%)	54 (46%)	33 (28%)	30 (26%)	0	1
47	BO	122/135 (90%)	65 (53%)	28 (23%)	29 (24%)	0	2
48	BP	123/126 (98%)	59 (48%)	30 (24%)	34 (28%)	0	0
49	BQ	58/61 (95%)	22 (38%)	10 (17%)	26 (45%)	0	0
50	BR	86/89 (97%)	36 (42%)	35 (41%)	15 (17%)	0	3
51	BS	81/88 (92%)	42 (52%)	24 (30%)	15 (18%)	0	3
52	BT	102/105 (97%)	62 (61%)	20 (20%)	20 (20%)	0	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	BU	71/88 (81%)	29 (41%)	24 (34%)	18 (25%)	0	1
54	BV	78/93 (84%)	35 (45%)	17 (22%)	26 (33%)	0	0
55	BW	97/106 (92%)	27 (28%)	46 (47%)	24 (25%)	0	2
56	BX	22/27 (82%)	9 (41%)	5 (23%)	8 (36%)	0	0
All	All	5832/6739 (86%)	2857 (49%)	1467 (25%)	1508 (26%)	0	1

5 of 1508 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	AC	17	ASN
3	AC	35	ALA
3	AC	54	SER
3	AC	68	LEU
3	AC	87	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	AC	174/180 (97%)	144 (83%)	30 (17%)	2	15
4	AD	135/139 (97%)	90 (67%)	45 (33%)	0	2
5	AE	156/284 (55%)	114 (73%)	42 (27%)	0	4
6	AF	152/193 (79%)	121 (80%)	31 (20%)	1	9
7	AG	102/147 (69%)	74 (72%)	28 (28%)	0	4
8	AH	137/147 (93%)	99 (72%)	38 (28%)	0	4
9	AI	98/98 (100%)	89 (91%)	9 (9%)	11	38
9	AJ	98/98 (100%)	89 (91%)	9 (9%)	11	38
10	AK	119/119 (100%)	96 (81%)	23 (19%)	1	11
11	AL	108/113 (96%)	91 (84%)	17 (16%)	3	19
12	AM	95/121 (78%)	71 (75%)	24 (25%)	0	5
13	AN	101/101 (100%)	74 (73%)	27 (27%)	0	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	AO	67/126 (53%)	51 (76%)	16 (24%)	1	5
15	AP	110/110 (100%)	73 (66%)	37 (34%)	0	2
16	AQ	89/149 (60%)	58 (65%)	31 (35%)	0	1
17	AR	44/52 (85%)	24 (54%)	20 (46%)	0	0
18	AS	88/92 (96%)	65 (74%)	23 (26%)	0	4
19	AT	67/73 (92%)	48 (72%)	19 (28%)	0	3
20	AU	97/105 (92%)	75 (77%)	22 (23%)	1	7
21	AV	151/203 (74%)	109 (72%)	42 (28%)	0	4
22	AW	51/56 (91%)	36 (71%)	15 (29%)	0	3
23	AX	52/52 (100%)	34 (65%)	18 (35%)	0	1
24	A0	89/101 (88%)	59 (66%)	30 (34%)	0	2
25	A1	96/97 (99%)	67 (70%)	29 (30%)	0	3
26	A2	79/79 (100%)	60 (76%)	19 (24%)	1	5
27	A3	64/67 (96%)	46 (72%)	18 (28%)	0	3
28	A4	66/66 (100%)	50 (76%)	16 (24%)	1	5
29	A5	51/53 (96%)	38 (74%)	13 (26%)	0	5
30	A6	46/69 (67%)	35 (76%)	11 (24%)	1	5
31	A7	39/40 (98%)	30 (77%)	9 (23%)	1	6
32	A8	50/51 (98%)	33 (66%)	17 (34%)	0	2
33	A9	34/35 (97%)	30 (88%)	4 (12%)	6	28
37	BE	202/220 (92%)	152 (75%)	50 (25%)	1	5
38	BF	160/188 (85%)	127 (79%)	33 (21%)	1	8
39	BG	180/181 (99%)	136 (76%)	44 (24%)	1	5
40	BH	115/123 (94%)	66 (57%)	49 (43%)	0	0
41	BI	90/90 (100%)	64 (71%)	26 (29%)	0	3
42	BJ	126/127 (99%)	106 (84%)	20 (16%)	3	18
43	BK	119/119 (100%)	73 (61%)	46 (39%)	0	0
44	BL	98/99 (99%)	81 (83%)	17 (17%)	2	15
45	BM	88/92 (96%)	70 (80%)	18 (20%)	1	9
46	BN	90/99 (91%)	70 (78%)	20 (22%)	1	7
47	BO	104/111 (94%)	85 (82%)	19 (18%)	2	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
48	BP	100/101 (99%)	80 (80%)	20 (20%)	1	9
49	BQ	49/50 (98%)	41 (84%)	8 (16%)	3	17
50	BR	79/80 (99%)	59 (75%)	20 (25%)	0	5
51	BS	72/74 (97%)	44 (61%)	28 (39%)	0	0
52	BT	96/97 (99%)	74 (77%)	22 (23%)	1	6
53	BU	64/77 (83%)	47 (73%)	17 (27%)	0	4
54	BV	71/80 (89%)	59 (83%)	12 (17%)	2	16
55	BW	76/82 (93%)	53 (70%)	23 (30%)	0	2
56	BX	19/22 (86%)	17 (90%)	2 (10%)	8	32
All	All	4903/5528 (89%)	3677 (75%)	1226 (25%)	1	5

5 of 1226 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
23	AX	23	LEU
29	A5	31	THR
51	BS	27	LYS
24	A0	27	SER
25	A1	113	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 187 such sidechains are listed below:

Mol	Chain	Res	Type
26	A2	79	GLN
31	A7	29	ASN
50	BR	62	GLN
27	A3	17	ASN
28	A4	32	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AB	122/123 (99%)	47 (38%)	5 (4%)
2	AA	2870/2915 (98%)	1226 (42%)	290 (10%)
34	BA	1515/1522 (99%)	452 (29%)	161 (10%)
35	BB	76/76 (100%)	34 (44%)	16 (21%)
35	BC	75/76 (98%)	31 (41%)	9 (12%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
36	B1	65/78 (83%)	24 (36%)	4 (6%)
All	All	4723/4790 (98%)	1814 (38%)	485 (10%)

5 of 1814 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AB	0	A
1	AB	1	U
1	AB	2	C
1	AB	3	C
1	AB	9	G

5 of 485 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	AA	1992	G
2	AA	2542	A
34	BA	1498	U
2	AA	2035	G
2	AA	2320	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AB	123/123 (100%)	-0.47	0 100 100	308, 357, 402, 412	0
2	AA	2872/2915 (98%)	-0.48	15 (0%) 90 87	232, 307, 404, 474	0
3	AC	221/228 (96%)	-0.06	4 (1%) 69 64	384, 428, 464, 467	0
4	AD	173/178 (97%)	0.47	11 (6%) 20 22	243, 279, 292, 298	0
5	AE	191/338 (56%)	0.54	36 (18%) 1 6	258, 311, 397, 403	0
6	AF	189/246 (76%)	-0.37	2 (1%) 80 75	233, 399, 427, 434	0
7	AG	122/176 (69%)	-0.35	2 (1%) 72 67	350, 366, 443, 447	0
8	AH	164/177 (92%)	-0.37	1 (0%) 89 86	320, 351, 366, 370	0
9	AI	128/128 (100%)	1.33	30 (23%) 1 5	580, 591, 602, 603	0
9	AJ	128/128 (100%)	1.93	49 (38%) 0 3	569, 582, 594, 596	0
10	AK	148/149 (99%)	-0.12	4 (2%) 55 50	305, 329, 353, 361	0
11	AL	133/141 (94%)	0.11	7 (5%) 27 28	455, 504, 541, 543	0
12	AM	117/145 (80%)	0.25	12 (10%) 7 11	286, 310, 364, 368	0
13	AN	122/122 (100%)	0.29	11 (9%) 10 14	245, 262, 277, 293	0
14	AO	84/164 (51%)	0.22	5 (5%) 23 23	330, 452, 471, 473	0
15	AP	138/138 (100%)	0.42	9 (6%) 20 21	283, 324, 364, 379	0
16	AQ	113/186 (60%)	-0.77	0 100 100	317, 367, 386, 390	0
17	AR	52/66 (78%)	0.63	7 (13%) 3 8	251, 267, 285, 288	0
18	AS	108/113 (95%)	0.15	2 (1%) 67 63	280, 311, 324, 332	0
19	AT	76/84 (90%)	-0.09	4 (5%) 27 28	329, 344, 360, 363	0
20	AU	110/119 (92%)	-0.08	7 (6%) 20 22	647, 661, 722, 724	0
21	AV	177/253 (69%)	-0.07	8 (4%) 34 33	295, 365, 416, 424	0
22	AW	64/70 (91%)	0.11	1 (1%) 72 67	346, 364, 373, 375	0
23	AX	60/60 (100%)	-0.22	0 100 100	291, 306, 315, 316	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
24	A0	105/118 (88%)	-0.16	2 (1%) 67 63	263, 281, 304, 308	0
25	A1	117/118 (99%)	-0.52	1 (0%) 84 79	267, 297, 311, 317	0
26	A2	100/100 (100%)	0.72	16 (16%) 2 7	416, 430, 462, 470	0
27	A3	86/91 (94%)	0.53	11 (12%) 4 9	359, 389, 475, 486	0
28	A4	73/73 (100%)	-0.00	6 (8%) 12 16	319, 354, 373, 378	0
29	A5	58/60 (96%)	0.04	2 (3%) 46 42	259, 314, 361, 373	0
30	A6	53/82 (64%)	0.17	4 (7%) 15 18	287, 316, 332, 340	0
31	A7	46/47 (97%)	0.19	1 (2%) 62 58	316, 339, 352, 357	0
32	A8	63/64 (98%)	-0.02	1 (1%) 72 67	262, 282, 294, 306	0
33	A9	35/36 (97%)	-0.58	0 100 100	281, 303, 316, 319	0
34	BA	1515/1522 (99%)	-0.49	4 (0%) 93 91	251, 312, 419, 609	0
35	BB	76/76 (100%)	7.38	60 (78%) 0 2	631, 651, 667, 669	0
35	BC	76/76 (100%)	-0.66	0 100 100	273, 310, 328, 337	0
36	B1	66/78 (84%)	5.89	43 (65%) 0 2	337, 829, 918, 922	0
37	BE	234/256 (91%)	0.16	21 (8%) 10 14	293, 321, 364, 385	0
38	BF	206/239 (86%)	0.73	39 (18%) 1 6	301, 349, 377, 382	0
39	BG	208/209 (99%)	0.05	6 (2%) 52 48	276, 299, 318, 329	0
40	BH	150/162 (92%)	0.63	20 (13%) 4 8	277, 295, 315, 324	0
41	BI	101/101 (100%)	1.10	28 (27%) 1 5	299, 318, 330, 336	0
42	BJ	155/156 (99%)	0.02	6 (3%) 40 38	326, 357, 370, 373	0
43	BK	138/138 (100%)	0.17	9 (6%) 20 21	266, 284, 297, 306	0
44	BL	127/128 (99%)	-0.37	0 100 100	385, 487, 499, 500	0
45	BM	98/105 (93%)	0.83	11 (11%) 6 10	337, 394, 423, 424	0
46	BN	119/129 (92%)	0.20	9 (7%) 15 18	288, 307, 330, 334	0
47	BO	124/135 (91%)	0.20	4 (3%) 48 44	265, 282, 319, 328	0
48	BP	125/126 (99%)	-0.89	0 100 100	350, 370, 412, 415	0
49	BQ	60/61 (98%)	-0.08	2 (3%) 47 43	322, 352, 360, 365	0
50	BR	88/89 (98%)	-0.39	3 (3%) 46 42	277, 288, 315, 318	0
51	BS	83/88 (94%)	-0.41	1 (1%) 79 73	271, 284, 303, 316	0
52	BT	104/105 (99%)	-0.21	3 (2%) 52 48	249, 268, 323, 344	0
53	BU	73/88 (82%)	0.27	9 (12%) 5 10	259, 296, 323, 348	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
54	BV	80/93 (86%)	0.17	5 (6%) 21 22	353, 369, 395, 399	0
55	BW	99/106 (93%)	-0.54	0 100 100	264, 281, 292, 300	0
56	BX	24/27 (88%)	-1.09	0 100 100	475, 489, 493, 496	0
All	All	10678/11529 (92%)	-0.05	554 (5%) 28 28	232, 322, 533, 922	0

The worst 5 of 554 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
36	B1	15	A	20.7
35	BB	4	G	18.9
36	B1	42	G	18.3
36	B1	17	G	17.4
35	BB	5	A	17.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.