



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 13, 2017 – 11:49 AM EDT

PDB ID : 5V57  
Title : 3.0A SYN structure of the multi-domain human smoothened receptor in complex with TC114  
Authors : Zhang, X.; Zhao, F.; Wu, Y.; Yang, J.; Han, G.W.; Zhao, S.; Ishchenko, A.; Ye, L.; Lin, X.; Ding, K.; Dharmarajan, V.; Griffin, P.R.; Gati, C.; Nelson, G.; Hunter, M.S.; Hanson, M.A.; Cherezov, V.; Stevens, R.C.; Tan, W.; Tao, H.; Xu, F.  
Deposited on : 2017-03-13  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20029077  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20029077


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1692 (3.00-3.00)
Clashscore	112137	2037 (3.00-3.00)
Ramachandran outliers	110173	1973 (3.00-3.00)
Sidechain outliers	110143	1976 (3.00-3.00)
RSRZ outliers	101464	1716 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	648	<div> <div>3%</div> <div>89%</div> <div>11%</div> </div>
1	B	648	<div> <div>2%</div> <div>87%</div> <div>11%</div> <div>.</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10101 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Smoothened homolog,Flavodoxin,Smoothened homolog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	645	Total	C	N	O	S	0	0	0
			4981	3194	841	911	35			
1	B	641	Total	C	N	O	S	0	0	0
			4968	3185	834	914	35			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1002	ALA	PRO	engineered mutation	UNP P00323
A	1098	TRP	TYR	engineered mutation	UNP P00323
A	559	HIS	-	expression tag	UNP Q99835
A	560	HIS	-	expression tag	UNP Q99835
A	561	HIS	-	expression tag	UNP Q99835
A	562	HIS	-	expression tag	UNP Q99835
A	563	HIS	-	expression tag	UNP Q99835
A	564	HIS	-	expression tag	UNP Q99835
A	565	HIS	-	expression tag	UNP Q99835
A	566	HIS	-	expression tag	UNP Q99835
A	567	HIS	-	expression tag	UNP Q99835
A	568	HIS	-	expression tag	UNP Q99835
B	1002	ALA	PRO	engineered mutation	UNP P00323
B	1098	TRP	TYR	engineered mutation	UNP P00323
B	559	HIS	-	expression tag	UNP Q99835
B	560	HIS	-	expression tag	UNP Q99835
B	561	HIS	-	expression tag	UNP Q99835
B	562	HIS	-	expression tag	UNP Q99835
B	563	HIS	-	expression tag	UNP Q99835
B	564	HIS	-	expression tag	UNP Q99835
B	565	HIS	-	expression tag	UNP Q99835
B	566	HIS	-	expression tag	UNP Q99835
B	567	HIS	-	expression tag	UNP Q99835
B	568	HIS	-	expression tag	UNP Q99835

- Molecule 2 is N-methyl-N-[1-[4-(2-methylpyrazol-3-yl)phthalazin-1-yl]piperidin-4-yl]-4-nitro-2-(trifluoromethyl)benzamide (three-letter code: 836) (formula:  $C_{26}H_{24}F_3N_7O_3$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			39	26	3	7	3		
2	B	1	Total	C	F	N	O	0	0
			39	26	3	7	3		

- Molecule 3 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula:  $C_{17}H_{21}N_4O_9P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
3	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 4 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C<sub>21</sub>H<sub>40</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			12	8	4		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Smoothened homolog,Flavodoxin,Smoothened homolog



- Molecule 1: Smoothened homolog,Flavodoxin,Smoothened homolog



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	40.08 Å   356.36 Å   59.09 Å 90.00°   102.79°   90.00°	Depositor
Resolution (Å)	48.38 – 3.00 44.81 – 3.00	Depositor EDS
% Data completeness (in resolution range)	91.9 (48.38-3.00) 91.9 (44.81-3.00)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.82 (at 3.01 Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, $R_{free}$	0.203   ,   0.240 0.219   ,   0.258	Depositor DCC
$R_{free}$ test set	1500 reflections (5.08%)	DCC
Wilson B-factor (Å <sup>2</sup> )	67.7	Xtriage
Anisotropy	0.254	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 55.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	10101	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.72% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, OLC, 836

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.48	0/5113	0.58	0/6968
1	B	0.49	0/5100	0.58	0/6949
All	All	0.49	0/10213	0.58	0/13917

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4981	0	4769	47	0
1	B	4968	0	4769	42	0
2	A	39	0	0	0	0
2	B	39	0	0	0	0
3	A	31	0	19	0	0
3	B	31	0	19	0	0
4	B	12	0	13	0	0
All	All	10101	0	9589	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.



All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:ASN:HB2	1:A:494:VAL:HG12	1.38	1.02
1:B:195:VAL:HG23	1:B:196:PRO:HD3	1.62	0.80
1:A:195:VAL:HG23	1:A:196:PRO:HD3	1.68	0.75
1:A:114:ASN:CB	1:A:494:VAL:HG12	2.17	0.73
1:A:156:ILE:HG22	1:A:209:ASP:HB3	1.71	0.72
1:A:251:THR:HG21	1:A:536:VAL:HG21	1.74	0.67
1:A:548:THR:O	1:A:552:LEU:HB2	1.92	0.67
1:A:251:THR:HB	1:A:545:TRP:CH2	2.29	0.66
1:A:251:THR:CG2	1:A:536:VAL:HG21	2.27	0.65
1:A:114:ASN:HB2	1:A:494:VAL:CG1	2.22	0.64
1:A:114:ASN:OD1	1:A:493:ASN:HB3	2.00	0.61
1:B:112:LEU:HD11	1:B:496:ILE:HA	1.82	0.61
1:A:494:VAL:HG23	1:A:494:VAL:O	2.01	0.60
1:B:114:ASN:HB2	1:B:493:ASN:O	2.00	0.60
1:B:210:VAL:O	1:B:210:VAL:HG12	2.01	0.59
1:B:110:SER:O	1:B:113:ARG:HG3	2.03	0.59
1:B:1055:LEU:HD12	1:B:1112:LEU:HD11	1.85	0.58
1:A:110:SER:O	1:A:113:ARG:HG3	2.03	0.58
1:B:1069:ASP:HA	1:B:1072:ILE:HD13	1.86	0.58
1:A:1069:ASP:HA	1:A:1072:ILE:HD13	1.85	0.58
1:A:156:ILE:CG2	1:A:209:ASP:HB3	2.35	0.57
1:B:164:PRO:HD2	1:B:167:LEU:HB2	1.87	0.57
1:B:1053:VAL:HB	1:B:1088:VAL:HG12	1.88	0.56
1:A:164:PRO:HD2	1:A:167:LEU:HB2	1.86	0.56
1:B:195:VAL:CG2	1:B:196:PRO:HD3	2.35	0.56
1:B:256:TRP:O	1:B:260:ASN:HB2	2.06	0.56
1:B:1140:TRP:O	1:B:1144:VAL:HG23	2.08	0.54
1:A:1053:VAL:HB	1:A:1088:VAL:HG12	1.89	0.53
1:B:305:GLU:HG3	1:B:306:PRO:HA	1.90	0.52
1:A:1055:LEU:HD12	1:A:1112:LEU:HD11	1.91	0.52
1:A:251:THR:HB	1:A:545:TRP:CZ3	2.44	0.52
1:A:1017:TYR:CZ	1:A:1131:ARG:HG3	2.44	0.52
1:B:500:THR:HB	1:B:503:PRO:HG3	1.92	0.52
1:B:294:VAL:O	1:B:302:ARG:HG3	2.10	0.51
1:A:195:VAL:CG2	1:A:196:PRO:HD3	2.39	0.51
1:B:231:HIS:CD2	1:B:290:ARG:NH1	2.79	0.50
1:A:451:ARG:HH12	1:A:535:TRP:HA	1.75	0.50
1:A:361:HIS:HD2	1:A:365:TRP:HE1	1.60	0.50
1:A:495:THR:HG22	1:A:495:THR:O	2.12	0.50
1:A:119:TRP:O	1:A:123:GLN:HG3	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1121:GLN:HE22	1:A:1143:ASP:HB3	1.76	0.49
1:B:119:TRP:O	1:B:123:GLN:HG3	2.11	0.49
1:B:1121:GLN:HE22	1:B:1143:ASP:HB3	1.77	0.48
1:B:158:GLU:HA	1:B:162:GLY:HA2	1.95	0.48
1:A:195:VAL:HG23	1:A:196:PRO:CD	2.43	0.48
1:A:382:ASP:HB2	1:A:394:TYR:HB2	1.96	0.48
1:A:158:GLU:HA	1:A:162:GLY:HA2	1.94	0.47
1:B:382:ASP:HB2	1:B:394:TYR:HB2	1.96	0.47
1:A:477:GLN:HA	1:A:480:TRP:CE3	2.49	0.47
1:B:477:GLN:HA	1:B:480:TRP:CE3	2.49	0.46
1:B:1095:ASP:HB3	1:B:1098:TRP:HD1	1.79	0.46
1:B:156:ILE:HG22	1:B:209:ASP:HB3	1.98	0.46
1:A:508:GLU:HG2	1:A:509:ILE:N	2.31	0.46
1:A:406:ALA:HB3	1:A:407:PRO:HD3	1.98	0.46
1:B:207:TYR:CD1	1:B:207:TYR:C	2.88	0.46
1:B:302:ARG:HH21	1:B:310:GLU:HB3	1.80	0.46
1:B:195:VAL:HG23	1:B:196:PRO:CD	2.38	0.45
1:B:124:PRO:HB2	1:B:146:LEU:HD11	1.99	0.45
1:A:262:TYR:OH	1:A:357:THR:HA	2.17	0.45
1:B:406:ALA:HB3	1:B:407:PRO:HD3	1.98	0.45
1:B:196:PRO:HD3	1:B:491:GLN:HG2	2.00	0.43
1:B:296:ARG:HG3	1:B:302:ARG:HG2	2.00	0.43
1:A:92:LEU:HD21	1:A:141:LEU:HD23	2.00	0.43
1:B:262:TYR:HA	1:B:265:VAL:HG12	2.00	0.43
1:A:124:PRO:HB2	1:A:146:LEU:HD11	2.01	0.43
1:A:551:ARG:HB3	1:A:560:HIS:HE1	1.83	0.43
1:A:196:PRO:HG2	1:A:491:GLN:CB	2.49	0.43
1:A:114:ASN:CB	1:A:494:VAL:CG1	2.90	0.42
1:B:92:LEU:HD21	1:B:141:LEU:HD23	2.01	0.42
1:A:425:THR:O	1:A:429:ILE:HG12	2.19	0.42
1:A:361:HIS:CD2	1:A:365:TRP:HE1	2.37	0.42
1:B:339:TRP:CZ3	1:B:422:GLY:HA3	2.54	0.42
1:B:116:PRO:HB3	1:B:190:SER:O	2.20	0.42
1:B:1109:GLU:O	1:B:1113:LYS:HB2	2.20	0.42
1:A:493:ASN:HB3	1:A:494:VAL:H	1.58	0.42
1:B:498:LEU:C	1:B:500:THR:H	2.23	0.42
1:B:555:GLN:HA	1:B:560:HIS:HB3	2.02	0.42
1:A:1141:ALA:O	1:A:1144:VAL:HG12	2.20	0.42
1:A:92:LEU:HD12	1:A:132:PRO:HG3	2.03	0.41
1:A:1088:VAL:HG21	1:A:1112:LEU:HD13	2.03	0.41
1:B:92:LEU:HD12	1:B:132:PRO:HG3	2.03	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1025:GLU:HG2	1:A:1141:ALA:HB3	2.02	0.41
1:A:251:THR:HG21	1:A:536:VAL:CG2	2.47	0.41
1:B:1011:THR:HB	1:B:1060:TRP:CZ2	2.56	0.41
1:A:302:ARG:NE	1:A:314:CYS:HB2	2.36	0.41
1:B:123:GLN:HB2	1:B:124:PRO:HD3	2.03	0.40
1:A:1113:LYS:O	1:B:1131:ARG:HD3	2.21	0.40
1:B:540:ALA:O	1:B:544:ILE:HG12	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	643/648 (99%)	604 (94%)	39 (6%)	0	100	100
1	B	639/648 (99%)	601 (94%)	38 (6%)	0	100	100
All	All	1282/1296 (99%)	1205 (94%)	77 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	518/539 (96%)	506 (98%)	12 (2%)	56	85

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	522/539 (97%)	512 (98%)	10 (2%)	62	88
All	All	1040/1078 (96%)	1018 (98%)	22 (2%)	59	87

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	176	GLU
1	A	199	ARG
1	A	262	TYR
1	A	350	TYR
1	A	359	TYR
1	A	1098	TRP
1	A	490	CYS
1	A	496	ILE
1	A	499	PRO
1	A	507	CYS
1	A	525	MET
1	A	545	TRP
1	B	176	GLU
1	B	209	ASP
1	B	261	ARG
1	B	262	TYR
1	B	356	LYS
1	B	1069	ASP
1	B	1084	GLN
1	B	1099	GLU
1	B	549	TRP
1	B	558	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1121	GLN
1	B	1084	GLN
1	B	1121	GLN
1	B	555	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	836	A	1201	-	41,43,43	3.16	14 (34%)	53,64,64	1.57	9 (16%)
3	FMN	A	1202	-	31,33,33	1.43	5 (16%)	38,50,50	2.71	6 (15%)
2	836	B	1201	-	41,43,43	3.12	14 (34%)	53,64,64	1.56	11 (20%)
3	FMN	B	1202	-	31,33,33	1.37	5 (16%)	38,50,50	2.71	6 (15%)
4	OLC	B	1203	-	11,11,24	1.41	1 (9%)	12,12,25	1.15	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	836	A	1201	-	-	0/26/40/40	0/5/5/5
3	FMN	A	1202	-	-	0/16/18/18	0/3/3/3
2	836	B	1201	-	-	0/26/40/40	0/5/5/5
3	FMN	B	1202	-	-	0/16/18/18	0/3/3/3
4	OLC	B	1203	-	-	0/11/11/24	0/0/0/0

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1201	836	C2-C3	-4.78	1.32	1.39
2	B	1201	836	C6-C5	-4.25	1.33	1.39
2	A	1201	836	C6-C5	-4.21	1.33	1.39
2	A	1201	836	C2-C3	-4.17	1.33	1.39
2	B	1201	836	C24-C23	-3.55	1.34	1.39
2	A	1201	836	C24-C23	-3.43	1.34	1.39
2	B	1201	836	C7-C1	-2.87	1.33	1.38
2	A	1201	836	C7-C1	-2.79	1.33	1.38
2	A	1201	836	C12-N2	-2.71	1.42	1.46
2	B	1201	836	C12-N2	-2.51	1.42	1.46
2	A	1201	836	O2-N1	-2.32	1.18	1.22
2	B	1201	836	O2-N1	-2.29	1.18	1.22
2	B	1201	836	C23-C22	2.14	1.53	1.49
2	A	1201	836	C23-C22	2.15	1.53	1.49
3	A	1202	FMN	C9A-N10	2.80	1.42	1.38
3	B	1202	FMN	C5A-N5	2.86	1.39	1.35
3	A	1202	FMN	C5A-N5	2.95	1.39	1.35
3	B	1202	FMN	C4A-C10	3.05	1.46	1.41
3	B	1202	FMN	C4-C4A	3.12	1.47	1.41
3	B	1202	FMN	C4-N3	3.14	1.38	1.33
3	B	1202	FMN	C9A-N10	3.16	1.42	1.38
2	B	1201	836	C15-N2	3.26	1.46	1.36
3	A	1202	FMN	C4A-C10	3.26	1.46	1.41
3	A	1202	FMN	C4-N3	3.27	1.39	1.33
2	A	1201	836	C15-N2	3.37	1.47	1.36
2	B	1201	836	C25-N5	3.50	1.41	1.33
2	A	1201	836	C25-N5	3.61	1.41	1.33
3	A	1202	FMN	C4-C4A	3.84	1.48	1.41
4	B	1203	OLC	O20-C1	4.49	1.46	1.33
2	A	1201	836	C24-C25	5.59	1.45	1.38
2	B	1201	836	C24-C25	5.63	1.45	1.38
2	A	1201	836	C8-N01	5.71	1.46	1.34
2	B	1201	836	C8-N01	6.05	1.47	1.34
2	B	1201	836	C2-C1	7.86	1.53	1.39
2	B	1201	836	C5-C3	8.32	1.54	1.40
2	B	1201	836	C7-C6	8.41	1.53	1.38
2	A	1201	836	C7-C6	8.44	1.53	1.38
2	A	1201	836	C2-C1	8.47	1.54	1.39
2	A	1201	836	C5-C3	8.52	1.54	1.40

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1202	FMN	C4A-C4-N3	-6.88	113.69	123.48
3	B	1202	FMN	C4A-C4-N3	-6.81	113.79	123.48
3	A	1202	FMN	C4A-C10-N10	-6.08	116.30	120.52
3	B	1202	FMN	C4A-C10-N10	-5.94	116.39	120.52
2	A	1201	836	C16-C15-N4	-4.93	118.81	126.84
2	B	1201	836	C16-C15-N4	-4.56	119.41	126.84
2	A	1201	836	C26-N6-C23	-4.30	124.12	129.70
2	B	1201	836	C26-N6-C23	-4.08	124.41	129.70
3	B	1202	FMN	C4-C4A-C10	-3.24	117.34	119.96
3	A	1202	FMN	C4-C4A-C10	-3.21	117.36	119.96
2	A	1201	836	C17-C22-N3	-2.86	119.82	122.89
2	B	1201	836	C17-C22-N3	-2.67	120.02	122.89
2	B	1201	836	C3-C5-C8	-2.09	119.95	122.80
2	B	1201	836	C23-N6-N5	2.02	113.51	111.96
2	B	1201	836	C9-N01-C10	2.09	120.20	117.84
2	A	1201	836	C9-N01-C10	2.16	120.28	117.84
2	A	1201	836	C15-N4-N3	2.17	122.89	118.53
2	A	1201	836	C5-C8-N01	2.17	121.53	118.77
2	B	1201	836	C15-N4-N3	2.17	122.91	118.53
2	B	1201	836	C5-C8-N01	2.30	121.69	118.77
2	A	1201	836	C23-N6-N5	2.49	113.87	111.96
4	B	1203	OLC	O20-C1-C2	2.70	119.76	111.90
3	A	1202	FMN	P-O5'-C5'	2.76	125.90	118.30
2	A	1201	836	C12-N2-C13	2.96	117.84	111.57
2	B	1201	836	C7-C1-N1	2.96	121.67	119.41
2	B	1201	836	C12-N2-C13	3.09	118.13	111.57
3	B	1202	FMN	P-O5'-C5'	3.19	127.08	118.30
3	A	1202	FMN	C10-C4A-N5	3.28	124.36	120.59
3	B	1202	FMN	C10-C4A-N5	3.35	124.45	120.59
2	B	1201	836	C25-C24-C23	3.52	107.64	104.80
2	A	1201	836	C25-C24-C23	3.67	107.76	104.80
3	B	1202	FMN	C4-N3-C2	12.34	125.95	115.16
3	A	1202	FMN	C4-N3-C2	12.37	125.98	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	645/648 (99%)	-0.10	17 (2%) 56 27	41, 77, 147, 174	0
1	B	641/648 (98%)	-0.21	10 (1%) 72 44	40, 70, 142, 175	0
All	All	1286/1296 (99%)	-0.16	27 (2%) 64 34	40, 74, 145, 175	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	58	PRO	8.4
1	A	59	PRO	6.5
1	A	350	TYR	5.7
1	A	349	THR	5.6
1	A	351	GLN	4.7
1	B	184	ASN	3.5
1	B	183	GLN	3.2
1	A	354	SER	3.1
1	B	549	TRP	3.0
1	A	559	HIS	2.9
1	B	59	PRO	2.7
1	B	176	GLU	2.7
1	B	177	GLY	2.6
1	A	89	SER	2.6
1	A	556	SER	2.5
1	A	134	CYS	2.4
1	B	185	ILE	2.4
1	A	358	SER	2.4
1	A	169	CYS	2.4
1	A	214	GLY	2.3
1	A	60	PRO	2.3
1	A	96	SER	2.3
1	B	73	LEU	2.2
1	A	348	THR	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	555	GLN	2.2
1	A	201	ASP	2.2
1	B	188	ASN	2.2

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	OLC	B	1203	12/25	0.85	0.27	1.86	71,79,84,85	0
2	836	A	1201	39/39	0.95	0.28	1.39	73,79,98,100	0
2	836	B	1201	39/39	0.95	0.24	1.32	66,70,91,94	0
3	FMN	A	1202	31/31	0.97	0.17	-0.16	48,50,57,59	0
3	FMN	B	1202	31/31	0.97	0.17	-0.21	39,45,49,52	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.