



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 12, 2018 – 06:25 PM EDT

PDB ID : 4V90
Title : THERMUS THERMOPHILUS RIBOSOME
Authors : Chen, Y.; Feng, S.; Kumar, V.; Ero, R.; Gao, Y.G.
Deposited on : 2014-02-22
Resolution : 2.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030736
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2395 (3.00-2.92)
Clashscore	112137	2773 (3.00-2.92)
Ramachandran outliers	110173	2680 (3.00-2.92)
Sidechain outliers	110143	2683 (3.00-2.92)
RSRZ outliers	101464	2421 (3.00-2.92)
RNA backbone	2435	1008 (3.30-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1519	<div> <div>3%</div> <div>33%</div> <div>47%</div> <div>19%</div> <div>.</div> </div>
2	AB	256	<div> <div>7%</div> <div>21%</div> <div>49%</div> <div>18%</div> <div>.</div> <div>8%</div> </div>
3	AC	239	<div> <div>4%</div> <div>23%</div> <div>44%</div> <div>18%</div> <div>.</div> <div>13%</div> </div>
4	AD	209	<div> <div>2%</div> <div>45%</div> <div>45%</div> <div>9%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	AE	162	
6	AF	101	
7	AG	156	
8	AH	138	
9	AI	128	
10	AJ	105	
11	AK	129	
12	AL	132	
13	AM	126	
14	AN	61	
15	AO	89	
16	AP	88	
17	AQ	105	
18	AR	88	
19	AS	93	
20	AT	106	
21	AU	27	
22	AV	76	
23	AX	9	
24	AY	691	
25	B0	84	
26	B1	97	
27	B2	71	
28	B3	60	
29	B4	71	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	B5	59	
31	B6	53	
32	B7	48	
33	B8	64	
34	B9	37	
35	BA	2915	
36	BB	122	
37	BC	228	
38	BD	275	
39	BE	206	
40	BF	210	
41	BG	181	
42	BH	180	
43	BJ	130	
44	BK	140	
45	BL	71	
46	BN	140	
47	BO	122	
48	BP	149	
49	BQ	141	
50	BR	117	
51	BS	111	
52	BT	146	
53	BU	117	
54	BV	101	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
55	BW	113	
56	BX	95	
57	BY	109	
58	BZ	205	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
59	MG	AA	1604	-	-	-	X
59	MG	AA	1615	-	-	-	X
59	MG	AA	1616	-	-	-	X
59	MG	AA	1623	-	-	-	X
59	MG	AA	1625	-	-	-	X
59	MG	AA	1636	-	-	-	X
59	MG	AA	1638	-	-	-	X
59	MG	AA	1639	-	-	-	X
59	MG	AA	1645	-	-	-	X
59	MG	AA	1649	-	-	-	X
59	MG	AA	1665	-	-	-	X
59	MG	AA	1671	-	-	-	X
59	MG	AA	1677	-	-	-	X
59	MG	AA	1678	-	-	-	X
59	MG	AA	1684	-	-	-	X
59	MG	AA	1686	-	-	-	X
59	MG	AA	1690	-	-	-	X
59	MG	AA	1692	-	-	-	X
59	MG	AA	1700	-	-	-	X
59	MG	AA	1704	-	-	-	X
59	MG	AA	1715	-	-	-	X
59	MG	AA	1724	-	-	-	X
59	MG	AA	1729	-	-	-	X
59	MG	AA	1733	-	-	-	X
59	MG	AA	1741	-	-	-	X
59	MG	AA	1756	-	-	-	X
59	MG	AA	1760	-	-	-	X
59	MG	AA	1762	-	-	-	X
59	MG	AA	1777	-	-	-	X
59	MG	B0	101	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
59	MG	BA	3004	-	-	-	X
59	MG	BA	3006	-	-	-	X
59	MG	BA	3007	-	-	-	X
59	MG	BA	3024	-	-	-	X
59	MG	BA	3039	-	-	-	X
59	MG	BA	3043	-	-	-	X
59	MG	BA	3044	-	-	-	X
59	MG	BA	3048	-	-	-	X
59	MG	BA	3051	-	-	-	X
59	MG	BA	3052	-	-	-	X
59	MG	BA	3053	-	-	-	X
59	MG	BA	3056	-	-	-	X
59	MG	BA	3071	-	-	-	X
59	MG	BA	3075	-	-	-	X
59	MG	BA	3077	-	-	-	X
59	MG	BA	3078	-	-	-	X
59	MG	BA	3082	-	-	-	X
59	MG	BA	3084	-	-	-	X
59	MG	BA	3087	-	-	-	X
59	MG	BA	3088	-	-	-	X
59	MG	BA	3091	-	-	-	X
59	MG	BA	3094	-	-	-	X
59	MG	BA	3097	-	-	-	X
59	MG	BA	3098	-	-	-	X
59	MG	BA	3104	-	-	-	X
59	MG	BA	3108	-	-	-	X
59	MG	BA	3109	-	-	-	X
59	MG	BA	3110	-	-	-	X
59	MG	BA	3111	-	-	-	X
59	MG	BA	3113	-	-	-	X
59	MG	BA	3116	-	-	-	X
59	MG	BA	3120	-	-	-	X
59	MG	BA	3125	-	-	-	X
59	MG	BA	3127	-	-	-	X
59	MG	BA	3129	-	-	-	X
59	MG	BA	3139	-	-	-	X
59	MG	BA	3145	-	-	-	X
59	MG	BA	3149	-	-	-	X
59	MG	BA	3153	-	-	-	X
59	MG	BA	3154	-	-	-	X
59	MG	BA	3169	-	-	-	X
59	MG	BA	3172	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
59	MG	BA	3174	-	-	-	X
59	MG	BA	3176	-	-	-	X
59	MG	BA	3180	-	-	-	X
59	MG	BA	3181	-	-	-	X
59	MG	BA	3184	-	-	-	X
59	MG	BA	3189	-	-	-	X
59	MG	BA	3196	-	-	-	X
59	MG	BA	3199	-	-	-	X
59	MG	BA	3206	-	-	-	X
59	MG	BA	3207	-	-	-	X
59	MG	BA	3209	-	-	-	X
59	MG	BA	3210	-	-	-	X
59	MG	BA	3214	-	-	-	X
59	MG	BA	3228	-	-	-	X
59	MG	BA	3236	-	-	-	X
59	MG	BA	3248	-	-	-	X
59	MG	BA	3257	-	-	-	X
59	MG	BA	3258	-	-	-	X
59	MG	BA	3266	-	-	-	X
59	MG	BA	3271	-	-	-	X
59	MG	BA	3277	-	-	-	X
59	MG	BA	3279	-	-	-	X
59	MG	BA	3282	-	-	-	X
59	MG	BA	3295	-	-	-	X
59	MG	BA	3298	-	-	-	X
59	MG	BA	3310	-	-	-	X
59	MG	BA	3312	-	-	-	X
59	MG	BA	3313	-	-	-	X
59	MG	BA	3315	-	-	-	X
60	ZN	AD	301	-	-	-	X
61	GCP	AY	701	-	-	X	-

2 Entry composition

There are 62 unique types of molecules in this entry. The entry contains 153829 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1507	Total	C	N	O	P	0	0	0
			32391	14418	6002	10465	1506			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	1030	C	-	insertion	GB 48256
AA	1034	G	-	insertion	GB 48256
AA	1245	A	-	insertion	GB 48256
AA	1246	C	-	insertion	GB 48256

- Molecule 2 is a protein called 30S RIBOSOMAL PROTEIN S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	235	Total	C	N	O	S	0	0	1
			1901	1213	342	341	5			

- Molecule 3 is a protein called 30S RIBOSOMAL PROTEIN S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	207	Total	C	N	O	S	0	0	1
			1613	1016	315	281	1			

- Molecule 4 is a protein called 30S RIBOSOMAL PROTEIN S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S RIBOSOMAL PROTEIN S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	151	Total	C	N	O	S	0	0	1
			1147	724	218	201	4			

- Molecule 6 is a protein called 30S RIBOSOMAL PROTEIN S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S RIBOSOMAL PROTEIN S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S RIBOSOMAL PROTEIN S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S RIBOSOMAL PROTEIN S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	AI	127	Total	C	N	O	0	0	0
			1010	639	197	174			

- Molecule 10 is a protein called 30S RIBOSOMAL PROTEIN S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AJ	99	Total	C	N	O	S	0	0	1
			795	499	157	138	1			

- Molecule 11 is a protein called 30S RIBOSOMAL PROTEIN S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 12 is a protein called 30S RIBOSOMAL PROTEIN S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AL	125	Total	C	N	O	S	0	0	1
			971	611	196	163	1			

- Molecule 13 is a protein called 30S RIBOSOMAL PROTEIN S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AM	119	Total	C	N	O	S	0	0	1
			938	579	194	163	2			

- Molecule 14 is a protein called 30S RIBOSOMAL PROTEIN S14 TYPE Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S RIBOSOMAL PROTEIN S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 16 is a protein called 30S RIBOSOMAL PROTEIN S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AP	84	Total	C	N	O	S	0	0	1
			701	443	140	117	1			

- Molecule 17 is a protein called 30S RIBOSOMAL PROTEIN S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AQ	100	Total	C	N	O	S	0	0	1
			824	528	152	142	2			

- Molecule 18 is a protein called 30S RIBOSOMAL PROTEIN S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AR	70	Total	C	N	O	0	0	0
			574	367	112	95			

- Molecule 19 is a protein called 30S RIBOSOMAL PROTEIN S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AS	88	Total	C	N	O	S	0	0	1
			692	440	128	122	2			

- Molecule 20 is a protein called 30S RIBOSOMAL PROTEIN S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S RIBOSOMAL PROTEIN THX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	AU	25	Total	C	N	O	0	0	1
			209	128	51	30			

- Molecule 22 is a RNA chain called RNA (77-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	AV	76	Total	C	N	O	P	0	0	0
			1619	723	291	530	75			

- Molecule 23 is a RNA chain called 5'-R(*UP*AP*AP*AP*AP*AP*UP*GP*UP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	AX	9	Total	C	N	O	P	0	0	0
			188	86	34	60	8			

- Molecule 24 is a protein called ELONGATION FACTOR G.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	AY	687	Total	C	N	O	S	0	0	1
			5376	3412	922	1022	20			

- Molecule 25 is a protein called 50S RIBOSOMAL PROTEIN L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	B0	84	Total	C	N	O	S	0	0	0
			662	410	140	111	1			

- Molecule 26 is a protein called 50S RIBOSOMAL PROTEIN L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	B1	94	Total	C	N	O	S	0	0	1
			732	460	146	125	1			

- Molecule 27 is a protein called 50S RIBOSOMAL PROTEIN L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	B2	71	Total	C	N	O	S	0	0	0
			598	370	121	106	1			

- Molecule 28 is a protein called 50S RIBOSOMAL PROTEIN L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	B3	60	Total	C	N	O	S	0	0	1
			468	298	91	78	1			

- Molecule 29 is a protein called 50S RIBOSOMAL PROTEIN L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	B4	71	Total	C	N	O	S	0	0	0
			581	364	108	104	5			

- Molecule 30 is a protein called 50S RIBOSOMAL PROTEIN L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	B5	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			

- Molecule 31 is a protein called 50S RIBOSOMAL PROTEIN L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	B6	50	Total	C	N	O	S	0	0	0
			433	270	88	71	4			

- Molecule 32 is a protein called 50S RIBOSOMAL PROTEIN L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	B7	48	Total	C	N	O	S	0	0	0
			419	257	104	56	2			

- Molecule 33 is a protein called 50S RIBOSOMAL PROTEIN L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	B8	64	Total	C	N	O	S	0	0	1
			508	326	102	78	2			

- Molecule 34 is a protein called 50S RIBOSOMAL PROTEIN L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	B9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 35 is a RNA chain called 23S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	BA	2901	Total	C	N	O	P	0	0	0
			62476	27807	11683	20086	2900			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BA	2155	G	A	conflict	GB 55771382

- Molecule 36 is a RNA chain called 5S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	BB	119	Total	C	N	O	P	0	0	0
			2551	1136	471	826	118			

- Molecule 37 is a protein called RIBOSOMAL PROTEIN L1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BC	227	Total	C	N	O	S	0	0	0
			1735	1096	318	318	3			

- Molecule 38 is a protein called 50S RIBOSOMAL PROTEIN L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BD	275	Total	C	N	O	S	0	0	0
			2145	1353	428	361	3			

- Molecule 39 is a protein called 50S RIBOSOMAL PROTEIN L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BE	205	Total	C	N	O	S	0	0	1
			1564	988	300	270	6			

- Molecule 40 is a protein called 50S RIBOSOMAL PROTEIN L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	BF	208	Total	C	N	O	S	0	0	1
			1624	1035	304	282	3			

- Molecule 41 is a protein called 50S RIBOSOMAL PROTEIN L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	BG	179	Total	C	N	O	S	0	0	0
			1459	931	266	258	4			

- Molecule 42 is a protein called 50S RIBOSOMAL PROTEIN L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BH	176	Total	C	N	O	S	0	0	1
			1345	853	253	237	2			

- Molecule 43 is a protein called CHAIN J.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
43	BJ	130	Total	C	N	O	0	0	0
			654	393	130	131			

- Molecule 44 is a protein called CHAIN K.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
44	BK	140	Total	C	N	O	0	0	0
			701	420	140	141			

- Molecule 45 is a protein called CHAIN L.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
45	BL	71	Total	C	N	O	0	0	0
			356	213	71	72			

- Molecule 46 is a protein called 50S RIBOSOMAL PROTEIN L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	BN	139	Total	C	N	O	S	0	0	1
			1105	712	207	182	4			

- Molecule 47 is a protein called 50S RIBOSOMAL PROTEIN L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	BO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 48 is a protein called 50S RIBOSOMAL PROTEIN L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	BP	146	Total	C	N	O	S	0	0	0
			1114	692	227	193	2			

- Molecule 49 is a protein called 50S RIBOSOMAL PROTEIN L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	BQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 50 is a protein called 50S RIBOSOMAL PROTEIN L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	BR	117	Total	C	N	O		0	0	0
			960	599	202	159				

- Molecule 51 is a protein called 50S RIBOSOMAL PROTEIN L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	BS	99	Total	C	N	O		0	0	1
			771	486	155	130				

- Molecule 52 is a protein called 50S RIBOSOMAL PROTEIN L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	BT	138	Total	C	N	O	S	0	0	1
			1142	710	235	196	1			

- Molecule 53 is a protein called 50S RIBOSOMAL PROTEIN L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	BU	117	Total	C	N	O	S	0	0	0
			958	604	202	151	1			

- Molecule 54 is a protein called 50S RIBOSOMAL PROTEIN L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	BV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			

- Molecule 55 is a protein called 50S RIBOSOMAL PROTEIN L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	BW	113	Total	C	N	O	S	0	0	0
			896	563	176	155	2			

- Molecule 56 is a protein called 50S RIBOSOMAL PROTEIN L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	BX	93	Total	C	N	O	S	0	0	1
			726	471	132	123				

- Molecule 57 is a protein called 50S RIBOSOMAL PROTEIN L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
57	BY	101	Total	C	N	O	S	0	0	1
			776	500	149	123	4			

- Molecule 58 is a protein called 50S RIBOSOMAL PROTEIN L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
58	BZ	185	Total	C	N	O	S	0	0	1
			1468	936	262	268	2			

- Molecule 59 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	B5	1	Total	Mg	0	0
			1	1		
59	BU	1	Total	Mg	0	0
			1	1		
59	BA	320	Total	Mg	0	0
			320	320		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	AA	198	Total	Mg	0	0
			198	198		
59	B0	1	Total	Mg	0	0
			1	1		
59	AY	1	Total	Mg	0	0
			1	1		
59	BC	1	Total	Mg	0	0
			1	1		

- Molecule 60 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	B9	1	Total	Zn	0	0
			1	1		
60	AD	1	Total	Zn	0	0
			1	1		
60	AN	1	Total	Zn	0	0
			1	1		

- Molecule 61 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: GCP) (formula: C₁₁H₁₈N₅O₁₃P₃).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	AY	2	Total	O	0	0
			2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 16S RIBOSOMAL RNA




- Molecule 3: 30S RIBOSOMAL PROTEIN S3




- Molecule 4: 30S RIBOSOMAL PROTEIN S4




- Molecule 5: 30S RIBOSOMAL PROTEIN S5




- Molecule 6: 30S RIBOSOMAL PROTEIN S6




- Molecule 7: 30S RIBOSOMAL PROTEIN S7




- Molecule 8: 30S RIBOSOMAL PROTEIN S8




- Molecule 9: 30S RIBOSOMAL PROTEIN S9



- Molecule 10: 30S RIBOSOMAL PROTEIN S10




- Molecule 11: 30S RIBOSOMAL PROTEIN S11







• Molecule 12: 30S RIBOSOMAL PROTEIN S12




• Molecule 13: 30S RIBOSOMAL PROTEIN S13




• Molecule 14: 30S RIBOSOMAL PROTEIN S14 TYPE Z



• Molecule 15: 30S RIBOSOMAL PROTEIN S15




• Molecule 16: 30S RIBOSOMAL PROTEIN S16




- Molecule 17: 30S RIBOSOMAL PROTEIN S17

Chain AQ: 




- Molecule 18: 30S RIBOSOMAL PROTEIN S18

Chain AR: 




- Molecule 19: 30S RIBOSOMAL PROTEIN S19

Chain AS: 




- Molecule 20: 30S RIBOSOMAL PROTEIN S20

Chain AT: 



- Molecule 21: 30S RIBOSOMAL PROTEIN THX


Chain AU: 







- Molecule 22: RNA (77-MER)

Chain AV: 


- Molecule 23: 5'-R(*UP*AP*AP*AP*AP*AP*UP*GP*UP)-3'




- Molecule 24: ELONGATION FACTOR G




- Molecule 25: 50S RIBOSOMAL PROTEIN L27








• Molecule 26: 50S RIBOSOMAL PROTEIN L28





• Molecule 27: 50S RIBOSOMAL PROTEIN L29




• Molecule 28: 50S RIBOSOMAL PROTEIN L30




• Molecule 29: 50S RIBOSOMAL PROTEIN L31




• Molecule 30: 50S RIBOSOMAL PROTEIN L32




- Molecule 31: 50S RIBOSOMAL PROTEIN L33




- Molecule 32: 50S RIBOSOMAL PROTEIN L34




- Molecule 33: 50S RIBOSOMAL PROTEIN L35



- Molecule 34: 50S RIBOSOMAL PROTEIN L36




- Molecule 35: 23S RIBOSOMAL RNA







U2408	C2343	G2271	G2194	G2127	C2043	A1981	A1901	G1817	G1748	A1570	G1487	U1420
G2409	U2344	U2272	C2195	C2128	A2051	C1982	C1902	A1749	C1658	A1571	G1488	G1421
G2410	G2345	A2273	C2196	C2129	A2051	C1983	G1903	G1750	C1659	A1572	U1489	G1422
A2411	A2346	A2274	G2052	U2130	G2052	G1984	G1904	C1751	C1660	A1490	G1423	G1424
	C2347	C2275	A2198	G2131	C2055	G1985	G1906	A1821	C1661	C1577	C1493	G1425
G2414	C2350	G2276	A2199	U2132	G2056	G1986	G1907	G1822	C1754	U1578	C1493	G1426
G2415	C2351	A2277	C2200	A2133	G2056	C1987	A1912	G1823	A1762	A1579	A1494	A1427
U2419	A2352	A2278	C2201	A2134	A2060	G1989	A1913	G1824	G1763	A1580	A1495	A1428
G2420	G2353	G2282	U2203	A2135	A2061	C1990	G1914	C1827	G1764	C1581	A1496	
G2421	C2354	C2283	C2205	C2136	A2062	U1991	U1915	G1828	C1765	C1670	U1497	G1429
C2422	C2355	C2284	G2206	C2138	C2065	G1992	A1916	A1829	U1766	C1584	C1501	C1430
U2423	C2356	C2285	G2207	C2139	C2066	U1993	U1917	G1835	C1677	A1586	C1502	U1431
C2424	U2357	A2286	A2208	C2140	G2067	C1994	A1918	C1836	U1768	C1587	U1503	U1433
G2425	G2358	A2287	U2218	G2141	U2068	U1995	A1919	C1837	G1769	C1588	C1504	A1434
C2426	C2359	A2288	G2219	C2142	G2068	G1996	C1920	G1837	G1770	U1590	C1505	U1435
A2427	A2360	G2291	G2220	C2143	G2069	G1997	G1921	C1838	C1771	C1591	C1506	G1436
G2428	A2361	U2291	G2221	U2144	G2070	G1998	G1922	G1839	G1772	C1592	C1506	C1437
C2429	C2362	C2292	G2222	C2145	A2071	C1999	U1923	G1842	A1773	G1593	C1509	
A2430	C2363	C2293	G2223	C2146	U2074	G2000	C1924	C1843	C1774	A1594	A1509A	G1441
U2431	C2364	C2297	G2224	G2147	U2075	A2001	G1925	C1844	U1775	C1595	A1509B	G1442
A2432	G2365	A2298	C2226	G2148	U2075	G2002	U1926	G1845	G1776	A1596	G1510	
				G2149	C2076	G2002	A1927	U1777	U1777	C1597	C1511	
A2439	A2369	G2299	G2230	U2150	C2078	C2006		G1846	U1778	C1598		A1445
G2440	G2370	G2300	C2231	G2151	U2079	C2007	G1930	A1847	U1779	C1599	C1516	C1445A
C2441	C2371	A2305	U2232	G2152	U2079	C2008	U1931	A1848	A1780	G1517	C1517	C1446
C2442	C2374	U2233	U2232	C2153	U2086	G2009	A1932	G1849	C1781	C1601	U1518	G1448
C2443	G2375	C2306	G2234	G2154	G2087	G2010	G1933		C1782	U1602	A1449	A1449
C2444	C2376	G2307	G2234			U2011	U1933	A1853	A1783	U1693	A1528	G1450
G2445	A2377	G2308	G2235		G2090	G2012	A1936	A1854	A1784	C1694	A1528A	C1450A
G2446	A2378	A2309	C2236	U2091	G2091	A2013	A1937	G1855	A1785	G1695	C1529	C1451
U2447	C2379	A2310	G2237	C2159	U2092	A2014	A1938	G1856	A1786	C1696	A1609	A1452
A2448	C2380	A2311	G2238			A2015	G1937	C1857	A1787	G1697	C1531	U1453
U2449	C2381	U2312	G2239		C2095	U2016	C1941	G1858	C1788	A1698	U1455	G1455
	G2382	C2313	C2240	C2163	U2096	U2017	C1942	A1859	A1789	C1616	U1534	A1456
G2454	G2383	C2314	A2241	A2169	C2097	G2018			C1790	C1617	A1535	A1457
U2457	C2384	G2315	G2242	C2170	U2098	A2019	G1945	U1864	A1791	A1618	C1536	C1458
G2458	C2385	U2243	U2243	A2171	U2099	A2020	U1946	G1865	G1702	C1625	G1539	A1460
C2386	C2317	U2244	U2172	C2172	G2100	C2021	C1947	C1866	U1794	G1626	U1540	G1461
C2387	G2318	U2245	A2173	A2173	G2101	U2022	U1947	A1876	C1795	C1636	C1541	C1462
A2388	G2319	G2246	C2174	C2174	U2102	G2023	G1954	G1877	U1796	C1636	A1542	C1463
C2389	A2320	A2247	C2175	C2175	C2103	G2024	U1955	G1878	C1797	C1637	A1544	C1464
U2390	G2321	C2248	G2104	A2176	G2104	C2025	U1956		U1798	C1543	A1545	G1465
C2463	C2391	U2249	G2105	C2177	C2105	C2026	C1961	C1882	G1799	U1639	C1466	G1466
C2464	G2391	U2249	G2106	C2178	G2106	G2027	U1962	G1883	C1800	C1640	C1467	
C2465	A2392	G2252	G2115	C2179	U2109	U2028	C1962	A1884	A1802	A1641	C1547	
C2466	C2393	G2253	G2116	U2180	G2110	G2029	U1963	A1885	A1803	G1642	C1548	A1471
C2467	G2394	G2254	C2181	G2181	C2111	A2030	G1964		C1804	C1643	C1549	A1472
G2468	C2395	U2257	G2182	C2183	G2112	A2031	A1966	C1886	U1805	G1644	C1549	G1473
A2469	G2396	U2258	G2183	G2183	G2113	G2032	C1967	C1887	C1806	C1645	A1554	C1474
C2397	U2398	G2259	G2184	U2184	G2114	A2033	U1968	G1888	C1906	G1646	C1558	G1475
C2398	G2399	C2260	C2185	G2185	G2115	U2034	G1968	A1889	G1807	C1647	C1559	C1476
A2475	A2335	C2261	G2186	G2186	G2116	G2035	A1969	A1890	U1739	C1648	A1477	
G2476	A2336	U2262	G2187	C2187	A2117	C2036	A1970	G1891	A1809	G1649	G1478	
C2477	A2337	C2263	U2188	C2188	U2118	G2037	A1971	C1892	A1810	C1650	C1564	
A2478	C2402	G2264	U2189	G2189	U2118	G2038	A1972	C1893	G1811	G1651	C1564	
G2479	C2403	C2265	G2190	G2190	G2123	C2039	G1973	C1894	A1812	A1652	C1565	G1482
C2480	G2404	A2267	G2191	G2191	G2124	C2040	C1974	C1894	G1813	G1653	C1494	G1483
G2481	U2405	G2268	G2192	G2192	G2125	U2041			G1813	A1569	G1495	A1486
C2482	U2406	G2269	C2193	C2193	G2126	A2042	C1980	G1889	C1816	C1654	A1496	



• Molecule 36: 5S RIBOSOMAL RNA




• Molecule 37: RIBOSOMAL PROTEIN L1




• Molecule 38: 50S RIBOSOMAL PROTEIN L2








• Molecule 39: 50S RIBOSOMAL PROTEIN L3




• Molecule 40: 50S RIBOSOMAL PROTEIN L4




• Molecule 41: 50S RIBOSOMAL PROTEIN L5








• Molecule 42: 50S RIBOSOMAL PROTEIN L6




• Molecule 43: CHAIN J




• Molecule 44: CHAIN K



• Molecule 45: CHAIN L




• Molecule 46: 50S RIBOSOMAL PROTEIN L13






• Molecule 47: 50S RIBOSOMAL PROTEIN L14


Chain BO: 46% 48% 5% .




• Molecule 48: 50S RIBOSOMAL PROTEIN L15

Chain BP: 19% 19% 46% 27% 6% .







• Molecule 52: 50S RIBOSOMAL PROTEIN L19




• Molecule 53: 50S RIBOSOMAL PROTEIN L20



• Molecule 54: 50S RIBOSOMAL PROTEIN L21




• Molecule 55: 50S RIBOSOMAL PROTEIN L22





- Molecule 56: 50S RIBOSOMAL PROTEIN L23

Chain BX: 




- Molecule 57: 50S RIBOSOMAL PROTEIN L24

Chain BY: 



- Molecule 58: 50S RIBOSOMAL PROTEIN L25

Chain BZ: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	202.90 Å 242.63 Å 309.32 Å 90.00° 99.60° 90.00°	Depositor
Resolution (Å)	49.75 – 2.95 49.75 – 2.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.75-2.95) 100.0 (49.75-2.95)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.70 (at 2.96 Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.210 , 0.244 0.226 , 0.256	Depositor DCC
R_{free} test set	30895 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	49.6	Xtriage
Anisotropy	0.435	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 60.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	153829	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GCP, ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AA	0.41	0/36258	0.70	5/56589 (0.0%)
2	AB	0.26	0/1936	0.46	0/2611
3	AC	0.36	0/1637	0.58	0/2207
4	AD	0.36	0/1733	0.61	0/2318
5	AE	0.46	0/1163	0.67	0/1566
6	AF	0.36	0/856	0.63	0/1154
7	AG	0.36	0/1276	0.62	0/1709
8	AH	0.39	0/1136	0.69	0/1527
9	AI	0.36	0/1029	0.69	0/1379
10	AJ	0.40	0/808	0.69	0/1087
11	AK	0.39	0/900	0.68	0/1213
12	AL	0.42	0/987	0.73	1/1322 (0.1%)
13	AM	0.32	0/948	0.60	0/1272
14	AN	0.41	0/501	0.77	0/664
15	AO	0.37	0/745	0.62	0/992
16	AP	0.40	0/717	0.71	0/965
17	AQ	0.40	0/837	0.69	0/1119
18	AR	0.38	0/579	0.60	0/768
19	AS	0.37	0/706	0.64	0/950
20	AT	0.39	0/765	0.76	0/1007
21	AU	0.43	0/213	0.62	0/279
22	AV	0.84	2/1809 (0.1%)	1.27	7/2819 (0.2%)
23	AX	1.26	2/210 (1.0%)	1.37	2/325 (0.6%)
24	AY	0.33	0/5477	0.61	3/7415 (0.0%)
25	B0	0.29	0/671	0.43	0/892
26	B1	0.37	0/739	0.58	0/983
27	B2	10.54	1/600 (0.2%)	0.42	0/793
28	B3	0.32	0/473	0.50	0/636
29	B4	0.29	0/594	0.45	0/795
30	B5	0.40	0/473	0.70	0/639
31	B6	0.48	0/440	0.80	0/586
32	B7	0.44	0/427	0.71	0/561

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	B8	0.56	0/516	0.87	1/681 (0.1%)
34	B9	0.45	0/310	0.72	0/407
35	BA	0.46	1/69972 (0.0%)	0.72	25/109230 (0.0%)
36	BB	0.37	0/2853	0.72	1/4451 (0.0%)
37	BC	0.32	0/1766	0.62	0/2380
38	BD	0.47	0/2195	0.82	1/2955 (0.0%)
39	BE	0.42	0/1597	0.71	0/2155
40	BF	0.39	0/1659	0.66	0/2246
41	BG	0.45	0/1483	0.80	1/1994 (0.1%)
42	BH	0.40	0/1371	0.67	0/1853
43	BJ	0.20	0/7	0.87	0/8
46	BN	0.46	0/1132	0.76	0/1527
47	BO	0.44	0/943	0.71	0/1269
48	BP	0.45	0/1131	0.86	4/1504 (0.3%)
49	BQ	0.41	0/1143	0.65	0/1527
50	BR	0.43	0/974	0.75	0/1302
51	BS	0.39	0/779	0.66	0/1038
52	BT	0.42	0/1156	0.66	0/1544
53	BU	0.48	0/975	0.70	0/1297
54	BV	0.40	0/790	0.72	0/1057
55	BW	0.42	0/907	0.71	0/1216
56	BX	0.47	0/740	0.69	1/995 (0.1%)
57	BY	0.52	0/789	0.87	0/1053
58	BZ	0.34	0/1500	0.63	0/2037
All	All	0.77	6/164331 (0.0%)	0.71	52/244868 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	1
24	AY	0	1
35	BA	0	19
36	BB	0	2
All	All	0	23

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	B2	72	ALA	C-OXT	258.07	6.13	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
35	BA	1453	U	O3'-P	-17.05	1.40	1.61
22	AV	37	A	N3-C4	7.56	1.39	1.34
22	AV	37	A	C6-N1	7.26	1.40	1.35
23	AX	11	A	N9-C4	5.43	1.41	1.37

The worst 5 of 52 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	BA	2208	A	P-O3'-C3'	9.92	131.60	119.70
22	AV	37	A	N1-C2-N3	-9.87	124.36	129.30
22	AV	74	C	O4'-C1'-N1	8.40	114.92	108.20
22	AV	37	A	N9-C4-C5	-7.54	102.79	105.80
22	AV	37	A	N1-C6-N6	6.87	122.72	118.60

There are no chirality outliers.

5 of 23 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	189(H)	G	Sidechain
24	AY	499	ARG	Sidechain
35	BA	271(H)	G	Sidechain
35	BA	271(Q)	G	Sidechain
35	BA	271(Y)	U	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32391	0	16349	1994	0
2	AB	1901	0	1947	322	1
3	AC	1613	0	1677	223	28
4	AD	1703	0	1765	125	0
5	AE	1147	0	1207	56	0
6	AF	843	0	857	53	0
7	AG	1257	0	1296	138	0
8	AH	1116	0	1177	63	0
9	AI	1010	0	1037	150	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	AJ	795	0	840	114	0
11	AK	885	0	904	56	0
12	AL	971	0	1057	112	0
13	AM	938	0	995	124	0
14	AN	492	0	529	68	0
15	AO	734	0	771	49	0
16	AP	701	0	720	58	0
17	AQ	824	0	891	47	0
18	AR	574	0	644	26	0
19	AS	692	0	714	109	0
20	AT	763	0	861	71	11
21	AU	209	0	221	12	0
22	AV	1619	0	823	58	0
23	AX	188	0	98	7	0
24	AY	5376	0	5433	565	0
25	B0	662	0	688	160	0
26	B1	732	0	808	114	0
27	B2	598	0	651	125	11
28	B3	468	0	523	66	0
29	B4	581	0	577	214	0
30	B5	459	0	478	75	0
31	B6	433	0	461	128	0
32	B7	419	0	467	29	0
33	B8	508	0	576	112	0
34	B9	307	0	335	31	0
35	BA	62476	0	31499	3288	28
36	BB	2551	0	1295	107	0
37	BC	1735	0	1790	277	1
38	BD	2145	0	2234	255	0
39	BE	1564	0	1629	233	0
40	BF	1624	0	1677	220	0
41	BG	1459	0	1516	395	0
42	BH	1345	0	1430	187	0
43	BJ	654	0	156	22	0
44	BK	701	0	168	46	0
45	BL	356	0	86	20	0
46	BN	1105	0	1180	111	0
47	BO	933	0	996	67	0
48	BP	1114	0	1186	302	0
49	BQ	1122	0	1179	111	0
50	BR	960	0	1021	104	0
51	BS	771	0	832	158	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
52	BT	1142	0	1200	229	0
53	BU	958	0	1015	122	0
54	BV	779	0	852	147	0
55	BW	896	0	953	56	0
56	BX	726	0	778	47	0
57	BY	776	0	870	164	0
58	BZ	1468	0	1492	216	0
59	AA	198	0	0	0	0
59	AY	1	0	0	0	0
59	B0	1	0	0	0	0
59	B5	1	0	0	0	0
59	BA	320	0	0	0	0
59	BC	1	0	0	0	0
59	BU	1	0	0	0	0
60	AD	1	0	0	0	0
60	AN	1	0	0	0	0
60	B9	1	0	0	0	0
61	AY	32	0	14	11	0
62	AY	2	0	0	2	0
All	All	153829	0	105425	11645	40

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 45.

The worst 5 of 11645 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:B5:46:CYS:SG	30:B5:47:PRO:HD2	1.41	1.57
29:B4:12:ALA:H	29:B4:24:THR:CG2	1.16	1.56
9:AI:19:LEU:HA	9:AI:61:ALA:CB	1.39	1.53
52:BT:80:SER:HB3	52:BT:81:PRO:CD	1.40	1.51
9:AI:18:PHE:C	9:AI:61:ALA:HB1	1.27	1.50

The worst 5 of 40 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
20:AT:100:ILE:CG1	27:B2:43:GLN:CD[2_554]	0.34	1.86
20:AT:100:ILE:CD1	27:B2:43:GLN:NE2[2_554]	0.69	1.51
3:AC:79:ARG:CD	35:BA:2139:C:C4[2_555]	0.83	1.37

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:AC:79:ARG:CD	35:BA:2139:C:C5[2_555]	0.87	1.33
3:AC:79:ARG:CG	35:BA:2139:C:C6[2_555]	0.96	1.24

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	233/256 (91%)	163 (70%)	44 (19%)	26 (11%)	0	2
3	AC	205/239 (86%)	145 (71%)	32 (16%)	28 (14%)	0	1
4	AD	206/209 (99%)	160 (78%)	35 (17%)	11 (5%)	2	11
5	AE	149/162 (92%)	134 (90%)	12 (8%)	3 (2%)	9	36
6	AF	99/101 (98%)	80 (81%)	13 (13%)	6 (6%)	2	8
7	AG	153/156 (98%)	113 (74%)	26 (17%)	14 (9%)	1	3
8	AH	136/138 (99%)	122 (90%)	13 (10%)	1 (1%)	25	64
9	AI	125/128 (98%)	93 (74%)	21 (17%)	11 (9%)	1	3
10	AJ	97/105 (92%)	73 (75%)	15 (16%)	9 (9%)	1	3
11	AK	117/129 (91%)	95 (81%)	19 (16%)	3 (3%)	6	28
12	AL	123/132 (93%)	101 (82%)	11 (9%)	11 (9%)	1	3
13	AM	117/126 (93%)	74 (63%)	32 (27%)	11 (9%)	1	3
14	AN	58/61 (95%)	44 (76%)	7 (12%)	7 (12%)	0	1
15	AO	86/89 (97%)	78 (91%)	7 (8%)	1 (1%)	15	50
16	AP	82/88 (93%)	73 (89%)	7 (8%)	2 (2%)	7	31
17	AQ	98/105 (93%)	86 (88%)	10 (10%)	2 (2%)	9	36
18	AR	68/88 (77%)	58 (85%)	8 (12%)	2 (3%)	5	25
19	AS	86/93 (92%)	53 (62%)	21 (24%)	12 (14%)	0	1
20	AT	97/106 (92%)	79 (81%)	10 (10%)	8 (8%)	1	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	AU	23/27 (85%)	17 (74%)	4 (17%)	2 (9%)	1	3
24	AY	685/691 (99%)	537 (78%)	99 (14%)	49 (7%)	1	5
25	B0	82/84 (98%)	56 (68%)	19 (23%)	7 (8%)	1	4
26	B1	92/97 (95%)	73 (79%)	14 (15%)	5 (5%)	2	11
27	B2	69/71 (97%)	45 (65%)	11 (16%)	13 (19%)	0	0
28	B3	58/60 (97%)	50 (86%)	7 (12%)	1 (2%)	11	41
29	B4	69/71 (97%)	16 (23%)	17 (25%)	36 (52%)	0	0
30	B5	57/59 (97%)	45 (79%)	3 (5%)	9 (16%)	0	1
31	B6	48/53 (91%)	22 (46%)	11 (23%)	15 (31%)	0	0
32	B7	46/48 (96%)	43 (94%)	3 (6%)	0	100	100
33	B8	62/64 (97%)	42 (68%)	8 (13%)	12 (19%)	0	0
34	B9	35/37 (95%)	23 (66%)	9 (26%)	3 (9%)	1	3
37	BC	225/228 (99%)	121 (54%)	56 (25%)	48 (21%)	0	0
38	BD	273/275 (99%)	222 (81%)	33 (12%)	18 (7%)	1	6
39	BE	203/206 (98%)	145 (71%)	34 (17%)	24 (12%)	0	1
40	BF	206/210 (98%)	165 (80%)	19 (9%)	22 (11%)	0	2
41	BG	177/181 (98%)	78 (44%)	49 (28%)	50 (28%)	0	0
42	BH	174/180 (97%)	112 (64%)	31 (18%)	31 (18%)	0	0
43	BJ	1/130 (1%)	0	1 (100%)	0	100	100
46	BN	137/140 (98%)	110 (80%)	15 (11%)	12 (9%)	1	3
47	BO	120/122 (98%)	109 (91%)	8 (7%)	3 (2%)	6	29
48	BP	144/149 (97%)	84 (58%)	23 (16%)	37 (26%)	0	0
49	BQ	139/141 (99%)	115 (83%)	18 (13%)	6 (4%)	3	15
50	BR	115/117 (98%)	90 (78%)	17 (15%)	8 (7%)	1	5
51	BS	97/111 (87%)	52 (54%)	25 (26%)	20 (21%)	0	0
52	BT	136/146 (93%)	90 (66%)	25 (18%)	21 (15%)	0	1
53	BU	115/117 (98%)	87 (76%)	22 (19%)	6 (5%)	2	11
54	BV	99/101 (98%)	73 (74%)	11 (11%)	15 (15%)	0	1
55	BW	111/113 (98%)	93 (84%)	14 (13%)	4 (4%)	4	19
56	BX	91/95 (96%)	79 (87%)	11 (12%)	1 (1%)	17	53
57	BY	99/109 (91%)	54 (54%)	17 (17%)	28 (28%)	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
58	BZ	183/205 (89%)	131 (72%)	30 (16%)	22 (12%)	0	1
All	All	6506/6949 (94%)	4803 (74%)	1007 (16%)	696 (11%)	0	2

5 of 696 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	15	VAL
2	AB	26	PRO
2	AB	37	ASN
2	AB	76	GLN
2	AB	77	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	202/220 (92%)	157 (78%)	45 (22%)	1	4
3	AC	160/188 (85%)	129 (81%)	31 (19%)	1	7
4	AD	180/181 (99%)	155 (86%)	25 (14%)	4	16
5	AE	115/123 (94%)	109 (95%)	6 (5%)	27	63
6	AF	90/90 (100%)	83 (92%)	7 (8%)	15	44
7	AG	126/127 (99%)	108 (86%)	18 (14%)	4	16
8	AH	119/119 (100%)	103 (87%)	16 (13%)	4	18
9	AI	98/99 (99%)	85 (87%)	13 (13%)	4	18
10	AJ	88/92 (96%)	82 (93%)	6 (7%)	18	51
11	AK	90/99 (91%)	84 (93%)	6 (7%)	19	52
12	AL	104/109 (95%)	90 (86%)	14 (14%)	4	17
13	AM	94/101 (93%)	84 (89%)	10 (11%)	8	28
14	AN	49/50 (98%)	43 (88%)	6 (12%)	6	22
15	AO	79/80 (99%)	71 (90%)	8 (10%)	9	30
16	AP	72/74 (97%)	68 (94%)	4 (6%)	25	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
17	AQ	94/97 (97%)	92 (98%)	2 (2%)	59	85
18	AR	61/77 (79%)	55 (90%)	6 (10%)	9	32
19	AS	74/80 (92%)	68 (92%)	6 (8%)	14	42
20	AT	76/82 (93%)	68 (90%)	8 (10%)	8	28
21	AU	19/22 (86%)	18 (95%)	1 (5%)	26	62
24	AY	579/582 (100%)	516 (89%)	63 (11%)	7	26
25	B0	66/66 (100%)	45 (68%)	21 (32%)	0	1
26	B1	78/82 (95%)	60 (77%)	18 (23%)	1	4
27	B2	66/66 (100%)	42 (64%)	24 (36%)	0	1
28	B3	51/52 (98%)	44 (86%)	7 (14%)	4	17
29	B4	63/63 (100%)	48 (76%)	15 (24%)	1	3
30	B5	51/51 (100%)	42 (82%)	9 (18%)	2	9
31	B6	49/51 (96%)	37 (76%)	12 (24%)	1	3
32	B7	41/41 (100%)	39 (95%)	2 (5%)	29	65
33	B8	53/54 (98%)	42 (79%)	11 (21%)	1	5
34	B9	34/34 (100%)	31 (91%)	3 (9%)	12	38
37	BC	179/180 (99%)	160 (89%)	19 (11%)	8	28
38	BD	217/217 (100%)	185 (85%)	32 (15%)	3	14
39	BE	165/166 (99%)	133 (81%)	32 (19%)	1	7
40	BF	165/166 (99%)	146 (88%)	19 (12%)	6	24
41	BG	153/155 (99%)	123 (80%)	30 (20%)	1	7
42	BH	146/148 (99%)	131 (90%)	15 (10%)	8	29
43	BJ	1/1 (100%)	1 (100%)	0	100	100
46	BN	117/119 (98%)	103 (88%)	14 (12%)	6	23
47	BO	100/100 (100%)	93 (93%)	7 (7%)	18	50
48	BP	112/115 (97%)	84 (75%)	28 (25%)	1	2
49	BQ	111/111 (100%)	96 (86%)	15 (14%)	4	17
50	BR	100/100 (100%)	82 (82%)	18 (18%)	2	9
51	BS	77/87 (88%)	62 (80%)	15 (20%)	1	7
52	BT	120/127 (94%)	94 (78%)	26 (22%)	1	5
53	BU	92/93 (99%)	80 (87%)	12 (13%)	5	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
54	BV	82/82 (100%)	65 (79%)	17 (21%)	1	5
55	BW	91/92 (99%)	79 (87%)	12 (13%)	5	18
56	BX	74/77 (96%)	68 (92%)	6 (8%)	14	42
57	BY	84/90 (93%)	65 (77%)	19 (23%)	1	4
58	BZ	162/178 (91%)	138 (85%)	24 (15%)	3	14
All	All	5469/5656 (97%)	4686 (86%)	783 (14%)	4	16

5 of 783 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
27	B2	44	LEU
37	BC	138	LEU
55	BW	21	VAL
28	B3	8	LEU
31	B6	9	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 168 such sidechains are listed below:

Mol	Chain	Res	Type
25	B0	17	GLN
37	BC	189	ASN
53	BU	94	ASN
25	B0	70	GLN
28	B3	46	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1505/1519 (99%)	320 (21%)	51 (3%)
22	AV	75/76 (98%)	24 (32%)	2 (2%)
23	AX	8/9 (88%)	3 (37%)	0
35	BA	2897/2915 (99%)	665 (22%)	60 (2%)
36	BB	118/122 (96%)	26 (22%)	2 (1%)
All	All	4603/4641 (99%)	1038 (22%)	115 (2%)

5 of 1038 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	9	G
1	AA	31	G
1	AA	32	A
1	AA	38	G
1	AA	39	G

5 of 115 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
22	AV	16	C
35	BA	627	A
35	BA	2439	A
35	BA	49	A
35	BA	331	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 527 ligands modelled in this entry, 526 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
61	GCP	AY	701	59	25,34,34	3.54	8 (32%)	28,54,54	1.58	7 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
61	GCP	AY	701	59	-	0/18/38/38	0/3/3/3

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
61	AY	701	GCP	C5-C6	-10.79	1.33	1.53
61	AY	701	GCP	C4-N9	-10.76	1.33	1.47
61	AY	701	GCP	C8-N9	-4.41	1.33	1.46
61	AY	701	GCP	PB-O2B	-3.32	1.48	1.56
61	AY	701	GCP	PG-O3G	-3.24	1.47	1.54

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
61	AY	701	GCP	PA-O3A-PB	-3.85	119.98	132.39
61	AY	701	GCP	O1G-PG-C3B	-3.27	104.02	111.22
61	AY	701	GCP	C4'-O4'-C1'	-2.47	103.96	109.47
61	AY	701	GCP	O6-C6-N1	-2.31	119.62	122.70
61	AY	701	GCP	O2G-PG-C3B	-2.23	101.00	106.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
61	AY	701	GCP	11	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
35	BA	3

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
1	AA	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	AA	496:A	O3'	498:U	P	3.07
1	BA	45:C	O3'	47:C	P	2.97
1	BA	1133:U	O3'	1135:C	P	2.48
1	BA	2203:U	O3'	2205:C	P	2.42

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1507/1519 (99%)	0.18	52 (3%) 44 28	24, 47, 125, 239	0
2	AB	235/256 (91%)	0.47	19 (8%) 13 7	34, 61, 112, 122	0
3	AC	207/239 (86%)	0.33	10 (4%) 31 19	30, 54, 84, 102	0
4	AD	208/209 (99%)	0.14	5 (2%) 59 40	36, 57, 80, 89	0
5	AE	151/162 (93%)	-0.09	2 (1%) 77 59	29, 40, 59, 81	0
6	AF	101/101 (100%)	0.23	3 (2%) 51 32	41, 68, 86, 99	0
7	AG	155/156 (99%)	0.47	10 (6%) 20 11	44, 67, 112, 126	0
8	AH	138/138 (100%)	-0.12	0 100 100	32, 45, 63, 74	0
9	AI	127/128 (99%)	0.40	9 (7%) 17 9	33, 61, 81, 90	0
10	AJ	99/105 (94%)	0.50	9 (9%) 10 5	38, 58, 100, 104	0
11	AK	119/129 (92%)	0.27	4 (3%) 46 29	26, 53, 76, 94	0
12	AL	125/132 (94%)	0.27	7 (5%) 25 14	27, 45, 64, 96	0
13	AM	119/126 (94%)	1.02	19 (15%) 2 1	46, 83, 107, 117	0
14	AN	60/61 (98%)	0.40	7 (11%) 5 3	35, 48, 83, 91	0
15	AO	88/89 (98%)	0.19	2 (2%) 61 41	33, 51, 75, 85	0
16	AP	84/88 (95%)	0.15	1 (1%) 79 61	37, 47, 70, 95	0
17	AQ	100/105 (95%)	-0.08	0 100 100	27, 44, 62, 65	0
18	AR	70/88 (79%)	0.26	2 (2%) 52 33	36, 57, 94, 95	0
19	AS	88/93 (94%)	0.83	8 (9%) 10 5	59, 82, 103, 109	0
20	AT	99/106 (93%)	0.12	3 (3%) 51 32	33, 45, 68, 73	0
21	AU	25/27 (92%)	1.01	2 (8%) 13 7	43, 59, 79, 81	0
22	AV	76/76 (100%)	0.41	5 (6%) 19 11	33, 74, 111, 145	0
23	AX	9/9 (100%)	1.19	3 (33%) 0 0	28, 51, 122, 134	0
24	AY	687/691 (99%)	0.53	62 (9%) 10 6	39, 67, 119, 141	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	B0	84/84 (100%)	1.78	15 (17%) 2 1	43, 56, 121, 140	0
26	B1	94/97 (96%)	0.48	6 (6%) 20 11	26, 47, 76, 88	0
27	B2	71/71 (100%)	0.62	7 (9%) 8 5	41, 57, 88, 112	0
28	B3	60/60 (100%)	0.58	2 (3%) 47 30	35, 56, 75, 100	0
29	B4	71/71 (100%)	3.83	61 (85%) 0 0	129, 151, 159, 159	0
30	B5	59/59 (100%)	0.60	7 (11%) 5 2	20, 42, 109, 122	0
31	B6	50/53 (94%)	1.51	11 (22%) 1 1	41, 72, 91, 98	0
32	B7	48/48 (100%)	0.00	1 (2%) 64 45	18, 30, 60, 86	0
33	B8	64/64 (100%)	0.63	8 (12%) 4 2	32, 49, 70, 87	0
34	B9	37/37 (100%)	0.66	2 (5%) 26 16	40, 52, 62, 76	0
35	BA	2901/2915 (99%)	0.19	107 (3%) 42 27	18, 42, 116, 244	0
36	BB	119/122 (97%)	0.20	1 (0%) 86 71	42, 88, 115, 130	0
37	BC	227/228 (99%)	0.82	35 (15%) 2 1	25, 78, 124, 135	0
38	BD	275/275 (100%)	-0.00	8 (2%) 52 33	18, 32, 58, 93	0
39	BE	205/206 (99%)	0.34	12 (5%) 23 14	23, 42, 78, 86	0
40	BF	208/210 (99%)	0.42	16 (7%) 14 8	17, 52, 104, 121	0
41	BG	179/181 (98%)	1.47	51 (28%) 1 0	94, 122, 138, 144	0
42	BH	176/180 (97%)	0.90	21 (11%) 5 2	52, 75, 97, 108	0
43	BJ	1/130 (0%)	2.80	1 (100%) 0 0	121, 121, 121, 121	0
44	BK	0/140	-	-	-	-
45	BL	0/71	-	-	-	-
46	BN	139/140 (99%)	0.13	5 (3%) 43 27	31, 45, 72, 93	0
47	BO	122/122 (100%)	-0.26	0 100 100	25, 39, 54, 63	0
48	BP	146/149 (97%)	1.24	28 (19%) 1 1	34, 67, 96, 118	0
49	BQ	141/141 (100%)	0.21	3 (2%) 64 45	33, 49, 75, 115	0
50	BR	117/117 (100%)	0.12	4 (3%) 46 29	23, 40, 59, 67	0
51	BS	99/111 (89%)	1.00	14 (14%) 3 1	68, 91, 113, 122	0
52	BT	138/146 (94%)	0.95	23 (16%) 2 1	32, 53, 122, 144	0
53	BU	117/117 (100%)	-0.05	2 (1%) 70 51	28, 42, 69, 85	0
54	BV	101/101 (100%)	0.41	7 (6%) 18 10	25, 62, 83, 87	0
55	BW	113/113 (100%)	0.14	5 (4%) 35 21	26, 38, 69, 104	0
56	BX	93/95 (97%)	-0.15	2 (2%) 62 43	30, 41, 58, 63	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
57	BY	101/109 (92%)	1.29	23 (22%) 1 1	37, 61, 118, 127	0
58	BZ	185/205 (90%)	0.85	27 (14%) 3 1	25, 81, 96, 109	0
All	All	11218/11801 (95%)	0.38	759 (6%) 18 10	17, 52, 116, 244	0

The worst 5 of 759 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
35	BA	654(E)	G	16.7
24	AY	48	GLY	16.4
39	BE	205	ALA	15.5
25	B0	3	HIS	15.2
49	BQ	141	GLN	13.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
59	MG	AA	1615	1/1	0.88	0.75	57.87	51,51,51,51	0
59	MG	AA	1684	1/1	0.82	0.85	50.95	61,61,61,61	0
59	MG	BA	3312	1/1	0.94	0.52	47.69	44,44,44,44	0
59	MG	AA	1636	1/1	0.77	0.51	43.25	60,60,60,60	0
59	MG	BA	3174	1/1	0.54	0.64	41.92	97,97,97,97	0
59	MG	BA	3044	1/1	0.97	0.40	39.27	21,21,21,21	0
59	MG	BA	3110	1/1	0.97	0.49	30.19	31,31,31,31	0
59	MG	BA	3007	1/1	0.93	0.45	26.36	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	BA	3071	1/1	0.94	0.37	23.13	22,22,22,22	0
59	MG	BA	3209	1/1	0.76	0.63	19.33	81,81,81,81	0
59	MG	AA	1623	1/1	0.98	0.53	19.05	33,33,33,33	0
59	MG	AA	1762	1/1	0.59	0.41	18.56	100,100,100,100	0
59	MG	BA	3048	1/1	0.91	0.39	18.50	28,28,28,28	0
59	MG	BA	3207	1/1	0.86	0.29	18.31	30,30,30,30	0
59	MG	BA	3310	1/1	0.91	0.29	17.93	20,20,20,20	0
59	MG	BA	3006	1/1	0.97	0.41	17.44	30,30,30,30	0
59	MG	BA	3094	1/1	0.98	0.32	17.34	25,25,25,25	0
59	MG	BA	3266	1/1	0.92	0.31	17.21	71,71,71,71	0
59	MG	BA	3180	1/1	0.95	0.34	17.18	47,47,47,47	0
59	MG	BA	3196	1/1	0.88	0.38	17.11	53,53,53,53	0
59	MG	AA	1649	1/1	0.93	0.40	16.59	23,23,23,23	0
59	MG	BA	3077	1/1	0.94	0.35	16.55	31,31,31,31	0
59	MG	BA	3024	1/1	0.88	0.28	16.43	44,44,44,44	0
59	MG	BA	3149	1/1	0.96	0.48	15.93	29,29,29,29	0
59	MG	BA	3277	1/1	0.94	0.45	15.87	57,57,57,57	0
59	MG	BA	3154	1/1	0.82	0.60	15.81	59,59,59,59	0
59	MG	AA	1741	1/1	0.73	0.46	15.50	58,58,58,58	0
59	MG	BA	3056	1/1	0.90	0.37	15.32	38,38,38,38	0
59	MG	BA	3120	1/1	0.95	0.38	14.92	43,43,43,43	0
59	MG	BA	3172	1/1	0.96	0.45	14.49	31,31,31,31	0
59	MG	AA	1760	1/1	0.64	0.67	14.03	70,70,70,70	0
59	MG	AA	1604	1/1	0.85	0.41	13.90	59,59,59,59	0
59	MG	BA	3279	1/1	0.59	0.44	13.82	63,63,63,63	0
59	MG	BA	3108	1/1	0.86	0.27	13.75	34,34,34,34	0
59	MG	BA	3295	1/1	0.81	0.30	13.45	32,32,32,32	0
59	MG	BA	3176	1/1	0.95	0.46	12.56	23,23,23,23	0
59	MG	BA	3111	1/1	0.93	0.32	12.54	30,30,30,30	0
59	MG	BA	3169	1/1	0.85	0.37	12.36	43,43,43,43	0
59	MG	BA	3084	1/1	0.93	0.55	12.29	38,38,38,38	0
59	MG	AA	1665	1/1	0.94	0.42	12.03	28,28,28,28	0
59	MG	BA	3184	1/1	0.90	0.24	11.94	40,40,40,40	0
59	MG	AA	1733	1/1	0.93	0.31	11.90	67,67,67,67	0
59	MG	AA	1677	1/1	0.64	0.37	11.79	77,77,77,77	0
59	MG	AA	1616	1/1	0.94	0.41	11.11	30,30,30,30	0
59	MG	AA	1671	1/1	0.96	0.65	11.05	43,43,43,43	0
59	MG	BA	3088	1/1	0.89	0.24	11.03	27,27,27,27	0
59	MG	BA	3004	1/1	0.97	0.38	10.78	24,24,24,24	0
59	MG	BA	3039	1/1	0.97	0.39	10.39	38,38,38,38	0
59	MG	AA	1645	1/1	0.92	0.26	10.31	22,22,22,22	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	B0	101	1/1	0.86	0.77	9.82	72,72,72,72	0
59	MG	BA	3087	1/1	0.84	0.34	9.31	41,41,41,41	0
59	MG	BA	3116	1/1	0.82	0.28	9.23	78,78,78,78	0
59	MG	BA	3109	1/1	0.98	0.44	9.05	20,20,20,20	0
59	MG	BA	3125	1/1	0.74	0.38	8.95	122,122,122,122	0
59	MG	BA	3315	1/1	0.79	0.35	8.77	52,52,52,52	0
59	MG	BA	3104	1/1	0.98	0.32	8.57	30,30,30,30	0
59	MG	BA	3113	1/1	0.97	0.52	8.36	32,32,32,32	0
59	MG	BA	3199	1/1	0.94	0.27	8.28	26,26,26,26	0
59	MG	AA	1756	1/1	0.84	0.39	8.27	54,54,54,54	0
59	MG	BA	3153	1/1	0.85	0.24	8.12	54,54,54,54	0
59	MG	BA	3139	1/1	0.93	0.29	8.08	35,35,35,35	0
59	MG	AA	1692	1/1	0.93	0.23	7.94	48,48,48,48	0
59	MG	BA	3097	1/1	0.89	0.41	7.52	37,37,37,37	0
59	MG	BA	3214	1/1	0.80	0.31	7.51	39,39,39,39	0
59	MG	BA	3248	1/1	0.83	0.44	7.45	58,58,58,58	0
59	MG	BA	3051	1/1	0.94	0.37	7.40	31,31,31,31	0
59	MG	BA	3258	1/1	0.77	0.32	7.38	51,51,51,51	0
59	MG	BA	3271	1/1	0.84	0.34	7.36	28,28,28,28	0
59	MG	AA	1777	1/1	0.49	0.31	7.32	40,40,40,40	0
59	MG	BA	3129	1/1	0.87	0.30	7.26	51,51,51,51	0
59	MG	BA	3282	1/1	0.56	0.30	7.05	67,67,67,67	0
59	MG	BA	3091	1/1	0.97	0.22	6.84	21,21,21,21	0
59	MG	BA	3053	1/1	0.91	0.33	6.77	24,24,24,24	0
59	MG	AA	1678	1/1	0.96	0.35	6.66	29,29,29,29	0
59	MG	AA	1690	1/1	0.95	0.47	6.61	35,35,35,35	0
59	MG	AA	1724	1/1	0.74	0.42	6.40	48,48,48,48	0
59	MG	BA	3313	1/1	0.96	0.26	6.33	36,36,36,36	0
59	MG	BA	3082	1/1	0.95	0.49	6.21	23,23,23,23	0
59	MG	BA	3236	1/1	0.81	0.24	6.19	52,52,52,52	0
59	MG	BA	3127	1/1	0.93	0.24	6.00	38,38,38,38	0
59	MG	AA	1700	1/1	0.91	0.32	5.76	27,27,27,27	0
59	MG	BA	3043	1/1	0.98	0.23	5.43	28,28,28,28	0
59	MG	AA	1639	1/1	0.66	0.30	5.26	55,55,55,55	0
59	MG	BA	3145	1/1	0.86	0.23	5.16	32,32,32,32	0
59	MG	AA	1729	1/1	0.86	0.47	4.92	45,45,45,45	0
59	MG	BA	3189	1/1	0.93	0.19	4.82	26,26,26,26	0
59	MG	AA	1625	1/1	0.96	0.36	4.80	17,17,17,17	0
59	MG	BA	3052	1/1	0.97	0.31	4.77	32,32,32,32	0
59	MG	BA	3228	1/1	0.90	0.32	4.55	23,23,23,23	0
59	MG	AA	1686	1/1	0.90	0.25	4.52	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	BA	3210	1/1	0.95	0.29	4.50	23,23,23,23	0
59	MG	AA	1704	1/1	0.92	0.37	4.47	25,25,25,25	0
59	MG	BA	3075	1/1	0.88	0.23	4.11	31,31,31,31	0
59	MG	BA	3257	1/1	0.94	0.22	3.73	43,43,43,43	0
59	MG	AA	1715	1/1	0.75	0.24	3.17	42,42,42,42	0
59	MG	BA	3078	1/1	0.92	0.20	3.10	26,26,26,26	0
60	ZN	AD	301	1/1	0.96	0.35	3.03	54,54,54,54	0
59	MG	BA	3181	1/1	0.87	0.18	2.87	32,32,32,32	0
59	MG	AA	1638	1/1	0.76	0.17	2.86	38,38,38,38	0
59	MG	BA	3298	1/1	0.93	0.17	2.80	20,20,20,20	0
59	MG	BA	3206	1/1	0.83	0.23	2.80	65,65,65,65	0
59	MG	BA	3098	1/1	0.91	0.23	2.08	25,25,25,25	0
59	MG	AA	1653	1/1	0.94	0.31	1.97	19,19,19,19	0
59	MG	AA	1780	1/1	0.40	0.18	1.93	54,54,54,54	0
59	MG	AA	1682	1/1	0.96	0.27	1.81	53,53,53,53	0
59	MG	BA	3244	1/1	0.92	0.21	1.80	41,41,41,41	0
59	MG	BA	3150	1/1	0.98	0.16	1.78	15,15,15,15	0
59	MG	BA	3232	1/1	0.89	0.24	1.77	33,33,33,33	0
59	MG	AA	1701	1/1	0.81	0.17	1.75	30,30,30,30	0
59	MG	AA	1725	1/1	0.93	0.25	1.72	35,35,35,35	0
59	MG	AA	1673	1/1	0.94	0.21	1.41	35,35,35,35	0
59	MG	AA	1732	1/1	0.87	0.25	0.78	20,20,20,20	0
59	MG	BA	3219	1/1	0.81	0.16	0.66	44,44,44,44	0
59	MG	AA	1719	1/1	0.93	0.16	0.58	32,32,32,32	0
59	MG	BA	3141	1/1	0.89	0.20	0.50	29,29,29,29	0
59	MG	BA	3243	1/1	0.86	0.23	0.41	32,32,32,32	0
59	MG	AA	1726	1/1	0.83	0.21	0.36	45,45,45,45	0
59	MG	BA	3289	1/1	0.89	0.21	0.33	51,51,51,51	0
59	MG	AA	1711	1/1	0.77	0.19	0.26	34,34,34,34	0
59	MG	BA	3269	1/1	0.66	0.16	0.26	48,48,48,48	0
59	MG	AA	1761	1/1	0.86	0.20	0.20	30,30,30,30	0
59	MG	BA	3171	1/1	0.97	0.23	0.17	19,19,19,19	0
59	MG	BA	3157	1/1	0.93	0.17	0.13	17,17,17,17	0
59	MG	AA	1722	1/1	0.82	0.23	0.13	32,32,32,32	0
59	MG	AA	1687	1/1	0.95	0.20	0.11	30,30,30,30	0
59	MG	BA	3142	1/1	0.70	0.20	0.08	48,48,48,48	0
59	MG	AA	1736	1/1	0.94	0.19	-0.11	29,29,29,29	0
59	MG	BA	3208	1/1	0.91	0.23	-0.15	34,34,34,34	0
59	MG	BA	3217	1/1	0.95	0.18	-0.23	35,35,35,35	0
61	GCP	AY	701	32/32	0.87	0.21	-0.26	41,53,61,63	0
59	MG	AA	1693	1/1	0.92	0.17	-0.28	30,30,30,30	0
59	MG	BA	3288	1/1	0.98	0.18	-0.32	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	AA	1668	1/1	0.85	0.17	-0.32	34,34,34,34	0
59	MG	AA	1738	1/1	0.90	0.17	-0.45	53,53,53,53	0
59	MG	AA	1751	1/1	0.90	0.14	-0.89	46,46,46,46	0
59	MG	AA	1749	1/1	0.88	0.13	-0.89	38,38,38,38	0
59	MG	BA	3151	1/1	0.95	0.13	-1.06	33,33,33,33	0
60	ZN	AN	101	1/1	1.00	0.13	-1.06	45,45,45,45	0
59	MG	BA	3050	1/1	0.94	0.15	-1.20	23,23,23,23	0
59	MG	BA	3319	1/1	0.96	0.11	-1.47	35,35,35,35	0
59	MG	BA	3001	1/1	0.96	0.11	-1.47	35,35,35,35	0
59	MG	BA	3229	1/1	0.96	0.13	-1.75	5,5,5,5	0
59	MG	AA	1778	1/1	0.97	0.12	-1.91	6,6,6,6	0
59	MG	AA	1734	1/1	0.87	0.12	-2.00	41,41,41,41	0
59	MG	AA	1657	1/1	0.92	0.10	-2.04	32,32,32,32	0
59	MG	AA	1721	1/1	0.93	0.12	-2.20	17,17,17,17	0
59	MG	BA	3221	1/1	0.90	0.10	-2.20	43,43,43,43	0
59	MG	AA	1783	1/1	0.88	0.13	-2.58	43,43,43,43	0
59	MG	AA	1747	1/1	0.86	0.08	-2.84	23,23,23,23	0
59	MG	BA	3308	1/1	0.95	0.12	-2.93	58,58,58,58	0
59	MG	BA	3140	1/1	0.82	0.13	-3.14	45,45,45,45	0
59	MG	AA	1785	1/1	0.96	0.08	-3.20	47,47,47,47	0
60	ZN	B9	101	1/1	1.00	0.06	-3.39	49,49,49,49	0
59	MG	AY	702	1/1	0.93	0.08	-3.96	23,23,23,23	0
59	MG	BA	3259	1/1	0.92	0.12	-4.47	39,39,39,39	0
59	MG	AA	1710	1/1	0.95	0.06	-4.82	35,35,35,35	0
59	MG	BA	3061	1/1	0.93	0.05	-5.03	37,37,37,37	0
59	MG	AA	1705	1/1	0.97	0.08	-5.87	23,23,23,23	0
59	MG	AA	1660	1/1	0.94	0.10	-6.03	19,19,19,19	0
59	MG	AA	1699	1/1	0.68	0.25	-	33,33,33,33	0
59	MG	AA	1679	1/1	0.98	0.55	-	32,32,32,32	0
59	MG	AA	1664	1/1	0.94	0.39	-	29,29,29,29	0
59	MG	BA	3300	1/1	0.93	0.17	-	65,65,65,65	0
59	MG	BA	3255	1/1	0.86	0.24	-	35,35,35,35	0
59	MG	AA	1789	1/1	0.81	0.28	-	61,61,61,61	0
59	MG	AA	1791	1/1	0.95	0.09	-	57,57,57,57	0
59	MG	BA	3020	1/1	0.84	0.22	-	63,63,63,63	0
59	MG	BA	3118	1/1	0.95	0.30	-	29,29,29,29	0
59	MG	BA	3156	1/1	0.96	0.19	-	25,25,25,25	0
59	MG	AA	1666	1/1	0.76	0.53	-	83,83,83,83	0
59	MG	AA	1610	1/1	0.95	0.66	-	46,46,46,46	0
59	MG	AA	1794	1/1	0.83	0.27	-	53,53,53,53	0
59	MG	BA	3197	1/1	0.79	0.56	-	58,58,58,58	0
59	MG	BA	3132	1/1	0.82	0.33	-	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	BA	3234	1/1	0.86	0.20	-	63,63,63,63	0
59	MG	BA	3065	1/1	0.98	0.29	-	21,21,21,21	0
59	MG	AA	1748	1/1	0.85	0.36	-	56,56,56,56	0
59	MG	BA	3280	1/1	0.79	0.24	-	87,87,87,87	0
59	MG	BA	3060	1/1	0.90	0.39	-	31,31,31,31	0
59	MG	AA	1753	1/1	0.66	0.53	-	89,89,89,89	0
59	MG	BA	3175	1/1	0.79	0.19	-	62,62,62,62	0
59	MG	AA	1667	1/1	0.97	0.35	-	33,33,33,33	0
59	MG	BA	3106	1/1	0.84	0.22	-	47,47,47,47	0
59	MG	AA	1634	1/1	0.81	0.22	-	43,43,43,43	0
59	MG	BA	3144	1/1	0.88	0.23	-	28,28,28,28	0
59	MG	AA	1768	1/1	0.87	0.46	-	34,34,34,34	0
59	MG	BA	3079	1/1	0.86	0.34	-	34,34,34,34	0
59	MG	BA	3057	1/1	0.95	0.29	-	29,29,29,29	0
59	MG	BA	3166	1/1	0.80	0.28	-	68,68,68,68	0
59	MG	AA	1689	1/1	0.83	0.40	-	79,79,79,79	0
59	MG	AA	1674	1/1	0.75	0.44	-	74,74,74,74	0
59	MG	BA	3018	1/1	0.89	0.56	-	43,43,43,43	0
59	MG	BA	3074	1/1	0.97	0.36	-	3,3,3,3	0
59	MG	BA	3230	1/1	0.67	0.35	-	40,40,40,40	0
59	MG	BA	3224	1/1	0.96	0.46	-	32,32,32,32	0
59	MG	BA	3296	1/1	0.90	0.38	-	38,38,38,38	0
59	MG	BA	3105	1/1	0.88	0.20	-	69,69,69,69	0
59	MG	BA	3009	1/1	0.77	0.72	-	77,77,77,77	0
59	MG	AA	1770	1/1	0.96	0.29	-	41,41,41,41	0
59	MG	AA	1694	1/1	0.93	0.13	-	19,19,19,19	0
59	MG	BA	3303	1/1	0.92	0.09	-	42,42,42,42	0
59	MG	BA	3100	1/1	0.94	0.10	-	24,24,24,24	0
59	MG	AA	1707	1/1	0.81	0.22	-	60,60,60,60	0
59	MG	BA	3168	1/1	0.80	0.11	-	58,58,58,58	0
59	MG	BA	3183	1/1	0.95	0.14	-	58,58,58,58	0
59	MG	AA	1683	1/1	0.92	0.23	-	25,25,25,25	0
59	MG	AA	1765	1/1	0.91	0.56	-	63,63,63,63	0
59	MG	AA	1788	1/1	0.84	0.33	-	73,73,73,73	0
59	MG	BA	3225	1/1	0.76	0.14	-	44,44,44,44	0
59	MG	AA	1781	1/1	0.33	0.27	-	54,54,54,54	0
59	MG	BA	3242	1/1	0.73	0.44	-	78,78,78,78	0
59	MG	BA	3085	1/1	0.74	0.21	-	25,25,25,25	0
59	MG	BA	3249	1/1	0.96	0.31	-	22,22,22,22	0
59	MG	AA	1740	1/1	0.44	0.75	-	79,79,79,79	0
59	MG	AA	1739	1/1	0.91	0.42	-	28,28,28,28	0
59	MG	BA	3016	1/1	0.72	0.62	-	77,77,77,77	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	AA	1755	1/1	0.74	0.35	-	60,60,60,60	0
59	MG	BA	3028	1/1	0.65	0.40	-	60,60,60,60	0
59	MG	AA	1618	1/1	0.97	0.38	-	47,47,47,47	0
59	MG	BA	3267	1/1	0.77	0.34	-	62,62,62,62	0
59	MG	AA	1603	1/1	0.94	0.41	-	38,38,38,38	0
59	MG	AA	1757	1/1	0.87	0.30	-	57,57,57,57	0
59	MG	BA	3121	1/1	0.92	0.34	-	33,33,33,33	0
59	MG	AA	1659	1/1	0.97	0.39	-	34,34,34,34	0
59	MG	AA	1787	1/1	0.86	0.27	-	55,55,55,55	0
59	MG	BA	3128	1/1	0.74	0.26	-	38,38,38,38	0
59	MG	BA	3134	1/1	0.87	0.31	-	65,65,65,65	0
59	MG	BA	3069	1/1	0.97	0.33	-	18,18,18,18	0
59	MG	BA	3081	1/1	0.98	0.28	-	23,23,23,23	0
59	MG	BA	3095	1/1	0.81	0.38	-	47,47,47,47	0
59	MG	BA	3239	1/1	0.76	0.27	-	87,87,87,87	0
59	MG	BA	3102	1/1	0.96	0.23	-	30,30,30,30	0
59	MG	AA	1626	1/1	0.92	0.42	-	59,59,59,59	0
59	MG	BA	3307	1/1	0.94	0.16	-	40,40,40,40	0
59	MG	BA	3059	1/1	0.94	0.45	-	45,45,45,45	0
59	MG	AA	1779	1/1	0.63	0.53	-	81,81,81,81	0
59	MG	AA	1709	1/1	0.66	0.20	-	41,41,41,41	0
59	MG	BA	3314	1/1	0.91	0.10	-	49,49,49,49	0
59	MG	BA	3198	1/1	0.88	0.17	-	63,63,63,63	0
59	MG	BA	3201	1/1	0.77	0.41	-	64,64,64,64	0
59	MG	BA	3114	1/1	0.93	0.21	-	29,29,29,29	0
59	MG	AA	1769	1/1	0.91	0.36	-	33,33,33,33	0
59	MG	AA	1743	1/1	0.71	0.39	-	38,38,38,38	0
59	MG	BA	3291	1/1	0.92	0.32	-	27,27,27,27	0
59	MG	BA	3170	1/1	0.93	0.52	-	41,41,41,41	0
59	MG	AA	1776	1/1	0.96	0.29	-	25,25,25,25	0
59	MG	AA	1606	1/1	0.76	0.53	-	60,60,60,60	0
59	MG	AA	1730	1/1	0.96	0.13	-	62,62,62,62	0
59	MG	AA	1773	1/1	0.59	0.56	-	60,60,60,60	0
59	MG	BA	3013	1/1	0.93	0.49	-	37,37,37,37	0
59	MG	BA	3220	1/1	0.93	0.18	-	56,56,56,56	0
59	MG	AA	1635	1/1	0.72	0.22	-	65,65,65,65	0
59	MG	BA	3143	1/1	0.86	0.21	-	57,57,57,57	0
59	MG	BA	3241	1/1	0.90	0.19	-	65,65,65,65	0
59	MG	BA	3317	1/1	0.98	0.28	-	29,29,29,29	0
59	MG	AA	1643	1/1	0.80	0.23	-	38,38,38,38	0
59	MG	AA	1764	1/1	0.79	0.27	-	61,61,61,61	0
59	MG	BA	3273	1/1	0.88	0.65	-	72,72,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	BA	3131	1/1	0.97	0.43	-	33,33,33,33	0
59	MG	BA	3305	1/1	0.80	0.10	-	52,52,52,52	0
59	MG	BA	3163	1/1	0.84	0.30	-	55,55,55,55	0
59	MG	AA	1716	1/1	0.65	0.37	-	71,71,71,71	0
59	MG	AA	1629	1/1	0.96	0.28	-	44,44,44,44	0
59	MG	BA	3179	1/1	0.37	0.43	-	87,87,87,87	0
59	MG	BA	3250	1/1	0.84	0.24	-	53,53,53,53	0
59	MG	AA	1797	1/1	0.80	0.19	-	58,58,58,58	0
59	MG	AA	1767	1/1	0.88	0.29	-	60,60,60,60	0
59	MG	BA	3293	1/1	0.89	0.50	-	76,76,76,76	0
59	MG	BA	3160	1/1	0.79	0.17	-	55,55,55,55	0
59	MG	BA	3063	1/1	0.97	0.15	-	22,22,22,22	0
59	MG	AA	1763	1/1	0.82	0.30	-	51,51,51,51	0
59	MG	BA	3284	1/1	0.72	0.42	-	61,61,61,61	0
59	MG	BA	3202	1/1	0.90	0.40	-	43,43,43,43	0
59	MG	AA	1612	1/1	0.96	0.46	-	47,47,47,47	0
59	MG	BA	3200	1/1	0.92	0.31	-	71,71,71,71	0
59	MG	AA	1670	1/1	0.92	0.21	-	57,57,57,57	0
59	MG	BA	3032	1/1	0.69	0.25	-	73,73,73,73	0
59	MG	BA	3205	1/1	0.95	0.12	-	35,35,35,35	0
59	MG	BA	3062	1/1	0.97	0.15	-	13,13,13,13	0
59	MG	BA	3286	1/1	0.92	0.34	-	42,42,42,42	0
59	MG	BA	3212	1/1	0.88	0.28	-	46,46,46,46	0
59	MG	AA	1784	1/1	0.88	0.17	-	37,37,37,37	0
59	MG	BA	3178	1/1	0.98	0.27	-	43,43,43,43	0
59	MG	BA	3086	1/1	0.95	0.26	-	46,46,46,46	0
59	MG	AA	1646	1/1	0.92	0.38	-	34,34,34,34	0
59	MG	BA	3316	1/1	0.95	0.38	-	34,34,34,34	0
59	MG	BA	3047	1/1	0.96	0.37	-	42,42,42,42	0
59	MG	AA	1611	1/1	0.80	0.34	-	75,75,75,75	0
59	MG	BA	3015	1/1	0.89	0.53	-	63,63,63,63	0
59	MG	AA	1742	1/1	0.91	0.22	-	45,45,45,45	0
59	MG	BA	3030	1/1	0.58	1.27	-	86,86,86,86	0
59	MG	AA	1752	1/1	0.90	0.22	-	59,59,59,59	0
59	MG	BA	3222	1/1	0.96	0.30	-	44,44,44,44	0
59	MG	BA	3019	1/1	0.55	0.72	-	77,77,77,77	0
59	MG	BA	3213	1/1	0.90	0.36	-	31,31,31,31	0
59	MG	B5	101	1/1	0.88	0.27	-	47,47,47,47	0
59	MG	BA	3027	1/1	0.88	0.30	-	71,71,71,71	0
59	MG	AA	1708	1/1	0.90	0.26	-	57,57,57,57	0
59	MG	BA	3099	1/1	0.97	0.21	-	19,19,19,19	0
59	MG	AA	1631	1/1	0.94	0.20	-	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	BA	3182	1/1	0.89	0.27	-	73,73,73,73	0
59	MG	BA	3042	1/1	0.81	0.37	-	45,45,45,45	0
59	MG	BA	3115	1/1	0.92	0.30	-	52,52,52,52	0
59	MG	BA	3049	1/1	0.92	0.46	-	47,47,47,47	0
59	MG	BA	3215	1/1	0.39	0.60	-	81,81,81,81	0
59	MG	AA	1627	1/1	0.86	0.23	-	74,74,74,74	0
59	MG	BA	3185	1/1	0.91	0.43	-	36,36,36,36	0
59	MG	BA	3309	1/1	0.96	0.17	-	50,50,50,50	0
59	MG	AA	1642	1/1	0.86	0.26	-	61,61,61,61	0
59	MG	AA	1662	1/1	0.90	0.33	-	34,34,34,34	0
59	MG	BA	3055	1/1	0.83	0.16	-	33,33,33,33	0
59	MG	BA	3287	1/1	0.92	0.17	-	41,41,41,41	0
59	MG	AA	1644	1/1	0.69	0.20	-	60,60,60,60	0
59	MG	AA	1614	1/1	0.96	0.40	-	26,26,26,26	0
59	MG	AA	1669	1/1	0.86	0.20	-	40,40,40,40	0
59	MG	BA	3223	1/1	0.95	0.34	-	32,32,32,32	0
59	MG	AA	1798	1/1	0.87	0.07	-	39,39,39,39	0
59	MG	BA	3247	1/1	0.37	0.37	-	49,49,49,49	0
59	MG	AA	1720	1/1	0.95	0.47	-	37,37,37,37	0
59	MG	AA	1602	1/1	0.88	0.48	-	42,42,42,42	0
59	MG	AA	1782	1/1	0.96	0.09	-	39,39,39,39	0
59	MG	BC	301	1/1	0.66	0.21	-	115,115,115,115	0
59	MG	AA	1605	1/1	0.94	0.42	-	40,40,40,40	0
59	MG	AA	1619	1/1	0.96	0.36	-	37,37,37,37	0
59	MG	BA	3068	1/1	0.91	0.19	-	33,33,33,33	0
59	MG	AA	1632	1/1	0.64	0.25	-	56,56,56,56	0
59	MG	BA	3194	1/1	0.38	0.35	-	74,74,74,74	0
59	MG	BA	3133	1/1	0.87	0.31	-	39,39,39,39	0
59	MG	BA	3211	1/1	0.91	0.65	-	58,58,58,58	0
59	MG	BA	3107	1/1	0.83	0.30	-	44,44,44,44	0
59	MG	BA	3096	1/1	0.97	0.20	-	23,23,23,23	0
59	MG	BA	3136	1/1	0.64	0.30	-	90,90,90,90	0
59	MG	BA	3036	1/1	0.83	0.28	-	47,47,47,47	0
59	MG	BA	3276	1/1	0.77	0.51	-	46,46,46,46	0
59	MG	AA	1654	1/1	0.92	0.26	-	24,24,24,24	0
59	MG	BA	3292	1/1	0.80	0.36	-	64,64,64,64	0
59	MG	BA	3072	1/1	0.84	0.63	-	70,70,70,70	0
59	MG	BA	3187	1/1	0.81	0.89	-	68,68,68,68	0
59	MG	BA	3256	1/1	0.95	0.44	-	52,52,52,52	0
59	MG	AA	1723	1/1	0.96	0.14	-	10,10,10,10	0
59	MG	BA	3245	1/1	0.95	0.23	-	25,25,25,25	0
59	MG	AA	1655	1/1	0.94	0.40	-	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	AA	1651	1/1	0.88	0.20	-	68,68,68,68	0
59	MG	BA	3148	1/1	0.81	0.29	-	53,53,53,53	0
59	MG	AA	1607	1/1	0.74	0.34	-	97,97,97,97	0
59	MG	AA	1681	1/1	0.96	0.45	-	34,34,34,34	0
59	MG	BA	3191	1/1	0.89	0.38	-	72,72,72,72	0
59	MG	BA	3119	1/1	0.98	0.26	-	24,24,24,24	0
59	MG	BA	3002	1/1	0.98	0.13	-	39,39,39,39	0
59	MG	AA	1717	1/1	0.94	0.43	-	41,41,41,41	0
59	MG	BA	3083	1/1	0.97	0.42	-	23,23,23,23	0
59	MG	AA	1637	1/1	0.68	0.58	-	65,65,65,65	0
59	MG	AA	1790	1/1	0.77	0.25	-	57,57,57,57	0
59	MG	BA	3124	1/1	0.99	0.27	-	15,15,15,15	0
59	MG	BA	3251	1/1	0.83	0.28	-	44,44,44,44	0
59	MG	BA	3192	1/1	0.92	0.36	-	51,51,51,51	0
59	MG	BA	3123	1/1	0.98	0.49	-	32,32,32,32	0
59	MG	BA	3301	1/1	0.91	0.41	-	45,45,45,45	0
59	MG	AA	1696	1/1	0.88	0.35	-	35,35,35,35	0
59	MG	BA	3195	1/1	0.94	0.25	-	32,32,32,32	0
59	MG	BA	3005	1/1	0.97	0.48	-	16,16,16,16	0
59	MG	AA	1795	1/1	0.96	0.15	-	46,46,46,46	0
59	MG	BA	3265	1/1	0.71	0.55	-	65,65,65,65	0
59	MG	AA	1672	1/1	0.93	0.18	-	42,42,42,42	0
59	MG	BA	3126	1/1	0.84	0.42	-	55,55,55,55	0
59	MG	BA	3158	1/1	0.95	0.30	-	27,27,27,27	0
59	MG	AA	1758	1/1	0.77	0.39	-	75,75,75,75	0
59	MG	AA	1745	1/1	0.80	0.44	-	66,66,66,66	0
59	MG	AA	1621	1/1	0.80	0.40	-	68,68,68,68	0
59	MG	BA	3270	1/1	0.83	0.34	-	70,70,70,70	0
59	MG	AA	1766	1/1	0.76	0.29	-	58,58,58,58	0
59	MG	AA	1744	1/1	0.80	0.21	-	90,90,90,90	0
59	MG	BA	3089	1/1	0.92	0.24	-	18,18,18,18	0
59	MG	BA	3029	1/1	0.87	0.33	-	73,73,73,73	0
59	MG	BA	3173	1/1	0.95	0.27	-	20,20,20,20	0
59	MG	AA	1695	1/1	0.78	0.34	-	50,50,50,50	0
59	MG	AA	1656	1/1	0.87	0.15	-	46,46,46,46	0
59	MG	BA	3025	1/1	0.74	0.32	-	42,42,42,42	0
59	MG	BA	3067	1/1	0.79	0.28	-	71,71,71,71	0
59	MG	AA	1775	1/1	0.91	0.13	-	45,45,45,45	0
59	MG	BA	3235	1/1	0.96	0.20	-	29,29,29,29	0
59	MG	AA	1714	1/1	0.69	0.53	-	44,44,44,44	0
59	MG	BA	3254	1/1	0.91	0.27	-	18,18,18,18	0
59	MG	BA	3281	1/1	0.41	0.46	-	79,79,79,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	AA	1727	1/1	0.90	0.14	-	55,55,55,55	0
59	MG	BA	3146	1/1	0.89	0.23	-	29,29,29,29	0
59	MG	BA	3092	1/1	0.96	0.59	-	37,37,37,37	0
59	MG	BA	3041	1/1	0.82	0.21	-	75,75,75,75	0
59	MG	BA	3268	1/1	0.58	0.35	-	85,85,85,85	0
59	MG	AA	1617	1/1	0.96	0.49	-	49,49,49,49	0
59	MG	BA	3193	1/1	0.81	0.53	-	64,64,64,64	0
59	MG	BA	3022	1/1	0.91	0.55	-	65,65,65,65	0
59	MG	BA	3152	1/1	0.94	0.41	-	64,64,64,64	0
59	MG	BA	3285	1/1	0.91	0.28	-	40,40,40,40	0
59	MG	AA	1728	1/1	0.77	0.32	-	47,47,47,47	0
59	MG	BA	3026	1/1	0.77	0.36	-	67,67,67,67	0
59	MG	AA	1620	1/1	0.85	0.44	-	75,75,75,75	0
59	MG	BA	3101	1/1	0.97	0.35	-	29,29,29,29	0
59	MG	BA	3080	1/1	0.98	0.41	-	38,38,38,38	0
59	MG	AA	1698	1/1	0.85	0.31	-	58,58,58,58	0
59	MG	AA	1786	1/1	0.88	0.15	-	35,35,35,35	0
59	MG	AA	1624	1/1	0.85	0.84	-	61,61,61,61	0
59	MG	BA	3130	1/1	0.92	0.55	-	56,56,56,56	0
59	MG	BA	3038	1/1	0.93	0.31	-	40,40,40,40	0
59	MG	BA	3311	1/1	0.96	0.35	-	22,22,22,22	0
59	MG	BA	3240	1/1	0.69	0.33	-	60,60,60,60	0
59	MG	BA	3216	1/1	0.91	0.20	-	54,54,54,54	0
59	MG	BA	3064	1/1	0.77	0.12	-	62,62,62,62	0
59	MG	BA	3012	1/1	0.64	0.44	-	79,79,79,79	0
59	MG	AA	1754	1/1	0.57	0.40	-	75,75,75,75	0
59	MG	AA	1796	1/1	0.79	0.28	-	44,44,44,44	0
59	MG	BA	3204	1/1	0.42	0.40	-	60,60,60,60	0
59	MG	BA	3031	1/1	0.92	0.35	-	35,35,35,35	0
59	MG	AA	1691	1/1	0.84	0.11	-	65,65,65,65	0
59	MG	BA	3070	1/1	0.98	0.45	-	25,25,25,25	0
59	MG	BA	3093	1/1	0.91	0.42	-	69,69,69,69	0
59	MG	AA	1650	1/1	0.76	0.26	-	36,36,36,36	0
59	MG	AA	1772	1/1	0.88	0.58	-	79,79,79,79	0
59	MG	BA	3299	1/1	0.86	0.41	-	53,53,53,53	0
59	MG	BA	3165	1/1	0.99	0.45	-	29,29,29,29	0
59	MG	AA	1647	1/1	0.75	0.46	-	79,79,79,79	0
59	MG	BA	3306	1/1	0.94	0.23	-	39,39,39,39	0
59	MG	AA	1706	1/1	0.95	0.16	-	43,43,43,43	0
59	MG	BA	3040	1/1	0.79	0.42	-	71,71,71,71	0
59	MG	AA	1759	1/1	0.97	0.33	-	37,37,37,37	0
59	MG	BA	3138	1/1	0.88	0.47	-	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	BA	3177	1/1	0.95	0.40	-	31,31,31,31	0
59	MG	BA	3090	1/1	0.89	0.32	-	56,56,56,56	0
59	MG	BA	3304	1/1	0.67	0.39	-	32,32,32,32	0
59	MG	BA	3003	1/1	0.96	0.35	-	20,20,20,20	0
59	MG	AA	1712	1/1	0.43	0.23	-	66,66,66,66	0
59	MG	AA	1750	1/1	0.93	0.30	-	42,42,42,42	0
59	MG	BA	3190	1/1	0.67	0.38	-	81,81,81,81	0
59	MG	AA	1735	1/1	0.89	0.41	-	62,62,62,62	0
59	MG	BA	3218	1/1	0.77	0.23	-	58,58,58,58	0
59	MG	BA	3264	1/1	0.76	0.56	-	77,77,77,77	0
59	MG	BA	3278	1/1	0.96	0.24	-	91,91,91,91	0
59	MG	AA	1702	1/1	0.97	0.53	-	44,44,44,44	0
59	MG	BA	3263	1/1	0.63	0.33	-	63,63,63,63	0
59	MG	AA	1688	1/1	0.94	0.25	-	30,30,30,30	0
59	MG	BA	3011	1/1	0.94	0.27	-	46,46,46,46	0
59	MG	BA	3237	1/1	0.84	0.20	-	94,94,94,94	0
59	MG	AA	1622	1/1	0.91	0.47	-	49,49,49,49	0
59	MG	AA	1731	1/1	0.87	0.09	-	48,48,48,48	0
59	MG	AA	1703	1/1	0.72	0.42	-	81,81,81,81	0
59	MG	BA	3260	1/1	0.80	0.46	-	72,72,72,72	0
59	MG	BA	3017	1/1	0.96	0.33	-	37,37,37,37	0
59	MG	BA	3283	1/1	0.81	0.21	-	73,73,73,73	0
59	MG	BA	3147	1/1	0.72	0.55	-	119,119,119,119	0
59	MG	BA	3238	1/1	0.86	0.28	-	42,42,42,42	0
59	MG	BA	3272	1/1	0.94	0.43	-	52,52,52,52	0
59	MG	AA	1676	1/1	0.82	0.24	-	62,62,62,62	0
59	MG	BA	3066	1/1	0.97	0.16	-	27,27,27,27	0
59	MG	AA	1675	1/1	0.96	0.27	-	45,45,45,45	0
59	MG	BA	3274	1/1	0.88	0.18	-	79,79,79,79	0
59	MG	BA	3294	1/1	0.94	0.20	-	42,42,42,42	0
59	MG	AA	1648	1/1	0.91	0.35	-	29,29,29,29	0
59	MG	BU	201	1/1	0.92	0.14	-	28,28,28,28	0
59	MG	BA	3164	1/1	0.88	0.24	-	49,49,49,49	0
59	MG	AA	1601	1/1	0.81	0.23	-	97,97,97,97	0
59	MG	BA	3046	1/1	0.89	0.28	-	27,27,27,27	0
59	MG	AA	1718	1/1	0.95	0.50	-	35,35,35,35	0
59	MG	AA	1663	1/1	0.85	0.47	-	37,37,37,37	0
59	MG	BA	3290	1/1	0.94	0.42	-	43,43,43,43	0
59	MG	AA	1640	1/1	0.79	0.26	-	74,74,74,74	0
59	MG	BA	3227	1/1	0.92	0.28	-	27,27,27,27	0
59	MG	AA	1641	1/1	0.97	0.17	-	17,17,17,17	0
59	MG	AA	1713	1/1	0.92	0.16	-	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	BA	3045	1/1	0.81	0.69	-	54,54,54,54	0
59	MG	AA	1658	1/1	0.89	0.19	-	25,25,25,25	0
59	MG	BA	3162	1/1	0.89	0.26	-	45,45,45,45	0
59	MG	BA	3203	1/1	0.94	0.27	-	30,30,30,30	0
59	MG	AA	1737	1/1	0.86	0.18	-	61,61,61,61	0
59	MG	BA	3117	1/1	0.90	0.19	-	26,26,26,26	0
59	MG	BA	3159	1/1	0.97	0.20	-	36,36,36,36	0
59	MG	BA	3035	1/1	0.97	0.51	-	31,31,31,31	0
59	MG	AA	1628	1/1	0.53	0.42	-	64,64,64,64	0
59	MG	BA	3233	1/1	0.86	0.20	-	42,42,42,42	0
59	MG	BA	3252	1/1	0.39	0.60	-	50,50,50,50	0
59	MG	BA	3135	1/1	0.95	0.25	-	58,58,58,58	0
59	MG	BA	3023	1/1	0.90	0.12	-	87,87,87,87	0
59	MG	BA	3302	1/1	0.89	0.39	-	52,52,52,52	0
59	MG	AA	1661	1/1	0.86	0.29	-	40,40,40,40	0
59	MG	AA	1680	1/1	0.96	0.19	-	37,37,37,37	0
59	MG	BA	3137	1/1	0.86	0.16	-	49,49,49,49	0
59	MG	BA	3320	1/1	0.98	0.13	-	39,39,39,39	0
59	MG	BA	3155	1/1	0.72	0.29	-	60,60,60,60	0
59	MG	BA	3188	1/1	0.93	0.41	-	34,34,34,34	0
59	MG	AA	1613	1/1	0.91	0.18	-	65,65,65,65	0
59	MG	BA	3253	1/1	0.84	0.40	-	98,98,98,98	0
59	MG	BA	3167	1/1	0.86	0.17	-	61,61,61,61	0
59	MG	BA	3037	1/1	0.90	0.40	-	49,49,49,49	0
59	MG	AA	1630	1/1	0.88	0.53	-	56,56,56,56	0
59	MG	BA	3262	1/1	0.90	0.15	-	68,68,68,68	0
59	MG	BA	3054	1/1	0.87	0.28	-	31,31,31,31	0
59	MG	BA	3010	1/1	0.98	0.41	-	33,33,33,33	0
59	MG	AA	1792	1/1	0.81	0.12	-	37,37,37,37	0
59	MG	BA	3103	1/1	0.97	0.20	-	35,35,35,35	0
59	MG	AA	1685	1/1	0.92	0.42	-	40,40,40,40	0
59	MG	BA	3246	1/1	0.94	0.31	-	34,34,34,34	0
59	MG	AA	1608	1/1	0.87	0.37	-	48,48,48,48	0
59	MG	BA	3226	1/1	0.82	0.34	-	56,56,56,56	0
59	MG	BA	3014	1/1	0.96	0.34	-	53,53,53,53	0
59	MG	BA	3008	1/1	0.96	0.46	-	45,45,45,45	0
59	MG	BA	3034	1/1	0.96	0.25	-	36,36,36,36	0
59	MG	BA	3231	1/1	0.97	0.34	-	13,13,13,13	0
59	MG	AA	1697	1/1	0.80	0.12	-	61,61,61,61	0
59	MG	BA	3112	1/1	0.85	0.71	-	51,51,51,51	0
59	MG	BA	3275	1/1	0.65	0.38	-	52,52,52,52	0
59	MG	AA	1746	1/1	0.90	0.39	-	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	MG	BA	3261	1/1	0.83	0.14	-	67,67,67,67	0
59	MG	AA	1771	1/1	0.75	0.23	-	40,40,40,40	0
59	MG	BA	3033	1/1	0.98	0.21	-	41,41,41,41	0
59	MG	AA	1609	1/1	0.95	0.42	-	40,40,40,40	0
59	MG	BA	3297	1/1	0.92	0.18	-	39,39,39,39	0
59	MG	AA	1793	1/1	0.86	0.23	-	50,50,50,50	0
59	MG	BA	3076	1/1	0.98	0.29	-	18,18,18,18	0
59	MG	BA	3058	1/1	0.97	0.31	-	31,31,31,31	0
59	MG	AA	1774	1/1	0.91	0.62	-	51,51,51,51	0
59	MG	BA	3021	1/1	0.96	0.32	-	37,37,37,37	0
59	MG	BA	3318	1/1	0.99	0.08	-	46,46,46,46	0
59	MG	AA	1652	1/1	0.94	0.44	-	41,41,41,41	0
59	MG	BA	3122	1/1	0.89	0.17	-	26,26,26,26	0
59	MG	BA	3186	1/1	0.86	0.15	-	50,50,50,50	0
59	MG	AA	1633	1/1	0.95	0.54	-	52,52,52,52	0
59	MG	BA	3161	1/1	0.95	0.42	-	30,30,30,30	0
59	MG	BA	3073	1/1	0.88	0.33	-	83,83,83,83	0

6.5 Other polymers [i](#)

There are no such residues in this entry.