



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 06:38 am GMT

PDB ID : 1VBC
Title : POLIOVIRUS (TYPE 3, SABIN STRAIN) (P3/SABIN, P3/LEON/12A(1)B)
COMPLEXED WITH R77975
Authors : Grant, R.A.; Hiremath, C.N.; Filman, D.J.; Syed, R.; Andries, K.; Hogle, J.M.
Deposited on : 1996-01-02
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	0	4	100%
2	1	300	74% 16% .. 7%
3	2	271	80% 17% ..
4	3	235	82% 17% .
5	4	68	85% 6% 9%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 6658 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called POLIOVIRUS TYPE 3.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	0	4	Total	C	N	O	0	0	0
			30	19	4	7			

- Molecule 2 is a protein called POLIOVIRUS TYPE 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1	279	Total	C	N	O	S	0	0	0
			2214	1408	383	416	7			

- Molecule 3 is a protein called POLIOVIRUS TYPE 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	2	266	Total	C	N	O	S	0	0	0
			2088	1330	354	392	12			


- Molecule 4 is a protein called POLIOVIRUS TYPE 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	3	235	Total	C	N	O	S	0	0	0
			1812	1150	296	348	18			

- Molecule 5 is a protein called POLIOVIRUS TYPE 3.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	4	62	Total	C	N	O	0	0	0
			472	291	79	102			

- Molecule 6 is MYRISTIC ACID (three-letter code: MYR) (formula: C₁₄H₂₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	4	1	Total	C	O	0	0
			15	14	1		

- Molecule 7 is (METHYLPYRIDAZINE PIPERIDINE ETHYLOXYPHENYL)ETHYLACE TATE (three-letter code: J77) (formula: $C_{21}H_{27}N_3O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	1	1	Total	C	N	O	0	0
			27	21	3	3		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: POLIOVIRUS TYPE 3

Chain 0:  100%

There are no outlier residues recorded for this chain.


• Molecule 2: POLIOVirus TYPE 3

Chain 1:  74% 16% 7%





• Molecule 3: POLIOVirus TYPE 3

Chain 2:  80% 17%





• Molecule 4: POLIOVirus TYPE 3

Chain 3:  82% 17%



• Molecule 5: POLIOVirus TYPE 3

Chain 4:  85% 6% 9%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	321.06Å 358.62Å 381.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.80	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.289 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6658	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, J77

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.97	0/29	1.65	0/38
2	1	0.74	0/2278	1.43	22/3111 (0.7%)
3	2	0.76	0/2146	1.53	26/2926 (0.9%)
4	3	0.74	0/1857	1.38	15/2533 (0.6%)
5	4	0.69	0/479	1.37	0/647
All	All	0.74	0/6789	1.45	63/9255 (0.7%)

There are no bond length outliers.

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	2	62	ARG	NE-CZ-NH1	11.06	125.83	120.30
3	2	62	ARG	NE-CZ-NH2	-9.90	115.35	120.30
3	2	226	TRP	CD1-CG-CD2	8.71	113.27	106.30
2	1	170	TRP	CD1-CG-CD2	8.53	113.12	106.30
2	1	270	TRP	CD1-CG-CD2	8.51	113.11	106.30
2	1	175	TRP	CD1-CG-CD2	8.29	112.93	106.30
3	2	78	TRP	CD1-CG-CD2	8.12	112.80	106.30
4	3	110	TRP	CD1-CG-CD2	8.08	112.77	106.30
3	2	80	TRP	CD1-CG-CD2	8.01	112.71	106.30
3	2	80	TRP	CE2-CD2-CG	-7.93	100.95	107.30
3	2	79	TRP	CD1-CG-CD2	7.85	112.58	106.30
2	1	170	TRP	CE2-CD2-CG	-7.80	101.06	107.30
2	1	175	TRP	CE2-CD2-CG	-7.72	101.12	107.30
2	1	270	TRP	CE2-CD2-CG	-7.64	101.19	107.30
3	2	38	TRP	CD1-CG-CD2	7.59	112.37	106.30
3	2	103	ARG	NE-CZ-NH1	7.56	124.08	120.30
2	1	108	TRP	CD1-CG-CD2	7.56	112.34	106.30
2	1	109	ARG	NE-CZ-NH2	-7.54	116.53	120.30
3	2	226	TRP	CE2-CD2-CG	-7.49	101.31	107.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	2	79	TRP	CE2-CD2-CG	-7.46	101.33	107.30
4	3	170	TRP	CD1-CG-CD2	7.42	112.23	106.30
3	2	87	ARG	NE-CZ-NH1	7.37	123.98	120.30
4	3	110	TRP	CE2-CD2-CG	-7.30	101.46	107.30
3	2	78	TRP	CE2-CD2-CG	-7.28	101.47	107.30
4	3	170	TRP	CE2-CD2-CG	-7.27	101.49	107.30
2	1	108	TRP	CE2-CD2-CG	-7.21	101.53	107.30
4	3	223	ARG	NE-CZ-NH1	7.13	123.86	120.30
3	2	71	TRP	CD1-CG-CD2	6.97	111.87	106.30
4	3	69	ARG	NE-CZ-NH2	-6.79	116.91	120.30
4	3	156	TRP	CE2-CD2-CG	-6.71	101.93	107.30
4	3	85	LEU	CA-CB-CG	6.69	130.68	115.30
3	2	38	TRP	CE2-CD2-CG	-6.65	101.98	107.30
4	3	156	TRP	CD1-CG-CD2	6.42	111.44	106.30
3	2	71	TRP	CE2-CD2-CG	-6.39	102.19	107.30
2	1	129	ARG	NE-CZ-NH2	-6.37	117.11	120.30
3	2	203	ASN	CB-CA-C	-6.17	98.06	110.40
3	2	171	ARG	NE-CZ-NH1	5.88	123.24	120.30
3	2	100	TYR	CB-CG-CD2	-5.87	117.48	121.00
2	1	193	ARG	NE-CZ-NH1	5.81	123.21	120.30
4	3	226	ARG	NE-CZ-NH1	5.77	123.18	120.30
2	1	244	ARG	NE-CZ-NH2	-5.59	117.50	120.30
3	2	103	ARG	NE-CZ-NH2	-5.55	117.52	120.30
2	1	69	ARG	NE-CZ-NH2	-5.50	117.55	120.30
3	2	226	TRP	CG-CD2-CE3	5.50	138.85	133.90
3	2	226	TRP	CG-CD1-NE1	-5.44	104.66	110.10
2	1	287	TYR	CB-CG-CD2	-5.42	117.75	121.00
4	3	170	TRP	CB-CG-CD1	-5.38	120.00	127.00
2	1	146	ASN	N-CA-C	5.34	125.43	111.00
2	1	148	GLY	O-C-N	-5.31	114.20	122.70
3	2	164	ASN	N-CA-C	5.21	125.08	111.00
2	1	175	TRP	CG-CD2-CE3	5.20	138.58	133.90
2	1	270	TRP	CB-CG-CD1	-5.18	120.27	127.00
4	3	223	ARG	NE-CZ-NH2	-5.16	117.72	120.30
4	3	226	ARG	NE-CZ-NH2	-5.15	117.73	120.30
4	3	69	ARG	NE-CZ-NH1	5.12	122.86	120.30
2	1	170	TRP	CG-CD1-NE1	-5.12	104.98	110.10
4	3	197	ARG	NE-CZ-NH2	-5.12	117.74	120.30
2	1	146	ASN	OD1-CG-ND2	-5.10	110.18	121.90
3	2	79	TRP	CG-CD2-CE3	5.10	138.49	133.90
2	1	244	ARG	NE-CZ-NH1	5.08	122.84	120.30
3	2	79	TRP	CB-CG-CD1	-5.07	120.41	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	1	175	TRP	CB-CG-CD1	-5.04	120.44	127.00
3	2	78	TRP	CG-CD1-NE1	-5.00	105.10	110.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	30	0	30	0	0
2	1	2214	0	2150	32	0
3	2	2088	0	2005	15	0
4	3	1812	0	1792	19	0
5	4	472	0	453	1	0
6	4	15	0	27	0	0
7	1	27	0	27	3	0
All	All	6658	0	6484	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:1:110:ILE:HG21	7:1:500:J77:H82	1.69	0.73
2:1:110:ILE:HD13	7:1:500:J77:H72	1.70	0.71
3:2:271:GLN:NE2	3:2:271:GLN:HA	2.13	0.62
2:1:107:MET:HE3	2:1:167:PRO:HD2	1.83	0.60
2:1:288:ARG:HE	3:2:162:LYS:NZ	2.01	0.58
4:3:61:LYS:O	4:3:64:THR:HG22	2.06	0.56
2:1:169:SER:HB3	2:1:172:ASP:HB3	1.88	0.55
3:2:112:CYS:SG	3:2:246:ILE:HD12	2.47	0.55
2:1:147:ASN:HB2	2:1:252:THR:HB	1.88	0.55
2:1:138:VAL:HG22	2:1:258:VAL:HG22	1.88	0.55
2:1:48:GLU:HA	3:2:196:ILE:HB	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:1:146:ASN:HD22	2:1:147:ASN:N	2.05	0.54
2:1:294:LEU:HD13	4:3:67:MET:SD	2.48	0.53
2:1:234:THR:OG1	2:1:237:ASP:HA	2.08	0.53
3:2:37:ARG:HG3	4:3:37:PRO:HB3	1.91	0.52
2:1:191:PRO:HG2	4:3:13:TYR:HB2	1.91	0.52
4:3:64:THR:O	4:3:67:MET:HG2	2.10	0.52
2:1:288:ARG:HE	3:2:162:LYS:HZ2	1.58	0.51
4:3:89:PRO:HG3	4:3:114:LEU:HD11	1.92	0.51
3:2:122:LEU:HB2	3:2:197:ILE:HB	1.92	0.51
2:1:132:MET:SD	2:1:262:MET:HG2	2.51	0.51
4:3:167:VAL:O	4:3:169:PRO:HD3	2.11	0.51
2:1:96:GLN:HG3	2:1:249:HIS:CE1	2.46	0.50
3:2:32:VAL:HG13	5:4:56:PRO:HB2	1.93	0.50
4:3:64:THR:HG23	4:3:66:ASP:H	1.77	0.49
2:1:133:GLU:HB2	2:1:265:LYS:HE2	1.94	0.49
3:2:49:PRO:HG3	3:2:101:LEU:HD13	1.94	0.48
3:2:60:THR:O	3:2:254:PRO:HG2	2.14	0.47
4:3:168:VAL:HG21	4:3:190:ILE:HD11	1.97	0.47
2:1:120:ARG:NH2	2:1:275:PRO:HB2	2.30	0.47
3:2:271:GLN:HE21	3:2:271:GLN:HA	1.79	0.46
2:1:125:PHE:HZ	4:3:43:MET:SD	2.39	0.46
3:2:179:LEU:HA	3:2:184:VAL:O	2.16	0.46
4:3:177:ARG:CZ	4:3:187:GLY:HA2	2.46	0.46
2:1:159:TYR:CE2	7:1:500:J77:H111	2.51	0.45
2:1:127:TYR:HB2	2:1:270:TRP:HB2	1.98	0.45
2:1:150:ALA:HA	2:1:250:ASN:ND2	2.32	0.44
2:1:109:ARG:HA	2:1:240:VAL:HG12	1.99	0.43
2:1:70:ARG:NH2	4:3:219:ASP:O	2.51	0.43
2:1:148:GLY:O	2:1:149:HIS:ND1	2.52	0.43
4:3:72:LEU:HD11	4:3:210:MET:HB2	2.00	0.43
2:1:222:ASN:HD22	2:1:224:GLN:HB2	1.83	0.43
4:3:119:LEU:HD23	4:3:211:LEU:HD12	2.01	0.42
2:1:215:VAL:HG23	3:2:222:LYS:HG2	2.02	0.42
3:2:87:ARG:NH2	3:2:148:ASN:O	2.53	0.42
2:1:31:LYS:HA	2:1:31:LYS:HD2	1.79	0.42
2:1:294:LEU:HD22	4:3:57:LEU:HD21	2.02	0.41
2:1:133:GLU:CD	2:1:193:ARG:HD2	2.41	0.41
2:1:83:ARG:CG	4:3:15:THR:HG22	2.51	0.41
2:1:275:PRO:HG2	4:3:102:GLU:HG3	2.03	0.41
4:3:231:ILE:HG13	4:3:232:SER:N	2.36	0.41
4:3:156:TRP:CD1	4:3:164:CYS:HB2	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:1:214:LYS:HG3	2:1:228:SER:OG	2.21	0.40
3:2:83:PRO:HG3	3:2:220:MET:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	2/4 (50%)	2 (100%)	0	0	100	100
2	1	277/300 (92%)	252 (91%)	21 (8%)	4 (1%)	13	39
3	2	264/271 (97%)	243 (92%)	17 (6%)	4 (2%)	12	37
4	3	233/235 (99%)	220 (94%)	11 (5%)	2 (1%)	20	52
5	4	58/68 (85%)	49 (84%)	8 (14%)	1 (2%)	11	34
All	All	834/878 (95%)	766 (92%)	57 (7%)	11 (1%)	14	41

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	1	237	ASP
3	2	48	ASN
4	3	59	SER
4	3	170	TRP
3	2	239	ALA
5	4	51	SER
2	1	146	ASN
3	2	163	ASP
2	1	82	ALA
2	1	271	CYS
3	2	8	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	4/4 (100%)	4 (100%)	0	100	100
2	1	241/258 (93%)	230 (95%)	11 (5%)	31	65
3	2	224/229 (98%)	207 (92%)	17 (8%)	15	40
4	3	210/210 (100%)	200 (95%)	10 (5%)	30	63
5	4	53/56 (95%)	51 (96%)	2 (4%)	38	72
All	All	732/757 (97%)	692 (94%)	40 (6%)	25	57

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	1	71	SER
2	1	96	GLN
2	1	100	ARG
2	1	146	ASN
2	1	177	THR
2	1	193	ARG
2	1	194	ILE
2	1	228	SER
2	1	237	ASP
2	1	272	PRO
2	1	294	LEU
3	2	12	ARG
3	2	73	LYS
3	2	103	ARG
3	2	104	SER
3	2	128	PRO
3	2	137	ASP
3	2	149	PRO
3	2	158	SER
3	2	161	ASN
3	2	164	ASN
3	2	169	PRO
3	2	170	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	2	240	GLN
3	2	241	ASP
3	2	263	ARG
3	2	265	VAL
3	2	271	GLN
4	3	16	SER
4	3	33	PRO
4	3	52	MET
4	3	64	THR
4	3	73	SER
4	3	85	LEU
4	3	163	SER
4	3	208	MET
4	3	218	ASN
4	3	224	LEU
5	4	4	GLN
5	4	69	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
2	1	94	ASN
2	1	146	ASN
2	1	149	HIS
2	1	153	GLN
2	1	250	ASN
3	2	139	GLN
3	2	146	ASN
3	2	271	GLN
4	3	6	ASN
4	3	80	GLN
4	3	218	ASN
5	4	4	GLN
5	4	13	HIS
5	4	44	GLN
5	4	69	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	J77	1	500	-	29,29,29	1.37	2 (6%)	38,38,38	2.19	10 (26%)
6	MYR	4	1	5	14,14,15	0.30	0	13,13,15	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	J77	1	500	-	-	0/17/27/27	0/3/3/3
6	MYR	4	1	5	-	0/11/12/13	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	1	500	J77	C18-C21	-4.69	1.38	1.49
7	1	500	J77	O23-C21	3.78	1.42	1.33

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
7	1	500	J77	C4-C5-N4	-4.13	117.10	123.88
7	1	500	J77	C10-C11-N6	3.12	117.31	111.22
7	1	500	J77	C11-C10-C9	3.16	119.27	112.19
7	1	500	J77	N4-C5-N6	3.56	121.24	117.23
7	1	500	J77	C13-C12-C9	3.71	118.87	113.89
7	1	500	J77	C1-C2-N3	3.91	118.08	116.24
7	1	500	J77	O23-C21-C18	3.98	119.52	112.19
7	1	500	J77	C5-N4-N3	4.19	123.68	118.95
7	1	500	J77	C11-N6-C7	4.43	120.96	111.57
7	1	500	J77	O23-C24-C25	4.47	125.07	108.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	1	500	J77	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.