Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 11:52 am GMT

PDB ID : 2VHC

Title : P4 PROTEIN FROM BACTERIOPHAGE PHI12 N234G MUTANT IN COMPLEX WITH AMPCPP AND MN

Authors : Kainov, D.E.; Mancini, E.J.; Telenius, J.; Lisal, J.; Grimes, J.M.; Bamford, D.H.; Stuart, D.I.; Tuma, R.

Deposited on : 2007-11-20

Resolution : 2.35 Å(reported)

The following versions of software and data (see references ⓘ) were used in the production of this report:

|		
MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Clashscore		8
Ramachandran outliers		0.9%
Sidechain outliers		4.3%

Worse   *Better*

▌ Percentile relative to all X-ray structures

▯ Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1626 (2.38-2.34)
Ramachandran outliers	110173	1605 (2.38-2.34)
Sidechain outliers	110143	1606 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	331	74% 11% • 13%
1	B	331	71% 15% • 13%
1	C	331	72% 13% • 13%

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 7322 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NTPASE P4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	289	Total	C	N	O	S	0	0	1
			2167	1359	378	423	7			
1	B	289	Total	C	N	O	S	0	0	1
			2167	1359	378	423	7			
1	C	289	Total	C	N	O	S	0	0	1
			2167	1359	378	423	7			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	234	GLY	ASN	ENGINEERED MUTATION	UNP Q94M05
B	234	GLY	ASN	ENGINEERED MUTATION	UNP Q94M05
C	234	GLY	ASN	ENGINEERED MUTATION	UNP Q94M05

- Molecule 2 is DIPHOSPHOMETHYLPHOSPHONIC ACID ADENOSYL ESTER (three-letter code: APC) (formula: $C_{11}H_{18}N_5O_{12}P_3$).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
2	B	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
2	C	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mn	0	0
			1	1		
3	A	1	Total	Mn	0	0
			1	1		
3	C	1	Total	Mn	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	243	Total	O	0	0
			243	243		
4	B	247	Total	O	0	0
			247	247		
4	C	235	Total	O	0	0
			235	235		

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: NTPASE P4

Chain A:

• Molecule 1: NTPASE P4

Chain B:

• Molecule 1: NTPASE P4

Chain C:

4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α, β, γ	105.12Å　　129.52Å　　158.52Å 90.00°　　90.00°　　90.00°	Depositor
Resolution (Å)	100.50　–　2.35	Depositor
% Data completeness (in resolution range)	99.8 (100.50-2.35)	Depositor
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.174　,　0.237	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7322	wwPDB-VP
Average B, all atoms (Å^2)	47.0	wwPDB-VP

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: APC, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$>5	RMSZ	#$|Z|$>5
1	A	0.61	1/2204 (0.0%)	0.68	0/2985
1	B	0.63	0/2204	0.71	1/2985 (0.0%)
1	C	0.59	0/2204	0.64	0/2985
All	All	0.61	1/6612 (0.0%)	0.68	1/8955 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	145	GLU	CB-CG	5.61	1.62	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	6	ASP	CB-CG-OD1	5.40	123.16	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2167	0	2144	29	0
1	B	2167	0	2143	34	0
1	C	2167	0	2144	37	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	31	0	14	0	0
2	B	31	0	14	0	0
2	C	31	0	14	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	243	0	0	4	0
4	B	247	0	0	6	0
4	C	235	0	0	0	0
All	All	7322	0	6473	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:127:ILE:HD12	1:C:254:SER:HB3	1.59	0.83
1:C:172:PHE:CZ	1:C:176:ILE:HD11	2.20	0.76
1:C:207:ILE:HG22	1:C:211:ALA:HB3	1.66	0.76
1:A:298:THR:HG22	1:A:299:SER:N	2.02	0.74
1:B:235:PRO:HD3	1:B:246:VAL:HG21	1.71	0.73
1:B:207:ILE:HG22	1:B:211:ALA:HB3	1.72	0.72
1:A:191:LEU:HD22	1:A:231:ALA:HB1	1.72	0.72
1:B:298:THR:HG22	1:B:299:SER:N	2.06	0.70
1:C:191:LEU:O	1:C:194:VAL:HG22	1.93	0.68
1:B:283:THR:HG23	4:B:2221:HOH:O	1.93	0.67
1:B:207:ILE:CG2	1:B:211:ALA:HB3	2.24	0.66
1:A:257:LEU:HD13	1:A:259:ILE:HD11	1.79	0.64
1:A:218:ILE:HD11	1:A:229:VAL:HG11	1.79	0.64
1:B:95:HIS:HD2	1:B:96:ARG:O	1.79	0.64
1:B:245:LEU:HD23	1:B:245:LEU:O	1.98	0.63
1:A:127:ILE:HD12	1:A:254:SER:HB3	1.81	0.61
1:B:172:PHE:CZ	1:B:176:ILE:HD11	2.37	0.60
1:C:191:LEU:HD22	1:C:231:ALA:HB1	1.82	0.60
1:A:214:LEU:O	1:A:218:ILE:HG23	2.03	0.58
1:C:42:ASP:OD1	1:C:42:ASP:N	2.36	0.58
1:A:242:ILE:O	1:A:246:VAL:HG22	2.04	0.57
1:C:104:GLY:O	1:C:105:GLU:HB3	2.05	0.57
1:C:207:ILE:CG2	1:C:211:ALA:HB3	2.34	0.57
1:A:136:LYS:HE3	4:A:2142:HOH:O	2.04	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:ILE:HD12	1:B:254:SER:HB3	1.87	0.56
1:A:250:SER:C	1:A:252:SER:H	2.09	0.55
1:A:207:ILE:HG22	1:A:211:ALA:HB3	1.89	0.55
1:B:32:HIS:HE1	4:B:2118:HOH:O	1.88	0.55
1:B:67:VAL:HA	1:B:89:GLY:HA2	1.88	0.55
1:C:180:MET:CE	1:C:222:ALA:HB2	2.38	0.54
1:B:91:MET:HE1	1:B:99:LEU:HD21	1.89	0.52
1:C:41:GLU:O	1:C:44:THR:OG1	2.25	0.52
1:A:298:THR:CG2	1:A:299:SER:N	2.71	0.52
1:A:172:PHE:CZ	1:A:176:ILE:HD11	2.45	0.52
1:B:257:LEU:HD13	1:B:259:ILE:HD11	1.90	0.52
1:C:244:GLU:O	1:C:248:GLU:HB2	2.10	0.52
1:C:40:VAL:CG1	1:C:44:THR:HB	2.40	0.52
1:C:180:MET:CE	1:C:222:ALA:CA	2.88	0.51
1:A:298:THR:HG22	1:A:299:SER:HB2	1.93	0.51
1:B:139:LEU:HD22	1:B:267:TRP:CD2	2.46	0.51
1:B:73:SER:OG	1:B:83:VAL:HG22	2.12	0.50
1:B:247:LYS:O	1:B:249:ALA:N	2.41	0.50
1:A:136:LYS:NZ	1:A:234:GLY:HA2	2.27	0.50
1:A:250:SER:C	1:A:252:SER:N	2.64	0.49
1:C:67:VAL:HA	1:C:89:GLY:HA2	1.93	0.49
1:C:180:MET:CE	1:C:222:ALA:HA	2.42	0.49
1:A:192:LYS:HG3	1:A:193:ASN:N	2.28	0.49
1:C:180:MET:HE2	1:C:222:ALA:HA	1.95	0.48
1:B:137:THR:HB	1:B:138:PRO:HD3	1.94	0.48
1:A:139:LEU:HD22	1:A:267:TRP:CD2	2.49	0.47
1:C:125:MET:HE1	1:C:218:ILE:HG21	1.95	0.47
1:C:137:THR:HB	1:C:138:PRO:HD3	1.96	0.47
1:C:180:MET:HE1	1:C:222:ALA:HB2	1.97	0.47
1:A:38:GLU:OE1	4:A:2061:HOH:O	2.20	0.46
1:A:45:PRO:HB3	1:A:58:VAL:CG1	2.44	0.46
1:B:117:GLY:HA2	1:B:298:THR:HG23	1.97	0.46
1:B:283:THR:CG2	4:B:2221:HOH:O	2.57	0.46
1:C:45:PRO:HD3	1:C:69:TYR:CE2	2.50	0.46
1:A:133:ASN:N	4:A:2142:HOH:O	2.49	0.46
1:C:125:MET:CE	1:C:218:ILE:HG21	2.47	0.45
1:A:139:LEU:HD22	1:A:267:TRP:CE2	2.51	0.45
1:A:250:SER:HB3	1:A:257:LEU:HD21	1.98	0.45
1:B:245:LEU:HD23	1:B:245:LEU:C	2.35	0.45
1:C:136:LYS:NZ	1:C:234:GLY:CA	2.79	0.45
1:A:67:VAL:HA	1:A:89:GLY:HA2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:85:GLN:NE2	1:B:92:LYS:HG2	2.31	0.45
1:A:159:GLY:O	1:A:192:LYS:HE3	2.16	0.45
1:C:292:SER:OG	2:C:1300:APC:N7	2.41	0.45
1:B:139:LEU:HD22	1:B:267:TRP:CE2	2.53	0.44
1:B:192:LYS:HG3	1:B:193:ASN:N	2.33	0.44
1:B:191:LEU:HD22	1:B:231:ALA:HB1	2.00	0.44
1:B:244:GLU:O	1:B:247:LYS:O	2.36	0.44
1:B:240:ASP:O	1:B:243:VAL:HG22	2.18	0.43
1:B:37:LEU:O	1:B:40:VAL:HG22	2.17	0.43
1:B:75:LYS:NZ	4:B:2098:HOH:O	2.52	0.43
1:B:235:PRO:CD	1:B:246:VAL:HG21	2.46	0.43
1:B:131:LYS:HG2	1:B:134:SER:HB3	2.00	0.43
1:C:169:PHE:O	1:C:172:PHE:HB3	2.19	0.43
1:C:95:HIS:HD2	1:C:96:ARG:O	2.03	0.42
1:A:250:SER:CB	1:A:257:LEU:HD21	2.50	0.42
1:C:104:GLY:O	1:C:105:GLU:CB	2.66	0.42
1:C:179:ALA:HB1	1:C:186:ILE:HG12	2.02	0.42
1:A:136:LYS:HZ3	1:A:234:GLY:HA2	1.84	0.42
1:C:244:GLU:HA	1:C:247:LYS:HB3	2.02	0.42
1:B:169:PHE:O	1:B:172:PHE:HB3	2.19	0.42
1:B:279:ARG:HD2	1:C:133:ASN:HD21	1.85	0.42
1:C:172:PHE:CE1	1:C:176:ILE:HD11	2.55	0.41
1:C:136:LYS:NZ	1:C:234:GLY:HA2	2.34	0.41
1:C:207:ILE:HG22	1:C:208:SER:N	2.35	0.41
1:B:207:ILE:CG2	1:B:211:ALA:CB	2.96	0.41
1:A:283:THR:HG23	4:A:2216:HOH:O	2.20	0.41
1:C:125:MET:CE	1:C:218:ILE:CG2	2.98	0.41
1:C:29:TRP:O	1:C:33:THR:HG23	2.20	0.41
4:B:2029:HOH:O	1:C:291:HIS:HD2	2.04	0.41
1:A:26:PRO:HA	1:A:112:VAL:HG13	2.03	0.41
1:A:145:GLU:HG3	1:A:146:ALA:N	2.36	0.40
1:C:269:VAL:CG2	1:C:284:LEU:HD22	2.51	0.40
1:B:70:LYS:HE2	4:B:2092:HOH:O	2.22	0.40
1:C:101:ASP:OD2	1:C:104:GLY:HA2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/331 (86%)	274 (96%)	9 (3%)	2 (1%)	25	27
1	B	285/331 (86%)	277 (97%)	6 (2%)	2 (1%)	25	27
1	C	285/331 (86%)	269 (94%)	12 (4%)	4 (1%)	13	11
All	All	855/993 (86%)	820 (96%)	27 (3%)	8 (1%)	20	21

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	238	ASN
1	B	240	ASP
1	C	105	GLU
1	C	244	GLU
1	A	131	LYS
1	A	234	GLY
1	C	238	ASN
1	C	243	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/264 (88%)	220 (94%)	13 (6%)	25	29
1	B	233/264 (88%)	225 (97%)	8 (3%)	42	53
1	C	233/264 (88%)	224 (96%)	9 (4%)	37	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	699/792 (88%)	669 (96%)	30 (4%)	33 42

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	MET
1	A	134	SER
1	A	145	GLU
1	A	191	LEU
1	A	192	LYS
1	A	194	VAL
1	A	218	ILE
1	A	248	GLU
1	A	251	ARG
1	A	252	SER
1	A	253	ASN
1	A	284	LEU
1	A	298	THR
1	B	38	GLU
1	B	41	GLU
1	B	134	SER
1	B	191	LEU
1	B	215	LEU
1	B	238	ASN
1	B	262	ASP
1	B	284	LEU
1	C	42	ASP
1	C	103	THR
1	C	125	MET
1	C	134	SER
1	C	145	GLU
1	C	191	LEU
1	C	248	GLU
1	C	262	ASP
1	C	284	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	HIS
1	A	253	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	32	HIS
1	B	95	HIS
1	B	238	ASN
1	B	297	HIS
1	C	95	HIS
1	C	238	ASN

5.3.3   RNA (i)

There are no RNA molecules in this entry.

5.4   Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5   Carbohydrates (i)

There are no carbohydrates in this entry.

5.6   Ligand geometry (i)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#|Z| > 2$	Counts	RMSZ	$\#|Z| > 2$
2	APC	A	1300	3	28,33,33	1.29	4 (14%)	28,52,52	1.86	4 (14%)
2	APC	B	1300	3	28,33,33	1.32	4 (14%)	28,52,52	1.79	5 (17%)
2	APC	C	1300	3	28,33,33	1.32	4 (14%)	28,52,52	1.83	4 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	APC	A	1300	3	-	0/15/38/38	0/3/3/3
2	APC	B	1300	3	-	0/15/38/38	0/3/3/3
2	APC	C	1300	3	-	0/15/38/38	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1300	APC	PB-O2B	-2.31	1.50	1.56
2	B	1300	APC	PB-O2B	-2.30	1.50	1.56
2	C	1300	APC	PA-O2A	-2.23	1.50	1.56
2	A	1300	APC	C2-N3	2.06	1.35	1.32
2	B	1300	APC	PB-O3B	2.17	1.60	1.58
2	A	1300	APC	PB-O3B	2.30	1.61	1.58
2	A	1300	APC	PA-O5'	2.84	1.60	1.57
2	C	1300	APC	C5-C4	2.87	1.47	1.40
2	B	1300	APC	PA-O5'	3.11	1.60	1.57
2	B	1300	APC	C5-C4	3.11	1.47	1.40
2	A	1300	APC	C5-C4	3.14	1.47	1.40
2	C	1300	APC	PA-O5'	3.55	1.61	1.57

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1300	APC	N3-C2-N1	-6.90	122.84	128.86
2	B	1300	APC	N3-C2-N1	-6.82	122.91	128.86
2	C	1300	APC	N3-C2-N1	-6.69	123.03	128.86
2	A	1300	APC	C4-C5-N7	-3.14	106.38	109.41
2	B	1300	APC	C4-C5-N7	-3.07	106.44	109.41
2	C	1300	APC	C4-C5-N7	-2.69	106.81	109.41
2	B	1300	APC	C2-N1-C6	2.06	122.37	118.77
2	B	1300	APC	O2A-PA-O1A	2.13	117.21	110.09
2	B	1300	APC	O2B-PB-O1B	2.17	117.35	110.09
2	C	1300	APC	O3G-PG-O2G	2.18	116.41	107.61
2	C	1300	APC	O2B-PB-O1B	2.42	118.20	110.09
2	A	1300	APC	O3G-PG-O2G	2.58	118.02	107.61
2	A	1300	APC	O2B-PB-O1B	2.60	118.78	110.09

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1300	APC	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.