



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2017 – 08:37 pm GMT

PDB ID : 1VIJ
Title : HIV-1 PROTEASE COMPLEXED WITH THE INHIBITOR HOE/BAY 793
HEXAGONAL FORM
Authors : Lange-Savage, G.; Berchtold, H.; Liesum, A.; Hilgenfeld, R.
Deposited on : 1997-05-07
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	99	
1	B	99	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BAY	A	201	X	-	-	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 1701 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called HIV-1 PROTEASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	99	Total	C	N	O	S	0	0	0
			760	490	131	135	4			
1	B	99	Total	C	N	O	S	0	0	0
			760	490	131	135	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	41	ARG	LYS	CONFLICT	UNP P12499
B	41	ARG	LYS	CONFLICT	UNP P12499

- Molecule 2 is N-(1-BENZYL-2,3-DIHYDROXY-4-{3-METHYL-2-[2-(2-METHYL-PROPANE-2-SULFONYLMETHYL)-3-NAPHTHALEN-1-YL-PROPIONYLAMINO]-BUTYRYLAMINO}-5-PHENYL-PENTYL)-3-METHYL-2-[2-(2-METHYL-PROPANE-2-SULFONYLMETHYL)-3-NAPHTHALEN-1-YL-PROPIONYLAMINO]-BUTYRAMIDE (three-letter code: BAY) (formula: $C_{64}H_{82}N_4O_{10}S_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			80	64	4	10	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	60	Total	O	60	0
			60	60		
3	B	41	Total	O	41	0
			41	41		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: HIV-1 PROTEASE



• Molecule 1: HIV-1 PROTEASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	64.27Å 64.27Å 82.93Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.40	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.40)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.178 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1701	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BAY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	0/773	1.97	18/1046 (1.7%)
1	B	0.76	0/773	1.98	24/1046 (2.3%)
All	All	0.75	0/1546	1.98	42/2092 (2.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	87	ARG	NE-CZ-NH1	-16.88	111.86	120.30
1	B	57	ARG	NE-CZ-NH1	13.01	126.81	120.30
1	B	30	ASP	CB-CG-OD2	10.55	127.80	118.30
1	B	8	ARG	NE-CZ-NH2	10.52	125.56	120.30
1	B	57	ARG	CD-NE-CZ	9.32	136.64	123.60
1	A	29	ASP	CB-CG-OD1	8.64	126.07	118.30
1	B	41	ARG	CD-NE-CZ	8.26	135.16	123.60
1	A	87	ARG	NE-CZ-NH2	8.25	124.42	120.30
1	B	41	ARG	NE-CZ-NH1	7.97	124.28	120.30
1	B	61	GLN	CA-CB-CG	7.83	130.62	113.40
1	B	76	LEU	CA-CB-CG	7.48	132.51	115.30
1	B	87	ARG	NE-CZ-NH2	-7.14	116.73	120.30
1	B	59	TYR	CB-CG-CD1	6.67	125.00	121.00
1	A	43	LYS	CA-CB-CG	6.63	127.98	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	67	CYS	C-N-CA	6.44	135.83	122.30
1	A	4	THR	N-CA-CB	6.36	122.39	110.30
1	B	8	ARG	NE-CZ-NH1	-6.36	117.12	120.30
1	A	57	ARG	NE-CZ-NH2	-6.29	117.16	120.30
1	B	59	TYR	CA-CB-CG	6.16	125.11	113.40
1	B	96	THR	CB-CA-C	-5.94	95.57	111.60
1	A	54	ILE	N-CA-CB	5.86	124.28	110.80
1	B	71	ALA	CB-CA-C	5.86	118.89	110.10
1	A	95	CYS	N-CA-CB	-5.85	100.07	110.60
1	A	97	LEU	CA-CB-CG	5.82	128.69	115.30
1	A	59	TYR	CB-CG-CD1	5.81	124.48	121.00
1	B	29	ASP	CB-CG-OD1	5.77	123.50	118.30
1	A	77	VAL	C-N-CA	-5.65	110.44	122.30
1	A	93	ILE	C-N-CA	5.63	134.13	122.30
1	B	57	ARG	NH1-CZ-NH2	-5.59	113.25	119.40
1	B	58	GLN	N-CA-CB	-5.51	100.69	110.60
1	B	61	GLN	CG-CD-OE1	5.50	132.59	121.60
1	A	45	LYS	CA-CB-CG	5.40	125.28	113.40
1	B	29	ASP	C-N-CA	5.35	135.07	121.70
1	A	18	GLN	CG-CD-OE1	-5.27	111.06	121.60
1	B	15	ILE	CB-CA-C	-5.25	101.09	111.60
1	B	83	ASN	CA-CB-CG	5.19	124.83	113.40
1	A	68	GLY	C-N-CA	5.17	134.62	121.70
1	B	13	ILE	CB-CA-C	-5.14	101.32	111.60
1	B	60	ASP	CB-CG-OD1	5.11	122.90	118.30
1	B	95	CYS	N-CA-CB	-5.06	101.50	110.60
1	A	97	LEU	O-C-N	-5.05	114.62	122.70
1	A	36	MET	CA-CB-CG	-5.03	104.75	113.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	57	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	760	0	807	61	0
1	B	760	0	807	70	0
2	A	80	0	80	17	0
3	A	60	0	0	0	0
3	B	41	0	0	0	0
All	All	1701	0	1694	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 37.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:PRO:HG2	2:A:201:BAY:H48	1.36	1.07
2:A:201:BAY:H82	2:A:201:BAY:C12	1.94	0.97
1:B:43:LYS:HB3	1:B:58:GLN:HB3	1.49	0.93
1:A:2:GLN:HG3	1:B:98:ASN:HD22	1.35	0.92
1:A:13:ILE:HD12	1:A:15:ILE:HD11	1.54	0.88
1:A:2:GLN:HG3	1:B:98:ASN:ND2	1.88	0.87
1:B:42:TRP:HB3	1:B:59:TYR:CE1	2.13	0.84
2:A:201:BAY:H12	2:A:201:BAY:H82	1.58	0.83
1:B:66:ILE:O	1:B:69:HIS:HB2	1.78	0.83
1:A:31:THR:OG1	1:A:89:LEU:HD12	1.77	0.83
1:B:14:LYS:HB3	1:B:65:GLU:HB3	1.61	0.82
1:A:55:LYS:HD3	1:A:55:LYS:H	1.47	0.80
1:A:42:TRP:CZ3	1:A:44:PRO:HG3	2.18	0.79
1:A:51:GLY:HA2	1:B:52:GLY:O	1.83	0.78
1:A:42:TRP:HZ3	1:A:44:PRO:HG3	1.50	0.77
1:B:15:ILE:HD13	1:B:33:LEU:HD13	1.65	0.76
1:A:13:ILE:CD1	1:A:15:ILE:HD11	2.18	0.73
1:A:61:GLN:NE2	1:A:72:ILE:HG21	2.05	0.71
1:B:15:ILE:HD12	1:B:36:MET:HE1	1.72	0.71
1:A:43:LYS:O	1:A:58:GLN:N	2.24	0.71
1:A:99:PHE:OXT	1:B:1:PRO:N	2.23	0.70
1:A:98:ASN:O	1:B:95:CYS:HA	1.92	0.69
1:A:13:ILE:HD12	1:A:15:ILE:CD1	2.23	0.69
1:A:26:THR:HG23	1:B:26:THR:OG1	1.93	0.69
2:A:201:BAY:C12	2:A:201:BAY:C8	2.69	0.69
2:A:201:BAY:H19	1:B:8:ARG:NH1	2.07	0.68
1:A:15:ILE:HD13	1:A:20:LYS:HD2	1.75	0.68
1:B:42:TRP:CE3	1:B:57:ARG:HB3	2.30	0.66
1:A:13:ILE:CG1	1:A:15:ILE:HD11	2.27	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:ILE:HD13	1:B:33:LEU:CD1	2.29	0.63
2:A:201:BAY:H47	1:B:50:ILE:HD12	1.81	0.62
1:B:34:GLU:HG2	1:B:83:ASN:OD1	1.98	0.62
1:A:20:LYS:HE3	1:A:36:MET:SD	2.40	0.61
1:B:59:TYR:HD2	1:B:62:ILE:HD11	1.65	0.60
1:B:88:ASN:OD1	1:B:89:LEU:HG	2.01	0.60
1:A:95:CYS:HB2	1:B:99:PHE:HB3	1.83	0.60
1:B:59:TYR:CD2	1:B:62:ILE:HD11	2.37	0.60
1:B:90:LEU:O	1:B:95:CYS:HB3	2.02	0.59
1:A:98:ASN:ND2	1:B:98:ASN:OD1	2.35	0.59
1:A:50:ILE:HD11	1:B:80:THR:OG1	2.03	0.58
1:B:59:TYR:HB3	1:B:62:ILE:CD1	2.34	0.57
1:B:43:LYS:O	1:B:58:GLN:N	2.33	0.57
1:B:59:TYR:HB3	1:B:62:ILE:HD12	1.86	0.56
1:B:10:LEU:O	1:B:11:VAL:HG23	2.06	0.56
1:A:32:VAL:CG1	1:A:84:ILE:HD12	2.36	0.56
2:A:201:BAY:H803	1:B:29:ASP:OD2	2.05	0.56
1:B:15:ILE:O	1:B:18:GLN:HB2	2.06	0.55
1:B:5:LEU:HD23	1:B:9:PRO:HG3	1.89	0.54
1:A:66:ILE:O	1:A:69:HIS:HB2	2.08	0.54
1:A:11:VAL:HG22	1:A:67:CYS:SG	2.48	0.54
2:A:201:BAY:H12	2:A:201:BAY:C8	2.26	0.53
1:A:26:THR:HG21	1:A:97:LEU:HD13	1.89	0.52
1:B:46:MET:HG2	1:B:55:LYS:HD3	1.92	0.52
1:A:54:ILE:HD12	1:A:79:PRO:HD2	1.90	0.51
2:A:201:BAY:C19	1:B:8:ARG:NH1	2.73	0.51
1:B:70:LYS:O	1:B:71:ALA:HB2	2.11	0.51
1:A:42:TRP:HB3	1:A:59:TYR:CE1	2.45	0.51
1:A:44:PRO:HA	1:A:57:ARG:HA	1.91	0.51
1:B:15:ILE:CD1	1:B:33:LEU:HD13	2.38	0.51
1:B:56:VAL:HG21	1:B:76:LEU:HD13	1.92	0.50
1:B:69:HIS:HD2	1:B:93:ILE:HB	1.75	0.50
1:A:50:ILE:HD12	2:A:201:BAY:C34	2.41	0.50
1:B:11:VAL:O	1:B:22:ALA:N	2.31	0.50
1:A:99:PHE:HB3	1:B:95:CYS:HA	1.94	0.50
1:B:22:ALA:HB3	1:B:85:ILE:HD11	1.94	0.49
2:A:201:BAY:H19	1:B:8:ARG:HH11	1.76	0.49
1:B:69:HIS:CD2	1:B:93:ILE:HB	2.47	0.49
1:A:15:ILE:HD12	1:A:15:ILE:N	2.29	0.48
1:A:98:ASN:HB2	1:B:98:ASN:OD1	2.14	0.48
1:A:50:ILE:HD12	2:A:201:BAY:H34	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:34:GLU:HA	1:B:78:GLY:O	2.14	0.48
1:A:54:ILE:HD13	1:A:79:PRO:HG2	1.96	0.48
1:B:66:ILE:O	1:B:67:CYS:C	2.52	0.48
1:B:24:LEU:HD22	1:B:90:LEU:HD21	1.95	0.47
1:B:42:TRP:CE3	1:B:57:ARG:CB	2.97	0.47
1:A:38:LEU:HD12	1:A:39:PRO:HD2	1.96	0.47
1:B:65:GLU:HA	1:B:69:HIS:O	2.14	0.47
1:B:3:ILE:HD12	1:B:24:LEU:HD12	1.97	0.47
1:A:34:GLU:HA	1:A:80:THR:CG2	2.44	0.47
1:B:20:LYS:CE	1:B:36:MET:HE3	2.44	0.47
1:B:88:ASN:OD1	1:B:89:LEU:N	2.48	0.47
1:A:74:THR:O	1:A:88:ASN:ND2	2.47	0.47
1:A:98:ASN:O	1:A:99:PHE:HB3	2.15	0.46
1:A:46:MET:HE3	1:A:53:PHE:HD2	1.80	0.46
1:A:55:LYS:CD	1:A:55:LYS:H	2.22	0.46
1:A:65:GLU:OE2	1:A:70:LYS:NZ	2.35	0.46
1:B:13:ILE:HG22	1:B:66:ILE:HG13	1.97	0.46
1:A:33:LEU:HD12	1:A:75:VAL:HG13	1.98	0.46
1:A:32:VAL:CG1	1:A:84:ILE:HB	2.46	0.45
1:B:60:ASP:CG	1:B:74:THR:HG23	2.37	0.45
1:B:20:LYS:HE2	1:B:36:MET:CE	2.46	0.45
2:A:201:BAY:H81	2:A:201:BAY:H13A	1.19	0.45
1:A:38:LEU:HA	1:A:38:LEU:HD12	1.88	0.45
1:B:42:TRP:CB	1:B:59:TYR:CE1	2.95	0.45
1:A:86:GLY:O	1:A:90:LEU:HG	2.17	0.45
1:A:57:ARG:HE	1:A:57:ARG:HB3	1.52	0.45
1:A:66:ILE:HG22	1:A:66:ILE:O	2.17	0.45
1:A:81:PRO:CG	2:A:201:BAY:H48	2.25	0.44
1:B:20:LYS:HE3	1:B:36:MET:HE3	2.00	0.44
1:A:65:GLU:HG2	1:A:70:LYS:HE3	1.99	0.44
1:B:82:VAL:HG23	1:B:84:ILE:HD12	2.00	0.44
2:A:201:BAY:O76	1:B:47:ILE:HG22	2.18	0.43
1:B:97:LEU:HD12	1:B:97:LEU:HA	1.86	0.43
2:A:201:BAY:C11	2:A:201:BAY:H36	2.49	0.43
1:B:87:ARG:O	1:B:91:THR:HB	2.19	0.42
1:B:22:ALA:CB	1:B:85:ILE:HD11	2.49	0.42
1:B:63:LEU:HG	1:B:64:ILE:N	2.34	0.42
1:A:1:PRO:HG2	1:B:99:PHE:CE1	2.54	0.42
1:A:32:VAL:O	1:A:32:VAL:HG13	2.19	0.41
1:A:33:LEU:HD23	1:A:83:ASN:HB3	2.00	0.41
1:A:51:GLY:CA	1:B:52:GLY:O	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:82:VAL:HG23	1:B:84:ILE:CD1	2.50	0.41
1:B:15:ILE:HD12	1:B:36:MET:CE	2.48	0.41
1:B:15:ILE:HG23	1:B:64:ILE:HG13	2.01	0.41
1:A:43:LYS:HA	1:A:44:PRO:HD3	1.82	0.41
1:A:3:ILE:O	1:B:97:LEU:N	2.54	0.41
1:A:49:GLY:N	1:B:50:ILE:HG22	2.36	0.41
2:A:201:BAY:H36	2:A:201:BAY:C20	2.51	0.41
1:A:54:ILE:CD1	1:A:79:PRO:HG2	2.51	0.41
1:A:56:VAL:HG21	1:A:76:LEU:HB3	2.03	0.41
1:A:46:MET:CE	1:A:53:PHE:HD2	2.34	0.40
1:A:66:ILE:HG21	1:A:93:ILE:HD13	2.04	0.40
1:B:64:ILE:HD13	1:B:89:LEU:CD1	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	97/99 (98%)	89 (92%)	7 (7%)	1 (1%)	18	26
1	B	97/99 (98%)	88 (91%)	9 (9%)	0	100	100
All	All	194/198 (98%)	177 (91%)	16 (8%)	1 (0%)	32	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	51	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	83/83 (100%)	67 (81%)	16 (19%)	1	2
1	B	83/83 (100%)	67 (81%)	16 (19%)	1	2
All	All	166/166 (100%)	134 (81%)	32 (19%)	1	2

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	VAL
1	A	19	LEU
1	A	24	LEU
1	A	29	ASP
1	A	43	LYS
1	A	50	ILE
1	A	55	LYS
1	A	57	ARG
1	A	60	ASP
1	A	61	GLN
1	A	64	ILE
1	A	65	GLU
1	A	67	CYS
1	A	70	LYS
1	A	72	ILE
1	A	75	VAL
1	B	7	GLN
1	B	11	VAL
1	B	15	ILE
1	B	19	LEU
1	B	50	ILE
1	B	55	LYS
1	B	57	ARG
1	B	60	ASP
1	B	61	GLN
1	B	67	CYS
1	B	70	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	74	THR
1	B	80	THR
1	B	84	ILE
1	B	91	THR
1	B	97	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	GLN
1	B	58	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BAY	A	201	-	83,85,85	1.82	19 (22%)	114,124,124	4.15	54 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BAY	A	201	-	2/2/18/22	0/96/96/96	0/6/6/6

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	BAY	C54-N58	-2.17	1.41	1.45
2	A	201	BAY	C24-N23	2.25	1.50	1.45
2	A	201	BAY	C37-C36	2.30	1.43	1.38
2	A	201	BAY	C38-C33	2.30	1.43	1.38
2	A	201	BAY	C64-C63	2.32	1.41	1.37
2	A	201	BAY	C79-C77	2.42	1.57	1.52
2	A	201	BAY	C1-C4	2.46	1.57	1.52
2	A	201	BAY	C13-C14	2.77	1.43	1.36
2	A	201	BAY	C10-C11	2.77	1.59	1.51
2	A	201	BAY	C18-C19	2.88	1.43	1.36
2	A	201	BAY	C2-C4	2.90	1.58	1.52
2	A	201	BAY	C13-C12	3.02	1.44	1.38
2	A	201	BAY	O75-S74	3.07	1.48	1.44
2	A	201	BAY	C80-C77	3.18	1.58	1.52
2	A	201	BAY	C77-S74	3.59	1.86	1.82
2	A	201	BAY	C20-C15	4.01	1.50	1.43
2	A	201	BAY	C34-C33	4.14	1.47	1.38
2	A	201	BAY	C78-C77	4.54	1.60	1.52
2	A	201	BAY	C17-C16	5.40	1.49	1.36

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	BAY	O22-C21-C9	-9.38	110.09	122.11
2	A	201	BAY	C27-C25-C26	-8.22	87.17	110.64
2	A	201	BAY	C32-C31-C39	-7.97	94.18	111.07
2	A	201	BAY	C79-C77-C78	-7.78	95.11	111.03
2	A	201	BAY	C62-C63-C64	-6.35	109.40	119.84
2	A	201	BAY	C14-C13-C12	-6.22	110.82	120.97
2	A	201	BAY	C36-C37-C38	-6.07	111.86	120.21
2	A	201	BAY	C80-C77-C79	-5.73	99.31	111.03
2	A	201	BAY	C61-C59-N58	-5.03	108.30	116.16
2	A	201	BAY	C35-C34-C33	-4.82	113.29	120.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	BAY	C18-C17-C16	-4.01	114.73	120.45
2	A	201	BAY	O75-S74-C77	-3.99	103.62	107.73
2	A	201	BAY	C11-C20-C15	-3.96	113.76	118.95
2	A	201	BAY	C32-C33-C34	-3.40	114.04	120.91
2	A	201	BAY	O75-S74-C73	-3.30	105.21	108.26
2	A	201	BAY	C19-C20-C15	-3.23	113.72	117.89
2	A	201	BAY	C3-C4-C2	-3.20	104.48	111.03
2	A	201	BAY	C10-C11-C12	-2.96	114.97	119.84
2	A	201	BAY	C44-C45-C50	-2.82	115.22	120.91
2	A	201	BAY	C25-C24-C28	-2.63	104.90	111.40
2	A	201	BAY	O42-C41-C39	-2.50	103.47	109.46
2	A	201	BAY	C16-C15-C20	-2.32	116.09	119.11
2	A	201	BAY	C11-C10-C9	-2.29	111.02	113.98
2	A	201	BAY	O22-C21-N23	-2.29	118.59	122.90
2	A	201	BAY	C68-C67-C66	-2.28	117.79	123.18
2	A	201	BAY	C17-C18-C19	-2.26	117.23	120.45
2	A	201	BAY	O53-C52-N51	-2.07	119.00	122.90
2	A	201	BAY	C12-C11-C20	2.06	122.08	119.08
2	A	201	BAY	C44-C45-C46	2.10	125.16	120.91
2	A	201	BAY	C14-C15-C20	2.15	121.91	119.11
2	A	201	BAY	C1-C4-S5	2.20	113.34	107.80
2	A	201	BAY	C68-C67-C72	2.25	122.04	119.11
2	A	201	BAY	O60-C59-C61	2.44	125.24	122.11
2	A	201	BAY	C31-N30-C28	2.49	127.61	123.16
2	A	201	BAY	O7-S5-C4	2.70	110.51	107.73
2	A	201	BAY	C13-C12-C11	3.53	128.02	121.52
2	A	201	BAY	C38-C33-C34	3.66	123.96	118.16
2	A	201	BAY	C55-C54-N58	3.95	121.34	111.42
2	A	201	BAY	C17-C16-C15	5.37	128.87	120.44
2	A	201	BAY	C37-C36-C35	5.46	128.97	119.89
2	A	201	BAY	C32-C31-N30	5.55	116.66	110.17
2	A	201	BAY	O6-S5-C8	5.64	113.48	108.26
2	A	201	BAY	C62-C63-C72	5.88	129.90	120.70
2	A	201	BAY	C18-C19-C20	5.94	129.36	120.88
2	A	201	BAY	C19-C20-C11	6.07	132.52	122.60
2	A	201	BAY	C55-C54-C52	7.23	129.30	111.40
2	A	201	BAY	C8-C9-C21	7.51	122.54	109.71
2	A	201	BAY	O6-S5-C4	7.65	115.61	107.73
2	A	201	BAY	C63-C62-C61	7.89	124.16	113.98
2	A	201	BAY	C9-C21-N23	9.69	131.31	116.16
2	A	201	BAY	C44-C43-N51	11.02	123.06	110.17
2	A	201	BAY	O76-S74-C77	12.53	120.64	107.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	BAY	C73-C61-C59	13.16	132.19	109.71
2	A	201	BAY	C80-C77-C78	13.24	138.11	111.03

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	201	BAY	C54
2	A	201	BAY	C9

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	BAY	17	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.