



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 04:31 pm GMT

PDB ID : 1VKL
Title : RABBIT MUSCLE PHOSPHOGLUCOMUTASE
Authors : Ray Junior, W.J.; Baranidharan, S.; Liu, Y.
Deposited on : 1996-07-03
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2259 (2.70-2.70)
Clashscore	112137	2590 (2.70-2.70)
Ramachandran outliers	110173	2550 (2.70-2.70)
Sidechain outliers	110143	2550 (2.70-2.70)
RSRZ outliers	101464	2275 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	561	<div> <div>14%</div> <div> <div></div> <div>76%</div> <div>20%</div> <div>• •</div> </div> </div>
1	B	561	<div> <div>2%</div> <div> <div></div> <div>77%</div> <div>19%</div> <div>• •</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NI	B	562	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9019 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOSPHOGLUCOMUTASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	561	Total	C	N	O	P	S	0	0	0
			4333	2753	743	820	1	16			
1	B	561	Total	C	N	O	P	S	0	0	0
			4333	2753	743	820	1	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	116	SEP	SER	CONFLICT	UNP P00949
B	116	SEP	SER	CONFLICT	UNP P00949

- Molecule 2 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ni	0	0
			1	1		
2	A	1	Total	Ni	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	143	Total	O	0	0
			143	143		
3	B	208	Total	O	0	0
			208	208		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PHOSPHOGLUCOMUTASE



• Molecule 1: PHOSPHOGLUCOMUTASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	174.42Å 174.42Å 101.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 2.70 6.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	92.1 (6.00-2.70) 97.2 (6.00-2.70)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 2.69Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.170 , 0.210 0.243 , 0.263	Depositor DCC
R_{free} test set	3831 reflections (10.06%)	DCC
Wilson B-factor (Å ²)	36.2	Xtriage
Anisotropy	0.305	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 99.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	9019	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NI, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	0/4409	1.50	47/5958 (0.8%)
1	B	0.75	0/4409	1.54	51/5958 (0.9%)
All	All	0.74	0/8818	1.52	98/11916 (0.8%)

There are no bond length outliers.

All (98) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	421	ARG	NE-CZ-NH2	-10.70	114.95	120.30
1	B	451	ARG	NE-CZ-NH2	-10.33	115.13	120.30
1	B	22	ARG	NE-CZ-NH1	10.28	125.44	120.30
1	B	421	ARG	NE-CZ-NH1	9.84	125.22	120.30
1	B	426	ARG	NE-CZ-NH2	-9.30	115.65	120.30
1	B	51	ARG	NE-CZ-NH2	-8.83	115.88	120.30
1	A	392	TRP	CD1-CG-CD2	8.79	113.33	106.30
1	A	392	TRP	CE2-CD2-CG	-8.75	100.30	107.30
1	A	328	ARG	NE-CZ-NH1	-8.72	115.94	120.30
1	B	416	TRP	CD1-CG-CD2	8.65	113.22	106.30
1	B	24	ARG	NE-CZ-NH2	-8.21	116.20	120.30
1	B	498	ARG	NE-CZ-NH2	-8.20	116.20	120.30
1	B	397	TRP	CD1-CG-CD2	8.03	112.72	106.30
1	A	220	ARG	NE-CZ-NH2	-7.98	116.31	120.30
1	A	451	ARG	NE-CZ-NH2	-7.85	116.37	120.30
1	A	404	ARG	NE-CZ-NH2	-7.82	116.39	120.30
1	B	392	TRP	CD1-CG-CD2	7.82	112.56	106.30
1	A	514	ARG	NE-CZ-NH1	7.80	124.20	120.30
1	A	75	ARG	NE-CZ-NH2	-7.78	116.41	120.30
1	B	386	ARG	NE-CZ-NH1	7.74	124.17	120.30
1	B	392	TRP	CE2-CD2-CG	-7.66	101.17	107.30
1	B	397	TRP	CE2-CD2-CG	-7.66	101.17	107.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	426	ARG	NE-CZ-NH1	7.58	124.09	120.30
1	B	22	ARG	NH1-CZ-NH2	-7.54	111.10	119.40
1	B	416	TRP	CE2-CD2-CG	-7.49	101.31	107.30
1	B	328	ARG	NE-CZ-NH2	7.47	124.04	120.30
1	B	554	ARG	NE-CZ-NH2	-7.47	116.57	120.30
1	A	328	ARG	NE-CZ-NH2	7.46	124.03	120.30
1	A	397	TRP	CE2-CD2-CG	-7.46	101.33	107.30
1	B	63	ARG	NE-CZ-NH1	7.46	124.03	120.30
1	B	332	ARG	NE-CZ-NH1	7.42	124.01	120.30
1	A	22	ARG	NE-CZ-NH2	-7.37	116.62	120.30
1	A	397	TRP	CD1-CG-CD2	7.36	112.19	106.30
1	A	416	TRP	CD1-CG-CD2	7.27	112.12	106.30
1	B	490	ARG	NE-CZ-NH2	-7.27	116.66	120.30
1	B	551	ARG	NE-CZ-NH2	-7.27	116.67	120.30
1	B	216	ARG	NE-CZ-NH2	-7.22	116.69	120.30
1	A	358	TRP	CE2-CD2-CG	-7.16	101.57	107.30
1	A	392	TRP	CG-CD2-CE3	7.06	140.25	133.90
1	A	404	ARG	NE-CZ-NH1	7.04	123.82	120.30
1	A	416	TRP	CE2-CD2-CG	-6.67	101.96	107.30
1	A	51	ARG	NE-CZ-NH2	-6.67	116.97	120.30
1	A	24	ARG	NE-CZ-NH2	-6.66	116.97	120.30
1	B	358	TRP	CD1-CG-CD2	6.66	111.63	106.30
1	A	392	TRP	CB-CG-CD1	-6.65	118.35	127.00
1	B	358	TRP	CE2-CD2-CG	-6.53	102.08	107.30
1	A	194	TYR	CB-CG-CD1	-6.42	117.15	121.00
1	A	358	TRP	CD1-CG-CD2	6.41	111.43	106.30
1	B	24	ARG	NE-CZ-NH1	6.39	123.50	120.30
1	B	65	TYR	CB-CG-CD1	-6.38	117.17	121.00
1	A	220	ARG	NE-CZ-NH1	6.37	123.49	120.30
1	A	498	ARG	NE-CZ-NH2	-6.36	117.12	120.30
1	A	84	ARG	NE-CZ-NH1	-6.16	117.22	120.30
1	B	95	THR	CA-CB-OG1	-6.08	96.24	109.00
1	B	451	ARG	NE-CZ-NH1	6.08	123.34	120.30
1	B	22	ARG	CB-CG-CD	6.07	127.39	111.60
1	B	22	ARG	NE-CZ-NH2	6.06	123.33	120.30
1	A	502	ARG	NE-CZ-NH2	-6.04	117.28	120.30
1	B	418	LYS	CA-CB-CG	6.04	126.68	113.40
1	B	210	LEU	CA-CB-CG	6.01	129.13	115.30
1	B	471	ASP	CB-CG-OD1	5.98	123.68	118.30
1	B	95	THR	CA-CB-CG2	5.95	120.72	112.40
1	B	26	LYS	CA-CB-CG	-5.89	100.45	113.40
1	B	502	ARG	NE-CZ-NH1	5.85	123.23	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	332	ARG	NE-CZ-NH1	-5.82	117.39	120.30
1	A	490	ARG	NE-CZ-NH2	-5.82	117.39	120.30
1	A	260	HIS	CA-CB-CG	5.82	123.50	113.60
1	B	342	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	A	309	VAL	CB-CA-C	-5.74	100.48	111.40
1	A	260	HIS	CB-CA-C	-5.72	98.96	110.40
1	B	352	TYR	CB-CG-CD1	-5.71	117.57	121.00
1	B	168	VAL	CA-CB-CG2	-5.68	102.37	110.90
1	B	56	LEU	CA-CB-CG	5.64	128.27	115.30
1	A	103	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	498	ARG	CA-CB-CG	5.54	125.59	113.40
1	A	32	THR	CA-CB-CG2	5.53	120.14	112.40
1	A	451	ARG	NE-CZ-NH1	5.52	123.06	120.30
1	A	291	ASP	CB-CG-OD2	-5.48	113.37	118.30
1	B	75	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	A	332	ARG	NE-CZ-NH2	5.47	123.03	120.30
1	B	498	ARG	NE-CZ-NH1	5.45	123.02	120.30
1	B	490	ARG	NE-CZ-NH1	5.45	123.02	120.30
1	B	397	TRP	CG-CD2-CE3	5.40	138.76	133.90
1	A	358	TRP	CA-CB-CG	-5.35	103.53	113.70
1	A	262	ASP	CB-CG-OD2	5.25	123.02	118.30
1	A	171	LYS	CA-CB-CG	5.21	124.87	113.40
1	A	129	LYS	CB-CG-CD	-5.21	98.05	111.60
1	B	404	ARG	NE-CZ-NH2	5.19	122.89	120.30
1	A	498	ARG	NE-CZ-NH1	5.18	122.89	120.30
1	B	498	ARG	CA-CB-CG	5.18	124.79	113.40
1	A	188	VAL	N-CA-CB	-5.15	100.17	111.50
1	A	24	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	B	463	LYS	CA-C-N	-5.09	106.00	117.20
1	A	444	LEU	CA-CB-CG	5.08	127.00	115.30
1	A	358	TRP	CB-CG-CD1	-5.04	120.45	127.00
1	B	245	ASN	CB-CG-ND2	5.03	128.78	116.70
1	A	426	ARG	NE-CZ-NH1	5.01	122.81	120.30
1	B	11	TYR	CB-CG-CD1	-5.00	118.00	121.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4333	0	4331	56	0
1	B	4333	0	4331	45	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	143	0	0	4	0
3	B	208	0	0	3	0
All	All	9019	0	8662	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:GLY:HA3	1:A:359:LYS:HE3	1.64	0.79
1:B:426:ARG:HG3	1:B:516:TYR:CD1	2.31	0.66
1:A:429:TYR:HB2	1:A:513:ILE:HB	1.79	0.65
1:A:426:ARG:HG3	1:A:516:TYR:CD1	2.33	0.64
1:B:45:THR:HB	1:B:145:LYS:HE3	1.80	0.62
1:A:453:PHE:HA	1:A:456:LYS:HZ1	1.64	0.61
1:A:236:LEU:HD23	1:A:240:LEU:HD12	1.83	0.61
1:A:16:PRO:HB2	1:A:143:THR:HG22	1.83	0.60
1:A:453:PHE:HA	1:A:456:LYS:NZ	2.18	0.59
1:B:14:GLN:HE21	1:B:150:SER:HB2	1.69	0.57
1:B:3:ILE:HD12	1:B:179:LYS:HE3	1.86	0.56
1:A:33:ASN:HB3	1:A:37:ASN:ND2	2.21	0.56
1:B:264:ASN:HD21	1:B:267:TYR:HD2	1.54	0.56
1:A:61:ASP:HA	1:A:227:VAL:HB	1.87	0.56
1:B:271:LEU:HD13	1:B:296:LEU:HD12	1.89	0.55
1:A:164:VAL:HG12	1:A:174:PHE:CZ	2.42	0.54
1:A:88:GLY:HA3	1:A:93:LEU:HD13	1.88	0.54
1:B:88:GLY:HA3	1:B:93:LEU:HD13	1.90	0.54
1:A:303:VAL:HG13	1:A:412:LEU:HD11	1.91	0.53
1:B:115:ALA:O	1:B:118:ASN:HB2	2.10	0.52
1:A:432:VAL:HG22	1:A:511:ALA:O	2.09	0.52
1:B:232:VAL:HG13	1:B:236:LEU:HD12	1.91	0.52
1:A:449:PHE:HE1	1:A:471:ASP:HA	1.75	0.51
1:B:68:GLU:HB2	3:B:719:HOH:O	2.11	0.51
1:B:7:LYS:HA	1:B:155:GLU:HB3	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:TYR:O	1:A:325:THR:HB	2.12	0.50
1:B:33:ASN:HB3	1:B:37:ASN:ND2	2.27	0.50
1:A:148:GLN:OE1	1:A:151:LYS:NZ	2.45	0.49
1:B:129:LYS:NZ	1:B:387:GLU:OE1	2.45	0.49
1:A:325:THR:HG23	1:A:328:ARG:NH1	2.28	0.49
1:B:410:ASP:O	1:B:414:ASP:HB2	2.13	0.48
1:A:440:MET:O	1:A:444:LEU:HB2	2.14	0.48
1:B:451:ARG:H	1:B:451:ARG:HD3	1.79	0.48
1:B:164:VAL:HG11	1:B:185:VAL:HG11	1.96	0.47
1:B:402:ALA:HB3	3:B:666:HOH:O	2.12	0.47
1:A:225:HIS:HD2	3:A:678:HOH:O	1.96	0.47
1:B:2:LYS:HZ3	1:B:161:ASP:CG	2.17	0.47
1:B:228:VAL:HG12	1:B:232:VAL:HG23	1.96	0.47
1:A:117:HIS:HA	1:A:261:PRO:HG2	1.97	0.47
1:A:24:ARG:HA	1:A:125:ASP:HA	1.96	0.47
1:A:210:LEU:HD22	1:A:217:LEU:HB2	1.97	0.47
1:B:413:LYS:NZ	3:B:765:HOH:O	2.48	0.46
1:B:501:PHE:CE1	1:B:515:LEU:HD13	2.51	0.46
1:A:497:SER:HB3	1:A:538:LEU:HD11	1.98	0.46
1:A:519:SER:HB3	1:A:538:LEU:HD12	1.97	0.46
1:A:163:LYS:NZ	3:A:582:HOH:O	2.48	0.45
1:B:328:ARG:HG2	1:B:328:ARG:HH21	1.80	0.45
1:A:164:VAL:HG11	1:A:185:VAL:HG21	1.98	0.45
1:A:309:VAL:HG21	1:A:374:GLY:HA3	1.97	0.45
1:B:383:ASP:O	1:B:386:ARG:NH2	2.50	0.45
1:A:219:ILE:HG22	1:A:282:PHE:HB3	1.99	0.45
1:B:338:GLY:HA2	1:B:341:ASP:OD1	2.17	0.44
1:A:355:PRO:HG2	1:A:360:PHE:CE2	2.52	0.44
1:B:359:LYS:H	1:B:359:LYS:HE2	1.82	0.44
1:A:268:ALA:O	1:A:272:VAL:HG23	2.18	0.44
1:A:311:VAL:HG11	1:A:397:TRP:CH2	2.52	0.44
1:A:456:LYS:HB3	1:A:456:LYS:NZ	2.34	0.43
1:B:363:ASN:O	1:B:479:VAL:HG21	2.18	0.43
1:A:248:VAL:HG22	1:A:249:ASN:ND2	2.33	0.43
1:A:440:MET:HG3	1:A:546:SER:O	2.18	0.43
1:B:342:ARG:HA	1:B:342:ARG:HD3	1.88	0.43
1:A:301:PHE:CE2	1:A:412:LEU:HD12	2.53	0.43
1:A:431:GLU:O	1:A:554:ARG:NH2	2.52	0.43
1:A:1:VAL:HG11	1:A:162:LEU:HD12	2.00	0.43
1:A:291:ASP:HB2	1:A:388:LYS:O	2.18	0.43
1:A:309:VAL:CG2	1:A:374:GLY:HA3	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:116:SEP:O1P	1:B:292:ARG:NH2	2.52	0.42
1:B:243:PRO:HB2	1:B:245:ASN:OD1	2.19	0.42
1:A:15:LYS:NZ	3:A:661:HOH:O	2.45	0.42
1:B:8:THR:HG22	1:B:155:GLU:HA	2.00	0.42
1:B:1:VAL:HG21	1:B:162:LEU:HD12	2.01	0.42
1:B:503:LEU:HG	1:B:506:THR:HA	2.02	0.42
1:B:191:VAL:HG21	1:B:234:LYS:HD2	2.02	0.42
1:A:505:GLY:HA2	1:A:511:ALA:HA	2.02	0.42
1:B:103:ARG:O	1:B:106:LYS:NZ	2.49	0.42
1:B:199:ARG:NH1	1:B:239:GLU:OE2	2.53	0.42
1:A:456:LYS:HB3	1:A:456:LYS:HZ3	1.85	0.41
1:A:198:LEU:HD13	1:A:395:LEU:HD12	2.03	0.41
1:B:3:ILE:HD11	1:B:176:LEU:HD13	2.02	0.41
1:B:439:LYS:HZ2	1:B:443:ASP:CG	2.23	0.41
1:A:116:SEP:OG	1:A:117:HIS:N	2.53	0.41
1:A:546:SER:O	1:A:551:ARG:NH1	2.54	0.41
1:A:233:LYS:NZ	3:A:650:HOH:O	2.53	0.41
1:A:409:GLU:OE2	1:A:413:LYS:NZ	2.54	0.41
1:B:84:ARG:HH11	1:B:84:ARG:HD2	1.71	0.41
1:B:291:ASP:OD1	1:B:388:LYS:NZ	2.54	0.41
1:A:227:VAL:O	1:A:230:PRO:HD2	2.21	0.41
1:B:365:MET:HG3	1:B:370:LEU:HD23	2.03	0.41
1:B:95:THR:HB	1:B:96:PRO:HD3	2.02	0.41
1:A:477:ASP:HA	1:A:478:PRO:HD3	1.82	0.41
1:A:15:LYS:HA	1:A:16:PRO:HD3	1.83	0.41
1:A:439:LYS:HB2	1:A:439:LYS:HE3	1.84	0.41
1:A:228:VAL:HG11	1:A:286:PHE:CD1	2.55	0.41
1:B:75:ARG:HD3	1:B:75:ARG:HH11	1.72	0.41
1:B:536:ALA:HB3	1:B:537:PRO:HD3	2.03	0.40
1:A:171:LYS:HE2	1:A:171:LYS:HB3	1.93	0.40
1:A:95:THR:HB	1:A:96:PRO:HD3	2.03	0.40
1:A:247:ALA:HB1	1:A:250:CYS:SG	2.62	0.40
1:A:262:ASP:O	1:A:267:TYR:HB2	2.21	0.40
1:B:477:ASP:HA	1:B:478:PRO:HD3	1.79	0.40
1:B:113:LEU:HD22	1:B:113:LEU:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	558/561 (100%)	514 (92%)	38 (7%)	6 (1%)	17	40
1	B	558/561 (100%)	527 (94%)	25 (4%)	6 (1%)	17	40
All	All	1116/1122 (100%)	1041 (93%)	63 (6%)	12 (1%)	17	40

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	216	ARG
1	A	431	GLU
1	B	461	ASN
1	B	508	SER
1	A	467	VAL
1	B	133	SER
1	B	430	GLU
1	A	301	PHE
1	B	48	PRO
1	B	238	GLU
1	A	213	GLY
1	A	263	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	461/461 (100%)	428 (93%)	33 (7%)	17	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	461/461 (100%)	423 (92%)	38 (8%)	13	30
All	All	922/922 (100%)	851 (92%)	71 (8%)	15	34

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	THR
1	A	19	SER
1	A	22	ARG
1	A	47	GLU
1	A	48	PRO
1	A	68	GLU
1	A	143	THR
1	A	144	ASP
1	A	178	ASN
1	A	210	LEU
1	A	218	LYS
1	A	291	ASP
1	A	309	VAL
1	A	325	THR
1	A	337	SER
1	A	341	ASP
1	A	358	TRP
1	A	359	LYS
1	A	380	THR
1	A	382	SER
1	A	388	LYS
1	A	409	GLU
1	A	414	ASP
1	A	417	HIS
1	A	431	GLU
1	A	442	LYS
1	A	452	SER
1	A	456	LYS
1	A	466	THR
1	A	529	GLN
1	A	531	PRO
1	A	543	LEU
1	A	549	GLN
1	B	7	LYS
1	B	29	GLN
1	B	37	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	53	GLU
1	B	67	LYS
1	B	106	LYS
1	B	140	GLU
1	B	143	THR
1	B	155	GLU
1	B	161	ASP
1	B	166	LEU
1	B	169	LEU
1	B	173	GLN
1	B	179	LYS
1	B	188	VAL
1	B	215	ASN
1	B	216	ARG
1	B	220	ARG
1	B	248	VAL
1	B	271	LEU
1	B	328	ARG
1	B	337	SER
1	B	358	TRP
1	B	369	LYS
1	B	386	ARG
1	B	412	LEU
1	B	418	LYS
1	B	430	GLU
1	B	447	LEU
1	B	451	ARG
1	B	452	SER
1	B	457	GLN
1	B	461	ASN
1	B	463	LYS
1	B	490	ARG
1	B	506	THR
1	B	524	ASN
1	B	540	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	A	37	ASN
1	A	249	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	345	ASN
1	A	384	HIS
1	A	476	HIS
1	A	524	ASN
1	B	14	GLN
1	B	29	GLN
1	B	37	ASN
1	B	486	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	116	1,2	9,9,10	1.79	3 (33%)	9,12,14	1.83	3 (33%)
1	SEP	B	116	1,2	9,9,10	1.44	1 (11%)	9,12,14	1.78	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	116	1,2	-	0/5/8/10	0/0/0/0
1	SEP	B	116	1,2	-	0/5/8/10	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	116	SEP	P-OG	-3.35	1.49	1.60
1	B	116	SEP	P-OG	-3.27	1.49	1.60
1	A	116	SEP	CA-C	2.14	1.53	1.50
1	A	116	SEP	CB-CA	2.75	1.60	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	116	SEP	O-C-CA	-3.82	114.47	125.02
1	A	116	SEP	O-C-CA	-3.28	115.97	125.02
1	B	116	SEP	P-OG-CB	-2.74	110.75	118.30
1	A	116	SEP	P-OG-CB	-2.34	111.85	118.30
1	A	116	SEP	OG-CB-CA	3.10	111.22	108.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	116	SEP	1	0
1	B	116	SEP	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	560/561 (99%)	0.44	78 (13%) 3 2	0, 32, 77, 99	0
1	B	560/561 (99%)	-0.54	9 (1%) 72 73	6, 26, 59, 95	0
All	All	1120/1122 (99%)	-0.05	87 (7%) 14 12	0, 29, 69, 99	0

All (87) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	437	ALA	8.3
1	A	464	VAL	8.3
1	A	446	ALA	8.2
1	A	506	THR	8.1
1	A	555	THR	8.1
1	A	438	THR	7.6
1	A	524	ASN	7.6
1	A	434	ALA	7.6
1	A	556	ALA	7.5
1	A	510	GLY	7.3
1	A	449	PHE	7.3
1	A	507	GLY	7.2
1	A	432	VAL	7.0
1	A	443	ASP	6.6
1	A	452	SER	6.6
1	A	455	GLY	6.5
1	A	505	GLY	6.4
1	A	436	GLY	6.4
1	A	553	GLY	6.2
1	A	462	ASP	6.1
1	A	440	MET	6.1
1	A	448	MET	6.1
1	A	461	ASN	6.1
1	A	431	GLU	6.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	454	VAL	6.1
1	A	511	ALA	6.0
1	A	508	SER	5.8
1	A	450	ASP	5.8
1	A	509	ALA	5.7
1	A	459	SER	5.7
1	A	453	PHE	5.7
1	A	550	GLU	5.7
1	A	549	GLN	5.7
1	A	552	THR	5.6
1	A	445	GLU	5.5
1	A	444	LEU	5.5
1	A	439	LYS	5.5
1	A	430	GLU	5.5
1	A	551	ARG	5.4
1	A	435	GLU	5.4
1	A	548	LEU	5.4
1	A	528	ASN	5.3
1	A	447	LEU	5.1
1	A	463	LYS	5.1
1	A	546	SER	5.0
1	A	441	MET	5.0
1	A	557	PRO	5.0
1	A	457	GLN	5.0
1	A	433	GLU	4.9
1	A	442	LYS	4.8
1	A	547	GLN	4.6
1	A	554	ARG	4.6
1	A	458	PHE	4.6
1	A	529	GLN	4.6
1	A	530	ASP	4.5
1	A	460	ALA	4.5
1	A	451	ARG	4.5
1	B	508	SER	4.3
1	A	456	LYS	4.1
1	A	525	ALA	4.1
1	B	509	ALA	4.0
1	A	495	ASP	3.9
1	A	545	VAL	3.6
1	A	486	ASN	3.5
1	A	465	TYR	3.5
1	B	507	GLY	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	451	ARG	3.5
1	A	544	LYS	3.1
1	B	215	ASN	3.1
1	A	560	ILE	3.1
1	A	466	THR	2.9
1	A	178	ASN	2.8
1	B	505	GLY	2.7
1	A	259	HIS	2.7
1	A	494	ALA	2.6
1	A	503	LEU	2.6
1	B	510	GLY	2.6
1	A	558	THR	2.5
1	B	178	ASN	2.5
1	A	468	GLU	2.3
1	A	513	ILE	2.3
1	A	278	GLY	2.2
1	A	154	GLU	2.2
1	A	496	GLY	2.2
1	B	462	ASP	2.1
1	A	536	ALA	2.0
1	A	504	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	SEP	A	116	10/11	0.96	0.13	-	24,32,39,39	0
1	SEP	B	116	10/11	0.94	0.17	-	19,26,38,38	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NI	B	562	1/1	0.95	0.18	3.26	32,32,32,32	0
2	NI	A	562	1/1	0.97	0.11	-0.50	42,42,42,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.