

Full wwPDB/EMDataBank EM Map/Model Validation Report (i)

Jul 25, 2017 – 11:20 AM EDT

PDB ID : 5VN3
EMDB ID: : EMD-8713
Title : Cryo-EM model of B41 SOSIP.664 in complex with soluble CD4 (D1-D2) and fragment antigen binding variable domain of 17b
Authors : Ozorowski, G.; Pallesen, J.; Ward, A.B.
Deposited on : unknown
Resolution : 3.70 Å(reported)

This is a Full wwPDB/EMDataBank EM Map/Model Validation Report
for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY


The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Clashscore | 125131 | 1336 |
| Ramachandran outliers | 121729 | 1120 |
| Sidechain outliers | 121581 | 1026 |

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%



Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain | | |
|-----|-------|--------|------------------|-----|-----|
| 4 | C | 185 | 74% | 22% | 5% |
| 4 | E | 185 | 74% | 22% | 5% |
| 4 | F | 185 | 72% | 23% | 5% |
| 5 | H | 229 | 43% | 13% | 45% |
| 5 | K | 229 | 43% | 12% | 45% |
| 5 | M | 229 | 45% | 11% | 45% |

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 23727 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 17b Fab light chain.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 1 | L | 110 | Total | C | N | O | S | |
| | | | 849 | 531 | 148 | 168 | 2 | 0 |
| 1 | N | 110 | Total | C | N | O | S | |
| | | | 849 | 531 | 148 | 168 | 2 | 0 |
| 1 | O | 110 | Total | C | N | O | S | |
| | | | 849 | 531 | 148 | 168 | 2 | 0 |

- Molecule 2 is a protein called Envelope glycoprotein gp160.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 2 | A | 136 | Total | C | N | O | S | |
| | | | 1090 | 695 | 184 | 203 | 8 | 0 |
| 2 | B | 136 | Total | C | N | O | S | |
| | | | 1090 | 695 | 184 | 203 | 8 | 0 |
| 2 | D | 136 | Total | C | N | O | S | |
| | | | 1090 | 695 | 184 | 203 | 8 | 0 |

There are 6 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|---------------------|------------|
| A | 559 | PRO | ILE | engineered mutation | UNP B3UEZ6 |
| A | 605 | CYS | THR | engineered mutation | UNP B3UEZ6 |
| B | 559 | PRO | ILE | engineered mutation | UNP B3UEZ6 |
| B | 605 | CYS | THR | engineered mutation | UNP B3UEZ6 |
| D | 559 | PRO | ILE | engineered mutation | UNP B3UEZ6 |
| D | 605 | CYS | THR | engineered mutation | UNP B3UEZ6 |

- Molecule 3 is a protein called Envelope glycoprotein gp160.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---------|-------|
| 3 | G | 389 | Total | C | N | O | S | |
| | | | 3050 | 1913 | 541 | 572 | 24 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 3 | I | 389 | Total | C | N | O | S | 0 | 0 |
| | | | 3050 | 1913 | 541 | 572 | 24 | | |

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 3 | J | 389 | Total | C | N | O | S | 0 | 0 |
| | | | 3050 | 1913 | 541 | 572 | 24 | | |

There are 108 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------------------|------------|
| G | -4 | MET | - | initiating methionine | UNP B3UES2 |
| G | -3 | ASP | - | expression tag | UNP B3UES2 |
| G | -2 | ALA | - | expression tag | UNP B3UES2 |
| G | -1 | MET | - | expression tag | UNP B3UES2 |
| G | 0 | LYS | - | expression tag | UNP B3UES2 |
| G | 1 | ARG | - | expression tag | UNP B3UES2 |
| G | 2 | GLY | - | expression tag | UNP B3UES2 |
| G | 3 | LEU | - | expression tag | UNP B3UES2 |
| G | 4 | CYS | - | expression tag | UNP B3UES2 |
| G | 5 | CYS | - | expression tag | UNP B3UES2 |
| G | 6 | VAL | - | expression tag | UNP B3UES2 |
| G | 7 | LEU | - | expression tag | UNP B3UES2 |
| G | 8 | LEU | - | expression tag | UNP B3UES2 |
| G | 9 | LEU | - | expression tag | UNP B3UES2 |
| G | 10 | CYS | - | expression tag | UNP B3UES2 |
| G | 11 | GLY | - | expression tag | UNP B3UES2 |
| G | 12 | ALA | - | expression tag | UNP B3UES2 |
| G | 13 | VAL | - | expression tag | UNP B3UES2 |
| G | 14 | PHE | - | expression tag | UNP B3UES2 |
| G | 15 | VAL | - | expression tag | UNP B3UES2 |
| G | 16 | SER | - | expression tag | UNP B3UES2 |
| G | 17 | PRO | - | expression tag | UNP B3UES2 |
| G | 18 | SER | - | expression tag | UNP B3UES2 |
| G | 19 | GLN | - | expression tag | UNP B3UES2 |
| G | 20 | GLU | - | expression tag | UNP B3UES2 |
| G | 21 | ILE | - | expression tag | UNP B3UES2 |
| G | 22 | HIS | - | expression tag | UNP B3UES2 |
| G | 23 | ALA | - | expression tag | UNP B3UES2 |
| G | 24 | ARG | - | expression tag | UNP B3UES2 |
| G | 25 | PHE | - | expression tag | UNP B3UES2 |
| G | 26 | ARG | - | expression tag | UNP B3UES2 |
| G | 27 | ARG | - | expression tag | UNP B3UES2 |
| G | 28 | GLY | - | expression tag | UNP B3UES2 |
| G | 29 | ALA | - | expression tag | UNP B3UES2 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------------------|------------|
| G | 30 | ARG | - | expression tag | UNP B3UES2 |
| G | 501 | CYS | ALA | engineered mutation | UNP B3UES2 |
| I | -4 | MET | - | initiating methionine | UNP B3UES2 |
| I | -3 | ASP | - | expression tag | UNP B3UES2 |
| I | -2 | ALA | - | expression tag | UNP B3UES2 |
| I | -1 | MET | - | expression tag | UNP B3UES2 |
| I | 0 | LYS | - | expression tag | UNP B3UES2 |
| I | 1 | ARG | - | expression tag | UNP B3UES2 |
| I | 2 | GLY | - | expression tag | UNP B3UES2 |
| I | 3 | LEU | - | expression tag | UNP B3UES2 |
| I | 4 | CYS | - | expression tag | UNP B3UES2 |
| I | 5 | CYS | - | expression tag | UNP B3UES2 |
| I | 6 | VAL | - | expression tag | UNP B3UES2 |
| I | 7 | LEU | - | expression tag | UNP B3UES2 |
| I | 8 | LEU | - | expression tag | UNP B3UES2 |
| I | 9 | LEU | - | expression tag | UNP B3UES2 |
| I | 10 | CYS | - | expression tag | UNP B3UES2 |
| I | 11 | GLY | - | expression tag | UNP B3UES2 |
| I | 12 | ALA | - | expression tag | UNP B3UES2 |
| I | 13 | VAL | - | expression tag | UNP B3UES2 |
| I | 14 | PHE | - | expression tag | UNP B3UES2 |
| I | 15 | VAL | - | expression tag | UNP B3UES2 |
| I | 16 | SER | - | expression tag | UNP B3UES2 |
| I | 17 | PRO | - | expression tag | UNP B3UES2 |
| I | 18 | SER | - | expression tag | UNP B3UES2 |
| I | 19 | GLN | - | expression tag | UNP B3UES2 |
| I | 20 | GLU | - | expression tag | UNP B3UES2 |
| I | 21 | ILE | - | expression tag | UNP B3UES2 |
| I | 22 | HIS | - | expression tag | UNP B3UES2 |
| I | 23 | ALA | - | expression tag | UNP B3UES2 |
| I | 24 | ARG | - | expression tag | UNP B3UES2 |
| I | 25 | PHE | - | expression tag | UNP B3UES2 |
| I | 26 | ARG | - | expression tag | UNP B3UES2 |
| I | 27 | ARG | - | expression tag | UNP B3UES2 |
| I | 28 | GLY | - | expression tag | UNP B3UES2 |
| I | 29 | ALA | - | expression tag | UNP B3UES2 |
| I | 30 | ARG | - | expression tag | UNP B3UES2 |
| I | 501 | CYS | ALA | engineered mutation | UNP B3UES2 |
| J | -4 | MET | - | initiating methionine | UNP B3UES2 |
| J | -3 | ASP | - | expression tag | UNP B3UES2 |
| J | -2 | ALA | - | expression tag | UNP B3UES2 |
| J | -1 | MET | - | expression tag | UNP B3UES2 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|---------------------|------------|
| J | 0 | LYS | - | expression tag | UNP B3UES2 |
| J | 1 | ARG | - | expression tag | UNP B3UES2 |
| J | 2 | GLY | - | expression tag | UNP B3UES2 |
| J | 3 | LEU | - | expression tag | UNP B3UES2 |
| J | 4 | CYS | - | expression tag | UNP B3UES2 |
| J | 5 | CYS | - | expression tag | UNP B3UES2 |
| J | 6 | VAL | - | expression tag | UNP B3UES2 |
| J | 7 | LEU | - | expression tag | UNP B3UES2 |
| J | 8 | LEU | - | expression tag | UNP B3UES2 |
| J | 9 | LEU | - | expression tag | UNP B3UES2 |
| J | 10 | CYS | - | expression tag | UNP B3UES2 |
| J | 11 | GLY | - | expression tag | UNP B3UES2 |
| J | 12 | ALA | - | expression tag | UNP B3UES2 |
| J | 13 | VAL | - | expression tag | UNP B3UES2 |
| J | 14 | PHE | - | expression tag | UNP B3UES2 |
| J | 15 | VAL | - | expression tag | UNP B3UES2 |
| J | 16 | SER | - | expression tag | UNP B3UES2 |
| J | 17 | PRO | - | expression tag | UNP B3UES2 |
| J | 18 | SER | - | expression tag | UNP B3UES2 |
| J | 19 | GLN | - | expression tag | UNP B3UES2 |
| J | 20 | GLU | - | expression tag | UNP B3UES2 |
| J | 21 | ILE | - | expression tag | UNP B3UES2 |
| J | 22 | HIS | - | expression tag | UNP B3UES2 |
| J | 23 | ALA | - | expression tag | UNP B3UES2 |
| J | 24 | ARG | - | expression tag | UNP B3UES2 |
| J | 25 | PHE | - | expression tag | UNP B3UES2 |
| J | 26 | ARG | - | expression tag | UNP B3UES2 |
| J | 27 | ARG | - | expression tag | UNP B3UES2 |
| J | 28 | GLY | - | expression tag | UNP B3UES2 |
| J | 29 | ALA | - | expression tag | UNP B3UES2 |
| J | 30 | ARG | - | expression tag | UNP B3UES2 |
| J | 501 | CYS | ALA | engineered mutation | UNP B3UES2 |

- Molecule 4 is a protein called T-cell surface glycoprotein CD4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 4 | C | 176 | Total | C | N | O | S | 0 | 0 |
| | | | 1370 | 856 | 240 | 270 | 4 | | |
| 4 | E | 176 | Total | C | N | O | S | 0 | 0 |
| | | | 1370 | 856 | 240 | 270 | 4 | | |
| 4 | F | 176 | Total | C | N | O | S | 0 | 0 |
| | | | 1370 | 856 | 240 | 270 | 4 | | |


There are 6 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| C | 184 | ASN | - | expression tag | UNP P01730 |
| C | 185 | THR | - | expression tag | UNP P01730 |
| E | 184 | ASN | - | expression tag | UNP P01730 |
| E | 185 | THR | - | expression tag | UNP P01730 |
| F | 184 | ASN | - | expression tag | UNP P01730 |
| F | 185 | THR | - | expression tag | UNP P01730 |

- Molecule 5 is a protein called 17b Fab heavy chain.

| Mol | Chain | Residues | Atoms | AltConf | Trace |
|-----|-------|----------|------------------------------------|---------|-------|
| 5 | H | 127 | Total C N O S 987 623 169 192 3 | 0 | 0 |
| 5 | K | 127 | Total C N O S 987 623 169 192 3 | 0 | 0 |
| 5 | M | 127 | Total C N O S 987 623 169 192 3 | 0 | 0 |

- Molecule 6 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C₈H₁₅NO₆).



| Mol | Chain | Residues | Atoms | AltConf |
|-----|-------|----------|---------------------------|---------|
| 6 | A | 1 | Total C N O 56 32 4 20 | 0 |
| 6 | A | 1 | Total C N O 56 32 4 20 | 0 |
| 6 | A | 1 | Total C N O 56 32 4 20 | 0 |

Continued on next page...

Continued from previous page...

Continued on next page...

Continued from previous page...

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | AltConf |
|-----|-------|----------|-------|-----|----|-----|---------|
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | I | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | D | 1 | Total | C | N | O | 0 |
| | | | 56 | 32 | 4 | 20 | |
| 6 | D | 1 | Total | C | N | O | 0 |
| | | | 56 | 32 | 4 | 20 | |
| 6 | D | 1 | Total | C | N | O | 0 |
| | | | 56 | 32 | 4 | 20 | |
| 6 | D | 1 | Total | C | N | O | 0 |
| | | | 56 | 32 | 4 | 20 | |
| 6 | J | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |
| 6 | J | 1 | Total | C | N | O | 0 |
| | | | 364 | 208 | 26 | 130 | |

Continued on next page...


Continued from previous page...

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | AltConf |
|-----|-------|----------|-------------------------------|---------|
| 6 | J | 1 | Total C N O 364 208 26 130 | 0 |
| 6 | J | 1 | Total C N O 364 208 26 130 | 0 |
| 6 | J | 1 | Total C N O 364 208 26 130 | 0 |

- Molecule 7 is BETA-D-MANNOSE (three-letter code: BMA) (formula: C₆H₁₂O₆).




| Mol | Chain | Residues | Atoms | AltConf |
|-----|-------|----------|-----------------------|---------|
| 7 | G | 1 | Total C O 77 42 35 | 0 |
| 7 | G | 1 | Total C O 77 42 35 | 0 |
| 7 | G | 1 | Total C O 77 42 35 | 0 |
| 7 | G | 1 | Total C O 77 42 35 | 0 |
| 7 | G | 1 | Total C O 77 42 35 | 0 |
| 7 | G | 1 | Total C O 77 42 35 | 0 |
| 7 | I | 1 | Total C O 77 42 35 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | AltConf |
|-----|-------|----------|-----------------------|---------|
| 7 | I | 1 | Total C O 77 42 35 | 0 |
| 7 | I | 1 | Total C O 77 42 35 | 0 |
| 7 | I | 1 | Total C O 77 42 35 | 0 |
| 7 | I | 1 | Total C O 77 42 35 | 0 |
| 7 | I | 1 | Total C O 77 42 35 | 0 |
| 7 | I | 1 | Total C O 77 42 35 | 0 |
| 7 | J | 1 | Total C O 77 42 35 | 0 |
| 7 | J | 1 | Total C O 77 42 35 | 0 |
| 7 | J | 1 | Total C O 77 42 35 | 0 |
| 7 | J | 1 | Total C O 77 42 35 | 0 |
| 7 | J | 1 | Total C O 77 42 35 | 0 |
| 7 | J | 1 | Total C O 77 42 35 | 0 |
| 7 | J | 1 | Total C O 77 42 35 | 0 |

- Molecule 8 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: C₆H₁₂O₆).



| Mol | Chain | Residues | Atoms | | | AltConf |
|-----|-------|----------|-------|----|----|---------|
| 8 | G | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | G | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | G | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | G | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | G | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | I | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | I | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | I | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | I | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | I | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | J | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |
| 8 | J | 1 | Total | C | O | 0 |
| | | | 66 | 36 | 30 | |

Continued on next page...


Continued from previous page...

| Mol | Chain | Residues | Atoms | AltConf |
|-----|-------|----------|-----------------------|---------|
| 8 | J | 1 | Total C O 66 36 30 | 0 |
| 8 | J | 1 | Total C O 66 36 30 | 0 |
| 8 | J | 1 | Total C O 66 36 30 | 0 |
| 8 | J | 1 | Total C O 66 36 30 | 0 |


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 17b Fab light chain



- Molecule 1: 17b Fab light chain



- Molecule 1: 17b Fab light chain



- Molecule 2: Envelope glycoprotein gp160





- Molecule 2: Envelope glycoprotein gp160

Chain B:





- Molecule 2: Envelope glycoprotein gp160

Chain D:





- Molecule 3: Envelope glycoprotein gp160

Chain G:



- Molecule 3: Envelope glycoprotein gp160

Chain J.





- Molecule 3: Envelope glycoprotein gp160

Chain J:



- Molecule 4: T-cell surface glycoprotein CD4

Chain C:





- Molecule 4: T-cell surface glycoprotein CD4

Chain E:




- #### Molecular IV. A cell surface glycoprotein of Drosophila melanogaster


CHAPTER I.



- Molecule 5: 17b Fab heavy chain



- Molecule 5: 17b Fab heavy chain



- Molecule 5: 17b Fab heavy chain



4 Experimental information (i)

| Property | Value | Source |
|--------------------------------------|---|-----------|
| Reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C3 | Depositor |
| Number of particles used | 46855 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 58 | Depositor |
| Minimum defocus (nm) | 1000 | Depositor |
| Maximum defocus (nm) | 4000 | Depositor |
| Magnification | 38168 | Depositor |
| Image detector | GATAN K2 SUMMIT (4k x 4k) | Depositor |

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-------------|-------------|-------------|
| | | RMSZ | # $ Z > 2$ | RMSZ | # $ Z > 2$ |
| 1 | L | 0.40 | 0/869 | 0.63 | 0/1181 |
| 1 | N | 0.40 | 0/869 | 0.63 | 0/1181 |
| 1 | O | 0.40 | 0/869 | 0.63 | 0/1181 |
| 2 | A | 0.53 | 0/1110 | 0.57 | 0/1503 |
| 2 | B | 0.53 | 0/1110 | 0.57 | 0/1503 |
| 2 | D | 0.53 | 0/1110 | 0.57 | 0/1503 |
| 3 | G | 0.52 | 0/3115 | 0.68 | 0/4236 |
| 3 | I | 0.52 | 0/3115 | 0.68 | 0/4236 |
| 3 | J | 0.52 | 0/3115 | 0.68 | 0/4236 |
| 4 | C | 0.34 | 0/1389 | 0.60 | 0/1873 |
| 4 | E | 0.34 | 0/1389 | 0.60 | 0/1873 |
| 4 | F | 0.34 | 0/1389 | 0.60 | 0/1873 |
| 5 | H | 0.45 | 0/1008 | 0.64 | 0/1368 |
| 5 | K | 0.45 | 0/1008 | 0.64 | 0/1368 |
| 5 | M | 0.45 | 0/1008 | 0.64 | 0/1368 |
| All | All | 0.47 | 0/22473 | 0.64 | 0/30483 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | L | 849 | 0 | 819 | 16 | 0 |
| 1 | N | 849 | 0 | 819 | 12 | 0 |
| 1 | O | 849 | 0 | 819 | 13 | 0 |
| 2 | A | 1090 | 0 | 1074 | 5 | 0 |
| 2 | B | 1090 | 0 | 1074 | 2 | 0 |
| 2 | D | 1090 | 0 | 1074 | 4 | 0 |
| 3 | G | 3050 | 0 | 2977 | 38 | 0 |
| 3 | I | 3050 | 0 | 2977 | 36 | 0 |
| 3 | J | 3050 | 0 | 2977 | 36 | 0 |
| 4 | C | 1370 | 0 | 1398 | 23 | 0 |
| 4 | E | 1370 | 0 | 1398 | 23 | 0 |
| 4 | F | 1370 | 0 | 1398 | 26 | 0 |
| 5 | H | 987 | 0 | 958 | 22 | 0 |
| 5 | K | 987 | 0 | 958 | 20 | 0 |
| 5 | M | 987 | 0 | 958 | 17 | 0 |
| 6 | A | 56 | 0 | 52 | 0 | 0 |
| 6 | B | 56 | 0 | 52 | 0 | 0 |
| 6 | D | 56 | 0 | 52 | 0 | 0 |
| 6 | G | 364 | 0 | 315 | 2 | 0 |
| 6 | I | 364 | 0 | 318 | 1 | 0 |
| 6 | J | 364 | 0 | 318 | 1 | 0 |
| 7 | G | 77 | 0 | 66 | 0 | 0 |
| 7 | I | 77 | 0 | 66 | 0 | 0 |
| 7 | J | 77 | 0 | 66 | 0 | 0 |
| 8 | G | 66 | 0 | 58 | 0 | 0 |
| 8 | I | 66 | 0 | 58 | 0 | 0 |
| 8 | J | 66 | 0 | 58 | 0 | 0 |
| All | All | 23727 | 0 | 23157 | 279 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (279) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|----------------|------------------|--------------------------|-------------------|
| 3:I:52:LEU:H | 3:I:103:GLN:HE22 | 1.34 | 0.75 |
| 3:J:52:LEU:H | 3:J:103:GLN:HE22 | 1.35 | 0.75 |
| 3:G:52:LEU:H | 3:G:103:GLN:HE22 | 1.35 | 0.75 |
| 5:M:6:GLU:HG3 | 5:M:106:GLY:H | 1.59 | 0.67 |
| 5:K:6:GLU:HG3 | 5:K:106:GLY:H | 1.59 | 0.67 |
| 5:H:6:GLU:HG3 | 5:H:106:GLY:H | 1.59 | 0.66 |
| 1:N:38:GLN:NE2 | 1:N:39:LYS:O | 2.30 | 0.65 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|--------------------|--------------------------|-------------------|
| 1:L:38:GLN:NE2 | 1:L:39:LYS:O | 2.29 | 0.65 |
| 1:O:38:GLN:NE2 | 1:O:39:LYS:O | 2.29 | 0.65 |
| 3:J:371:ILE:HG21 | 4:F:45:THR:HG22 | 1.79 | 0.64 |
| 4:C:162:LEU:HD12 | 4:C:167:LYS:HD3 | 1.80 | 0.63 |
| 4:F:162:LEU:HD12 | 4:F:167:LYS:HD3 | 1.80 | 0.63 |
| 4:E:162:LEU:HD12 | 4:E:167:LYS:HD3 | 1.80 | 0.63 |
| 2:A:604:CYS:SG | 2:A:605:CYS:N | 2.72 | 0.63 |
| 2:B:604:CYS:SG | 2:B:605:CYS:N | 2.72 | 0.62 |
| 1:L:83:PHE:HA | 1:L:104:LEU:HD12 | 1.82 | 0.62 |
| 1:O:83:PHE:HA | 1:O:104:LEU:HD12 | 1.81 | 0.62 |
| 4:C:12:VAL:HB | 4:C:74:LEU:HD11 | 1.82 | 0.62 |
| 4:E:12:VAL:HB | 4:E:74:LEU:HD11 | 1.82 | 0.62 |
| 3:J:258:GLN:NE2 | 3:J:371:ILE:O | 2.33 | 0.62 |
| 4:F:12:VAL:HB | 4:F:74:LEU:HD11 | 1.82 | 0.62 |
| 3:G:258:GLN:NE2 | 3:G:371:ILE:O | 2.33 | 0.62 |
| 1:N:83:PHE:HA | 1:N:104:LEU:HD12 | 1.81 | 0.61 |
| 2:D:604:CYS:SG | 2:D:605:CYS:N | 2.72 | 0.61 |
| 4:F:84:CYS:HB2 | 4:F:91:GLU:HB3 | 1.83 | 0.61 |
| 3:I:398:ASN:ND2 | 6:I:631:NAG:O6 | 2.35 | 0.60 |
| 4:C:84:CYS:HB2 | 4:C:91:GLU:HB3 | 1.83 | 0.60 |
| 4:E:84:CYS:HB2 | 4:E:91:GLU:HB3 | 1.83 | 0.60 |
| 3:I:258:GLN:NE2 | 3:I:371:ILE:O | 2.33 | 0.60 |
| 4:F:157:TRP:HB2 | 4:F:172:ILE:HD12 | 1.85 | 0.59 |
| 4:C:157:TRP:HB2 | 4:C:172:ILE:HD12 | 1.85 | 0.59 |
| 5:M:38:ARG:NH1 | 5:M:46:GLU:OE1 | 2.35 | 0.59 |
| 3:I:249:HIS:NE2 | 3:I:482:GLU:OE2 | 2.35 | 0.58 |
| 5:K:38:ARG:NH1 | 5:K:46:GLU:OE1 | 2.36 | 0.58 |
| 4:E:157:TRP:HB2 | 4:E:172:ILE:HD12 | 1.85 | 0.58 |
| 5:H:38:ARG:NH1 | 5:H:46:GLU:OE1 | 2.36 | 0.58 |
| 5:K:40:ALA:HB3 | 5:K:43:GLN:HB2 | 1.86 | 0.58 |
| 5:H:38:ARG:NH2 | 5:H:85:ASP:O | 2.37 | 0.58 |
| 3:J:249:HIS:NE2 | 3:J:482:GLU:OE2 | 2.35 | 0.58 |
| 5:M:38:ARG:NH2 | 5:M:85:ASP:O | 2.37 | 0.57 |
| 3:G:398:ASN:ND2 | 6:G:631:NAG:O6 | 2.37 | 0.57 |
| 3:G:327:ARG:NH2 | 5:H:100(F):ASP:OD1 | 2.37 | 0.57 |
| 5:M:40:ALA:HB3 | 5:M:43:GLN:HB2 | 1.86 | 0.57 |
| 3:J:398:ASN:ND2 | 6:J:631:NAG:O6 | 2.37 | 0.57 |
| 3:I:331:CYS:HB2 | 3:I:416:LEU:HB3 | 1.87 | 0.56 |
| 3:J:331:CYS:HB2 | 3:J:416:LEU:HB3 | 1.87 | 0.56 |
| 5:H:40:ALA:HB3 | 5:H:43:GLN:HB2 | 1.86 | 0.56 |
| 3:I:207:LYS:HD3 | 3:I:436:ALA:HB3 | 1.88 | 0.56 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|-------------------|--------------------------|-------------------|
| 3:I:447:SER:OG | 3:I:448:ASN:N | 2.38 | 0.56 |
| 3:G:447:SER:OG | 3:G:448:ASN:N | 2.38 | 0.56 |
| 3:J:447:SER:OG | 3:J:448:ASN:N | 2.38 | 0.56 |
| 5:K:38:ARG:NH2 | 5:K:85:ASP:O | 2.37 | 0.56 |
| 3:G:207:LYS:HD3 | 3:G:436:ALA:HB3 | 1.88 | 0.56 |
| 3:I:50:THR:OG1 | 3:I:51:THR:N | 2.39 | 0.56 |
| 3:J:207:LYS:HD3 | 3:J:436:ALA:HB3 | 1.88 | 0.56 |
| 4:C:23:SER:HB2 | 4:C:63:ASP:HA | 1.88 | 0.56 |
| 4:F:23:SER:HB2 | 4:F:63:ASP:HA | 1.88 | 0.56 |
| 3:G:331:CYS:HB2 | 3:G:416:LEU:HB3 | 1.87 | 0.55 |
| 5:H:91:PHE:HB3 | 5:H:106:GLY:HA2 | 1.88 | 0.55 |
| 5:M:91:PHE:HB3 | 5:M:106:GLY:HA2 | 1.88 | 0.55 |
| 3:G:115:SER:OG | 3:G:116:LEU:N | 2.39 | 0.55 |
| 3:I:371:ILE:HG21 | 4:E:45:THR:HG22 | 1.88 | 0.55 |
| 3:J:115:SER:OG | 3:J:116:LEU:N | 2.39 | 0.55 |
| 3:J:50:THR:OG1 | 3:J:51:THR:N | 2.39 | 0.55 |
| 3:G:477:ASP:OD1 | 3:G:480:ARG:NH1 | 2.40 | 0.55 |
| 5:K:91:PHE:HB3 | 5:K:106:GLY:HA2 | 1.88 | 0.55 |
| 4:E:23:SER:HB2 | 4:E:63:ASP:HA | 1.88 | 0.55 |
| 4:E:6:GLY:HA3 | 4:E:97:VAL:HG22 | 1.89 | 0.55 |
| 4:C:6:GLY:HA3 | 4:C:97:VAL:HG22 | 1.89 | 0.54 |
| 5:H:84:SER:HA | 5:H:111:VAL:HG21 | 1.89 | 0.54 |
| 5:K:84:SER:HA | 5:K:111:VAL:HG21 | 1.89 | 0.54 |
| 4:F:6:GLY:HA3 | 4:F:97:VAL:HG22 | 1.89 | 0.54 |
| 4:F:140:GLY:HA3 | 4:F:144:LEU:HD21 | 1.90 | 0.54 |
| 3:J:477:ASP:OD1 | 3:J:480:ARG:NH1 | 2.40 | 0.54 |
| 3:I:477:ASP:OD1 | 3:I:480:ARG:NH1 | 2.40 | 0.54 |
| 5:M:84:SER:HA | 5:M:111:VAL:HG21 | 1.89 | 0.54 |
| 3:G:249:HIS:NE2 | 3:G:482:GLU:OE2 | 2.35 | 0.54 |
| 4:E:140:GLY:HA3 | 4:E:144:LEU:HD21 | 1.89 | 0.54 |
| 5:H:38:ARG:HH21 | 5:H:86:ASP:HA | 1.74 | 0.53 |
| 3:I:115:SER:OG | 3:I:116:LEU:N | 2.39 | 0.53 |
| 3:J:270:ILE:HG12 | 3:J:288:LEU:HA | 1.90 | 0.53 |
| 4:F:98:PHE:HB3 | 4:F:121:PRO:HD3 | 1.91 | 0.53 |
| 5:H:15:GLY:H | 5:H:82(C):LEU:HB3 | 1.74 | 0.53 |
| 3:G:50:THR:OG1 | 3:G:51:THR:N | 2.39 | 0.53 |
| 2:D:604:CYS:O | 3:J:37:THR:OG1 | 2.26 | 0.53 |
| 5:K:87:THR:HG23 | 5:K:110:THR:HA | 1.91 | 0.53 |
| 4:C:140:GLY:HA3 | 4:C:144:LEU:HD21 | 1.89 | 0.53 |
| 5:M:15:GLY:H | 5:M:82(C):LEU:HB3 | 1.74 | 0.53 |
| 5:M:38:ARG:HH21 | 5:M:86:ASP:HA | 1.74 | 0.53 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|-------------------|--------------------------|-------------------|
| 3:G:290:GLU:OE2 | 3:G:337:ARG:NH2 | 2.42 | 0.52 |
| 5:K:38:ARG:HH21 | 5:K:86:ASP:HA | 1.74 | 0.52 |
| 5:K:15:GLY:H | 5:K:82(C):LEU:HB3 | 1.74 | 0.52 |
| 1:L:30:SER:OG | 1:L:31:SER:N | 2.42 | 0.52 |
| 4:C:98:PHE:HB3 | 4:C:121:PRO:HD3 | 1.91 | 0.52 |
| 4:E:98:PHE:HB3 | 4:E:121:PRO:HD3 | 1.91 | 0.52 |
| 3:I:270:ILE:HG12 | 3:I:288:LEU:HA | 1.90 | 0.52 |
| 3:I:290:GLU:OE2 | 3:I:337:ARG:NH2 | 2.42 | 0.52 |
| 3:G:270:ILE:HG12 | 3:G:288:LEU:HA | 1.90 | 0.52 |
| 5:H:87:THR:HG23 | 5:H:110:THR:HA | 1.91 | 0.52 |
| 4:E:116:LEU:HD12 | 4:E:144:LEU:HB2 | 1.92 | 0.52 |
| 4:F:116:LEU:HD12 | 4:F:144:LEU:HB2 | 1.92 | 0.52 |
| 5:H:66:ARG:HG2 | 5:H:82(B):ASN:HB3 | 1.92 | 0.52 |
| 3:J:290:GLU:OE2 | 3:J:337:ARG:NH2 | 2.42 | 0.51 |
| 5:M:87:THR:HG23 | 5:M:110:THR:HA | 1.91 | 0.51 |
| 1:N:30:SER:OG | 1:N:31:SER:N | 2.42 | 0.51 |
| 4:C:116:LEU:HD12 | 4:C:144:LEU:HB2 | 1.92 | 0.51 |
| 1:O:30:SER:OG | 1:O:31:SER:N | 2.42 | 0.51 |
| 5:M:66:ARG:HG2 | 5:M:82(B):ASN:HB3 | 1.92 | 0.51 |
| 3:J:280:ASN:HD22 | 3:J:458:GLY:H | 1.59 | 0.50 |
| 5:K:66:ARG:HG2 | 5:K:82(B):ASN:HB3 | 1.92 | 0.50 |
| 3:G:280:ASN:HD22 | 3:G:458:GLY:H | 1.60 | 0.50 |
| 3:I:280:ASN:HD22 | 3:I:458:GLY:H | 1.60 | 0.50 |
| 5:M:28:THR:HB | 5:M:31:ARG:HG2 | 1.94 | 0.50 |
| 5:K:28:THR:HB | 5:K:31:ARG:HG2 | 1.94 | 0.49 |
| 4:F:128:VAL:HG22 | 4:F:161:VAL:HG22 | 1.94 | 0.49 |
| 3:G:200:VAL:HG11 | 5:H:56:VAL:HG12 | 1.95 | 0.49 |
| 4:E:108:LEU:HD13 | 4:E:149:LEU:HD21 | 1.95 | 0.49 |
| 4:F:114:LEU:HB3 | 4:F:146:VAL:HB | 1.94 | 0.49 |
| 3:I:300:ASN:O | 3:I:302:ASN:N | 2.46 | 0.49 |
| 4:C:128:VAL:HG22 | 4:C:161:VAL:HG22 | 1.94 | 0.49 |
| 4:C:114:LEU:HB3 | 4:C:146:VAL:HB | 1.94 | 0.49 |
| 4:E:114:LEU:HB3 | 4:E:146:VAL:HB | 1.94 | 0.49 |
| 5:H:28:THR:HB | 5:H:31:ARG:HG2 | 1.94 | 0.49 |
| 4:C:2:LYS:HB2 | 4:C:93:VAL:HG12 | 1.95 | 0.48 |
| 3:I:356:LYS:HG2 | 3:I:464:GLY:HA2 | 1.95 | 0.48 |
| 3:J:300:ASN:O | 3:J:302:ASN:N | 2.46 | 0.48 |
| 4:F:126:PRO:HG2 | 4:F:142:LYS:HG2 | 1.96 | 0.48 |
| 5:M:17:SER:HA | 5:M:82(A):ARG:HA | 1.96 | 0.48 |
| 4:E:128:VAL:HG22 | 4:E:161:VAL:HG22 | 1.94 | 0.48 |
| 4:C:146:VAL:HG21 | 4:C:157:TRP:HZ3 | 1.78 | 0.48 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|--------------------|--------------------------|-------------------|
| 3:G:300:ASN:O | 3:G:302:ASN:N | 2.46 | 0.48 |
| 4:F:146:VAL:HG21 | 4:F:157:TRP:HZ3 | 1.78 | 0.48 |
| 4:F:2:LYS:HB2 | 4:F:93:VAL:HG12 | 1.95 | 0.48 |
| 1:O:30:SER:H | 1:O:92:ASN:ND2 | 2.12 | 0.48 |
| 3:J:356:LYS:HG2 | 3:J:464:GLY:HA2 | 1.95 | 0.48 |
| 5:K:17:SER:HA | 5:K:82(A):ARG:HA | 1.96 | 0.48 |
| 1:L:30:SER:H | 1:L:92:ASN:ND2 | 2.12 | 0.48 |
| 3:J:52:LEU:HD23 | 3:J:220:PRO:HD3 | 1.96 | 0.48 |
| 3:G:378:CYS:HB2 | 3:G:383:PHE:HE2 | 1.79 | 0.48 |
| 1:N:30:SER:H | 1:N:92:ASN:ND2 | 2.12 | 0.48 |
| 4:C:108:LEU:HD13 | 4:C:149:LEU:HD21 | 1.95 | 0.47 |
| 4:E:126:PRO:HG2 | 4:E:142:LYS:HG2 | 1.95 | 0.47 |
| 3:I:52:LEU:HD23 | 3:I:220:PRO:HD3 | 1.96 | 0.47 |
| 3:G:356:LYS:HG2 | 3:G:464:GLY:HA2 | 1.95 | 0.47 |
| 1:L:91:TYR:CZ | 5:H:100(J):PHE:HB3 | 2.49 | 0.47 |
| 4:C:126:PRO:HG2 | 4:C:142:LYS:HG2 | 1.96 | 0.47 |
| 4:F:108:LEU:HD13 | 4:F:149:LEU:HD21 | 1.94 | 0.47 |
| 3:J:378:CYS:HB2 | 3:J:383:PHE:HE2 | 1.79 | 0.47 |
| 4:E:146:VAL:HG21 | 4:E:157:TRP:HZ3 | 1.78 | 0.47 |
| 3:I:251:ILE:HG23 | 3:I:482:GLU:HG2 | 1.97 | 0.47 |
| 3:J:251:ILE:HG23 | 3:J:482:GLU:HG2 | 1.97 | 0.47 |
| 3:G:251:ILE:HG23 | 3:G:482:GLU:HG2 | 1.97 | 0.47 |
| 3:I:378:CYS:HB2 | 3:I:383:PHE:HE2 | 1.79 | 0.47 |
| 1:N:6:GLN:HG3 | 1:N:101:GLY:H | 1.79 | 0.47 |
| 1:O:4:LEU:HB2 | 1:O:99:GLY:HA2 | 1.97 | 0.47 |
| 4:E:2:LYS:HB2 | 4:E:93:VAL:HG12 | 1.95 | 0.47 |
| 5:H:17:SER:HA | 5:H:82(A):ARG:HA | 1.96 | 0.47 |
| 1:O:6:GLN:HG3 | 1:O:101:GLY:H | 1.79 | 0.47 |
| 3:J:91:GLU:OE2 | 3:J:487:LYS:NZ | 2.45 | 0.47 |
| 5:M:11:VAL:HG12 | 5:M:110:THR:HB | 1.97 | 0.47 |
| 5:K:11:VAL:HG12 | 5:K:110:THR:HB | 1.97 | 0.47 |
| 3:G:52:LEU:HD23 | 3:G:220:PRO:HD3 | 1.96 | 0.46 |
| 3:J:333:ILE:HD11 | 3:J:416:LEU:HD22 | 1.97 | 0.46 |
| 5:M:38:ARG:HB3 | 5:M:46:GLU:HB3 | 1.97 | 0.46 |
| 3:J:368:ASP:OD2 | 4:F:44:LEU:N | 2.49 | 0.46 |
| 1:L:6:GLN:HG3 | 1:L:101:GLY:H | 1.79 | 0.46 |
| 4:F:130:CYS:HB2 | 4:F:138:ILE:HB | 1.97 | 0.46 |
| 3:G:91:GLU:OE2 | 3:G:487:LYS:NZ | 2.45 | 0.46 |
| 3:G:333:ILE:HD11 | 3:G:416:LEU:HD22 | 1.97 | 0.46 |
| 4:E:130:CYS:HB2 | 4:E:138:ILE:HB | 1.97 | 0.46 |
| 3:G:81:PRO:HA | 3:G:246:GLN:HE22 | 1.81 | 0.46 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|--------------------|--------------------------|-------------------|
| 3:G:422:GLN:HB2 | 5:H:100(E):TYR:HB3 | 1.98 | 0.46 |
| 3:J:81:PRO:HA | 3:J:246:GLN:HE22 | 1.81 | 0.46 |
| 1:N:4:LEU:HB2 | 1:N:99:GLY:HA2 | 1.97 | 0.46 |
| 4:C:130:CYS:HB2 | 4:C:138:ILE:HB | 1.97 | 0.46 |
| 5:K:38:ARG:HB3 | 5:K:46:GLU:HB3 | 1.97 | 0.46 |
| 3:I:81:PRO:HA | 3:I:246:GLN:HE22 | 1.81 | 0.46 |
| 3:G:346:VAL:HG12 | 3:G:358:ILE:HG21 | 1.98 | 0.46 |
| 2:D:604:CYS:HB3 | 3:J:38:VAL:HG23 | 1.97 | 0.46 |
| 5:H:11:VAL:HG12 | 5:H:110:THR:HB | 1.97 | 0.46 |
| 1:L:4:LEU:HB2 | 1:L:99:GLY:HA2 | 1.97 | 0.46 |
| 5:H:38:ARG:HB3 | 5:H:46:GLU:HB3 | 1.97 | 0.45 |
| 3:J:346:VAL:HG12 | 3:J:358:ILE:HG21 | 1.98 | 0.45 |
| 4:C:124:SER:HB2 | 4:C:163:GLN:HE22 | 1.82 | 0.45 |
| 4:E:124:SER:HB2 | 4:E:163:GLN:HE22 | 1.82 | 0.45 |
| 3:G:217:TYR:HA | 3:G:217:TYR:HD1 | 1.64 | 0.45 |
| 5:K:14:PRO:HD3 | 5:K:111:VAL:HB | 1.99 | 0.45 |
| 5:H:14:PRO:HD3 | 5:H:111:VAL:HB | 1.99 | 0.45 |
| 3:I:346:VAL:HG12 | 3:I:358:ILE:HG21 | 1.98 | 0.45 |
| 3:I:333:ILE:HD11 | 3:I:416:LEU:HD22 | 1.98 | 0.45 |
| 6:G:607:NAG:HG2 | 6:G:608:NAG:HN2 | 1.82 | 0.45 |
| 1:N:45:ARG:HH22 | 1:N:58:VAL:HA | 1.82 | 0.45 |
| 3:G:119:CYS:N | 3:G:205:CYS:SG | 2.91 | 0.44 |
| 5:H:16:SER:OG | 5:H:17:SER:N | 2.50 | 0.44 |
| 5:M:14:PRO:HD3 | 5:M:111:VAL:HB | 1.99 | 0.44 |
| 5:H:38:ARG:HG3 | 5:H:90:TYR:HE1 | 1.83 | 0.44 |
| 3:J:119:CYS:N | 3:J:205:CYS:SG | 2.91 | 0.44 |
| 4:E:37:LEU:HD22 | 4:E:44:LEU:HD11 | 2.00 | 0.44 |
| 4:C:37:LEU:HD22 | 4:C:44:LEU:HD11 | 2.00 | 0.44 |
| 3:I:359:ILE:HG23 | 3:I:394:THR:HG22 | 2.00 | 0.44 |
| 1:L:38:GLN:N | 1:L:85:VAL:O | 2.51 | 0.44 |
| 2:A:641:HIS:O | 2:A:644:THR:OG1 | 2.30 | 0.44 |
| 2:B:611:ASN:HB2 | 2:B:614:TRP:CD2 | 2.53 | 0.44 |
| 5:M:38:ARG:HG3 | 5:M:90:TYR:HE1 | 1.83 | 0.44 |
| 2:D:611:ASN:HB2 | 2:D:614:TRP:CD2 | 2.53 | 0.44 |
| 3:I:119:CYS:N | 3:I:205:CYS:SG | 2.91 | 0.44 |
| 2:A:611:ASN:HB2 | 2:A:614:TRP:CD2 | 2.53 | 0.43 |
| 1:O:38:GLN:N | 1:O:85:VAL:O | 2.51 | 0.43 |
| 1:N:38:GLN:N | 1:N:85:VAL:O | 2.51 | 0.43 |
| 3:G:359:ILE:HG23 | 3:G:394:THR:HG22 | 2.00 | 0.43 |
| 4:F:124:SER:HB2 | 4:F:163:GLN:HE22 | 1.82 | 0.43 |
| 3:G:272:ILE:HG22 | 3:G:286:VAL:HG22 | 2.00 | 0.43 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|--------------------|--------------------------|-------------------|
| 5:K:38:ARG:HG3 | 5:K:90:TYR:HE1 | 1.83 | 0.43 |
| 4:F:37:LEU:HD22 | 4:F:44:LEU:HD11 | 2.00 | 0.43 |
| 3:I:91:GLU:OE2 | 3:I:487:LYS:NZ | 2.45 | 0.43 |
| 1:L:95:PRO:HB3 | 3:G:202:THR:HG21 | 1.99 | 0.43 |
| 1:O:45:ARG:HH22 | 1:O:58:VAL:HA | 1.82 | 0.43 |
| 1:L:91:TYR:OH | 5:H:100(J):PHE:HB3 | 2.19 | 0.43 |
| 3:I:265:LEU:HD11 | 3:I:291:ALA:HB2 | 2.00 | 0.43 |
| 3:J:272:ILE:HG22 | 3:J:286:VAL:HG22 | 2.00 | 0.43 |
| 4:E:80:ASP:OD1 | 4:E:81:THR:N | 2.52 | 0.43 |
| 3:G:265:LEU:HD11 | 3:G:291:ALA:HB2 | 2.00 | 0.43 |
| 3:I:300:ASN:OD1 | 3:I:300:ASN:N | 2.52 | 0.43 |
| 5:K:16:SER:OG | 5:K:17:SER:N | 2.50 | 0.43 |
| 1:N:3:GLU:HB3 | 1:N:26:SER:HB3 | 2.01 | 0.43 |
| 3:I:49:THR:HG22 | 3:I:99:ASN:HD22 | 1.84 | 0.42 |
| 3:J:300:ASN:N | 3:J:300:ASN:OD1 | 2.52 | 0.42 |
| 3:J:359:ILE:HG23 | 3:J:394:THR:HG22 | 2.00 | 0.42 |
| 3:G:62:ASP:N | 3:G:62:ASP:OD1 | 2.52 | 0.42 |
| 3:J:49:THR:HG22 | 3:J:99:ASN:HD22 | 1.84 | 0.42 |
| 3:G:371:ILE:HG21 | 4:C:45:THR:HG22 | 2.01 | 0.42 |
| 3:J:265:LEU:HD11 | 3:J:291:ALA:HB2 | 2.00 | 0.42 |
| 1:L:3:GLU:HB3 | 1:L:26:SER:HB3 | 2.01 | 0.42 |
| 1:L:45:ARG:HH22 | 1:L:58:VAL:HA | 1.82 | 0.42 |
| 3:G:49:THR:HG22 | 3:G:99:ASN:HD22 | 1.84 | 0.42 |
| 5:M:16:SER:OG | 5:M:17:SER:N | 2.50 | 0.42 |
| 4:F:5:LEU:HD22 | 4:F:98:PHE:HE1 | 1.85 | 0.42 |
| 3:I:272:ILE:HG22 | 3:I:286:VAL:HG22 | 2.00 | 0.42 |
| 1:O:3:GLU:HB3 | 1:O:26:SER:HB3 | 2.01 | 0.42 |
| 4:C:80:ASP:OD1 | 4:C:81:THR:N | 2.52 | 0.42 |
| 4:E:5:LEU:HD22 | 4:E:98:PHE:HE1 | 1.85 | 0.42 |
| 3:J:62:ASP:N | 3:J:62:ASP:OD1 | 2.52 | 0.42 |
| 4:E:63:ASP:OD1 | 4:E:63:ASP:N | 2.53 | 0.42 |
| 2:A:520:LEU:HA | 2:A:520:LEU:HD23 | 1.91 | 0.41 |
| 4:C:5:LEU:HD22 | 4:C:98:PHE:HE1 | 1.85 | 0.41 |
| 1:L:93:ASN:N | 1:L:93:ASN:OD1 | 2.53 | 0.41 |
| 1:O:30:SER:H | 1:O:92:ASN:HD22 | 1.68 | 0.41 |
| 2:A:658:GLN:HA | 2:A:661:LEU:HD12 | 2.03 | 0.41 |
| 3:G:300:ASN:N | 3:G:300:ASN:OD1 | 2.52 | 0.41 |
| 3:G:298:ARG:HD2 | 3:G:329:ALA:HB2 | 2.03 | 0.41 |
| 3:I:298:ARG:HD2 | 3:I:329:ALA:HB2 | 2.03 | 0.41 |
| 3:I:327:ARG:NH2 | 5:K:100(F):ASP:OD1 | 2.53 | 0.41 |
| 4:C:63:ASP:N | 4:C:63:ASP:OD1 | 2.53 | 0.41 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|--------------------|--------------------------|-------------------|
| 1:L:39:LYS:HB2 | 1:L:42:GLN:HB2 | 2.03 | 0.41 |
| 1:O:93:ASN:OD1 | 1:O:93:ASN:N | 2.53 | 0.41 |
| 3:I:422:GLN:HB2 | 5:K:100(E):TYR:HB3 | 2.03 | 0.41 |
| 3:J:219:ALA:HB2 | 3:J:225:ILE:HG13 | 2.03 | 0.41 |
| 4:E:25:GLN:HE22 | 4:E:41:GLY:H | 1.69 | 0.41 |
| 3:I:62:ASP:N | 3:I:62:ASP:OD1 | 2.52 | 0.41 |
| 4:F:63:ASP:N | 4:F:63:ASP:OD1 | 2.53 | 0.41 |
| 4:F:121:PRO:HA | 4:F:122:PRO:HD3 | 1.96 | 0.41 |
| 4:F:125:SER:H | 4:F:163:GLN:NE2 | 2.19 | 0.41 |
| 3:I:381:GLU:HG3 | 3:I:443:ILE:HG21 | 2.03 | 0.41 |
| 3:J:384:TYR:CD2 | 3:J:421:LYS:HG3 | 2.56 | 0.41 |
| 4:C:25:GLN:HE22 | 4:C:41:GLY:H | 1.69 | 0.40 |
| 3:I:207:LYS:NZ | 3:I:437:PRO:O | 2.53 | 0.40 |
| 1:N:11:LEU:N | 1:N:103:ARG:O | 2.54 | 0.40 |
| 4:F:25:GLN:HE22 | 4:F:41:GLY:H | 1.69 | 0.40 |
| 3:I:200:VAL:HG11 | 5:K:56:VAL:HG12 | 2.03 | 0.40 |
| 1:L:3:GLU:O | 1:L:26:SER:N | 2.52 | 0.40 |
| 1:N:39:LYS:HB2 | 1:N:42:GLN:HB2 | 2.03 | 0.40 |
| 1:N:37:GLN:HB2 | 1:N:47:LEU:HD21 | 2.03 | 0.40 |
| 1:O:39:LYS:HB2 | 1:O:42:GLN:HB2 | 2.03 | 0.40 |
| 1:O:37:GLN:HB2 | 1:O:47:LEU:HD21 | 2.03 | 0.40 |
| 4:F:80:ASP:OD1 | 4:F:81:THR:N | 2.52 | 0.40 |
| 3:G:126:CYS:HA | 3:G:196:CYS:HA | 2.04 | 0.40 |
| 3:J:382:PHE:HD2 | 3:J:424:ILE:HG21 | 1.87 | 0.40 |
| 1:L:30:SER:H | 1:L:92:ASN:HD22 | 1.69 | 0.40 |
| 3:G:219:ALA:HB2 | 3:G:225:ILE:HG13 | 2.03 | 0.40 |

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|-----|-------|-----------------|------------|-----------|----------|-------------|
| 1 | L | 108/214 (50%) | 91 (84%) | 17 (16%) | 0 | 100 100 |
| 1 | N | 108/214 (50%) | 91 (84%) | 17 (16%) | 0 | 100 100 |
| 1 | O | 108/214 (50%) | 91 (84%) | 17 (16%) | 0 | 100 100 |
| 2 | A | 132/153 (86%) | 127 (96%) | 5 (4%) | 0 | 100 100 |
| 2 | B | 132/153 (86%) | 127 (96%) | 5 (4%) | 0 | 100 100 |
| 2 | D | 132/153 (86%) | 127 (96%) | 5 (4%) | 0 | 100 100 |
| 3 | G | 381/516 (74%) | 335 (88%) | 42 (11%) | 4 (1%) | 18 62 |
| 3 | I | 381/516 (74%) | 335 (88%) | 42 (11%) | 4 (1%) | 18 62 |
| 3 | J | 381/516 (74%) | 335 (88%) | 42 (11%) | 4 (1%) | 18 62 |
| 4 | C | 174/185 (94%) | 148 (85%) | 26 (15%) | 0 | 100 100 |
| 4 | E | 174/185 (94%) | 148 (85%) | 26 (15%) | 0 | 100 100 |
| 4 | F | 174/185 (94%) | 148 (85%) | 26 (15%) | 0 | 100 100 |
| 5 | H | 125/229 (55%) | 116 (93%) | 9 (7%) | 0 | 100 100 |
| 5 | K | 125/229 (55%) | 116 (93%) | 9 (7%) | 0 | 100 100 |
| 5 | M | 125/229 (55%) | 116 (93%) | 9 (7%) | 0 | 100 100 |
| All | All | 2760/3891 (71%) | 2451 (89%) | 297 (11%) | 12 (0%) | 42 77 |

All (12) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | G | 301 | ASN |
| 3 | I | 301 | ASN |
| 3 | J | 301 | ASN |
| 3 | G | 299 | PRO |
| 3 | I | 299 | PRO |
| 3 | J | 299 | PRO |
| 3 | G | 234 | ASN |
| 3 | G | 280 | ASN |
| 3 | I | 234 | ASN |
| 3 | I | 280 | ASN |
| 3 | J | 234 | ASN |
| 3 | J | 280 | ASN |

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|-------------|----------|-------------|-----|
| 1 | L | 91/184 (50%) | 91 (100%) | 0 | 100 | 100 |
| 1 | N | 91/184 (50%) | 91 (100%) | 0 | 100 | 100 |
| 1 | O | 91/184 (50%) | 91 (100%) | 0 | 100 | 100 |
| 2 | A | 117/130 (90%) | 117 (100%) | 0 | 100 | 100 |
| 2 | B | 117/130 (90%) | 117 (100%) | 0 | 100 | 100 |
| 2 | D | 117/130 (90%) | 117 (100%) | 0 | 100 | 100 |
| 3 | G | 344/453 (76%) | 344 (100%) | 0 | 100 | 100 |
| 3 | I | 344/453 (76%) | 344 (100%) | 0 | 100 | 100 |
| 3 | J | 344/453 (76%) | 344 (100%) | 0 | 100 | 100 |
| 4 | C | 160/167 (96%) | 159 (99%) | 1 (1%) | 89 | 95 |
| 4 | E | 160/167 (96%) | 159 (99%) | 1 (1%) | 89 | 95 |
| 4 | F | 160/167 (96%) | 159 (99%) | 1 (1%) | 89 | 95 |
| 5 | H | 105/193 (54%) | 105 (100%) | 0 | 100 | 100 |
| 5 | K | 105/193 (54%) | 105 (100%) | 0 | 100 | 100 |
| 5 | M | 105/193 (54%) | 105 (100%) | 0 | 100 | 100 |
| All | All | 2451/3381 (72%) | 2448 (100%) | 3 (0%) | 95 | 98 |

All (3) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 4 | C | 24 | ILE |
| 4 | E | 24 | ILE |
| 4 | F | 24 | ILE |

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | L | 92 | ASN |
| 2 | A | 656 | ASN |
| 3 | G | 103 | GLN |
| 3 | G | 398 | ASN |
| 3 | G | 422 | GLN |
| 4 | C | 25 | GLN |
| 4 | C | 163 | GLN |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | N | 92 | ASN |
| 2 | B | 656 | ASN |
| 3 | I | 103 | GLN |
| 3 | I | 398 | ASN |
| 3 | I | 422 | GLN |
| 4 | E | 25 | GLN |
| 4 | E | 163 | GLN |
| 1 | O | 92 | ASN |
| 2 | D | 656 | ASN |
| 3 | J | 103 | GLN |
| 3 | J | 398 | ASN |
| 3 | J | 422 | GLN |
| 4 | F | 25 | GLN |
| 4 | F | 163 | GLN |

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

129 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 6 | NAG | A | 701 | 2 | 14,14,15 | 0.58 | 0 | 15,19,21 | 0.56 | 0 |
| 6 | NAG | A | 702 | 2 | 14,14,15 | 0.46 | 0 | 15,19,21 | 0.79 | 1 (6%) |
| 6 | NAG | A | 703 | 2 | 14,14,15 | 0.73 | 0 | 15,19,21 | 0.70 | 1 (6%) |
| 6 | NAG | A | 704 | 2 | 14,14,15 | 0.32 | 0 | 15,19,21 | 0.52 | 0 |
| 6 | NAG | B | 701 | 2 | 14,14,15 | 0.40 | 0 | 15,19,21 | 0.52 | 0 |
| 6 | NAG | B | 702 | 2 | 14,14,15 | 0.46 | 0 | 15,19,21 | 0.70 | 1 (6%) |
| 6 | NAG | B | 703 | 2 | 14,14,15 | 0.51 | 0 | 15,19,21 | 0.70 | 1 (6%) |
| 6 | NAG | B | 704 | 2 | 14,14,15 | 0.27 | 0 | 15,19,21 | 0.40 | 0 |
| 6 | NAG | D | 701 | 2 | 14,14,15 | 0.49 | 0 | 15,19,21 | 0.50 | 0 |
| 6 | NAG | D | 702 | 2 | 14,14,15 | 0.44 | 0 | 15,19,21 | 0.68 | 1 (6%) |
| 6 | NAG | D | 703 | 2 | 14,14,15 | 0.60 | 0 | 15,19,21 | 0.71 | 1 (6%) |
| 6 | NAG | D | 704 | 2 | 14,14,15 | 0.26 | 0 | 15,19,21 | 0.57 | 0 |
| 6 | NAG | G | 601 | 3 | 14,14,15 | 0.23 | 0 | 15,19,21 | 0.53 | 0 |
| 6 | NAG | G | 602 | 3,6 | 14,14,15 | 0.68 | 1 (7%) | 15,19,21 | 0.66 | 0 |
| 6 | NAG | G | 603 | 6 | 14,14,15 | 0.26 | 0 | 15,19,21 | 0.80 | 1 (6%) |
| 6 | NAG | G | 604 | 3,6 | 14,14,15 | 0.32 | 0 | 15,19,21 | 0.77 | 1 (6%) |
| 6 | NAG | G | 605 | 7,6 | 14,14,15 | 0.24 | 0 | 15,19,21 | 0.51 | 0 |
| 7 | BMA | G | 606 | 6 | 11,11,12 | 0.82 | 0 | 13,15,17 | 1.08 | 1 (7%) |
| 6 | NAG | G | 607 | 3,6 | 14,14,15 | 1.19 | 1 (7%) | 15,19,21 | 0.61 | 0 |
| 6 | NAG | G | 608 | 7,6 | 14,14,15 | 0.23 | 0 | 15,19,21 | 0.59 | 0 |
| 7 | BMA | G | 609 | 8,6 | 11,11,12 | 0.66 | 0 | 13,15,17 | 1.02 | 1 (7%) |
| 8 | MAN | G | 610 | 8,7 | 11,11,12 | 0.98 | 0 | 13,15,17 | 1.80 | 2 (15%) |
| 8 | MAN | G | 611 | 8 | 11,11,12 | 0.80 | 0 | 13,15,17 | 1.59 | 2 (15%) |
| 8 | MAN | G | 612 | 8 | 11,11,12 | 0.75 | 0 | 13,15,17 | 1.11 | 2 (15%) |
| 8 | MAN | G | 613 | 7 | 11,11,12 | 1.05 | 2 (18%) | 13,15,17 | 1.31 | 3 (23%) |
| 6 | NAG | G | 614 | 3,6 | 14,14,15 | 1.02 | 1 (7%) | 15,19,21 | 0.82 | 1 (6%) |
| 6 | NAG | G | 615 | 7,6 | 14,14,15 | 0.20 | 0 | 15,19,21 | 0.80 | 1 (6%) |
| 7 | BMA | G | 616 | 8,6 | 11,11,12 | 0.76 | 0 | 13,15,17 | 0.95 | 1 (7%) |
| 8 | MAN | G | 617 | 7 | 11,11,12 | 0.98 | 1 (9%) | 13,15,17 | 1.14 | 2 (15%) |
| 6 | NAG | G | 618 | 3,6 | 14,14,15 | 0.35 | 0 | 15,19,21 | 0.55 | 0 |
| 6 | NAG | G | 619 | 6 | 14,14,15 | 0.32 | 0 | 15,19,21 | 0.64 | 0 |
| 6 | NAG | G | 620 | 3,6 | 14,14,15 | 0.17 | 0 | 15,19,21 | 0.70 | 1 (6%) |
| 6 | NAG | G | 621 | 6 | 14,14,15 | 0.27 | 0 | 15,19,21 | 0.51 | 0 |
| 6 | NAG | G | 622 | 3 | 14,14,15 | 0.27 | 0 | 15,19,21 | 0.45 | 0 |
| 6 | NAG | G | 623 | 3 | 14,14,15 | 0.36 | 0 | 15,19,21 | 0.46 | 0 |
| 6 | NAG | G | 624 | 3,6 | 14,14,15 | 0.70 | 1 (7%) | 15,19,21 | 0.82 | 1 (6%) |
| 6 | NAG | G | 625 | 7,6 | 14,14,15 | 0.22 | 0 | 15,19,21 | 0.50 | 0 |
| 7 | BMA | G | 626 | 8,6 | 11,11,12 | 0.63 | 0 | 13,15,17 | 1.08 | 1 (7%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 8 | MAN | G | 627 | 7 | 11,11,12 | 1.00 | 1 (9%) | 13,15,17 | 1.73 | 2 (15%) |
| 6 | NAG | G | 628 | 3,6 | 14,14,15 | 0.26 | 0 | 15,19,21 | 0.51 | 0 |
| 6 | NAG | G | 629 | 7,6 | 14,14,15 | 0.22 | 0 | 15,19,21 | 0.58 | 0 |
| 7 | BMA | G | 630 | 6 | 11,11,12 | 0.77 | 0 | 13,15,17 | 0.92 | 1 (7%) |
| 6 | NAG | G | 631 | 3 | 14,14,15 | 0.45 | 0 | 15,19,21 | 0.58 | 0 |
| 6 | NAG | G | 632 | 3,6 | 14,14,15 | 0.33 | 0 | 15,19,21 | 0.80 | 1 (6%) |
| 6 | NAG | G | 633 | 7,6 | 14,14,15 | 0.26 | 0 | 15,19,21 | 0.79 | 1 (6%) |
| 7 | BMA | G | 634 | 6 | 11,11,12 | 0.76 | 0 | 13,15,17 | 0.94 | 1 (7%) |
| 6 | NAG | G | 635 | 3,6 | 14,14,15 | 0.48 | 0 | 15,19,21 | 0.81 | 1 (6%) |
| 6 | NAG | G | 636 | 6 | 14,14,15 | 0.29 | 0 | 15,19,21 | 0.57 | 0 |
| 6 | NAG | G | 637 | 3,6 | 14,14,15 | 0.27 | 0 | 15,19,21 | 0.53 | 0 |
| 6 | NAG | G | 638 | 7,6 | 14,14,15 | 0.41 | 0 | 15,19,21 | 0.55 | 0 |
| 7 | BMA | G | 639 | 6 | 11,11,12 | 0.65 | 0 | 13,15,17 | 0.87 | 0 |
| 6 | NAG | I | 601 | 3 | 14,14,15 | 0.31 | 0 | 15,19,21 | 0.48 | 0 |
| 6 | NAG | I | 602 | 3,6 | 14,14,15 | 0.72 | 1 (7%) | 15,19,21 | 0.67 | 0 |
| 6 | NAG | I | 603 | 6 | 14,14,15 | 0.24 | 0 | 15,19,21 | 0.79 | 1 (6%) |
| 6 | NAG | I | 604 | 3,6 | 14,14,15 | 0.30 | 0 | 15,19,21 | 0.77 | 1 (6%) |
| 6 | NAG | I | 605 | 7,6 | 14,14,15 | 0.25 | 0 | 15,19,21 | 0.48 | 0 |
| 7 | BMA | I | 606 | 6 | 11,11,12 | 0.82 | 0 | 13,15,17 | 1.06 | 1 (7%) |
| 6 | NAG | I | 607 | 3,6 | 14,14,15 | 0.24 | 0 | 15,19,21 | 0.89 | 1 (6%) |
| 6 | NAG | I | 608 | 7,6 | 14,14,15 | 0.21 | 0 | 15,19,21 | 0.63 | 0 |
| 7 | BMA | I | 609 | 8,6 | 11,11,12 | 0.67 | 0 | 13,15,17 | 1.03 | 1 (7%) |
| 8 | MAN | I | 610 | 8,7 | 11,11,12 | 0.98 | 0 | 13,15,17 | 1.81 | 2 (15%) |
| 8 | MAN | I | 611 | 8 | 11,11,12 | 0.80 | 0 | 13,15,17 | 1.52 | 2 (15%) |
| 8 | MAN | I | 612 | 8 | 11,11,12 | 0.78 | 0 | 13,15,17 | 1.08 | 2 (15%) |
| 8 | MAN | I | 613 | 7 | 11,11,12 | 1.04 | 2 (18%) | 13,15,17 | 1.36 | 3 (23%) |
| 6 | NAG | I | 614 | 3,6 | 14,14,15 | 1.01 | 1 (7%) | 15,19,21 | 0.78 | 1 (6%) |
| 6 | NAG | I | 615 | 7,6 | 14,14,15 | 0.24 | 0 | 15,19,21 | 0.79 | 1 (6%) |
| 7 | BMA | I | 616 | 8,6 | 11,11,12 | 0.72 | 0 | 13,15,17 | 0.97 | 1 (7%) |
| 8 | MAN | I | 617 | 7 | 11,11,12 | 1.05 | 2 (18%) | 13,15,17 | 1.14 | 2 (15%) |
| 6 | NAG | I | 618 | 3,6 | 14,14,15 | 0.34 | 0 | 15,19,21 | 0.55 | 0 |
| 6 | NAG | I | 619 | 6 | 14,14,15 | 0.35 | 0 | 15,19,21 | 0.65 | 0 |
| 6 | NAG | I | 620 | 3,6 | 14,14,15 | 0.22 | 0 | 15,19,21 | 0.72 | 1 (6%) |
| 6 | NAG | I | 621 | 6 | 14,14,15 | 0.29 | 0 | 15,19,21 | 0.55 | 0 |
| 6 | NAG | I | 622 | 3 | 14,14,15 | 0.22 | 0 | 15,19,21 | 0.46 | 0 |
| 6 | NAG | I | 623 | 3 | 14,14,15 | 0.30 | 0 | 15,19,21 | 0.49 | 0 |
| 6 | NAG | I | 624 | 3,6 | 14,14,15 | 0.77 | 1 (7%) | 15,19,21 | 0.83 | 1 (6%) |
| 6 | NAG | I | 625 | 7,6 | 14,14,15 | 0.19 | 0 | 15,19,21 | 0.50 | 0 |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 7 | BMA | I | 626 | 8,6 | 11,11,12 | 0.56 | 0 | 13,15,17 | 1.21 | 3 (23%) |
| 8 | MAN | I | 627 | 7 | 11,11,12 | 0.90 | 1 (9%) | 13,15,17 | 1.65 | 2 (15%) |
| 6 | NAG | I | 628 | 3,6 | 14,14,15 | 0.33 | 0 | 15,19,21 | 0.54 | 0 |
| 6 | NAG | I | 629 | 7,6 | 14,14,15 | 0.21 | 0 | 15,19,21 | 0.65 | 1 (6%) |
| 7 | BMA | I | 630 | 6 | 11,11,12 | 0.79 | 0 | 13,15,17 | 0.93 | 1 (7%) |
| 6 | NAG | I | 631 | 3 | 14,14,15 | 0.39 | 0 | 15,19,21 | 0.59 | 0 |
| 6 | NAG | I | 632 | 3,6 | 14,14,15 | 0.31 | 0 | 15,19,21 | 0.78 | 1 (6%) |
| 6 | NAG | I | 633 | 7,6 | 14,14,15 | 0.26 | 0 | 15,19,21 | 0.75 | 1 (6%) |
| 7 | BMA | I | 634 | 6 | 11,11,12 | 0.77 | 0 | 13,15,17 | 1.01 | 1 (7%) |
| 6 | NAG | I | 635 | 3,6 | 14,14,15 | 0.57 | 1 (7%) | 15,19,21 | 0.74 | 1 (6%) |
| 6 | NAG | I | 636 | 6 | 14,14,15 | 0.30 | 0 | 15,19,21 | 0.57 | 0 |
| 6 | NAG | I | 637 | 3,6 | 14,14,15 | 0.29 | 0 | 15,19,21 | 0.53 | 0 |
| 6 | NAG | I | 638 | 7,6 | 14,14,15 | 0.49 | 0 | 15,19,21 | 0.54 | 0 |
| 7 | BMA | I | 639 | 6 | 11,11,12 | 0.58 | 0 | 13,15,17 | 0.84 | 0 |
| 6 | NAG | J | 601 | 3 | 14,14,15 | 0.24 | 0 | 15,19,21 | 0.58 | 0 |
| 6 | NAG | J | 602 | 3,6 | 14,14,15 | 0.68 | 1 (7%) | 15,19,21 | 0.64 | 0 |
| 6 | NAG | J | 603 | 6 | 14,14,15 | 0.22 | 0 | 15,19,21 | 0.77 | 1 (6%) |
| 6 | NAG | J | 604 | 3,6 | 14,14,15 | 0.35 | 0 | 15,19,21 | 0.79 | 1 (6%) |
| 6 | NAG | J | 605 | 7,6 | 14,14,15 | 0.21 | 0 | 15,19,21 | 0.52 | 0 |
| 7 | BMA | J | 606 | 6 | 11,11,12 | 0.82 | 0 | 13,15,17 | 1.01 | 1 (7%) |
| 6 | NAG | J | 607 | 3,6 | 14,14,15 | 0.28 | 0 | 15,19,21 | 0.79 | 1 (6%) |
| 6 | NAG | J | 608 | 7,6 | 14,14,15 | 0.23 | 0 | 15,19,21 | 0.61 | 0 |
| 7 | BMA | J | 609 | 8,6 | 11,11,12 | 0.68 | 0 | 13,15,17 | 1.10 | 1 (7%) |
| 8 | MAN | J | 610 | 8,7 | 11,11,12 | 0.97 | 1 (9%) | 13,15,17 | 1.82 | 2 (15%) |
| 8 | MAN | J | 611 | 8 | 11,11,12 | 0.84 | 0 | 13,15,17 | 1.49 | 2 (15%) |
| 8 | MAN | J | 612 | 8 | 11,11,12 | 0.74 | 0 | 13,15,17 | 1.15 | 2 (15%) |
| 8 | MAN | J | 613 | 7 | 11,11,12 | 1.03 | 1 (9%) | 13,15,17 | 1.41 | 3 (23%) |
| 6 | NAG | J | 614 | 3,6 | 14,14,15 | 0.97 | 1 (7%) | 15,19,21 | 0.83 | 1 (6%) |
| 6 | NAG | J | 615 | 7,6 | 14,14,15 | 0.27 | 0 | 15,19,21 | 0.76 | 1 (6%) |
| 7 | BMA | J | 616 | 8,6 | 11,11,12 | 0.75 | 0 | 13,15,17 | 0.96 | 1 (7%) |
| 8 | MAN | J | 617 | 7 | 11,11,12 | 0.95 | 0 | 13,15,17 | 1.16 | 2 (15%) |
| 6 | NAG | J | 618 | 3,6 | 14,14,15 | 0.34 | 0 | 15,19,21 | 0.57 | 0 |
| 6 | NAG | J | 619 | 6 | 14,14,15 | 0.32 | 0 | 15,19,21 | 0.66 | 1 (6%) |
| 6 | NAG | J | 620 | 3,6 | 14,14,15 | 0.18 | 0 | 15,19,21 | 0.64 | 0 |
| 6 | NAG | J | 621 | 6 | 14,14,15 | 0.27 | 0 | 15,19,21 | 0.57 | 0 |
| 6 | NAG | J | 622 | 3 | 14,14,15 | 0.24 | 0 | 15,19,21 | 0.43 | 0 |
| 6 | NAG | J | 623 | 3 | 14,14,15 | 0.30 | 0 | 15,19,21 | 0.45 | 0 |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 6 | NAG | J | 624 | 3,6 | 14,14,15 | 0.76 | 1 (7%) | 15,19,21 | 0.82 | 1 (6%) |
| 6 | NAG | J | 625 | 7,6 | 14,14,15 | 0.21 | 0 | 15,19,21 | 0.52 | 0 |
| 7 | BMA | J | 626 | 8,6 | 11,11,12 | 0.54 | 0 | 13,15,17 | 1.09 | 2 (15%) |
| 8 | MAN | J | 627 | 7 | 11,11,12 | 1.08 | 1 (9%) | 13,15,17 | 1.81 | 2 (15%) |
| 6 | NAG | J | 628 | 3,6 | 14,14,15 | 0.25 | 0 | 15,19,21 | 0.48 | 0 |
| 6 | NAG | J | 629 | 7,6 | 14,14,15 | 0.21 | 0 | 15,19,21 | 0.60 | 0 |
| 7 | BMA | J | 630 | 6 | 11,11,12 | 0.79 | 0 | 13,15,17 | 0.92 | 1 (7%) |
| 6 | NAG | J | 631 | 3 | 14,14,15 | 0.40 | 0 | 15,19,21 | 0.58 | 0 |
| 6 | NAG | J | 632 | 3,6 | 14,14,15 | 0.48 | 0 | 15,19,21 | 0.78 | 1 (6%) |
| 6 | NAG | J | 633 | 7,6 | 14,14,15 | 0.29 | 0 | 15,19,21 | 0.80 | 1 (6%) |
| 7 | BMA | J | 634 | 6 | 11,11,12 | 0.75 | 0 | 13,15,17 | 0.95 | 1 (7%) |
| 6 | NAG | J | 635 | 3,6 | 14,14,15 | 0.51 | 0 | 15,19,21 | 0.76 | 1 (6%) |
| 6 | NAG | J | 636 | 6 | 14,14,15 | 0.28 | 0 | 15,19,21 | 0.57 | 0 |
| 6 | NAG | J | 637 | 3,6 | 14,14,15 | 0.29 | 0 | 15,19,21 | 0.52 | 0 |
| 6 | NAG | J | 638 | 7,6 | 14,14,15 | 0.44 | 0 | 15,19,21 | 0.51 | 0 |
| 7 | BMA | J | 639 | 6 | 11,11,12 | 0.60 | 0 | 13,15,17 | 0.85 | 0 |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 6 | NAG | A | 701 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | A | 702 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | A | 703 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | A | 704 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | B | 701 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | B | 702 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | B | 703 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | B | 704 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | D | 701 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | D | 702 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | D | 703 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | D | 704 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 601 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 602 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 603 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 604 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 605 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | G | 606 | 6 | - | 0/2/19/22 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 6 | NAG | G | 607 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 608 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | G | 609 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | G | 610 | 8,7 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | G | 611 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | G | 612 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | G | 613 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | G | 614 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 615 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | G | 616 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | G | 617 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | G | 618 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 619 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 620 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 621 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 622 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 623 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 624 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 625 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | G | 626 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | G | 627 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | G | 628 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 629 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | G | 630 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | G | 631 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 632 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 633 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | G | 634 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | G | 635 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 636 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 637 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | G | 638 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | G | 639 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | I | 601 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 602 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 603 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 604 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 605 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | I | 606 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | I | 607 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 608 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | I | 609 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 8 | MAN | I | 610 | 8,7 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | I | 611 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | I | 612 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | I | 613 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | I | 614 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 615 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | I | 616 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | I | 617 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | I | 618 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 619 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 620 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 621 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 622 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 623 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 624 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 625 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | I | 626 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | I | 627 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | I | 628 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 629 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | I | 630 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | I | 631 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 632 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 633 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | I | 634 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | I | 635 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 636 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 637 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 638 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | I | 639 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | J | 601 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 602 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 603 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 604 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 605 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | J | 606 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | J | 607 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 608 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | J | 609 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | J | 610 | 8,7 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | J | 611 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | J | 612 | 8 | - | 0/2/19/22 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 8 | MAN | J | 613 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | J | 614 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 615 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | J | 616 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | J | 617 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | J | 618 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 619 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 620 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 621 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 622 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 623 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 624 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 625 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | J | 626 | 8,6 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | J | 627 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | J | 628 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 629 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | J | 630 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | J | 631 | 3 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 632 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 633 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | J | 634 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | J | 635 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 636 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 637 | 3,6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 638 | 7,6 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | J | 639 | 6 | - | 0/2/19/22 | 0/1/1/1 |

All (23) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 6 | G | 607 | NAG | O5-C1 | -4.29 | 1.36 | 1.43 |
| 6 | G | 614 | NAG | O5-C1 | -3.71 | 1.37 | 1.43 |
| 6 | I | 614 | NAG | O5-C1 | -3.65 | 1.37 | 1.43 |
| 6 | J | 614 | NAG | O5-C1 | -3.49 | 1.38 | 1.43 |
| 6 | I | 624 | NAG | O5-C1 | -2.80 | 1.39 | 1.43 |
| 6 | J | 624 | NAG | O5-C1 | -2.77 | 1.39 | 1.43 |
| 6 | G | 624 | NAG | O5-C1 | -2.52 | 1.39 | 1.43 |
| 6 | I | 602 | NAG | O5-C1 | -2.30 | 1.40 | 1.43 |
| 6 | J | 602 | NAG | O5-C1 | -2.25 | 1.40 | 1.43 |
| 6 | G | 602 | NAG | O5-C1 | -2.19 | 1.40 | 1.43 |
| 8 | J | 610 | MAN | C2-C3 | -2.01 | 1.49 | 1.52 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 8 | G | 617 | MAN | C1-C2 | 2.01 | 1.56 | 1.52 |
| 8 | I | 617 | MAN | C2-C3 | 2.03 | 1.55 | 1.52 |
| 8 | I | 613 | MAN | C2-C3 | 2.06 | 1.55 | 1.52 |
| 6 | I | 635 | NAG | C1-C2 | 2.07 | 1.55 | 1.52 |
| 8 | I | 617 | MAN | C1-C2 | 2.10 | 1.57 | 1.52 |
| 8 | G | 613 | MAN | C2-C3 | 2.16 | 1.55 | 1.52 |
| 8 | I | 627 | MAN | C1-C2 | 2.21 | 1.57 | 1.52 |
| 8 | G | 613 | MAN | C1-C2 | 2.34 | 1.57 | 1.52 |
| 8 | I | 613 | MAN | C1-C2 | 2.45 | 1.58 | 1.52 |
| 8 | J | 613 | MAN | C1-C2 | 2.50 | 1.58 | 1.52 |
| 8 | G | 627 | MAN | C1-C2 | 2.53 | 1.58 | 1.52 |
| 8 | J | 627 | MAN | C1-C2 | 2.75 | 1.58 | 1.52 |

All (96) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 8 | G | 611 | MAN | O2-C2-C3 | -4.46 | 101.41 | 110.17 |
| 8 | I | 611 | MAN | O2-C2-C3 | -4.35 | 101.64 | 110.17 |
| 8 | J | 611 | MAN | O2-C2-C3 | -4.28 | 101.78 | 110.17 |
| 8 | I | 610 | MAN | O2-C2-C3 | -3.76 | 102.80 | 110.17 |
| 8 | J | 610 | MAN | O2-C2-C3 | -3.68 | 102.95 | 110.17 |
| 8 | G | 610 | MAN | O2-C2-C3 | -3.60 | 103.11 | 110.17 |
| 8 | J | 612 | MAN | O2-C2-C3 | -2.59 | 105.08 | 110.17 |
| 7 | G | 609 | BMA | O2-C2-C3 | -2.58 | 105.11 | 110.17 |
| 8 | G | 612 | MAN | O2-C2-C3 | -2.56 | 105.14 | 110.17 |
| 7 | J | 609 | BMA | O2-C2-C3 | -2.53 | 105.21 | 110.17 |
| 7 | I | 609 | BMA | O2-C2-C3 | -2.48 | 105.31 | 110.17 |
| 8 | I | 612 | MAN | O2-C2-C3 | -2.38 | 105.50 | 110.17 |
| 7 | I | 606 | BMA | O2-C2-C3 | -2.37 | 105.52 | 110.17 |
| 7 | G | 606 | BMA | O2-C2-C3 | -2.32 | 105.62 | 110.17 |
| 7 | J | 606 | BMA | O2-C2-C3 | -2.27 | 105.72 | 110.17 |
| 8 | I | 627 | MAN | O2-C2-C3 | -2.26 | 105.73 | 110.17 |
| 8 | J | 617 | MAN | O2-C2-C3 | -2.26 | 105.74 | 110.17 |
| 8 | I | 617 | MAN | O2-C2-C3 | -2.25 | 105.75 | 110.17 |
| 8 | J | 613 | MAN | O2-C2-C3 | -2.24 | 105.78 | 110.17 |
| 6 | I | 624 | NAG | O4-C4-C3 | -2.23 | 105.49 | 110.36 |
| 8 | G | 627 | MAN | O2-C2-C3 | -2.21 | 105.84 | 110.17 |
| 8 | J | 627 | MAN | O2-C2-C3 | -2.20 | 105.86 | 110.17 |
| 8 | G | 613 | MAN | O2-C2-C3 | -2.18 | 105.89 | 110.17 |
| 6 | J | 624 | NAG | O4-C4-C3 | -2.18 | 105.61 | 110.36 |
| 8 | I | 613 | MAN | O2-C2-C3 | -2.18 | 105.90 | 110.17 |
| 8 | G | 617 | MAN | O2-C2-C3 | -2.13 | 105.98 | 110.17 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 6 | G | 624 | NAG | O4-C4-C3 | -2.10 | 105.78 | 110.36 |
| 7 | I | 626 | BMA | O2-C2-C3 | -2.08 | 106.09 | 110.17 |
| 7 | J | 626 | BMA | O2-C2-C3 | -2.03 | 106.19 | 110.17 |
| 7 | G | 626 | BMA | C1-O5-C5 | 2.02 | 114.95 | 112.17 |
| 8 | G | 613 | MAN | C1-C2-C3 | 2.03 | 112.23 | 109.65 |
| 8 | I | 613 | MAN | C1-C2-C3 | 2.05 | 112.25 | 109.65 |
| 7 | I | 626 | BMA | C1-O5-C5 | 2.06 | 115.01 | 112.17 |
| 6 | I | 629 | NAG | C1-O5-C5 | 2.06 | 115.01 | 112.17 |
| 6 | J | 619 | NAG | C1-O5-C5 | 2.09 | 115.05 | 112.17 |
| 7 | J | 630 | BMA | C1-O5-C5 | 2.13 | 115.10 | 112.17 |
| 7 | J | 626 | BMA | C1-O5-C5 | 2.13 | 115.10 | 112.17 |
| 6 | A | 703 | NAG | C1-O5-C5 | 2.13 | 115.10 | 112.17 |
| 8 | J | 613 | MAN | C1-C2-C3 | 2.14 | 112.36 | 109.65 |
| 7 | J | 616 | BMA | C1-O5-C5 | 2.15 | 115.12 | 112.17 |
| 6 | G | 620 | NAG | C1-O5-C5 | 2.16 | 115.14 | 112.17 |
| 6 | D | 702 | NAG | C1-O5-C5 | 2.17 | 115.15 | 112.17 |
| 7 | G | 634 | BMA | C1-O5-C5 | 2.17 | 115.16 | 112.17 |
| 6 | B | 703 | NAG | C1-O5-C5 | 2.18 | 115.16 | 112.17 |
| 7 | I | 630 | BMA | C1-O5-C5 | 2.18 | 115.17 | 112.17 |
| 7 | G | 616 | BMA | C1-O5-C5 | 2.20 | 115.19 | 112.17 |
| 7 | J | 634 | BMA | C1-O5-C5 | 2.20 | 115.20 | 112.17 |
| 7 | G | 630 | BMA | C1-O5-C5 | 2.21 | 115.21 | 112.17 |
| 6 | J | 607 | NAG | C1-O5-C5 | 2.21 | 115.22 | 112.17 |
| 6 | D | 703 | NAG | C1-O5-C5 | 2.22 | 115.22 | 112.17 |
| 6 | I | 620 | NAG | C1-O5-C5 | 2.23 | 115.24 | 112.17 |
| 8 | I | 617 | MAN | C1-O5-C5 | 2.25 | 115.27 | 112.17 |
| 6 | I | 614 | NAG | C1-O5-C5 | 2.29 | 115.32 | 112.17 |
| 6 | B | 702 | NAG | C1-O5-C5 | 2.29 | 115.32 | 112.17 |
| 8 | I | 612 | MAN | C1-O5-C5 | 2.29 | 115.33 | 112.17 |
| 7 | I | 616 | BMA | C1-O5-C5 | 2.30 | 115.33 | 112.17 |
| 6 | G | 614 | NAG | C1-O5-C5 | 2.30 | 115.34 | 112.17 |
| 6 | I | 635 | NAG | C1-O5-C5 | 2.31 | 115.36 | 112.17 |
| 8 | J | 611 | MAN | C1-O5-C5 | 2.32 | 115.37 | 112.17 |
| 6 | J | 615 | NAG | C1-O5-C5 | 2.33 | 115.38 | 112.17 |
| 7 | I | 626 | BMA | C1-C2-C3 | 2.36 | 112.64 | 109.65 |
| 7 | I | 634 | BMA | C1-O5-C5 | 2.37 | 115.43 | 112.17 |
| 8 | G | 612 | MAN | C1-O5-C5 | 2.40 | 115.47 | 112.17 |
| 6 | J | 635 | NAG | C1-O5-C5 | 2.42 | 115.50 | 112.17 |
| 6 | G | 615 | NAG | C1-O5-C5 | 2.46 | 115.56 | 112.17 |
| 6 | I | 633 | NAG | C1-O5-C5 | 2.46 | 115.56 | 112.17 |
| 8 | J | 612 | MAN | C1-O5-C5 | 2.48 | 115.59 | 112.17 |
| 8 | I | 611 | MAN | C1-O5-C5 | 2.49 | 115.59 | 112.17 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|------|-------------|----------|
| 6 | I | 615 | NAG | C1-O5-C5 | 2.49 | 115.61 | 112.17 |
| 6 | J | 632 | NAG | C1-O5-C5 | 2.51 | 115.63 | 112.17 |
| 8 | G | 613 | MAN | C1-O5-C5 | 2.53 | 115.65 | 112.17 |
| 6 | I | 607 | NAG | C1-O5-C5 | 2.53 | 115.65 | 112.17 |
| 6 | G | 604 | NAG | C1-O5-C5 | 2.54 | 115.67 | 112.17 |
| 6 | I | 632 | NAG | C1-O5-C5 | 2.54 | 115.67 | 112.17 |
| 8 | G | 617 | MAN | C1-O5-C5 | 2.56 | 115.69 | 112.17 |
| 6 | I | 604 | NAG | C1-O5-C5 | 2.58 | 115.72 | 112.17 |
| 6 | J | 614 | NAG | C1-O5-C5 | 2.58 | 115.73 | 112.17 |
| 6 | J | 603 | NAG | C1-O5-C5 | 2.59 | 115.74 | 112.17 |
| 6 | G | 633 | NAG | C1-O5-C5 | 2.61 | 115.76 | 112.17 |
| 8 | J | 617 | MAN | C1-O5-C5 | 2.61 | 115.76 | 112.17 |
| 6 | J | 604 | NAG | C1-O5-C5 | 2.62 | 115.77 | 112.17 |
| 8 | G | 611 | MAN | C1-O5-C5 | 2.62 | 115.78 | 112.17 |
| 6 | G | 635 | NAG | C1-O5-C5 | 2.63 | 115.79 | 112.17 |
| 6 | J | 633 | NAG | C1-O5-C5 | 2.63 | 115.80 | 112.17 |
| 6 | G | 632 | NAG | C1-O5-C5 | 2.64 | 115.80 | 112.17 |
| 6 | I | 603 | NAG | C1-O5-C5 | 2.69 | 115.87 | 112.17 |
| 6 | G | 603 | NAG | C1-O5-C5 | 2.72 | 115.92 | 112.17 |
| 8 | I | 613 | MAN | C1-O5-C5 | 2.77 | 115.98 | 112.17 |
| 6 | A | 702 | NAG | C1-O5-C5 | 2.77 | 115.99 | 112.17 |
| 8 | J | 613 | MAN | C1-O5-C5 | 3.02 | 116.33 | 112.17 |
| 8 | I | 610 | MAN | C1-O5-C5 | 4.61 | 118.52 | 112.17 |
| 8 | J | 610 | MAN | C1-O5-C5 | 4.61 | 118.52 | 112.17 |
| 8 | I | 627 | MAN | C1-O5-C5 | 4.65 | 118.58 | 112.17 |
| 8 | G | 610 | MAN | C1-O5-C5 | 4.70 | 118.65 | 112.17 |
| 8 | G | 627 | MAN | C1-O5-C5 | 4.76 | 118.73 | 112.17 |
| 8 | J | 627 | MAN | C1-O5-C5 | 4.98 | 119.03 | 112.17 |

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 4 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 6 | G | 607 | NAG | 1 | 0 |
| 6 | G | 608 | NAG | 1 | 0 |
| 6 | G | 631 | NAG | 1 | 0 |
| 6 | I | 631 | NAG | 1 | 0 |
| 6 | J | 631 | NAG | 1 | 0 |

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.