



Full wwPDB X-ray Structure Validation Report i

Feb 14, 2017 – 04:59 pm GMT

PDB ID : 2VSN
Title : STRUCTURE AND TOPOLOGICAL ARRANGEMENT OF AN O-GLCNAC TRANSFERASE HOMOLOG: INSIGHT INTO MOLECULAR CONTROL OF INTRACELLULAR GLYCOSYLATION
Authors : Martinez-Fleites, C.; Macauley, M.S.; He, Y.; Shen, D.; Vocadlo, D.; Davies, G.J.
Deposited on : 2008-04-28
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3666 (2.80-2.72)
Clashscore	112137	4174 (2.80-2.72)
Ramachandran outliers	110173	4103 (2.80-2.72)
Sidechain outliers	110143	4106 (2.80-2.72)
RSRZ outliers	101464	3697 (2.80-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 8234 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called XCOGT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	534	Total	C 4055	N 2563	O 746	S 731	15	0	0
1	B	534	Total	C 4058	N 2567	O 749	S 727	15	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	290	ALA	ARG	ENGINEERED MUTATION	UNP Q4URB5
B	290	ALA	ARG	ENGINEERED MUTATION	UNP Q4URB5

- Molecule 2 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: C₉H₁₄N₂O₁₂P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C 25	N 9	O 2	P 12	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	B	1	25	9	2	12	2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O			
3	A	41	41	41		0	0
3	B	30	30	30		0	0


3 Residue-property plots [\(i\)](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: XCOGT



- Molecule 1: XCOGT





4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.69 Å 105.69 Å 151.04 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	75.52 – 2.75 75.52 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.7 (75.52-2.75) 99.8 (75.52-2.75)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.73 (at 2.73 Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R , R_{free}	0.241 , 0.265 0.241 , 0.264	Depositor DCC
R_{free} test set	1818 reflections (4.95%)	DCC
Wilson B-factor (Å ²)	48.0	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 42.3	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8234	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: UDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/4158	0.68	6/5674 (0.1%)
1	B	0.38	0/4161	0.65	3/5676 (0.1%)
All	All	0.38	0/8319	0.67	9/11350 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	314	ALA	N-CA-CB	10.56	124.89	110.10
1	B	313	LEU	CB-CA-C	-9.18	92.76	110.20
1	A	313	LEU	CB-CA-C	-8.00	95.01	110.20
1	A	31	LEU	CB-CA-C	7.06	123.61	110.20
1	A	295	GLY	N-CA-C	-7.00	95.61	113.10
1	B	465	ALA	N-CA-C	-5.40	96.43	111.00
1	A	62	ARG	CG-CD-NE	-5.35	100.56	111.80
1	B	62	ARG	CG-CD-NE	-5.34	100.59	111.80
1	A	465	ALA	N-CA-C	-5.10	97.24	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4055	0	3977	114	0
1	B	4058	0	3993	117	0
2	A	25	0	11	0	0
2	B	25	0	11	0	0
3	A	41	0	0	3	0
3	B	30	0	0	1	0
All	All	8234	0	7992	226	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (226) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:202:SER:HA	1:B:565:TRP:HA	1.57	0.87
1:A:202:SER:HA	1:A:565:TRP:HA	1.57	0.87
1:B:206:LEU:HD21	1:B:560:ALA:HB2	1.59	0.82
1:A:332:PHE:CD1	1:A:497:HIS:HD2	1.96	0.82
1:A:206:LEU:HD21	1:A:560:ALA:HB2	1.61	0.81
1:A:38:ASP:HB3	1:A:41:ALA:HB3	1.62	0.81
1:A:332:PHE:HD1	1:A:497:HIS:HD2	1.28	0.79
1:B:23:VAL:HG12	1:B:24:ALA:H	1.47	0.79
1:B:328:LEU:HD11	1:B:349:LEU:HG	1.64	0.78
1:A:328:LEU:HD11	1:A:349:LEU:HG	1.67	0.77
1:B:451:TYR:HB3	1:B:475:THR:HG21	1.67	0.76
1:A:327:VAL:HG13	1:A:344:GLU:HG3	1.66	0.76
1:B:29:ALA:O	1:B:32:GLU:HG2	1.85	0.76
1:B:327:VAL:HG13	1:B:344:GLU:HG3	1.67	0.76
1:B:366:PRO:HB3	1:B:370:GLN:HE21	1.51	0.75
1:A:366:PRO:HB3	1:A:370:GLN:HE21	1.53	0.72
1:B:396:ARG:HD2	1:B:509:ASP:OD2	1.89	0.72
1:A:451:TYR:HB3	1:A:475:THR:HG21	1.71	0.71
1:A:58:GLU:OE2	1:A:90:HIS:NE2	2.21	0.71
1:B:332:PHE:CD1	1:B:497:HIS:HD2	2.09	0.70
1:B:62:ARG:O	1:B:66:VAL:HG23	1.92	0.70
1:A:62:ARG:O	1:A:66:VAL:HG23	1.93	0.69
1:A:159:VAL:HG22	1:A:160:GLY:H	1.58	0.68
1:A:464:ASN:HD22	1:A:492:ALA:H	1.41	0.68
1:B:44:GLY:O	1:B:48:VAL:HG23	1.94	0.67
1:B:451:TYR:CB	1:B:475:THR:HG21	2.23	0.67
1:A:157:GLN:HA	1:B:182:ARG:HD2	1.76	0.67
1:A:451:TYR:CB	1:A:475:THR:HG21	2.25	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:396:ARG:HD2	1:A:509:ASP:OD2	1.93	0.67
1:B:464:ASN:HD22	1:B:492:ALA:H	1.41	0.66
1:B:240:MET:HG3	3:B:2010:HOH:O	1.96	0.66
1:B:332:PHE:HD1	1:B:497:HIS:HD2	1.45	0.65
1:B:58:GLU:HG3	1:B:58:GLU:O	1.95	0.65
1:B:290:ALA:HB1	1:B:296:GLY:HA2	1.77	0.65
1:A:327:VAL:HG13	1:A:344:GLU:CG	2.27	0.64
1:B:159:VAL:HG22	1:B:160:GLY:H	1.61	0.64
1:A:327:VAL:HG22	1:A:344:GLU:HG2	1.80	0.64
1:B:290:ALA:CB	1:B:296:GLY:HA2	2.28	0.64
1:A:58:GLU:O	1:A:62:ARG:CD	2.46	0.63
1:B:465:ALA:HB1	1:B:468:THR:HB	1.80	0.63
1:A:157:GLN:HA	1:B:182:ARG:CD	2.29	0.63
1:A:401:LEU:HD11	1:A:409:LEU:HB2	1.81	0.62
1:B:401:LEU:HD11	1:B:409:LEU:HB2	1.81	0.62
1:B:327:VAL:HG13	1:B:344:GLU:CG	2.28	0.62
1:A:332:PHE:CD1	1:A:497:HIS:CD2	2.84	0.61
1:B:115:THR:CG2	1:B:135:ARG:HH21	2.13	0.61
1:B:206:LEU:HD21	1:B:560:ALA:CB	2.28	0.61
1:A:43:GLU:HB2	1:A:66:VAL:HG11	1.83	0.61
1:B:30:ASP:OD1	1:B:62:ARG:NH1	2.33	0.61
1:B:519:LEU:HD21	1:B:529:LEU:HD22	1.81	0.61
1:A:398:LEU:HD21	1:A:426:ALA:HA	1.83	0.61
1:A:519:LEU:HD21	1:A:529:LEU:HD22	1.83	0.60
1:A:374:PRO:HD3	3:A:2028:HOH:O	2.00	0.60
1:A:419:ASP:O	1:A:423:ARG:HG3	2.01	0.60
1:A:465:ALA:HB1	1:A:468:THR:HB	1.82	0.60
1:B:327:VAL:HG22	1:B:344:GLU:HG2	1.83	0.60
1:A:184:ARG:HH21	1:A:188:ILE:HD11	1.67	0.60
1:A:72:ARG:HB3	1:A:75:GLU:OE1	2.02	0.60
1:B:72:ARG:HB3	1:B:75:GLU:OE1	2.02	0.60
1:A:222:LEU:HD21	1:A:444:HIS:CE1	2.36	0.60
1:A:115:THR:CG2	1:A:135:ARG:HH21	2.15	0.60
1:B:184:ARG:HH21	1:B:188:ILE:HD11	1.67	0.59
1:A:58:GLU:O	1:A:62:ARG:HD2	2.02	0.59
1:B:332:PHE:CD1	1:B:497:HIS:CD2	2.89	0.59
1:B:121:LEU:N	1:B:122:PRO:HD3	2.17	0.59
1:B:398:LEU:HD21	1:B:426:ALA:HA	1.85	0.59
1:B:222:LEU:HD21	1:B:444:HIS:CE1	2.38	0.58
1:A:536:LEU:O	1:A:540:SER:HB3	2.04	0.58
1:A:149:ALA:HB3	1:B:340:PRO:HG2	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:LEU:N	1:A:122:PRO:HD3	2.19	0.58
1:A:206:LEU:HD21	1:A:560:ALA:CB	2.30	0.58
1:A:155:VAL:HG22	1:A:162:VAL:HG11	1.85	0.57
1:B:405:PRO:O	1:B:406:ASP:HB2	2.05	0.57
1:B:536:LEU:O	1:B:540:SER:HB3	2.05	0.57
1:B:419:ASP:O	1:B:423:ARG:HG3	2.04	0.57
1:A:405:PRO:O	1:A:406:ASP:HB2	2.04	0.56
1:A:42:GLY:O	1:A:46:VAL:HG23	2.04	0.56
1:A:501:LEU:HD11	1:A:533:VAL:HG22	1.87	0.56
1:B:155:VAL:HG22	1:B:162:VAL:HG11	1.88	0.56
1:B:296:GLY:O	1:B:297:ARG:HB2	2.05	0.56
1:B:339:GLU:HG2	1:B:346:VAL:HG21	1.86	0.56
1:B:501:LEU:HD11	1:B:533:VAL:HG22	1.87	0.56
1:B:26:LEU:HD23	1:B:62:ARG:HD2	1.88	0.56
1:A:58:GLU:O	1:A:62:ARG:NE	2.39	0.55
1:B:366:PRO:HB3	1:B:370:GLN:NE2	2.21	0.55
1:A:339:GLU:HG2	1:A:346:VAL:HG21	1.87	0.55
1:B:444:HIS:HB3	1:B:445:PRO:HD3	1.89	0.55
1:B:473:LEU:HD13	1:B:479:VAL:HG23	1.89	0.54
1:B:33:LEU:N	1:B:33:LEU:HD12	2.22	0.54
1:B:390:ASN:HB2	1:B:391:PRO:HD2	1.90	0.54
1:B:482:THR:HG22	1:B:506:VAL:HG23	1.90	0.54
1:A:290:ALA:HA	3:A:2005:HOH:O	2.06	0.53
1:A:290:ALA:HB1	1:A:296:GLY:HA2	1.90	0.53
1:A:482:THR:HG22	1:A:506:VAL:HG23	1.91	0.53
1:A:294:GLY:O	1:A:296:GLY:N	2.42	0.53
1:B:388:LYS:HE2	1:B:463:TYR:CD1	2.44	0.52
1:B:88:PRO:O	1:B:89:GLU:HG3	2.09	0.52
1:A:473:LEU:HD13	1:A:479:VAL:HG23	1.91	0.52
1:B:390:ASN:HB2	1:B:391:PRO:CD	2.39	0.52
1:B:455:ASP:O	1:B:530:HIS:HE1	1.92	0.52
1:B:332:PHE:HD1	1:B:497:HIS:CD2	2.26	0.52
1:A:444:HIS:HB3	1:A:445:PRO:HD3	1.90	0.52
1:A:88:PRO:O	1:A:89:GLU:HG3	2.10	0.52
1:B:155:VAL:CG2	1:B:162:VAL:HG11	2.40	0.52
1:A:390:ASN:HB2	1:A:391:PRO:HD2	1.92	0.52
1:A:235:GLN:N	1:A:236:PRO:HD3	2.25	0.51
1:A:156:ALA:O	1:B:182:ARG:NH1	2.43	0.51
1:B:235:GLN:N	1:B:236:PRO:HD3	2.25	0.51
1:A:388:LYS:HE2	1:A:463:TYR:CD1	2.45	0.51
1:A:155:VAL:CG2	1:A:162:VAL:HG11	2.40	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:ASP:C	1:A:348:ARG:HD3	2.31	0.51
1:A:390:ASN:HB2	1:A:391:PRO:CD	2.41	0.51
1:B:330:ASP:C	1:B:348:ARG:HD3	2.31	0.50
1:A:455:ASP:O	1:A:530:HIS:HE1	1.94	0.50
1:A:73:HIS:CE1	1:A:103:ASP:HB3	2.47	0.49
1:B:327:VAL:HG23	1:B:346:VAL:HA	1.94	0.49
1:A:366:PRO:HB3	1:A:370:GLN:NE2	2.22	0.49
1:B:115:THR:HG22	1:B:135:ARG:HH21	1.76	0.49
1:B:201:ARG:HB3	1:B:201:ARG:CZ	2.42	0.49
1:B:513:VAL:O	1:B:517:VAL:HG23	2.11	0.49
1:B:331:ALA:N	1:B:348:ARG:HD3	2.27	0.49
1:A:218:HIS:ND1	1:A:219:PRO:HD2	2.27	0.49
1:B:204:GLY:CA	1:B:565:TRP:HE1	2.25	0.49
1:A:201:ARG:CZ	1:A:201:ARG:HB3	2.42	0.49
1:B:45:GLU:O	1:B:49:GLN:HG2	2.13	0.49
1:A:193:ARG:NH1	1:A:193:ARG:HG2	2.28	0.48
1:B:218:HIS:ND1	1:B:219:PRO:HD2	2.28	0.48
1:A:513:VAL:O	1:A:517:VAL:HG23	2.13	0.48
1:B:73:HIS:CE1	1:B:103:ASP:HB3	2.49	0.48
1:A:204:GLY:CA	1:A:565:TRP:HE1	2.26	0.48
1:B:423:ARG:HB3	1:B:433:ALA:HB1	1.95	0.48
1:B:193:ARG:HG2	1:B:193:ARG:NH1	2.28	0.48
1:A:327:VAL:HG23	1:A:346:VAL:HA	1.96	0.48
1:B:23:VAL:HG12	1:B:24:ALA:N	2.23	0.47
1:B:46:MET:O	1:B:50:ARG:HG2	2.14	0.47
1:B:58:GLU:CG	1:B:58:GLU:O	2.61	0.47
1:A:97:LEU:O	1:A:97:LEU:HD22	2.14	0.47
1:A:115:THR:HG22	1:A:135:ARG:HH21	1.78	0.47
1:A:423:ARG:HB3	1:A:433:ALA:HB1	1.95	0.47
1:B:193:ARG:HG2	1:B:193:ARG:HH11	1.80	0.47
1:A:193:ARG:HH11	1:A:193:ARG:HG2	1.79	0.47
1:A:265:ASP:OD1	1:A:267:THR:HB	2.15	0.47
1:A:298:PRO:HG2	1:A:299:GLU:OE2	2.15	0.47
1:B:26:LEU:HD12	1:B:26:LEU:H	1.80	0.47
1:A:326:TYR:CD1	1:A:345:HIS:HB3	2.50	0.46
1:A:331:ALA:N	1:A:348:ARG:HD3	2.30	0.46
1:B:23:VAL:CG1	1:B:24:ALA:H	2.19	0.46
1:A:150:GLN:HA	1:B:340:PRO:HB3	1.98	0.46
1:A:290:ALA:CB	1:A:296:GLY:HA2	2.46	0.46
1:B:326:TYR:CD1	1:B:345:HIS:HB3	2.51	0.46
1:A:24:LEU:HD23	1:A:62:ARG:CD	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:313:LEU:HG	1:B:313:LEU:O	2.16	0.45
1:B:509:ASP:O	1:B:513:VAL:HG23	2.17	0.45
1:B:70:GLN:O	1:B:72:ARG:HG3	2.16	0.45
1:A:271:HIS:HD1	1:A:271:HIS:H	1.64	0.45
1:A:451:TYR:HB2	1:A:475:THR:HG21	1.98	0.45
1:A:57:PRO:C	1:A:59:ALA:H	2.18	0.45
1:A:91:PRO:HB3	1:A:120:LEU:HB2	1.98	0.45
1:A:70:GLN:O	1:A:72:ARG:HG3	2.17	0.45
1:B:91:PRO:HB3	1:B:120:LEU:HB2	1.99	0.45
1:B:339:GLU:N	1:B:340:PRO:CD	2.80	0.45
1:A:201:ARG:HG3	1:A:204:GLY:H	1.83	0.44
1:A:339:GLU:N	1:A:340:PRO:CD	2.80	0.44
1:A:398:LEU:HD12	1:A:398:LEU:HA	1.84	0.44
1:B:172:ALA:HB1	1:B:176:GLU:HB2	1.98	0.44
1:A:327:VAL:HG22	1:A:344:GLU:CG	2.46	0.44
1:B:289:LEU:C	1:B:314:ALA:HB2	2.38	0.44
1:A:24:LEU:HD23	1:A:62:ARG:HD2	1.99	0.44
1:B:184:ARG:O	1:B:188:ILE:HG12	2.18	0.44
1:A:57:PRO:HD2	1:A:60:VAL:HG23	2.00	0.44
1:B:265:ASP:OD1	1:B:267:THR:HB	2.18	0.44
1:B:332:PHE:O	1:B:335:PRO:HD3	2.18	0.44
1:B:201:ARG:HD2	1:B:205:PRO:O	2.17	0.43
1:A:201:ARG:HD2	1:A:205:PRO:O	2.18	0.43
1:A:388:LYS:HE2	1:A:463:TYR:CE1	2.54	0.43
1:A:321:ALA:HA	1:A:322:PRO:HD3	1.78	0.43
1:B:388:LYS:HE2	1:B:463:TYR:CE1	2.54	0.43
1:B:108:GLU:O	1:B:111:ALA:HB3	2.19	0.43
1:B:33:LEU:H	1:B:33:LEU:HD12	1.83	0.43
1:A:509:ASP:O	1:A:513:VAL:HG23	2.18	0.43
1:B:57:PRO:HB2	1:B:58:GLU:H	1.62	0.43
1:A:27:ALA:HB2	1:A:45:ALA:HB3	2.00	0.43
1:B:97:LEU:O	1:B:97:LEU:HD22	2.19	0.43
1:A:111:ALA:O	1:A:115:THR:HG23	2.19	0.43
1:A:495:LEU:O	1:A:499:LEU:HB2	2.19	0.42
1:B:111:ALA:O	1:B:115:THR:HG23	2.18	0.42
1:A:218:HIS:CG	1:A:219:PRO:HD2	2.54	0.42
1:A:332:PHE:O	1:A:335:PRO:HD3	2.19	0.42
1:B:217:ALA:H	1:B:253:LEU:HD12	1.84	0.42
1:B:67:ARG:HA	1:B:67:ARG:HD3	1.86	0.42
1:A:163:GLU:HA	1:A:164:PRO:HD3	1.96	0.42
1:B:201:ARG:HG3	1:B:204:GLY:H	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:439:MET:HA	1:B:440:PRO:HD3	1.90	0.42
1:A:439:MET:HA	1:A:440:PRO:HD3	1.90	0.42
1:A:115:THR:HG22	1:A:131:LEU:HD11	2.02	0.41
1:B:526:LEU:HD23	1:B:526:LEU:HA	1.85	0.41
1:A:172:ALA:HB1	1:A:176:GLU:HB2	2.01	0.41
1:A:184:ARG:O	1:A:188:ILE:HG12	2.21	0.41
1:A:497:HIS:C	1:A:497:HIS:HD1	2.24	0.41
1:A:108:GLU:O	1:A:111:ALA:HB3	2.20	0.41
1:A:155:VAL:HG22	1:A:162:VAL:CG1	2.49	0.41
1:B:32:GLU:OE1	1:B:32:GLU:N	2.53	0.41
1:B:115:THR:HG22	1:B:131:LEU:HD11	2.03	0.41
1:A:240:MET:HG3	3:A:2010:HOH:O	2.19	0.41
1:B:155:VAL:HG22	1:B:162:VAL:CG1	2.51	0.41
1:B:327:VAL:HG22	1:B:344:GLU:CG	2.50	0.41
1:A:206:LEU:HA	1:A:206:LEU:HD12	1.95	0.41
1:A:531:ALA:O	1:A:535:VAL:HG23	2.21	0.41
1:B:389:LEU:HD23	1:B:422:LEU:HD21	2.01	0.41
1:A:216:GLY:O	1:A:217:ALA:HB3	2.21	0.41
1:B:495:LEU:O	1:B:499:LEU:HB2	2.21	0.41
1:B:531:ALA:O	1:B:535:VAL:HG23	2.21	0.41
1:A:389:LEU:HD23	1:A:422:LEU:HD21	2.02	0.40
1:B:218:HIS:CG	1:B:219:PRO:HD2	2.56	0.40
1:A:151:VAL:O	1:A:155:VAL:HG23	2.20	0.40
1:A:209:GLY:HA2	1:A:241:HIS:O	2.22	0.40
1:A:59:ALA:O	1:A:60:VAL:C	2.59	0.40
1:B:313:LEU:CG	1:B:313:LEU:O	2.70	0.40
1:B:70:GLN:C	1:B:72:ARG:H	2.24	0.40
1:B:225:VAL:HG12	1:B:257:LEU:HG	2.03	0.40
1:A:66:VAL:O	1:A:70:GLN:HG3	2.22	0.40
1:B:451:TYR:HB2	1:B:475:THR:HG21	1.99	0.40
1:B:64:GLY:HA2	1:B:79:LEU:HD12	2.03	0.40
1:B:163:GLU:HA	1:B:164:PRO:HD3	1.97	0.40
1:B:321:ALA:HA	1:B:322:PRO:HD3	1.78	0.40
1:B:499:LEU:HD12	1:B:499:LEU:HA	1.81	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	528/568 (93%)	496 (94%)	30 (6%)	2 (0%)	38 69
1	B	528/568 (93%)	492 (93%)	34 (6%)	2 (0%)	38 69
All	All	1056/1136 (93%)	988 (94%)	64 (6%)	4 (0%)	38 69

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	433	ALA
1	B	433	ALA
1	A	71	GLN
1	B	71	GLN

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	401/428 (94%)	371 (92%)	30 (8%)	16 38
1	B	401/428 (94%)	373 (93%)	28 (7%)	18 41
All	All	802/856 (94%)	744 (93%)	58 (7%)	17 40

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	TRP
1	A	25	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	39	THR
1	A	44	MET
1	A	97	LEU
1	A	123	GLU
1	A	162	VAL
1	A	193	ARG
1	A	203	LYS
1	A	227	LEU
1	A	297	ARG
1	A	327	VAL
1	A	356	SER
1	A	368	ARG
1	A	373	LEU
1	A	381	CYS
1	A	385	ASN
1	A	389	LEU
1	A	398	LEU
1	A	406	ASP
1	A	419	ASP
1	A	422	LEU
1	A	447	TYR
1	A	463	TYR
1	A	473	LEU
1	A	495	LEU
1	A	497	HIS
1	A	519	LEU
1	A	537	ARG
1	A	559	LEU
1	B	32	GLU
1	B	45	GLU
1	B	46	MET
1	B	97	LEU
1	B	123	GLU
1	B	162	VAL
1	B	193	ARG
1	B	203	LYS
1	B	227	LEU
1	B	327	VAL
1	B	356	SER
1	B	368	ARG
1	B	373	LEU
1	B	381	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	385	ASN
1	B	389	LEU
1	B	398	LEU
1	B	406	ASP
1	B	419	ASP
1	B	422	LEU
1	B	447	TYR
1	B	463	TYR
1	B	473	LEU
1	B	495	LEU
1	B	497	HIS
1	B	519	LEU
1	B	537	ARG
1	B	559	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	GLN
1	A	130	GLN
1	A	177	GLN
1	A	311	ASN
1	A	350	GLN
1	A	370	GLN
1	A	376	GLN
1	A	392	GLN
1	A	464	ASN
1	A	497	HIS
1	A	530	HIS
1	B	130	GLN
1	B	177	GLN
1	B	239	GLN
1	B	311	ASN
1	B	350	GLN
1	B	370	GLN
1	B	376	GLN
1	B	392	GLN
1	B	464	ASN
1	B	466	HIS
1	B	497	HIS
1	B	530	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	UDP	A	900	-	21,26,26	1.48	4 (19%)	22,40,40	2.10	4 (18%)
2	UDP	B	900	-	21,26,26	1.45	4 (19%)	22,40,40	2.10	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UDP	A	900	-	-	0/12/32/32	0/2/2/2
2	UDP	B	900	-	-	0/12/32/32	0/2/2/2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	900	UDP	PB-O3A	-2.80	1.55	1.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	UDP	PB-O3B	-2.64	1.43	1.54
2	B	900	UDP	PB-O3B	-2.43	1.44	1.54
2	A	900	UDP	PA-O2A	-2.17	1.44	1.55
2	A	900	UDP	C2'-C1'	-2.15	1.50	1.53
2	B	900	UDP	C2'-C1'	-2.07	1.50	1.53
2	B	900	UDP	C4-N3	2.56	1.37	1.33
2	A	900	UDP	C4-N3	2.85	1.38	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	900	UDP	O4'-C1'-N1	-5.59	96.87	108.08
2	A	900	UDP	O4'-C1'-N1	-3.23	101.60	108.08
2	A	900	UDP	C5'-C4'-C3'	-2.99	103.91	115.29
2	A	900	UDP	C4'-O4'-C1'	-2.07	107.57	109.77
2	B	900	UDP	C4-N3-C2	6.02	119.31	114.13
2	A	900	UDP	C4-N3-C2	7.05	120.19	114.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	534/568 (94%)	0.48	23 (4%) 36 30	22, 42, 74, 111	0
1	B	534/568 (94%)	0.45	29 (5%) 26 21	22, 43, 74, 103	0
All	All	1068/1136 (94%)	0.47	52 (4%) 30 24	22, 43, 74, 111	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	31	LEU	5.0
1	A	39	THR	4.6
1	B	93	ILE	4.3
1	A	26	LEU	4.3
1	B	32	GLU	3.8
1	A	159	VAL	3.7
1	B	33	LEU	3.6
1	B	46	MET	3.4
1	B	60	VAL	3.4
1	B	25	TRP	3.3
1	B	29	ALA	3.2
1	A	91	PRO	3.2
1	A	114	TYR	3.1
1	B	71	GLN	3.0
1	B	80	LEU	3.0
1	A	60	VAL	2.9
1	B	79	LEU	2.9
1	A	93	ILE	2.9
1	A	62	ARG	2.9
1	A	23	TRP	2.8
1	B	82	GLN	2.7
1	B	63	LEU	2.7
1	A	160	GLY	2.6
1	B	114	TYR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	97	LEU	2.5
1	B	134	TRP	2.5
1	A	134	TRP	2.4
1	A	80	LEU	2.4
1	A	89	GLU	2.4
1	B	88	PRO	2.4
1	B	83	ALA	2.4
1	A	123	GLU	2.3
1	A	297	ARG	2.3
1	A	83	ALA	2.3
1	A	25	MET	2.3
1	A	42	GLY	2.3
1	A	30	GLU	2.2
1	B	84	SER	2.2
1	B	271	HIS	2.2
1	B	109	ALA	2.2
1	A	116	ARG	2.2
1	B	48	VAL	2.2
1	B	70	GLN	2.1
1	B	100	ALA	2.1
1	B	104	ALA	2.1
1	B	538	ARG	2.1
1	A	361	VAL	2.1
1	A	86	ALA	2.0
1	B	34	GLY	2.0
1	B	27	MET	2.0
1	B	26	LEU	2.0
1	B	403	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	UDP	A	900	25/25	0.98	0.19	-0.14	37,42,47,48	0
2	UDP	B	900	25/25	0.98	0.17	-0.90	41,46,49,51	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.