



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2017 – 09:02 AM EST

PDB ID : 3VW2
Title : Crystal Structure of The Berberine-bound Form of RamR (Transcriptional Regulator of TetR Family) from Salmonella Typhimurium
Authors : Sakurai, K.; Nikaido, E.; Nakashima, R.; Yamasaki, S.; Yamaguchi, A.; Nishino, K.
Deposited on : unknown
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030345
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1570 (2.36-2.32)
Clashscore	112137	1673 (2.36-2.32)
Ramachandran outliers	110173	1654 (2.36-2.32)
Sidechain outliers	110143	1655 (2.36-2.32)
RSRZ outliers	101464	1576 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	194	<div> <div>5%</div> <div> <div>70%</div> <div>22%</div> <div>5%</div> </div> </div>
1	B	194	<div> <div>28%</div> <div>58%</div> <div>34%</div> <div>5%</div> </div>
1	C	194	<div> <div>9%</div> <div>57%</div> <div>32%</div> <div>6%</div> <div>5%</div> </div>
1	D	194	<div> <div>14%</div> <div>60%</div> <div>31%</div> <div>6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BER	A	301	-	X	-	-
2	BER	B	301	-	-	X	-
2	BER	C	301	-	X	-	-
2	BER	D	301	-	X	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6032 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Putative regulatory protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	184	Total	C	N	O	S	0	0	0
			1462	922	258	271	11			
1	B	184	Total	C	N	O	S	0	0	0
			1462	922	258	271	11			
1	C	185	Total	C	N	O	S	0	0	0
			1468	926	259	272	11			
1	D	183	Total	C	N	O	S	0	0	0
			1453	917	257	268	11			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	EXPRESSION TAG	UNP D0ZP76
A	1	VAL	-	EXPRESSION TAG	UNP D0ZP76
B	0	MET	-	EXPRESSION TAG	UNP D0ZP76
B	1	VAL	-	EXPRESSION TAG	UNP D0ZP76
C	0	MET	-	EXPRESSION TAG	UNP D0ZP76
C	1	VAL	-	EXPRESSION TAG	UNP D0ZP76
D	0	MET	-	EXPRESSION TAG	UNP D0ZP76
D	1	VAL	-	EXPRESSION TAG	UNP D0ZP76

- Molecule 2 is BERBERINE (three-letter code: BER) (formula: C₂₀H₁₈NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			25	20	1	4		
2	B	1	Total	C	N	O	0	0
			25	20	1	4		
2	C	1	Total	C	N	O	0	0
			25	20	1	4		
2	D	1	Total	C	N	O	0	0
			25	20	1	4		


- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	22	Total O 22 22	0	0
4	B	16	Total O 16 16	0	0
4	C	16	Total O 16 16	0	0
4	D	13	Total O 13 13	0	0



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	43.82Å 54.62Å 92.29Å 104.97° 97.74° 90.04°	Depositor
Resolution (Å)	41.29 – 2.34 41.29 – 2.34	Depositor EDS
% Data completeness (in resolution range)	94.6 (41.29-2.34) 87.3 (41.29-2.34)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.78 (at 2.34Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.225 , 0.261 0.221 , 0.254	Depositor DCC
R_{free} test set	1693 reflections (5.45%)	DCC
Wilson B-factor (Å ²)	44.4	Xtriage
Anisotropy	0.222	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 56.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.026 for -h,k,-k-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6032	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BER, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.14	1/1488 (0.1%)	0.83	0/2006
1	B	1.12	3/1488 (0.2%)	0.79	0/2006
1	C	1.18	4/1494 (0.3%)	0.87	1/2014 (0.0%)
1	D	1.03	1/1479 (0.1%)	0.84	1/1994 (0.1%)
All	All	1.12	9/5949 (0.2%)	0.83	2/8020 (0.0%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	159	ALA	CA-CB	5.71	1.64	1.52
1	A	157	ALA	CA-CB	5.68	1.64	1.52
1	B	157	ALA	CA-CB	5.59	1.64	1.52
1	C	180	GLY	C-O	5.44	1.32	1.23
1	C	157	ALA	CA-CB	5.29	1.63	1.52
1	D	149	ALA	CA-CB	5.18	1.63	1.52
1	C	129	GLU	CD-OE1	5.17	1.31	1.25
1	C	146	GLU	CG-CD	5.10	1.59	1.51
1	B	94	SER	CB-OG	-5.09	1.35	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	172	ARG	NE-CZ-NH1	5.75	123.17	120.30
1	D	154	LEU	CB-CG-CD1	5.26	119.95	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1462	0	1450	40	0
1	B	1462	0	1450	61	0
1	C	1468	0	1454	70	0
1	D	1453	0	1444	69	0
2	A	25	0	18	5	0
2	B	25	0	18	9	0
2	C	25	0	18	3	0
2	D	25	0	18	10	0
3	A	5	0	0	0	0
3	B	5	0	0	1	0
3	C	5	0	0	1	0
3	D	5	0	0	0	0
4	A	22	0	0	1	0
4	B	16	0	0	4	0
4	C	16	0	0	3	0
4	D	13	0	0	1	0
All	All	6032	0	5870	246	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (246) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:301:BER:C19	2:D:301:BER:H61	1.61	1.27
1:B:75:ASP:HB3	1:B:78:ILE:HD11	1.17	1.16
2:D:301:BER:H193	2:D:301:BER:C6	1.72	1.15
2:B:301:BER:C19	2:B:301:BER:H61	1.75	1.14
2:B:301:BER:H193	2:B:301:BER:H61	1.28	1.08
2:A:301:BER:O4	2:A:301:BER:H192	1.53	1.07
2:B:301:BER:C6	2:B:301:BER:H193	1.86	1.02
1:D:60:LEU:HD21	1:D:119:THR:HG23	1.40	1.02
1:C:33:ILE:O	1:C:33:ILE:HG12	1.58	1.01
2:D:301:BER:H61	2:D:301:BER:H193	1.04	1.01
2:B:301:BER:O3	2:B:301:BER:H203	1.63	0.97

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:LEU:HD11	1:B:119:THR:HG23	1.44	0.95
1:B:118:GLU:HB3	4:B:405:HOH:O	1.64	0.95
1:D:60:LEU:CD2	1:D:119:THR:HG23	2.00	0.91
1:A:92:TYR:OH	1:A:103:HIS:CD2	2.24	0.91
2:D:301:BER:C19	2:D:301:BER:C6	2.30	0.90
2:B:301:BER:C6	2:B:301:BER:C19	2.43	0.90
1:D:86:ARG:HH12	1:D:90:ASN:HD21	1.17	0.89
1:D:86:ARG:NH1	1:D:90:ASN:HD21	1.72	0.88
1:C:165:PHE:CZ	1:D:111:VAL:HG21	2.09	0.86
1:A:92:TYR:OH	1:A:103:HIS:HD2	1.58	0.85
2:D:301:BER:H61	2:D:301:BER:H192	1.60	0.83
1:C:168:ARG:NH2	1:D:111:VAL:HG22	1.92	0.83
1:D:115:LEU:HD12	1:D:115:LEU:H	1.43	0.83
1:D:106:ILE:HD12	2:D:301:BER:H201	1.60	0.82
1:D:13:LEU:HD21	1:D:44:LEU:HA	1.61	0.82
1:D:86:ARG:HG3	1:D:86:ARG:HH11	1.45	0.82
2:B:301:BER:O3	2:B:301:BER:C20	2.30	0.80
2:A:301:BER:O4	2:A:301:BER:C19	2.30	0.80
1:D:106:ILE:CD1	2:D:301:BER:H201	2.12	0.79
1:C:92:TYR:OH	1:C:103:HIS:CD2	2.35	0.79
2:B:301:BER:H192	2:B:301:BER:H61	1.63	0.79
1:D:70:MET:HG2	1:D:91:SER:HB3	1.65	0.78
1:C:70:MET:HE1	1:C:130:LEU:HD22	1.65	0.78
1:B:43:THR:O	1:B:46:ARG:HG3	1.84	0.78
1:B:9:LYS:HD3	1:B:9:LYS:H	1.47	0.77
1:C:13:LEU:HD21	1:C:44:LEU:HA	1.66	0.77
1:D:29:SER:OG	1:D:32:VAL:HG23	1.85	0.77
1:B:60:LEU:CD1	1:B:119:THR:HG23	2.15	0.75
1:D:106:ILE:HD13	1:D:106:ILE:O	1.85	0.74
1:D:76:ARG:HB2	4:D:408:HOH:O	1.87	0.74
1:C:55:ILE:HG23	1:C:109:LEU:HD22	1.69	0.73
1:C:84:MET:O	1:C:88:ILE:HG12	1.88	0.73
1:A:134:CYS:O	1:A:138:VAL:HG23	1.87	0.73
1:A:60:LEU:HD13	1:A:119:THR:HG23	1.69	0.73
1:D:92:TYR:OH	1:D:103:HIS:HD2	1.73	0.72
1:C:128:PRO:HB3	1:C:131:ARG:NH2	2.06	0.70
1:D:99:HIS:HB3	1:D:102:ARG:HG3	1.73	0.70
1:C:152:ASP:OD1	2:C:301:BER:H61	1.93	0.68
1:D:71:ILE:HD11	1:D:127:PHE:CD2	2.29	0.68
1:A:88:ILE:HD13	1:A:130:LEU:HD13	1.76	0.67
1:D:106:ILE:HD12	2:D:301:BER:C20	2.25	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:92:TYR:OH	1:C:103:HIS:HD2	1.77	0.66
1:C:172:ARG:HE	1:D:146:GLU:CD	1.99	0.66
1:C:117:LYS:HB2	1:C:117:LYS:NZ	2.11	0.66
1:D:13:LEU:HD23	1:D:48:PHE:CE2	2.31	0.65
1:B:124:ASP:HB3	1:B:131:ARG:HD3	1.77	0.65
1:C:60:LEU:HD13	1:C:119:THR:HG23	1.80	0.64
1:C:92:TYR:HH	1:C:103:HIS:CD2	2.15	0.64
1:A:64:GLN:HB2	1:A:126:MET:HE1	1.80	0.64
1:C:168:ARG:NH2	1:D:111:VAL:O	2.31	0.64
1:D:109:LEU:O	1:D:115:LEU:HD11	1.98	0.64
1:B:163:MET:HE3	4:B:407:HOH:O	1.98	0.63
1:A:92:TYR:HH	1:A:103:HIS:CD2	2.14	0.63
1:C:139:LEU:HD13	1:C:190:ARG:HA	1.79	0.63
1:A:74:LEU:HD22	1:A:127:PHE:HZ	1.64	0.63
1:C:168:ARG:HH22	1:D:111:VAL:HG22	1.62	0.63
1:A:111:VAL:O	1:A:111:VAL:HG22	1.99	0.62
1:B:148:ARG:HH11	1:B:148:ARG:HG3	1.65	0.62
1:D:111:VAL:O	1:D:111:VAL:HG22	1.99	0.61
1:C:107:ARG:NH2	1:C:160:GLU:OE1	2.33	0.61
1:D:13:LEU:HD23	1:D:48:PHE:HE2	1.65	0.61
1:C:25:GLY:HA2	1:C:108:GLN:HG2	1.83	0.60
1:D:60:LEU:HD21	1:D:119:THR:CG2	2.24	0.60
1:D:122:ARG:O	1:D:126:MET:HG3	2.03	0.59
1:B:104:ARG:O	1:B:108:GLN:HG3	2.02	0.59
1:C:30:THR:HG22	4:C:410:HOH:O	2.02	0.59
1:A:152:ASP:OD1	2:A:301:BER:H61	2.03	0.59
1:B:148:ARG:HH11	1:B:148:ARG:CG	2.15	0.58
1:C:111:VAL:HG12	1:C:111:VAL:O	2.03	0.58
1:D:70:MET:HG2	1:D:91:SER:CB	2.33	0.58
1:B:48:PHE:CE1	1:B:57:THR:HG21	2.38	0.58
1:A:86:ARG:HD2	1:A:181:PHE:CD2	2.38	0.58
1:B:75:ASP:HB3	1:B:78:ILE:CD1	2.11	0.58
1:C:107:ARG:NH1	1:C:157:ALA:HA	2.19	0.57
1:A:156:LEU:HD11	2:A:301:BER:H193	1.86	0.57
1:D:184:MET:O	1:D:184:MET:HE2	2.05	0.56
1:A:127:PHE:CG	1:A:130:LEU:HB3	2.40	0.56
1:B:23:GLN:HG3	4:B:410:HOH:O	2.04	0.56
2:D:301:BER:H192	2:D:301:BER:C6	2.28	0.56
1:C:144:SER:HB2	1:C:146:GLU:OE2	2.06	0.56
1:C:118:GLU:H	1:C:118:GLU:CD	2.08	0.56
1:C:31:ALA:O	1:C:34:ALA:HB3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:54:LEU:HA	1:B:57:THR:HG22	1.88	0.55
1:C:139:LEU:CD1	1:C:190:ARG:HA	2.36	0.55
1:D:106:ILE:HD13	1:D:106:ILE:C	2.26	0.55
1:C:30:THR:HG21	1:C:45:PHE:HZ	1.72	0.55
1:C:102:ARG:HG3	3:C:302:SO4:O3	2.07	0.54
1:C:70:MET:CE	1:C:130:LEU:HD22	2.36	0.54
1:C:30:THR:HG21	1:C:45:PHE:CZ	2.43	0.54
1:B:56:ASN:O	1:B:60:LEU:HD13	2.07	0.54
1:D:86:ARG:HD2	1:D:181:PHE:CD2	2.43	0.54
1:C:13:LEU:HD13	1:C:39:VAL:HG21	1.89	0.54
1:A:111:VAL:HG23	1:B:165:PHE:CZ	2.44	0.53
1:C:74:LEU:HD12	1:C:84:MET:HE1	1.89	0.53
1:D:92:TYR:HE2	1:D:163:MET:HE1	1.73	0.53
1:D:84:MET:O	1:D:88:ILE:HG12	2.08	0.53
1:C:33:ILE:HD13	1:C:44:LEU:HD11	1.91	0.53
1:A:157:ALA:HB1	1:B:157:ALA:HB1	1.90	0.53
1:D:86:ARG:NH1	1:D:86:ARG:HG3	2.19	0.53
1:B:89:TRP:CD1	1:B:181:PHE:HB2	2.44	0.53
1:B:13:LEU:HD21	1:B:44:LEU:HA	1.90	0.52
1:B:121:GLN:HE22	1:D:10:LYS:NZ	2.07	0.52
1:A:60:LEU:CD1	1:A:119:THR:HG23	2.38	0.51
1:C:107:ARG:HD3	1:C:156:LEU:HB3	1.92	0.51
1:A:78:ILE:CG2	1:A:83:MET:HG2	2.41	0.51
1:A:84:MET:HG2	1:A:133:LEU:HD11	1.93	0.51
1:A:9:LYS:O	1:A:13:LEU:HD22	2.11	0.51
1:C:117:LYS:HZ2	1:C:117:LYS:HB2	1.75	0.50
1:B:64:GLN:HB2	1:B:126:MET:HE1	1.93	0.50
1:B:76:ARG:O	1:B:77:SER:HB3	2.12	0.50
1:C:152:ASP:HA	2:C:301:BER:H72	1.94	0.50
1:B:148:ARG:NH1	1:B:148:ARG:CG	2.74	0.50
1:B:56:ASN:OD1	1:B:115:LEU:HA	2.12	0.50
1:C:138:VAL:HG12	1:C:139:LEU:O	2.13	0.49
1:C:52:ASP:OD1	1:C:114:LYS:HD2	2.13	0.49
1:A:103:HIS:CE1	1:A:160:GLU:OE1	2.66	0.49
1:D:64:GLN:HB2	1:D:126:MET:CE	2.42	0.49
1:A:84:MET:HG3	4:A:413:HOH:O	2.11	0.49
1:D:184:MET:CE	1:D:188:LEU:HB2	2.42	0.49
1:D:67:CYS:SG	1:D:127:PHE:HB2	2.53	0.49
1:B:182:GLU:HG3	1:B:186:ARG:NH1	2.28	0.49
1:D:54:LEU:C	1:D:54:LEU:HD23	2.32	0.49
1:C:70:MET:HE1	1:C:130:LEU:CD2	2.40	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:30:THR:HG23	1:C:41:GLU:OE1	2.12	0.49
1:D:29:SER:HG	1:D:32:VAL:HG23	1.77	0.49
1:B:92:TYR:OH	1:B:103:HIS:HD2	1.95	0.49
1:A:78:ILE:HG23	1:A:83:MET:HG2	1.93	0.48
1:B:168:ARG:HG3	1:B:169:ASP:N	2.27	0.48
1:B:26:ILE:HG21	1:B:112:SER:HB2	1.95	0.48
1:A:169:ASP:N	1:A:170:PRO:HD3	2.28	0.48
1:B:75:ASP:HA	4:B:413:HOH:O	2.13	0.48
1:D:9:LYS:HD3	1:D:39:VAL:CG1	2.44	0.48
1:C:182:GLU:HB3	1:C:186:ARG:NH1	2.28	0.48
1:A:64:GLN:CB	1:A:126:MET:HE1	2.44	0.47
1:A:46:ARG:HG2	1:A:46:ARG:HH11	1.79	0.47
1:B:85:THR:HG22	1:B:181:PHE:HE1	1.79	0.47
1:D:45:PHE:HA	1:D:48:PHE:O	2.14	0.47
1:B:26:ILE:HD12	1:B:114:LYS:NZ	2.29	0.47
1:B:35:ARG:C	1:B:37:ALA:H	2.18	0.47
1:D:71:ILE:HG12	1:D:127:PHE:CE2	2.49	0.47
1:D:137:SER:N	1:D:190:ARG:HH21	2.13	0.47
1:D:67:CYS:HA	1:D:70:MET:HE2	1.96	0.47
1:B:152:ASP:HA	2:B:301:BER:H72	1.96	0.46
1:D:139:LEU:HD21	1:D:189:THR:O	2.15	0.46
2:A:301:BER:H51	2:A:301:BER:H31	1.69	0.46
1:C:182:GLU:HB3	1:C:186:ARG:HH12	1.81	0.46
1:B:8:ASP:OD2	1:B:9:LYS:NZ	2.49	0.46
1:C:64:GLN:HB2	1:C:126:MET:HE1	1.97	0.46
1:C:146:GLU:H	1:C:146:GLU:CD	2.18	0.46
1:D:43:THR:O	1:D:46:ARG:HB3	2.16	0.46
1:A:89:TRP:CD1	1:A:181:PHE:HB2	2.51	0.46
1:C:131:ARG:HH11	1:C:131:ARG:HG2	1.80	0.45
1:B:173:ALA:O	1:B:177:ILE:HG13	2.16	0.45
1:C:83:MET:HG2	1:C:87:PHE:CE2	2.51	0.45
1:D:134:CYS:O	1:D:143:MET:HE1	2.16	0.45
1:A:103:HIS:O	1:A:106:ILE:HG22	2.17	0.45
1:C:10:LYS:O	1:C:13:LEU:N	2.49	0.45
1:A:139:LEU:HD13	1:A:189:THR:O	2.16	0.45
1:A:89:TRP:O	1:A:93:ILE:HG12	2.16	0.45
1:A:111:VAL:CG2	1:B:165:PHE:CZ	3.00	0.45
1:D:146:GLU:HG2	1:D:147:TYR:CE2	2.52	0.45
1:B:21:ILE:HD13	1:B:109:LEU:HD11	1.98	0.45
1:D:9:LYS:HD3	1:D:39:VAL:HG11	1.99	0.45
1:C:40:ALA:HB3	1:C:43:THR:OG1	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:76:ARG:NH2	4:C:413:HOH:O	2.50	0.45
1:D:92:TYR:HE2	1:D:163:MET:CE	2.30	0.45
1:B:102:ARG:HG3	3:B:302:SO4:O4	2.17	0.45
1:B:54:LEU:O	1:B:57:THR:HG22	2.16	0.44
1:B:63:LYS:HE3	1:B:67:CYS:SG	2.57	0.44
1:B:74:LEU:HD11	1:B:127:PHE:HE1	1.82	0.44
1:C:157:ALA:HB1	1:D:157:ALA:HB1	1.99	0.44
1:B:122:ARG:O	1:B:126:MET:HG3	2.17	0.44
1:C:86:ARG:HH21	1:C:178:ALA:HB1	1.83	0.44
1:D:86:ARG:HH12	1:D:90:ASN:ND2	1.99	0.44
1:D:65:ASP:OD2	1:D:102:ARG:NH1	2.51	0.44
1:C:111:VAL:CG1	1:C:111:VAL:O	2.65	0.44
1:A:168:ARG:C	1:A:170:PRO:HD3	2.38	0.44
1:B:127:PHE:CD2	1:B:130:LEU:HB2	2.52	0.44
1:D:51:LYS:O	1:D:55:ILE:HG12	2.17	0.44
1:C:127:PHE:HD2	1:C:130:LEU:HB3	1.81	0.44
1:D:92:TYR:HE1	2:D:301:BER:H202	1.83	0.43
1:B:144:SER:O	1:B:148:ARG:HB2	2.18	0.43
1:C:86:ARG:HA	1:C:181:PHE:CE1	2.53	0.43
1:A:107:ARG:O	1:A:111:VAL:HG12	2.18	0.43
1:C:62:LEU:HD22	1:C:102:ARG:HB3	2.01	0.43
1:C:89:TRP:O	1:C:93:ILE:HG12	2.18	0.43
1:A:58:LEU:HD23	1:A:109:LEU:HD21	2.01	0.43
1:C:26:ILE:HD13	4:C:404:HOH:O	2.18	0.43
1:D:64:GLN:HB2	1:D:126:MET:HE2	2.00	0.43
1:B:162:THR:HG21	1:B:177:ILE:HA	2.00	0.43
1:C:85:THR:HG22	1:C:181:PHE:HE1	1.84	0.43
1:A:159:ALA:O	1:A:163:MET:HG3	2.19	0.42
1:D:86:ARG:NH1	1:D:90:ASN:ND2	2.54	0.42
1:B:26:ILE:HG21	1:B:112:SER:CB	2.49	0.42
1:B:127:PHE:N	1:B:128:PRO:HD3	2.34	0.42
1:D:92:TYR:CE2	1:D:163:MET:CE	3.02	0.42
1:C:83:MET:HG2	1:C:87:PHE:HE2	1.84	0.42
1:D:59:TYR:CD2	1:D:115:LEU:HD23	2.54	0.42
1:B:103:HIS:HA	1:B:106:ILE:HG22	2.01	0.42
1:C:33:ILE:CG1	1:C:33:ILE:O	2.46	0.42
1:B:57:THR:HG23	1:B:58:LEU:N	2.34	0.42
1:B:86:ARG:HA	1:B:181:PHE:CE1	2.54	0.42
1:C:127:PHE:CD2	1:C:130:LEU:HB3	2.54	0.42
1:C:139:LEU:HD13	1:C:190:ARG:CA	2.48	0.42
1:B:135:HIS:HA	1:B:143:MET:CE	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:169:ASP:OD2	1:B:172:ARG:NH1	2.51	0.42
1:B:76:ARG:O	1:B:77:SER:CB	2.67	0.42
1:D:184:MET:CE	1:D:188:LEU:HD12	2.50	0.42
1:D:173:ALA:O	1:D:177:ILE:HG13	2.20	0.42
1:D:59:TYR:HE1	1:D:106:ILE:HD11	1.84	0.42
1:A:65:ASP:OD2	1:A:102:ARG:NH1	2.48	0.41
1:D:34:ALA:CB	1:D:41:GLU:HA	2.50	0.41
1:B:152:ASP:HB3	2:B:301:BER:H192	2.01	0.41
1:B:35:ARG:HG3	1:B:36:ASN:OD1	2.19	0.41
1:B:43:THR:O	1:B:46:ARG:CG	2.62	0.41
1:D:140:MET:HE3	1:D:190:ARG:NH1	2.35	0.41
1:A:126:MET:C	1:A:128:PRO:HD3	2.41	0.41
1:C:84:MET:HG3	1:C:133:LEU:HD21	2.03	0.41
1:A:127:PHE:CE2	1:A:130:LEU:HB2	2.56	0.41
1:A:127:PHE:CD2	1:A:130:LEU:HD23	2.56	0.41
1:B:127:PHE:C	1:B:129:GLU:H	2.24	0.41
1:C:15:GLU:O	1:C:19:GLN:HG2	2.20	0.41
1:C:85:THR:HG21	2:C:301:BER:H172	2.03	0.41
1:C:131:ARG:HG3	1:C:135:HIS:CE1	2.56	0.41
1:A:92:TYR:CE2	1:A:163:MET:HE1	2.56	0.40
1:A:185:TRP:CE3	1:A:189:THR:HG21	2.56	0.40
1:B:26:ILE:HD12	1:B:114:LYS:HZ2	1.87	0.40
1:C:139:LEU:HD22	1:C:188:LEU:C	2.42	0.40
1:B:54:LEU:CA	1:B:57:THR:HG22	2.51	0.40
1:D:112:SER:O	1:D:113:GLU:HB2	2.21	0.40
1:B:60:LEU:HD11	1:B:119:THR:CG2	2.33	0.40
1:D:60:LEU:HD23	1:D:119:THR:HG23	1.95	0.40
1:C:128:PRO:HB3	1:C:131:ARG:HH21	1.83	0.40
1:C:169:ASP:N	1:C:170:PRO:HD3	2.37	0.40
1:D:138:VAL:HB	1:D:143:MET:CE	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	182/194 (94%)	178 (98%)	4 (2%)	0	100	100
1	B	182/194 (94%)	172 (94%)	8 (4%)	2 (1%)	17	15
1	C	183/194 (94%)	173 (94%)	8 (4%)	2 (1%)	17	15
1	D	181/194 (93%)	172 (95%)	9 (5%)	0	100	100
All	All	728/776 (94%)	695 (96%)	29 (4%)	4 (0%)	32	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	77	SER
1	C	72	MET
1	C	135	HIS
1	B	36	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	149/158 (94%)	137 (92%)	12 (8%)	14	14
1	B	149/158 (94%)	142 (95%)	7 (5%)	30	38
1	C	149/158 (94%)	138 (93%)	11 (7%)	16	17
1	D	148/158 (94%)	137 (93%)	11 (7%)	16	17
All	All	595/632 (94%)	554 (93%)	41 (7%)	18	19

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LEU
1	A	26	ILE
1	A	60	LEU
1	A	84	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	97	LEU
1	A	109	LEU
1	A	127	PHE
1	A	135	HIS
1	A	139	LEU
1	A	158	LEU
1	A	179	LEU
1	A	188	LEU
1	B	9	LYS
1	B	11	GLN
1	B	46	ARG
1	B	124	ASP
1	B	139	LEU
1	B	148	ARG
1	B	179	LEU
1	C	8	ASP
1	C	9	LYS
1	C	26	ILE
1	C	33	ILE
1	C	60	LEU
1	C	107	ARG
1	C	117	LYS
1	C	158	LEU
1	C	168	ARG
1	C	170	PRO
1	C	188	LEU
1	D	14	LEU
1	D	26	ILE
1	D	86	ARG
1	D	106	ILE
1	D	109	LEU
1	D	115	LEU
1	D	154	LEU
1	D	156	LEU
1	D	168	ARG
1	D	179	LEU
1	D	184	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	90	ASN
1	A	98	ASN
1	A	103	HIS
1	A	108	GLN
1	A	121	GLN
1	B	11	GLN
1	B	61	HIS
1	B	68	GLN
1	B	90	ASN
1	B	99	HIS
1	B	103	HIS
1	B	108	GLN
1	B	121	GLN
1	C	64	GLN
1	C	103	HIS
1	D	90	ASN
1	D	103	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BER	A	301	-	29,29,29	4.25	18 (62%)	43,43,43	5.00	23 (53%)
3	SO4	A	302	-	4,4,4	0.28	0	6,6,6	0.53	0
2	BER	B	301	-	29,29,29	4.19	17 (58%)	43,43,43	5.10	21 (48%)
3	SO4	B	302	-	4,4,4	0.33	0	6,6,6	0.52	0
2	BER	C	301	-	29,29,29	4.30	16 (55%)	43,43,43	4.12	24 (55%)
3	SO4	C	302	-	4,4,4	0.18	0	6,6,6	0.42	0
2	BER	D	301	-	29,29,29	4.19	19 (65%)	43,43,43	4.73	21 (48%)
3	SO4	D	302	-	4,4,4	0.38	0	6,6,6	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BER	A	301	-	-	0/4/19/19	0/5/5/5
3	SO4	A	302	-	-	0/0/0/0	0/0/0/0
2	BER	B	301	-	-	0/4/19/19	0/5/5/5
3	SO4	B	302	-	-	0/0/0/0	0/0/0/0
2	BER	C	301	-	-	0/4/19/19	0/5/5/5
3	SO4	C	302	-	-	0/0/0/0	0/0/0/0
2	BER	D	301	-	-	0/4/19/19	0/5/5/5
3	SO4	D	302	-	-	0/0/0/0	0/0/0/0

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	BER	C7-N1	-11.53	1.33	1.48
2	A	301	BER	C7-N1	-11.47	1.33	1.48
2	B	301	BER	C7-N1	-11.43	1.33	1.48
2	A	301	BER	C7-C10	-9.95	1.37	1.51
2	C	301	BER	C7-N1	-9.40	1.36	1.48
2	D	301	BER	C7-C10	-9.34	1.38	1.51
2	B	301	BER	C7-C10	-9.29	1.38	1.51
2	B	301	BER	C10-C4	-8.72	1.36	1.51
2	D	301	BER	C10-C4	-8.51	1.37	1.51
2	A	301	BER	C10-C4	-8.17	1.37	1.51
2	C	301	BER	C10-C4	-6.95	1.39	1.51
2	B	301	BER	C13-C8	-5.02	1.29	1.41
2	B	301	BER	C16-C18	-4.70	1.29	1.39
2	A	301	BER	O1-C11	-4.52	1.32	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	BER	C13-C8	-4.40	1.31	1.41
2	D	301	BER	C16-C18	-4.35	1.30	1.39
2	A	301	BER	C13-C8	-4.29	1.31	1.41
2	B	301	BER	O1-C11	-3.37	1.33	1.38
2	B	301	BER	O2-C14	-3.32	1.33	1.38
2	A	301	BER	O2-C14	-3.29	1.33	1.38
2	D	301	BER	O1-C11	-3.28	1.33	1.38
2	A	301	BER	C16-C18	-3.11	1.33	1.39
2	D	301	BER	C1-N1	-3.04	1.31	1.37
2	D	301	BER	O2-C14	-2.97	1.34	1.38
2	B	301	BER	C1-N1	-2.88	1.31	1.37
2	A	301	BER	C1-N1	-2.44	1.32	1.37
2	A	301	BER	C2-C1	-2.31	1.43	1.47
2	C	301	BER	C7-C10	-2.16	1.48	1.51
2	C	301	BER	C13-C8	-2.14	1.36	1.41
2	D	301	BER	C5-C2	-2.12	1.36	1.39
2	D	301	BER	C2-C1	-2.07	1.44	1.47
2	A	301	BER	C3-C8	2.09	1.46	1.42
2	B	301	BER	C12-C8	2.44	1.47	1.43
2	D	301	BER	C3-C8	2.44	1.47	1.42
2	D	301	BER	C12-C8	2.48	1.47	1.43
2	C	301	BER	C14-C11	2.52	1.46	1.39
2	C	301	BER	C6-N1	2.65	1.35	1.33
2	B	301	BER	C3-C8	2.69	1.48	1.42
2	B	301	BER	C15-C12	2.73	1.48	1.43
2	B	301	BER	C18-C15	2.79	1.44	1.38
2	A	301	BER	C12-C8	2.98	1.48	1.43
2	D	301	BER	C15-C12	2.99	1.49	1.43
2	D	301	BER	C13-C16	3.12	1.43	1.36
2	A	301	BER	C15-C12	3.19	1.49	1.43
2	B	301	BER	C6-C12	3.33	1.47	1.41
2	B	301	BER	C13-C16	3.33	1.43	1.36
2	D	301	BER	O4-C18	3.36	1.42	1.37
2	B	301	BER	O4-C18	3.52	1.42	1.37
2	C	301	BER	O4-C18	3.69	1.42	1.37
2	D	301	BER	C18-C15	3.74	1.46	1.38
2	A	301	BER	O4-C18	3.76	1.43	1.37
2	A	301	BER	C6-C12	3.87	1.49	1.41
2	C	301	BER	C3-C8	3.93	1.51	1.42
2	C	301	BER	C12-C8	3.96	1.50	1.43
2	A	301	BER	C13-C16	4.00	1.45	1.36
2	D	301	BER	C6-C12	4.03	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	BER	C2-C4	4.06	1.46	1.40
2	B	301	BER	C2-C4	4.62	1.46	1.40
2	C	301	BER	C13-C16	4.68	1.46	1.36
2	A	301	BER	C18-C15	4.69	1.48	1.38
2	D	301	BER	C2-C4	4.81	1.47	1.40
2	C	301	BER	C6-C12	4.91	1.51	1.41
2	A	301	BER	C3-C1	5.35	1.47	1.36
2	D	301	BER	C3-C1	5.55	1.47	1.36
2	B	301	BER	C3-C1	5.78	1.48	1.36
2	C	301	BER	C18-C15	6.37	1.51	1.38
2	C	301	BER	O3-C15	7.14	1.48	1.38
2	C	301	BER	C2-C4	7.39	1.50	1.40
2	C	301	BER	C3-C1	7.47	1.51	1.36
2	C	301	BER	C15-C12	8.46	1.60	1.43

All (89) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	BER	C6-C12-C15	-18.57	106.44	121.77
2	A	301	BER	C6-C12-C15	-16.38	108.25	121.77
2	D	301	BER	C6-C12-C15	-13.12	110.94	121.77
2	B	301	BER	C18-C15-C12	-12.39	103.34	120.35
2	C	301	BER	C6-C12-C15	-12.23	111.68	121.77
2	D	301	BER	C18-C15-C12	-11.81	104.13	120.35
2	A	301	BER	C3-C1-C2	-10.75	112.58	124.52
2	A	301	BER	C18-C15-C12	-10.05	106.55	120.35
2	C	301	BER	C18-C15-C12	-8.57	108.58	120.35
2	D	301	BER	C3-C1-C2	-8.54	115.03	124.52
2	B	301	BER	C1-C3-C8	-7.75	110.17	121.14
2	A	301	BER	O3-C15-C12	-7.73	103.97	117.43
2	D	301	BER	C1-C3-C8	-7.68	110.27	121.14
2	C	301	BER	C7-N1-C6	-7.59	112.57	118.10
2	C	301	BER	C3-C1-C2	-7.50	116.18	124.52
2	A	301	BER	C1-C3-C8	-7.44	110.61	121.14
2	B	301	BER	C3-C1-C2	-7.03	116.71	124.52
2	D	301	BER	C15-C12-C8	-7.00	106.56	118.73
2	B	301	BER	O3-C15-C18	-6.93	103.76	120.23
2	D	301	BER	O3-C15-C18	-5.88	106.26	120.23
2	B	301	BER	O3-C15-C12	-5.61	107.66	117.43
2	C	301	BER	C1-C3-C8	-5.16	113.84	121.14
2	B	301	BER	C6-C12-C8	-5.14	111.83	117.67
2	B	301	BER	C7-N1-C6	-5.10	114.38	118.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	BER	O3-C15-C18	-5.10	108.11	120.23
2	D	301	BER	O3-C15-C12	-4.67	109.29	117.43
2	D	301	BER	C6-C12-C8	-4.50	112.56	117.67
2	B	301	BER	C15-C12-C8	-4.29	111.27	118.73
2	C	301	BER	C12-C6-N1	-4.24	119.01	121.90
2	D	301	BER	C14-C9-C4	-4.10	114.32	121.08
2	B	301	BER	C14-C9-C4	-4.00	114.48	121.08
2	A	301	BER	C1-C2-C4	-3.92	116.92	120.10
2	A	301	BER	C15-C12-C8	-3.79	112.14	118.73
2	A	301	BER	O4-C18-C16	-3.62	118.30	124.37
2	A	301	BER	C7-N1-C6	-3.24	115.74	118.10
2	A	301	BER	C14-C9-C4	-3.17	115.86	121.08
2	C	301	BER	O2-C17-O1	-3.14	103.20	108.10
2	A	301	BER	C2-C5-C11	-3.12	113.67	120.62
2	C	301	BER	C1-C2-C4	-3.08	117.60	120.10
2	C	301	BER	C14-C9-C4	-3.05	116.06	121.08
2	D	301	BER	C2-C5-C11	-3.01	113.92	120.62
2	A	301	BER	C20-O4-C18	-2.92	113.33	117.54
2	B	301	BER	C2-C5-C11	-2.84	114.31	120.62
2	B	301	BER	C13-C8-C3	-2.79	117.08	122.05
2	D	301	BER	C16-C13-C8	-2.66	116.71	120.83
2	D	301	BER	C7-N1-C6	-2.62	116.19	118.10
2	C	301	BER	O3-C15-C12	-2.56	112.97	117.43
2	A	301	BER	C6-C12-C8	-2.55	114.78	117.67
2	C	301	BER	O2-C14-C11	-2.33	107.12	109.78
2	C	301	BER	C20-O4-C18	-2.32	114.19	117.54
2	C	301	BER	C2-C5-C11	-2.27	115.57	120.62
2	D	301	BER	O2-C14-C11	-2.20	107.27	109.78
2	C	301	BER	C3-C8-C12	-2.17	116.48	119.23
2	D	301	BER	C7-N1-C1	2.00	121.47	118.80
2	A	301	BER	O4-C18-C15	2.04	119.83	116.41
2	D	301	BER	C3-C8-C12	2.10	121.89	119.23
2	C	301	BER	C17-O1-C11	2.19	108.28	105.35
2	C	301	BER	C5-C2-C4	2.23	121.76	119.15
2	C	301	BER	C19-O3-C15	2.36	120.53	114.90
2	C	301	BER	C13-C8-C12	2.37	122.20	119.11
2	B	301	BER	C9-C4-C2	2.39	122.43	119.45
2	A	301	BER	C2-C1-N1	2.42	119.94	118.20
2	B	301	BER	C17-O1-C11	2.44	108.61	105.35
2	B	301	BER	C17-O2-C14	2.46	108.64	105.35
2	C	301	BER	C17-O2-C14	2.47	108.65	105.35
2	A	301	BER	C16-C18-C15	2.52	121.88	119.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	BER	C5-C2-C4	2.66	122.27	119.15
2	D	301	BER	C17-O1-C11	2.66	108.91	105.35
2	A	301	BER	C17-O1-C11	2.75	109.03	105.35
2	A	301	BER	C7-N1-C1	2.89	122.65	118.80
2	D	301	BER	C17-O2-C14	3.40	109.89	105.35
2	B	301	BER	C6-N1-C1	3.45	124.16	122.37
2	B	301	BER	C3-C8-C12	3.86	124.12	119.23
2	D	301	BER	C5-C2-C4	3.99	123.84	119.15
2	A	301	BER	C5-C2-C4	4.13	124.00	119.15
2	C	301	BER	C16-C18-C15	4.32	123.38	119.77
2	C	301	BER	C7-N1-C1	4.56	124.87	118.80
2	C	301	BER	C7-C10-C4	6.14	117.92	109.63
2	D	301	BER	C7-C10-C4	6.65	118.61	109.63
2	B	301	BER	C7-C10-C4	6.69	118.67	109.63
2	A	301	BER	C7-C10-C4	7.61	119.91	109.63
2	B	301	BER	C3-C1-N1	8.10	124.46	117.28
2	C	301	BER	C10-C7-N1	8.78	120.67	109.36
2	C	301	BER	C3-C1-N1	8.98	125.25	117.28
2	D	301	BER	C3-C1-N1	9.63	125.83	117.28
2	A	301	BER	C10-C7-N1	9.73	121.89	109.36
2	A	301	BER	C3-C1-N1	11.47	127.46	117.28
2	D	301	BER	C10-C7-N1	11.73	124.47	109.36
2	B	301	BER	C10-C7-N1	11.78	124.54	109.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 29 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	BER	5	0
2	B	301	BER	9	0
3	B	302	SO4	1	0
2	C	301	BER	3	0
3	C	302	SO4	1	0
2	D	301	BER	10	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	184/194 (94%)	0.53	10 (5%)	26 37	21, 41, 69, 84	12 (6%)
1	B	184/194 (94%)	1.54	54 (29%)	1 0	23, 66, 101, 111	3 (1%)
1	C	185/194 (95%)	0.74	17 (9%)	10 15	23, 47, 78, 85	5 (2%)
1	D	183/194 (94%)	0.97	28 (15%)	2 4	24, 51, 86, 93	4 (2%)
All	All	736/776 (94%)	0.94	109 (14%)	3 4	21, 49, 90, 111	24 (3%)

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	123	ALA	8.2
1	B	39	VAL	7.7
1	B	33	ILE	6.9
1	B	34	ALA	6.9
1	B	9	LYS	5.7
1	D	34	ALA	5.6
1	B	124	ASP	5.6
1	B	13	LEU	5.2
1	B	31	ALA	5.0
1	B	44	LEU	4.8
1	C	36	ASN	4.7
1	B	27	ALA	4.7
1	B	46	ARG	4.4
1	B	50	THR	4.4
1	B	12	ALA	4.4
1	B	17	ALA	4.3
1	D	11	GLN	4.2
1	B	8	ASP	4.1
1	D	39	VAL	4.1
1	D	132	ASP	4.1
1	B	79	THR	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	38	GLY	3.8
1	B	78	ILE	3.8
1	B	132	ASP	3.7
1	B	42	GLY	3.7
1	C	35	ARG	3.7
1	B	37	ALA	3.6
1	B	133	LEU	3.6
1	C	121	GLN	3.6
1	D	77	SER	3.5
1	B	36	ASN	3.4
1	B	10	LYS	3.4
1	D	13	LEU	3.2
1	B	57	THR	3.1
1	C	117	LYS	3.1
1	D	31	ALA	3.1
1	B	11	GLN	3.1
1	C	31	ALA	3.1
1	B	48	PHE	3.1
1	B	74	LEU	3.0
1	B	51	LYS	3.0
1	B	14	LEU	3.0
1	B	131	ARG	3.0
1	C	44	LEU	2.9
1	C	118	GLU	2.9
1	B	75	ASP	2.9
1	B	29	SER	2.9
1	D	130	LEU	2.8
1	C	32	VAL	2.8
1	D	116	THR	2.8
1	A	123	ALA	2.7
1	C	38	GLY	2.7
1	A	89	TRP	2.7
1	C	45	PHE	2.6
1	C	7	GLU	2.6
1	D	131	ARG	2.6
1	C	127	PHE	2.6
1	D	72	MET	2.6
1	D	36	ASN	2.5
1	A	45	PHE	2.5
1	A	91	SER	2.5
1	C	140	MET	2.5
1	B	52	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	24	SER	2.4
1	D	140	MET	2.4
1	B	191	GLU	2.4
1	C	126	MET	2.4
1	B	155	PHE	2.4
1	D	124	ASP	2.4
1	D	76	ARG	2.4
1	D	46	ARG	2.4
1	B	122	ARG	2.4
1	A	155	PHE	2.4
1	B	127	PHE	2.3
1	A	127	PHE	2.3
1	B	72	MET	2.2
1	D	70	MET	2.2
1	B	21	ILE	2.2
1	B	125	ASP	2.2
1	B	156	LEU	2.2
1	C	13	LEU	2.2
1	D	38	GLY	2.2
1	D	89	TRP	2.2
1	A	135	HIS	2.2
1	B	158	LEU	2.2
1	C	163	MET	2.2
1	D	135	HIS	2.2
1	D	133	LEU	2.2
1	B	45	PHE	2.2
1	D	68	GLN	2.2
1	D	9	LYS	2.2
1	D	78	ILE	2.1
1	A	158	LEU	2.1
1	B	163	MET	2.1
1	B	15	GLU	2.1
1	B	84	MET	2.1
1	A	134	CYS	2.1
1	B	159	ALA	2.1
1	D	27	ALA	2.1
1	B	170	PRO	2.1
1	B	55	ILE	2.0
1	B	18	THR	2.0
1	D	163	MET	2.0
1	C	50	THR	2.0
1	D	159	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	32	VAL	2.0
1	B	25	GLY	2.0
1	A	125	ASP	2.0
1	D	8	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	BER	D	301	25/25	0.90	0.23	1.05	57,62,71,73	0
2	BER	B	301	25/25	0.92	0.21	0.91	60,64,72,76	0
2	BER	A	301	25/25	0.88	0.18	0.13	47,53,61,67	0
2	BER	C	301	25/25	0.89	0.16	0.12	45,49,54,58	0
3	SO4	D	302	5/5	0.93	0.16	-0.08	59,60,61,64	0
3	SO4	C	302	5/5	0.97	0.12	-0.95	62,65,67,67	0
3	SO4	B	302	5/5	0.94	0.09	-1.37	79,80,81,82	0
3	SO4	A	302	5/5	0.98	0.12	-1.55	46,50,54,55	0

6.5 Other polymers [i](#)

There are no such residues in this entry.