



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 05:39 am GMT

PDB ID : 2VYX  
Title : CRYSTAL STRUCTURE OF THE T. THERMOPHILUS DODECIN W38F  
MUTANT  
Authors : Essen, L.-O.; Meissner, B.  
Deposited on : 2008-07-29  
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2279 (1.50-1.50)
Clashscore	112137	2503 (1.50-1.50)
Ramachandran outliers	110173	2445 (1.50-1.50)
Sidechain outliers	110143	2443 (1.50-1.50)
RSRZ outliers	101464	2305 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	69	<div> <div>7%</div> <div>87% 10% ..</div> </div>
1	B	69	<div> <div>4%</div> <div>84% 10% . .</div> </div>
1	C	69	<div> <div>4%</div> <div>93% 6% .</div> </div>
1	D	69	<div> <div>6%</div> <div>94% . .</div> </div>
1	E	69	<div> <div>7%</div> <div>87% 10% ..</div> </div>
1	F	69	<div> <div>4%</div> <div>90% 9% .</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	69	
1	H	69	
1	I	69	
1	J	69	
1	K	69	
1	L	69	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	COA	A	1071	X	-	-	-
3	COA	K	1070	X	-	-	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7888 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TTHA1431.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	68	Total	C	N	O	0	0	1
			528	336	93	99			
1	B	66	Total	C	N	O	0	0	0
			518	331	91	96			
1	C	68	Total	C	N	O	0	0	0
			535	340	93	102			
1	D	68	Total	C	N	O	0	2	1
			540	344	93	103			
1	E	68	Total	C	N	O	0	2	1
			543	346	95	102			
1	F	68	Total	C	N	O	0	2	1
			534	339	95	100			
1	G	68	Total	C	N	O	0	3	1
			550	351	96	103			
1	H	68	Total	C	N	O	0	0	1
			528	336	93	99			
1	I	68	Total	C	N	O	0	1	1
			534	340	93	101			
1	J	68	Total	C	N	O	0	0	1
			528	336	93	99			
1	K	68	Total	C	N	O	0	2	0
			547	349	94	104			
1	L	66	Total	C	N	O	0	0	0
			518	331	91	96			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
B	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
C	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
D	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
E	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3

*Continued on next page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
G	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
H	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
I	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
J	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
K	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3
L	38	PHE	TRP	ENGINEERED MUTATION	UNP Q5SIE3

- # FMN
- 
- The image displays the chemical structure of Flavin Mononucleotide (FMN). The structure consists of an isoalloxazine ring system (a fused bicyclic system with two nitrogen atoms) attached to a ribityl chain. The ribityl chain is a three-carbon chain with hydroxyl groups at the 2' and 3' positions. The 3' carbon is linked to a phosphate group, which is shown as a phosphorus atom bonded to four oxygen atoms, one of which is part of a hydroxyl group. The structure is labeled with various atoms and bonds, including carbon (C), nitrogen (N), oxygen (O), and phosphorus (P). The ribityl chain is shown in a 3D representation with wedged and dashed bonds to indicate stereochemistry. The phosphate group is shown in a 2D representation. The overall structure is a yellowish-orange powder, as indicated by the color swatch in the top right corner.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 31	C 17	N 4	O 9	P 1	0	0
2	A	1	Total 31	C 17	N 4	O 9	P 1	0	0
2	B	1	Total 31	C 17	N 4	O 9	P 1	0	0
2	B	1	Total 31	C 17	N 4	O 9	P 1	0	0
2	C	1	Total 31	C 17	N 4	O 9	P 1	0	0
2	C	1	Total 31	C 17	N 4	O 9	P 1	0	0
2	D	1	Total 31	C 17	N 4	O 9	P 1	0	0
2	D	1	Total 31	C 17	N 4	O 9	P 1	0	0




WORLD WIDE  
PDB  
PROTEIN DATA BANK

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	F	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	F	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	H	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	H	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 3 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	E	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	F	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	G	1	Total	C	N	O	P	S	
			48	21	7	16	3	1	0
3	I	1	Total	C	N	O	P	S	
			48	21	7	16	3	1	0
3	J	1	Total	C	N	O	P	S	
			48	21	7	16	3	1	0
3	K	1	Total	C	N	O	P	S	
			48	21	7	16	3	1	0
3	L	1	Total	C	N	O	P	S	
			48	21	7	16	3	1	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Cl		
			1	1	0	0
4	A	1	Total	Cl		
			1	1	0	0
4	D	1	Total	Cl		
			1	1	0	0
4	C	1	Total	Cl		
			1	1	0	0

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	F	1	Total	Na		
			1	1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	42	Total	O		
			42	42	0	0
6	B	52	Total	O		
			52	52	0	0
6	C	52	Total	O		
			52	52	0	0
6	D	56	Total	O		
			56	56	0	0
6	E	43	Total	O		
			43	43	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	52	Total 52	O 52	0	0
6	G	50	Total 50	O 50	0	0
6	H	37	Total 37	O 37	0	0
6	I	43	Total 43	O 43	0	0
6	J	43	Total 43	O 43	0	0
6	K	34	Total 34	O 34	0	0
6	L	28	Total 28	O 28	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: TTHA1431



- Molecule 1: TTHA1431




- Molecule 1: TTHA1431



- Molecule 1: TTHA1431




- Molecule 1: TTHA1431




- Molecule 1: TTHA1431








- Molecule 1: TTHA1431




- Molecule 1: TTHA1431




- Molecule 1: TTHA1431




- Molecule 1: TTHA1431



- Molecule 1: TTHA1431



- Molecule 1: TTHA1431



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	67.63Å 98.55Å 139.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	9.99 – 1.50 9.97 – 1.50	Depositor EDS
% Data completeness (in resolution range)	97.5 (9.99-1.50) 97.6 (9.97-1.50)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.05 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.218 , 0.250 0.226 , 0.219	Depositor DCC
$R_{free}$ test set	7305 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	16.3	Xtriage
Anisotropy	0.261	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.49 , 68.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.43$ , $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7888	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, FMN, CL, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.45	0/533	0.65	0/713
1	B	0.52	0/523	0.75	1/699 (0.1%)
1	C	0.48	0/540	0.69	0/721
1	D	0.52	0/551	0.70	0/737
1	E	0.50	0/551	0.65	0/736
1	F	0.64	0/538	0.76	0/719
1	G	0.56	0/558	0.74	1/746 (0.1%)
1	H	0.50	0/533	0.65	0/713
1	I	0.51	0/542	0.72	0/725
1	J	0.50	0/533	0.69	0/713
1	K	0.45	0/558	0.62	0/744
1	L	0.43	0/523	0.59	0/699
All	All	0.51	0/6483	0.69	2/8665 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	60	LEU	CA-CB-CG	5.86	128.77	115.30
1	G	28	ARG	NE-CZ-NH1	5.56	123.08	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	528	0	544	7	0
1	B	518	0	538	6	0
1	C	535	0	551	3	0
1	D	540	0	556	3	0
1	E	543	0	562	4	0
1	F	534	0	546	5	0
1	G	550	0	570	3	0
1	H	528	0	544	5	0
1	I	534	0	550	4	0
1	J	528	0	544	6	0
1	K	547	0	570	2	0
1	L	518	0	538	4	0
2	A	62	0	38	1	0
2	B	62	0	38	2	0
2	C	62	0	38	1	0
2	D	62	0	38	2	0
2	F	62	0	38	1	0
2	H	62	0	38	1	0
3	A	96	0	64	2	0
3	B	48	0	32	4	0
3	C	48	0	32	0	0
3	D	48	0	32	0	0
3	E	48	0	32	1	0
3	F	48	0	32	0	0
3	G	48	0	32	3	0
3	I	48	0	32	0	0
3	J	48	0	32	1	0
3	K	48	0	32	1	0
3	L	48	0	32	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	F	1	0	0	0	0
6	A	42	0	0	0	0
6	B	52	0	0	1	0
6	C	52	0	0	0	0
6	D	56	0	0	0	0
6	E	43	0	0	0	0
6	F	52	0	0	0	0
6	G	50	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	H	37	0	0	0	0
6	I	43	0	0	0	0
6	J	43	0	0	0	0
6	K	34	0	0	1	0
6	L	28	0	0	0	0
All	All	7888	0	7225	53	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1071:COA:O9P	3:A:1071:COA:H141	1.90	0.69
1:K:15:GLU:OE1	6:K:2003:HOH:O	2.13	0.66
1:F:6:LYS:HE3	1:G:8[A]:VAL:HG13	1.80	0.64
1:C:36:LEU:HD23	1:C:64:PHE:HB3	1.81	0.62
1:J:42:LYS:HE3	1:J:61:GLU:HG3	1.85	0.58
1:I:36:LEU:HD23	1:I:64:PHE:HB3	1.85	0.58
1:F:40:GLU:OE1	1:F:61:GLU:OE1	2.23	0.57
2:B:1070:FMN:HM71	1:C:11:VAL:HG11	1.87	0.56
2:B:1068:FMN:HM71	1:F:11:VAL:HG11	1.89	0.54
2:D:1072:FMN:HM72	1:E:45:ARG:HD3	1.89	0.54
1:G:67:GLU:O	1:G:68:GLU:HB3	2.07	0.53
1:A:22:ILE:HG23	1:A:60:LEU:HD11	1.91	0.53
3:K:1070:COA:O9P	3:K:1070:COA:H141	2.08	0.53
1:A:36:LEU:HD23	1:A:64:PHE:HB3	1.93	0.51
2:A:1072:FMN:HM72	1:B:45:ARG:HD3	1.93	0.51
1:H:6:LYS:HE3	1:L:8:VAL:HG13	1.92	0.51
1:A:68:GLU:O	1:A:68:GLU:CG	2.58	0.50
1:H:36:LEU:HD23	1:H:64:PHE:HB3	1.95	0.49
1:K:36:LEU:HD23	1:K:64:PHE:HB3	1.95	0.48
1:D:11:VAL:HG11	2:F:1072:FMN:HM71	1.96	0.48
3:A:1071:COA:O9P	3:A:1071:COA:CEP	2.61	0.48
1:J:39:PHE:CD1	1:J:60:LEU:HD11	2.49	0.47
1:L:41:VAL:HG22	1:L:60:LEU:CD2	2.43	0.47
1:B:41:VAL:HG22	1:B:60:LEU:HD23	1.95	0.47
1:C:6:LYS:HE3	1:J:8:VAL:HG13	1.97	0.46
1:I:67:GLU:O	1:I:68:GLU:HB2	2.16	0.46
1:G:32:THR:O	3:G:1070:COA:H8A	2.15	0.46
1:B:22:ILE:HG23	1:B:60:LEU:HD11	1.96	0.46

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:22:ILE:HG23	1:L:60:LEU:HD11	1.98	0.46
1:B:36:LEU:HD23	1:B:64:PHE:HB3	1.97	0.46
1:I:39:PHE:CD1	1:I:60:LEU:HD11	2.51	0.46
1:A:68:GLU:HG3	1:A:68:GLU:O	2.15	0.45
1:E:36:LEU:HD23	1:E:64:PHE:HB3	1.98	0.45
3:B:1069:COA:H61	3:G:1070:COA:H10	2.00	0.44
2:C:1070:FMN:HM72	1:J:45:ARG:HD3	2.00	0.44
1:F:36:LEU:HD23	1:F:64:PHE:HB3	2.00	0.44
1:B:41:VAL:HG22	1:B:60:LEU:CD2	2.48	0.43
1:H:67:GLU:O	1:H:68:GLU:O	2.36	0.43
3:B:1069:COA:O2A	6:B:2047:HOH:O	2.21	0.42
1:D:3:LYS:NZ	2:D:1070:FMN:O1P	2.38	0.42
1:A:41:VAL:HG22	1:A:60:LEU:CD2	2.50	0.41
1:B:32:THR:O	3:B:1069:COA:H8A	2.20	0.41
1:J:13:THR:HG22	1:J:57:GLN:HG2	2.02	0.41
3:B:1069:COA:C6P	3:G:1070:COA:H10	2.50	0.41
1:D:45:ARG:NH1	1:F:40:GLU:HG2	2.36	0.41
1:E:32:THR:O	3:E:1070:COA:H8A	2.20	0.41
3:J:1070:COA:O9P	3:J:1070:COA:H141	2.21	0.41
2:H:1070:FMN:HM71	1:L:11:VAL:HG11	2.03	0.41
1:E:9:GLU:OE2	1:E:42[B]:LYS:NZ	2.46	0.41
6:G:2032:HOH:O	1:I:30:ARG:HD2	2.20	0.41
1:A:5:TYR:HB2	1:H:11:VAL:HB	2.02	0.41
1:A:6:LYS:HE3	1:H:8:VAL:HG13	2.04	0.40
1:J:36:LEU:HD23	1:J:64:PHE:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	66/69 (96%)	65 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	64/69 (93%)	64 (100%)	0	0	100	100
1	C	66/69 (96%)	66 (100%)	0	0	100	100
1	D	68/69 (99%)	67 (98%)	1 (2%)	0	100	100
1	E	68/69 (99%)	67 (98%)	0	1 (2%)	12	2
1	F	67/69 (97%)	67 (100%)	0	0	100	100
1	G	69/69 (100%)	68 (99%)	0	1 (1%)	13	2
1	H	66/69 (96%)	65 (98%)	0	1 (2%)	12	2
1	I	67/69 (97%)	65 (97%)	1 (2%)	1 (2%)	12	2
1	J	66/69 (96%)	62 (94%)	3 (4%)	1 (2%)	12	2
1	K	68/69 (99%)	67 (98%)	1 (2%)	0	100	100
1	L	64/69 (93%)	62 (97%)	2 (3%)	0	100	100
All	All	799/828 (96%)	785 (98%)	9 (1%)	5 (1%)	28	7

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	68	GLU
1	H	68	GLU
1	I	68	GLU
1	J	68	GLU
1	G	68	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	53/55 (96%)	52 (98%)	1 (2%)	62	30
1	B	52/55 (94%)	51 (98%)	1 (2%)	62	30
1	C	54/55 (98%)	54 (100%)	0	100	100
1	D	55/55 (100%)	55 (100%)	0	100	100

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	55/55 (100%)	53 (96%)	2 (4%)	40	10
1	F	53/55 (96%)	53 (100%)	0	100	100
1	G	56/55 (102%)	55 (98%)	1 (2%)	64	33
1	H	53/55 (96%)	52 (98%)	1 (2%)	62	30
1	I	54/55 (98%)	52 (96%)	2 (4%)	39	9
1	J	53/55 (96%)	52 (98%)	1 (2%)	62	30
1	K	56/55 (102%)	56 (100%)	0	100	100
1	L	52/55 (94%)	51 (98%)	1 (2%)	62	30
All	All	646/660 (98%)	636 (98%)	10 (2%)	68	42

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	GLU
1	B	3	LYS
1	E	3	LYS
1	E	68	GLU
1	G	68	GLU
1	H	68	GLU
1	I	3	LYS
1	I	68	GLU
1	J	68	GLU
1	L	42	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 29 ligands modelled in this entry, 5 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	FMN	A	1070	-	31,33,33	1.44	5 (16%)	38,50,50	1.49	4 (10%)
3	COA	A	1071	-	43,50,50	1.68	3 (6%)	48,75,75	1.76	3 (6%)
2	FMN	A	1072	-	31,33,33	1.46	5 (16%)	38,50,50	1.59	6 (15%)
3	COA	A	1073	-	43,50,50	1.63	3 (6%)	48,75,75	1.62	2 (4%)
2	FMN	B	1068	-	31,33,33	1.37	5 (16%)	38,50,50	1.39	4 (10%)
3	COA	B	1069	-	43,50,50	1.53	4 (9%)	48,75,75	1.58	3 (6%)
2	FMN	B	1070	-	31,33,33	1.30	4 (12%)	38,50,50	1.61	5 (13%)
2	FMN	C	1070	-	31,33,33	1.38	4 (12%)	38,50,50	1.56	5 (13%)
3	COA	C	1071	-	43,50,50	1.56	3 (6%)	48,75,75	1.82	1 (2%)
2	FMN	C	1072	-	31,33,33	1.35	5 (16%)	38,50,50	1.44	5 (13%)
2	FMN	D	1070	-	31,33,33	1.40	5 (16%)	38,50,50	1.53	4 (10%)
3	COA	D	1071	-	43,50,50	1.57	3 (6%)	48,75,75	1.73	2 (4%)
2	FMN	D	1072	-	31,33,33	1.41	4 (12%)	38,50,50	1.47	4 (10%)
3	COA	E	1070	-	43,50,50	1.59	3 (6%)	48,75,75	1.55	2 (4%)
2	FMN	F	1070	-	31,33,33	1.29	3 (9%)	38,50,50	1.63	4 (10%)
3	COA	F	1071	-	43,50,50	1.58	3 (6%)	48,75,75	1.85	2 (4%)
2	FMN	F	1072	-	31,33,33	1.35	5 (16%)	38,50,50	1.46	5 (13%)
3	COA	G	1070	-	43,50,50	1.62	3 (6%)	48,75,75	1.93	5 (10%)
2	FMN	H	1070	-	31,33,33	1.30	5 (16%)	38,50,50	1.68	7 (18%)
2	FMN	H	1071	-	31,33,33	1.32	4 (12%)	38,50,50	1.68	6 (15%)
3	COA	I	1070	-	43,50,50	1.57	4 (9%)	48,75,75	1.92	2 (4%)
3	COA	J	1070	-	43,50,50	1.57	3 (6%)	48,75,75	1.75	3 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	COA	K	1070	-	43,50,50	1.62	3 (6%)	48,75,75	1.79	3 (6%)
3	COA	L	1068	-	43,50,50	1.58	3 (6%)	48,75,75	1.68	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	A	1070	-	-	0/16/18/18	0/3/3/3
3	COA	A	1071	-	1/1/11/13	0/44/64/64	0/3/3/3
2	FMN	A	1072	-	-	0/16/18/18	0/3/3/3
3	COA	A	1073	-	-	0/44/64/64	0/3/3/3
2	FMN	B	1068	-	-	0/16/18/18	0/3/3/3
3	COA	B	1069	-	-	0/44/64/64	0/3/3/3
2	FMN	B	1070	-	-	0/16/18/18	0/3/3/3
2	FMN	C	1070	-	-	0/16/18/18	0/3/3/3
3	COA	C	1071	-	-	0/44/64/64	0/3/3/3
2	FMN	C	1072	-	-	0/16/18/18	0/3/3/3
2	FMN	D	1070	-	-	0/16/18/18	0/3/3/3
3	COA	D	1071	-	-	0/44/64/64	0/3/3/3
2	FMN	D	1072	-	-	0/16/18/18	0/3/3/3
3	COA	E	1070	-	-	0/44/64/64	0/3/3/3
2	FMN	F	1070	-	-	0/16/18/18	0/3/3/3
3	COA	F	1071	-	-	0/44/64/64	0/3/3/3
2	FMN	F	1072	-	-	0/16/18/18	0/3/3/3
3	COA	G	1070	-	-	0/44/64/64	0/3/3/3
2	FMN	H	1070	-	-	0/16/18/18	0/3/3/3
2	FMN	H	1071	-	-	0/16/18/18	0/3/3/3
3	COA	I	1070	-	-	0/44/64/64	0/3/3/3
3	COA	J	1070	-	-	0/44/64/64	0/3/3/3
3	COA	K	1070	-	1/1/11/13	0/44/64/64	0/3/3/3
3	COA	L	1068	-	-	0/44/64/64	0/3/3/3

All (92) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1072	FMN	C6-C5A	-2.14	1.38	1.41
2	D	1070	FMN	C6-C5A	-2.10	1.38	1.41
3	I	1070	COA	O4B-C4B	-2.06	1.40	1.45
3	B	1069	COA	O4B-C4B	-2.05	1.40	1.45
2	B	1068	FMN	C5A-N5	2.03	1.38	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	K	1070	COA	C2A-N1A	2.06	1.37	1.33
3	G	1070	COA	C2A-N1A	2.07	1.37	1.33
2	H	1070	FMN	C5A-N5	2.09	1.38	1.35
2	A	1072	FMN	C5A-N5	2.15	1.38	1.35
2	H	1071	FMN	C1'-N10	2.19	1.50	1.48
3	E	1070	COA	C2A-N1A	2.23	1.38	1.33
2	D	1072	FMN	C1'-N10	2.23	1.50	1.48
2	F	1072	FMN	C4-N3	2.23	1.37	1.33
3	B	1069	COA	C2A-N1A	2.24	1.38	1.33
3	F	1071	COA	C2A-N1A	2.26	1.38	1.33
2	C	1072	FMN	C1'-N10	2.29	1.50	1.48
2	A	1070	FMN	C5A-N5	2.29	1.38	1.35
3	I	1070	COA	C2A-N1A	2.33	1.38	1.33
2	B	1068	FMN	C1'-N10	2.34	1.50	1.48
2	C	1072	FMN	C5A-N5	2.34	1.38	1.35
3	A	1073	COA	C2A-N1A	2.37	1.38	1.33
3	J	1070	COA	C2A-N1A	2.37	1.38	1.33
3	A	1071	COA	C2A-N1A	2.40	1.38	1.33
2	A	1070	FMN	C1'-N10	2.42	1.50	1.48
3	L	1068	COA	C2A-N1A	2.47	1.38	1.33
2	C	1070	FMN	C4-N3	2.47	1.37	1.33
2	B	1070	FMN	C1'-N10	2.50	1.51	1.48
2	F	1070	FMN	C4-N3	2.55	1.37	1.33
3	D	1071	COA	C2A-N1A	2.60	1.38	1.33
3	C	1071	COA	C2A-N1A	2.63	1.38	1.33
2	A	1072	FMN	C4-N3	2.65	1.37	1.33
2	D	1070	FMN	C1'-N10	2.67	1.51	1.48
2	H	1070	FMN	C1'-N10	2.73	1.51	1.48
2	H	1070	FMN	C4-N3	2.76	1.38	1.33
2	D	1072	FMN	C4-N3	2.82	1.38	1.33
3	G	1070	COA	C2A-N3A	2.82	1.36	1.32
2	B	1070	FMN	C4-N3	2.83	1.38	1.33
2	D	1070	FMN	C4-N3	2.87	1.38	1.33
2	H	1071	FMN	C4-N3	2.90	1.38	1.33
2	B	1070	FMN	C4A-N5	3.03	1.37	1.33
3	B	1069	COA	C2A-N3A	3.05	1.37	1.32
3	K	1070	COA	C2A-N3A	3.06	1.37	1.32
2	H	1071	FMN	C4A-N5	3.06	1.37	1.33
2	B	1068	FMN	C4-N3	3.12	1.38	1.33
2	C	1072	FMN	C4-N3	3.14	1.38	1.33
2	A	1072	FMN	C1'-N10	3.15	1.51	1.48
2	H	1070	FMN	C4A-N5	3.20	1.37	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1070	FMN	C4A-N5	3.22	1.38	1.33
2	F	1070	FMN	C10-N1	3.22	1.37	1.33
2	F	1072	FMN	C10-N1	3.23	1.37	1.33
2	C	1070	FMN	C1'-N10	3.26	1.51	1.48
2	H	1070	FMN	C10-N1	3.27	1.37	1.33
2	A	1070	FMN	C4-N3	3.30	1.39	1.33
2	F	1072	FMN	C4A-N5	3.33	1.38	1.33
3	E	1070	COA	C2A-N3A	3.34	1.37	1.32
2	F	1072	FMN	C1'-N10	3.34	1.51	1.48
3	C	1071	COA	C2A-N3A	3.38	1.37	1.32
3	F	1071	COA	C2A-N3A	3.38	1.37	1.32
3	L	1068	COA	C2A-N3A	3.38	1.37	1.32
3	J	1070	COA	C2A-N3A	3.41	1.37	1.32
2	C	1072	FMN	C10-N1	3.49	1.38	1.33
2	C	1072	FMN	C4A-N5	3.53	1.38	1.33
2	B	1068	FMN	C4A-N5	3.53	1.38	1.33
2	D	1070	FMN	C4A-N5	3.54	1.38	1.33
2	F	1070	FMN	C4A-N5	3.54	1.38	1.33
2	C	1070	FMN	C10-N1	3.57	1.38	1.33
2	B	1070	FMN	C10-N1	3.65	1.38	1.33
2	B	1068	FMN	C10-N1	3.65	1.38	1.33
3	I	1070	COA	C2A-N3A	3.73	1.38	1.32
2	D	1070	FMN	C10-N1	3.74	1.38	1.33
2	D	1072	FMN	C4A-N5	3.79	1.38	1.33
3	D	1071	COA	C2A-N3A	3.81	1.38	1.32
2	A	1070	FMN	C4A-N5	3.83	1.38	1.33
3	A	1071	COA	C2A-N3A	3.84	1.38	1.32
2	A	1070	FMN	C10-N1	3.89	1.38	1.33
3	A	1073	COA	C2A-N3A	3.91	1.38	1.32
2	H	1071	FMN	C10-N1	3.93	1.38	1.33
2	A	1072	FMN	C4A-N5	4.06	1.39	1.33
2	D	1072	FMN	C10-N1	4.15	1.39	1.33
2	A	1072	FMN	C10-N1	4.18	1.39	1.33
3	B	1069	COA	O9P-C9P	8.10	1.39	1.23
3	I	1070	COA	O9P-C9P	8.19	1.39	1.23
3	C	1071	COA	O9P-C9P	8.36	1.39	1.23
3	D	1071	COA	O9P-C9P	8.41	1.39	1.23
3	J	1070	COA	O9P-C9P	8.46	1.40	1.23
3	L	1068	COA	O9P-C9P	8.59	1.40	1.23
3	A	1073	COA	O9P-C9P	8.69	1.40	1.23
3	E	1070	COA	O9P-C9P	8.71	1.40	1.23
3	F	1071	COA	O9P-C9P	8.71	1.40	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	1070	COA	O9P-C9P	9.00	1.41	1.23
3	K	1070	COA	O9P-C9P	9.06	1.41	1.23
3	A	1071	COA	O9P-C9P	9.23	1.41	1.23

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	1070	COA	N3A-C2A-N1A	-11.69	118.68	128.86
3	C	1071	COA	N3A-C2A-N1A	-11.40	118.93	128.86
3	F	1071	COA	N3A-C2A-N1A	-11.39	118.94	128.86
3	G	1070	COA	N3A-C2A-N1A	-11.22	119.09	128.86
3	J	1070	COA	N3A-C2A-N1A	-10.72	119.52	128.86
3	L	1068	COA	N3A-C2A-N1A	-10.57	119.66	128.86
3	K	1070	COA	N3A-C2A-N1A	-10.50	119.71	128.86
3	A	1071	COA	N3A-C2A-N1A	-10.47	119.74	128.86
3	D	1071	COA	N3A-C2A-N1A	-10.43	119.77	128.86
3	A	1073	COA	N3A-C2A-N1A	-9.81	120.31	128.86
3	E	1070	COA	N3A-C2A-N1A	-9.01	121.01	128.86
3	B	1069	COA	N3A-C2A-N1A	-8.94	121.07	128.86
2	F	1070	FMN	C4A-C4-N3	-4.03	117.75	123.48
2	H	1071	FMN	C4A-C4-N3	-3.38	118.67	123.48
2	B	1070	FMN	C4A-C4-N3	-3.09	119.09	123.48
2	B	1068	FMN	C4A-C4-N3	-2.90	119.36	123.48
2	C	1070	FMN	C4A-C4-N3	-2.88	119.38	123.48
3	E	1070	COA	C4A-C5A-N7A	-2.78	106.72	109.41
2	H	1070	FMN	C4A-C4-N3	-2.75	119.56	123.48
2	A	1070	FMN	C4A-C4-N3	-2.59	119.80	123.48
2	D	1072	FMN	C4A-C4-N3	-2.51	119.91	123.48
3	G	1070	COA	C6P-C7P-N8P	-2.46	106.79	111.87
3	G	1070	COA	C4A-C5A-N7A	-2.44	107.05	109.41
2	C	1072	FMN	C4A-C4-N3	-2.42	120.04	123.48
3	G	1070	COA	O6A-CCP-CBP	-2.36	106.75	110.55
3	B	1069	COA	C7P-N8P-C9P	-2.34	118.23	122.59
2	D	1070	FMN	C4A-C4-N3	-2.32	120.18	123.48
3	J	1070	COA	O6A-CCP-CBP	-2.26	106.92	110.55
3	B	1069	COA	C4A-C5A-N7A	-2.26	107.23	109.41
2	H	1071	FMN	O5'-C5'-C4'	-2.20	103.49	109.36
3	J	1070	COA	C4A-C5A-N7A	-2.20	107.29	109.41
3	K	1070	COA	C4A-C5A-N7A	-2.16	107.32	109.41
2	A	1072	FMN	C4A-C4-N3	-2.13	120.45	123.48
3	A	1073	COA	C1B-N9A-C4A	-2.12	122.97	126.64
3	A	1071	COA	C4A-C5A-N7A	-2.05	107.43	109.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1072	FMN	O5'-C5'-C4'	-2.03	103.95	109.36
2	H	1070	FMN	C9A-C5A-N5	-2.00	119.26	122.24
3	F	1071	COA	C2A-N1A-C6A	2.14	122.51	118.77
2	C	1070	FMN	C4-C4A-N5	2.20	121.09	118.68
2	F	1072	FMN	C4-C4A-N5	2.22	121.11	118.68
2	H	1070	FMN	C5A-C9A-N10	2.27	119.34	117.66
2	H	1070	FMN	C4-C4A-N5	2.27	121.17	118.68
3	I	1070	COA	C2A-N1A-C6A	2.28	122.76	118.77
2	A	1072	FMN	C5A-C9A-N10	2.29	119.36	117.66
2	H	1071	FMN	C5A-C9A-N10	2.32	119.38	117.66
2	C	1072	FMN	C4-C4A-N5	2.33	121.24	118.68
3	D	1071	COA	C3B-C2B-C1B	2.35	105.23	99.95
3	G	1070	COA	CDP-CBP-CCP	2.37	111.86	108.37
2	B	1070	FMN	C5A-C9A-N10	2.55	119.55	117.66
2	A	1070	FMN	C4A-N5-C5A	2.65	119.56	116.76
2	F	1072	FMN	C1'-N10-C9A	2.71	120.83	118.35
2	A	1072	FMN	C4A-N5-C5A	2.90	119.83	116.76
2	F	1072	FMN	C5A-C9A-N10	2.93	119.84	117.66
2	B	1068	FMN	C4A-N5-C5A	2.94	119.87	116.76
2	B	1070	FMN	C4A-N5-C5A	3.03	119.96	116.76
2	A	1072	FMN	C4-C4A-N5	3.10	122.08	118.68
2	B	1068	FMN	C1'-N10-C9A	3.14	121.22	118.35
2	H	1070	FMN	C1'-N10-C9A	3.22	121.30	118.35
2	H	1071	FMN	C1'-N10-C9A	3.23	121.31	118.35
2	C	1072	FMN	C1'-N10-C9A	3.34	121.41	118.35
2	F	1070	FMN	C4A-N5-C5A	3.36	120.31	116.76
3	A	1071	COA	CEP-CBP-CAP	3.37	114.67	108.82
2	F	1070	FMN	C1'-N10-C9A	3.41	121.47	118.35
3	K	1070	COA	CEP-CBP-CAP	3.60	115.07	108.82
2	D	1070	FMN	C1'-N10-C9A	3.75	121.78	118.35
2	C	1070	FMN	C1'-N10-C9A	3.83	121.86	118.35
2	D	1072	FMN	C4A-N5-C5A	3.98	120.96	116.76
2	F	1072	FMN	C4A-N5-C5A	3.99	120.97	116.76
2	D	1070	FMN	C4A-N5-C5A	3.99	120.98	116.76
2	C	1072	FMN	C4A-N5-C5A	4.31	121.32	116.76
2	F	1072	FMN	C4-N3-C2	4.40	119.01	115.16
2	A	1072	FMN	C1'-N10-C9A	4.41	122.39	118.35
2	C	1070	FMN	C4A-N5-C5A	4.42	121.43	116.76
2	H	1071	FMN	C4A-N5-C5A	4.48	121.49	116.76
2	A	1070	FMN	C1'-N10-C9A	4.69	122.64	118.35
2	H	1070	FMN	C4A-N5-C5A	4.70	121.73	116.76
2	C	1072	FMN	C4-N3-C2	4.77	119.33	115.16

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1070	FMN	C1'-N10-C9A	4.88	122.82	118.35
2	D	1070	FMN	C4-N3-C2	4.95	119.49	115.16
2	C	1070	FMN	C4-N3-C2	5.17	119.68	115.16
2	A	1070	FMN	C4-N3-C2	5.28	119.78	115.16
2	A	1072	FMN	C4-N3-C2	5.50	119.97	115.16
2	D	1072	FMN	C4-N3-C2	5.59	120.05	115.16
2	B	1070	FMN	C4-N3-C2	5.75	120.19	115.16
2	B	1068	FMN	C4-N3-C2	5.78	120.22	115.16
2	H	1071	FMN	C4-N3-C2	5.94	120.35	115.16
2	F	1070	FMN	C4-N3-C2	6.03	120.43	115.16
2	H	1070	FMN	C4-N3-C2	6.05	120.45	115.16

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	K	1070	COA	CAP
3	A	1071	COA	CAP

There are no torsion outliers.

There are no ring outliers.

14 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1071	COA	2	0
2	A	1072	FMN	1	0
2	B	1068	FMN	1	0
3	B	1069	COA	4	0
2	B	1070	FMN	1	0
2	C	1070	FMN	1	0
2	D	1070	FMN	1	0
2	D	1072	FMN	1	0
3	E	1070	COA	1	0
2	F	1072	FMN	1	0
3	G	1070	COA	3	0
2	H	1070	FMN	1	0
3	J	1070	COA	1	0
3	K	1070	COA	1	0

## 5.7 Other polymers

There are no such residues in this entry.



## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	68/69 (98%)	0.61	5 (7%) 15 17	18, 24, 36, 42	0
1	B	66/69 (95%)	0.18	3 (4%) 34 38	13, 19, 29, 36	0
1	C	68/69 (98%)	0.14	3 (4%) 35 40	14, 21, 29, 31	0
1	D	68/69 (98%)	0.27	4 (5%) 23 26	12, 20, 30, 37	0
1	E	68/69 (98%)	0.37	5 (7%) 15 17	14, 19, 30, 36	0
1	F	68/69 (98%)	0.10	3 (4%) 35 40	10, 17, 26, 33	0
1	G	68/69 (98%)	0.14	4 (5%) 23 26	11, 18, 27, 34	0
1	H	68/69 (98%)	0.66	4 (5%) 23 26	15, 23, 36, 45	0
1	I	68/69 (98%)	0.35	4 (5%) 23 26	11, 18, 28, 33	0
1	J	68/69 (98%)	0.49	5 (7%) 15 17	16, 23, 32, 39	0
1	K	68/69 (98%)	0.54	5 (7%) 15 17	16, 23, 31, 35	0
1	L	66/69 (95%)	0.70	6 (9%) 10 11	19, 25, 35, 37	0
All	All	812/828 (98%)	0.38	51 (6%) 21 24	10, 21, 33, 45	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	69	THR	12.9
1	H	69	THR	11.0
1	E	69	THR	8.0
1	J	69	THR	6.3
1	A	69	THR	5.9
1	L	2	GLY	5.8
1	H	2	GLY	5.7
1	F	69[A]	THR	5.6
1	J	2	GLY	5.1
1	K	2	GLY	4.7
1	G	2	GLY	4.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	69	THR	4.2
1	A	68	GLU	4.2
1	K	51	ALA	4.2
1	H	68	GLU	4.1
1	K	50	GLU	3.8
1	I	2	GLY	3.8
1	E	2	GLY	3.6
1	E	50	GLU	3.5
1	L	50	GLU	3.4
1	C	2	GLY	3.4
1	J	68	GLU	3.1
1	E	16	GLU	3.1
1	E	68	GLU	3.0
1	C	69	THR	3.0
1	K	69	THR	2.9
1	J	50	GLU	2.9
1	A	51	ALA	2.9
1	B	50	GLU	2.8
1	D	2	GLY	2.8
1	C	16	GLU	2.7
1	L	16	GLU	2.6
1	A	50	GLU	2.5
1	D	16	GLU	2.5
1	F	16	GLU	2.4
1	H	30	ARG	2.4
1	A	2	GLY	2.4
1	I	16	GLU	2.3
1	J	16	GLU	2.3
1	G	50	GLU	2.3
1	L	31	LYS	2.3
1	B	2	GLY	2.3
1	G	69	THR	2.2
1	I	50	GLU	2.2
1	L	27	ALA	2.1
1	K	60	LEU	2.1
1	B	16	GLU	2.1
1	G	68	GLU	2.1
1	F	2	GLY	2.0
1	D	68	GLU	2.0
1	L	51	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	COA	F	1071	48/48	0.91	0.10	1.77	15,23,34,35	0
2	FMN	B	1068	31/31	0.85	0.14	1.52	25,27,32,34	0
3	COA	D	1071	48/48	0.92	0.11	1.16	20,26,44,45	0
2	FMN	B	1070	31/31	0.85	0.13	0.73	25,26,37,38	0
3	COA	L	1068	48/48	0.84	0.14	0.68	30,38,43,44	0
3	COA	B	1069	48/48	0.93	0.09	0.39	16,24,33,34	0
3	COA	K	1070	48/48	0.90	0.11	0.25	18,28,36,37	0
3	COA	A	1073	48/48	0.83	0.13	0.18	31,37,47,48	0
3	COA	A	1071	48/48	0.85	0.13	0.16	27,36,45,46	0
2	FMN	D	1070	31/31	0.93	0.09	0.00	17,19,29,32	0
3	COA	G	1070	48/48	0.94	0.09	-0.02	15,24,33,34	0
3	COA	C	1071	48/48	0.93	0.09	-0.09	19,25,35,37	0
3	COA	I	1070	48/48	0.93	0.09	-0.11	16,24,32,34	0
3	COA	J	1070	48/48	0.91	0.10	-0.17	19,27,37,39	0
3	COA	E	1070	48/48	0.94	0.09	-0.22	15,24,30,35	0
2	FMN	H	1070	31/31	0.88	0.10	-0.24	20,21,41,42	0
2	FMN	C	1070	31/31	0.93	0.09	-0.27	19,20,29,32	0
2	FMN	A	1072	31/31	0.94	0.09	-0.29	17,18,25,26	0
2	FMN	F	1070	31/31	0.96	0.07	-0.30	11,14,21,24	0
2	FMN	H	1071	31/31	0.92	0.09	-0.36	20,22,35,36	0
2	FMN	F	1072	31/31	0.95	0.07	-0.49	12,14,23,25	0
2	FMN	A	1070	31/31	0.95	0.07	-0.79	19,20,29,30	0
2	FMN	C	1072	31/31	0.93	0.09	-0.80	20,21,32,33	0
2	FMN	D	1072	31/31	0.95	0.07	-0.95	18,19,27,28	0
4	CL	A	1074	1/1	0.99	0.05	-2.88	30,30,30,30	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	CL	B	1071	1/1	0.99	0.03	-3.61	15,15,15,15	0
4	CL	D	1073	1/1	0.99	0.04	-5.50	20,20,20,20	0
4	CL	C	1073	1/1	0.99	0.03	-6.72	21,21,21,21	0
5	NA	F	1073	1/1	0.98	0.10	-	33,33,33,33	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.