



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 16, 2017 – 06:12 PM EDT

PDB ID : 5W1U
Title : Culex quinquefasciatus carboxylesterase B2
Authors : Hopkins, D.H.; Jackson, C.J.
Deposited on : unknown
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20029824
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3846 (2.50-2.50)
Clashscore	112137	4554 (2.50-2.50)
Ramachandran outliers	110173	4463 (2.50-2.50)
Sidechain outliers	110143	4465 (2.50-2.50)
RSRZ outliers	101464	3876 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	540	<div> <div>3%</div> <div>84%</div> <div>15%</div> <div>..</div> </div>
1	B	540	<div> <div>6%</div> <div>80%</div> <div>17%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EPE	B	600	-	-	-	X
3	MLI	B	601	-	-	X	X

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 17173 atoms, of which 8380 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carboxylic ester hydrolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	536	Total	C	H	N	O	S	0	0	0
			8409	2705	4169	722	788	25			
1	B	537	Total	C	H	N	O	S	0	0	0
			8422	2710	4173	723	791	25			

- Molecule 2 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	S	0	0
			32	8	17	2	4	1		
2	B	1	Total	C	H	N	O	S	0	0
			32	8	17	2	4	1		

- Molecule 3 is MALONATE ION (three-letter code: MLI) (formula: $C_3H_2O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			9	3	2	4		
3	B	1	Total	C	H	O	0	0
			9	3	2	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	125	Total	O	0	0
			125	125		
4	B	135	Total	O	0	0
			135	135		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Carboxylic ester hydrolase



• Molecule 1: Carboxylic ester hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	125.07Å 125.07Å 168.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.58 – 2.50 62.54 – 2.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (45.58-2.50) 100.0 (62.54-2.50)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.195 , 0.270 0.195 , 0.269	Depositor DCC
R_{free} test set	2597 reflections (4.87%)	DCC
Wilson B-factor (Å ²)	40.9	Xtriage
Anisotropy	0.016	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 60.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	0.077 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	17173	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, MLI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	3/4345 (0.1%)	0.81	0/5888
1	B	0.76	0/4354	0.81	3/5900 (0.1%)
All	All	0.78	3/8699 (0.0%)	0.81	3/11788 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	419	CYS	CB-SG	-5.97	1.72	1.81
1	A	215	VAL	CB-CG2	-5.38	1.41	1.52
1	A	416	TYR	CD2-CE2	-5.25	1.31	1.39

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	526	ARG	NE-CZ-NH2	-6.19	117.20	120.30
1	B	400	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	B	312	ASP	CB-CG-OD1	5.29	123.06	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4240	4169	4166	40	0
1	B	4249	4173	4172	60	0
2	A	15	17	17	0	0
2	B	15	17	17	0	0
3	A	7	2	2	1	0
3	B	7	2	2	2	0
4	A	125	0	0	10	0
4	B	135	0	0	7	0
All	All	8793	8380	8376	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:ARG:NH2	4:B:701:HOH:O	2.12	0.81
1:A:454:THR:O	4:A:701:HOH:O	2.06	0.73
1:A:513:ASN:O	4:A:702:HOH:O	2.12	0.67
1:A:267:GLN:O	1:A:271:LEU:HD22	1.96	0.66
1:B:479:VAL:O	4:B:703:HOH:O	2.15	0.65
1:B:82:GLU:OE1	4:B:702:HOH:O	2.13	0.65
1:A:445:GLU:OE2	4:A:703:HOH:O	2.16	0.63
1:A:460:LYS:N	4:A:715:HOH:O	2.32	0.62
1:A:521:TYR:O	4:A:704:HOH:O	2.16	0.61
1:B:327:LEU:HD21	3:B:601:MLI:H12	1.81	0.61
1:A:360:ARG:NH1	4:A:707:HOH:O	2.21	0.58
1:B:276:MET:HA	1:B:280:ILE:HG22	1.85	0.58
1:B:273:ASP:N	1:B:273:ASP:OD1	2.35	0.58
1:A:39:ALA:O	1:A:41:GLU:N	2.36	0.58
1:B:391:ASP:OD2	1:B:526:ARG:HD2	2.04	0.58
1:B:327:LEU:CD2	3:B:601:MLI:H12	2.34	0.58
1:B:483:ASP:OD1	1:B:485:ASN:ND2	2.37	0.57
1:B:8:VAL:N	1:B:15:VAL:O	2.30	0.57
1:A:165:ASN:OD1	1:A:169:ARG:NE	2.36	0.57
1:A:343:HIS:ND1	4:A:714:HOH:O	2.31	0.57
1:A:342:PRO:O	4:A:705:HOH:O	2.17	0.56
1:B:262:ASP:O	1:B:266:ASN:ND2	2.34	0.56
1:A:271:LEU:HD23	1:A:283:PRO:CG	2.35	0.56
1:B:115:THR:HG22	1:B:117:GLY:H	1.71	0.56
1:B:375:SER:HB2	1:B:381:ASN:ND2	2.21	0.56
1:B:421:ASP:OD1	1:B:429:ARG:NH1	2.40	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:LEU:HD21	1:A:284:PHE:CE2	2.43	0.54
1:B:360:ARG:HD3	4:B:777:HOH:O	2.08	0.54
1:B:367:LEU:HB3	1:B:388:MET:CE	2.37	0.54
1:B:8:VAL:O	1:B:15:VAL:N	2.39	0.54
1:A:325:GLY:N	1:A:390:SER:OG	2.36	0.53
1:B:84:SER:O	1:B:86:LYS:N	2.40	0.53
1:A:271:LEU:CD2	1:A:283:PRO:CG	2.88	0.52
1:B:115:THR:HG22	1:B:116:SER:N	2.24	0.52
1:B:354:LYS:HE3	1:B:536:ASN:HB3	1.91	0.52
1:B:338:LEU:O	1:B:341:HIS:HB2	2.10	0.52
1:B:375:SER:HB2	1:B:381:ASN:HD21	1.75	0.52
1:B:67:PRO:HB3	1:B:115:THR:HG23	1.92	0.51
1:A:73:ARG:NE	1:A:113:GLU:OE1	2.44	0.51
1:B:201:LEU:CD2	1:B:314:ILE:HD11	2.41	0.50
1:B:448:TYR:HB2	1:B:471:LEU:HD12	1.93	0.50
1:A:94:ILE:HG22	1:A:96:PRO:HD3	1.94	0.50
3:A:601:MLI:O8	4:A:706:HOH:O	2.18	0.50
1:A:271:LEU:CD2	1:A:283:PRO:HG2	2.42	0.49
1:A:94:ILE:HD12	1:A:94:ILE:N	2.28	0.49
1:B:201:LEU:HD21	1:B:314:ILE:HD11	1.93	0.49
1:B:351:PRO:HA	1:B:360:ARG:HH12	1.77	0.49
1:A:194:ALA:HB3	1:A:218:GLY:HA3	1.95	0.48
1:B:388:MET:HG2	1:B:389:MET:HE2	1.96	0.48
1:B:16:ARG:NH2	1:B:60:ASP:OD1	2.47	0.48
1:A:185:VAL:N	1:A:211:GLN:OE1	2.45	0.48
1:A:336:PRO:C	1:A:338:LEU:H	2.17	0.48
1:B:356:SER:OG	4:B:704:HOH:O	2.17	0.47
1:B:345:PHE:CE1	1:B:368:LYS:HA	2.50	0.47
1:A:276:MET:HB3	1:A:280:ILE:HG22	1.97	0.46
1:A:299:PRO:HD2	1:A:305:MET:SD	2.55	0.46
1:A:7:THR:HG22	1:A:16:ARG:HB2	1.97	0.46
1:B:94:ILE:HD12	1:B:94:ILE:N	2.30	0.46
1:B:94:ILE:HG22	1:B:96:PRO:HD3	1.98	0.46
1:A:375:SER:OG	1:A:381:ASN:OD1	2.30	0.45
1:B:242:TRP:CZ3	1:B:244:GLY:HA2	2.52	0.45
1:B:266:ASN:HA	1:B:269:LYS:HB2	1.99	0.45
1:B:29:VAL:HG11	1:B:94:ILE:HD11	1.98	0.45
1:A:267:GLN:C	1:A:271:LEU:HD22	2.37	0.44
1:A:341:HIS:CE1	1:A:343:HIS:HB2	2.53	0.44
1:A:392:ARG:HG3	1:A:530:TRP:CH2	2.52	0.44
1:B:29:VAL:HG12	1:B:30:SER:N	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:LEU:HB3	1:B:388:MET:HE1	1.99	0.44
1:A:474:VAL:HG23	1:A:475:PHE:N	2.32	0.44
1:A:367:LEU:HD21	1:A:533:MET:HE3	2.00	0.44
1:B:280:ILE:O	1:B:280:ILE:HG23	2.18	0.44
1:B:115:THR:HG22	1:B:116:SER:H	1.83	0.43
1:A:88:ASN:ND2	4:A:730:HOH:O	2.52	0.43
1:B:354:LYS:O	1:B:354:LYS:HG3	2.19	0.43
1:B:14:PRO:HB2	1:B:58:THR:HA	2.01	0.43
1:B:354:LYS:HE2	4:B:791:HOH:O	2.18	0.43
1:A:64:GLN:NE2	1:A:119:GLU:OE1	2.45	0.42
1:B:39:ALA:HB2	1:B:83:ASP:OD1	2.19	0.42
1:B:266:ASN:O	1:B:271:LEU:HD23	2.18	0.42
1:A:191:SER:HA	1:A:217:SER:O	2.20	0.42
1:B:367:LEU:HD23	1:B:529:MET:CE	2.48	0.42
1:B:335:GLN:N	1:B:336:PRO:HD3	2.34	0.42
1:A:70:HIS:CD2	1:A:113:GLU:HB2	2.55	0.42
1:B:365:ALA:O	1:B:369:GLN:HG2	2.20	0.42
1:B:399:HIS:HB2	1:B:527:LEU:HD13	2.01	0.42
1:B:87:ILE:HD13	1:B:170:TRP:CZ3	2.55	0.42
1:B:87:ILE:HD13	1:B:170:TRP:CE3	2.54	0.42
1:A:299:PRO:HD2	1:A:305:MET:HE3	2.03	0.41
1:A:414:PHE:CD1	1:A:484:PRO:HG3	2.56	0.41
1:A:201:LEU:HD21	1:A:314:ILE:HD11	2.03	0.41
1:B:332:ILE:HD12	1:B:338:LEU:HB3	2.03	0.41
1:B:331:LYS:O	1:B:334:LEU:N	2.48	0.41
1:B:303:PHE:HB2	4:B:744:HOH:O	2.21	0.41
1:B:69:TYR:CE1	1:B:260:PRO:HB2	2.56	0.41
1:A:271:LEU:HG	1:A:283:PRO:HG3	2.04	0.40
1:B:329:LEU:HD11	1:B:382:ASN:HD22	1.85	0.40
1:B:367:LEU:HD23	1:B:529:MET:HE1	2.03	0.40
1:B:526:ARG:O	1:B:529:MET:HB3	2.21	0.40
1:B:392:ARG:HG3	1:B:530:TRP:CH2	2.57	0.40
1:A:353:LEU:HB2	1:A:355:ILE:HG12	2.02	0.40
1:B:274:GLN:O	1:B:275:ASP:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	534/540 (99%)	479 (90%)	50 (9%)	5 (1%)	20	36
1	B	535/540 (99%)	487 (91%)	45 (8%)	3 (1%)	28	48
All	All	1069/1080 (99%)	966 (90%)	95 (9%)	8 (1%)	25	43

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	267	GLN
1	A	269	LYS
1	A	208	ASP
1	A	279	ASP
1	A	336	PRO
1	B	85	LEU
1	B	336	PRO
1	B	264	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	457/461 (99%)	433 (95%)	24 (5%)	26	48
1	B	458/461 (99%)	425 (93%)	33 (7%)	17	31
All	All	915/922 (99%)	858 (94%)	57 (6%)	21	39

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	18	LYS
1	A	22	SER
1	A	30	SER
1	A	53	GLN
1	A	63	GLN
1	A	97	SER
1	A	124	ASP
1	A	130	ASP
1	A	140	ILE
1	A	150	SER
1	A	245	GLN
1	A	272	THR
1	A	273	ASP
1	A	277	GLN
1	A	331	LYS
1	A	337	GLU
1	A	338	LEU
1	A	359	LYS
1	A	375	SER
1	A	376	SER
1	A	438	ARG
1	A	496	PHE
1	A	510	ASN
1	B	6	LEU
1	B	7	THR
1	B	15	VAL
1	B	30	SER
1	B	43	GLU
1	B	56	THR
1	B	87	ILE
1	B	112	THR
1	B	140	ILE
1	B	149	GLN
1	B	204	ASP
1	B	223	SER
1	B	253	ARG
1	B	270	LEU
1	B	273	ASP
1	B	274	GLN
1	B	308	THR
1	B	331	LYS
1	B	335	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	338	LEU
1	B	341	HIS
1	B	344	LEU
1	B	357	MET
1	B	359	LYS
1	B	374	ASP
1	B	375	SER
1	B	408	ARG
1	B	423	GLU
1	B	438	ARG
1	B	452	ASN
1	B	456	GLN
1	B	492	SER
1	B	496	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EPE	A	600	-	15,15,15	1.36	1 (6%)	18,20,20	2.79	6 (33%)
3	MLI	A	601	-	0,6,6	0.00	-	0,7,7	0.00	-
2	EPE	B	600	-	15,15,15	1.86	2 (13%)	18,20,20	3.31	10 (55%)
3	MLI	B	601	-	0,6,6	0.00	-	0,7,7	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EPE	A	600	-	-	0/9/19/19	0/1/1/1
3	MLI	A	601	-	-	0/0/4/4	0/0/0/0
2	EPE	B	600	-	-	0/9/19/19	0/1/1/1
3	MLI	B	601	-	-	0/0/4/4	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	600	EPE	C9-N1	2.47	1.53	1.47
2	A	600	EPE	C10-S	4.65	1.84	1.77
2	B	600	EPE	C10-S	6.08	1.86	1.77

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	EPE	O2S-S-O1S	-2.87	103.90	113.86
2	B	600	EPE	O3S-S-O1S	-2.86	104.81	111.37
2	A	600	EPE	O3S-S-O1S	-2.77	105.01	111.37
2	B	600	EPE	C5-N4-C3	2.37	114.23	108.87
2	B	600	EPE	C7-N4-C3	2.38	117.36	111.26
2	A	600	EPE	C9-N1-C6	2.45	117.55	111.26
2	A	600	EPE	O3S-S-C10	2.57	109.22	106.06
2	B	600	EPE	C2-C3-N4	3.25	117.21	110.63
2	A	600	EPE	C7-N4-C3	3.30	119.70	111.26
2	A	600	EPE	C7-N4-C5	3.44	120.07	111.26
2	B	600	EPE	C7-N4-C5	3.68	120.68	111.26
2	B	600	EPE	O3S-S-C10	3.69	110.59	106.06
2	B	600	EPE	O1S-S-C10	3.89	110.13	106.79
2	B	600	EPE	C3-C2-N1	4.79	120.32	110.63
2	B	600	EPE	O2S-S-C10	9.17	114.67	106.79
2	A	600	EPE	O2S-S-C10	9.21	114.71	106.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	MLI	1	0
3	B	601	MLI	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	536/540 (99%)	0.22	16 (2%) 51 53	19, 46, 79, 128	0
1	B	537/540 (99%)	0.41	30 (5%) 25 26	20, 48, 89, 234	0
All	All	1073/1080 (99%)	0.31	46 (4%) 36 38	19, 47, 84, 234	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	272	THR	6.2
1	A	271	LEU	4.8
1	B	332	ILE	4.3
1	A	270	LEU	4.0
1	B	12	TYR	4.0
1	B	270	LEU	4.0
1	B	96	PRO	3.8
1	B	257	ALA	3.4
1	B	4	GLU	3.4
1	B	44	LEU	3.1
1	B	98	LYS	3.1
1	B	21	VAL	3.0
1	A	240	ILE	2.8
1	B	152	GLN	2.8
1	B	245	GLN	2.8
1	B	335	GLN	2.7
1	B	334	LEU	2.7
1	A	5	SER	2.7
1	B	97	SER	2.7
1	B	242	TRP	2.6
1	B	42	GLY	2.6
1	B	53	GLN	2.5
1	A	54	ASN	2.4
1	A	252	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	273	ASP	2.3
1	B	269	LYS	2.3
1	A	254	PHE	2.3
1	B	247	GLY	2.2
1	B	46	PHE	2.2
1	B	14	PRO	2.2
1	A	262	ASP	2.2
1	A	241	GLY	2.2
1	A	242	TRP	2.1
1	B	55	TRP	2.1
1	B	52	PRO	2.1
1	B	240	ILE	2.1
1	A	238	LYS	2.1
1	B	180	GLY	2.1
1	B	295	GLN	2.1
1	B	29	VAL	2.1
1	A	91	ALA	2.1
1	B	253	ARG	2.1
1	B	7	THR	2.0
1	B	255	LEU	2.0
1	A	259	LYS	2.0
1	A	247	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	MLI	B	601	7/7	0.85	0.30	5.35	38,60,95,95	0
2	EPE	B	600	15/15	0.87	0.22	3.08	47,61,83,101	0
2	EPE	A	600	15/15	0.91	0.21	1.07	42,60,79,91	0
3	MLI	A	601	7/7	0.91	0.19	0.56	53,76,93,93	0

6.5 Other polymers [i](#)

There are no such residues in this entry.