



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 09:11 am GMT

PDB ID : 4W4H
Title : Escherichia coli tryptophanase in holo form
Authors : Goldgur, Y.
Deposited on : 2014-08-14
Resolution : 2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1586 (2.90-2.90)
Clashscore	112137	1807 (2.90-2.90)
Ramachandran outliers	110173	1768 (2.90-2.90)
Sidechain outliers	110143	1770 (2.90-2.90)
RSRZ outliers	101464	1596 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	467	<div> <div>5%</div> <div> <div></div> <div>65%</div> <div>24%</div> <div>• 8%</div> </div> </div>
1	B	467	<div> <div>3%</div> <div> <div></div> <div>67%</div> <div>23%</div> <div>• 7%</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6832 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tryptophanase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	P	S	0	0	0
			3377	2146	567	641	1	22			
1	B	433	Total	C	N	O	P	S	0	0	0
			3413	2170	573	647	1	22			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	21	Total	O	0	0
			21	21		
2	B	21	Total	O	0	0
			21	21		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tryptophanase



• Molecule 1: Tryptophanase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	112.44Å 112.44Å 232.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	14.97 – 2.89 14.97 – 2.89	Depositor EDS
% Data completeness (in resolution range)	100.0 (14.97-2.89) 98.6 (14.97-2.89)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.227 , 0.278 0.220 , 0.267	Depositor DCC
R_{free} test set	1687 reflections (5.33%)	DCC
Wilson B-factor (Å ²)	64.3	Xtriage
Anisotropy	0.467	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 48.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	6832	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	7/3421 (0.2%)	0.88	6/4624 (0.1%)
1	B	0.90	5/3457 (0.1%)	0.92	8/4672 (0.2%)
All	All	0.88	12/6878 (0.2%)	0.90	14/9296 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
All	All	0	4

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	103	ARG	CB-CG	15.22	1.93	1.52
1	A	103	ARG	CB-CG	11.83	1.84	1.52
1	B	103	ARG	CG-CD	10.12	1.77	1.51
1	B	103	ARG	CA-CB	9.30	1.74	1.53
1	A	103	ARG	CG-CD	8.83	1.74	1.51
1	B	103	ARG	CD-NE	8.43	1.60	1.46
1	B	103	ARG	NE-CZ	8.36	1.44	1.33
1	A	103	ARG	CD-NE	7.00	1.58	1.46
1	A	103	ARG	NE-CZ	6.87	1.42	1.33
1	A	103	ARG	CA-CB	6.35	1.68	1.53
1	A	251	GLU	CD-OE2	5.51	1.31	1.25
1	A	251	GLU	CG-CD	5.10	1.59	1.51

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	103	ARG	NE-CZ-NH1	11.27	125.93	120.30
1	B	103	ARG	NE-CZ-NH2	9.87	125.24	120.30
1	B	103	ARG	NH1-CZ-NH2	-9.71	108.72	119.40
1	A	103	ARG	NE-CZ-NH2	8.85	124.73	120.30
1	B	103	ARG	CB-CG-CD	8.19	132.91	111.60
1	A	103	ARG	CB-CG-CD	6.99	129.77	111.60
1	B	103	ARG	CG-CD-NE	6.68	125.82	111.80
1	A	103	ARG	NH1-CZ-NH2	-6.39	112.37	119.40
1	B	103	ARG	CB-CA-C	6.17	122.74	110.40
1	B	172	ASP	CB-CG-OD1	6.17	123.85	118.30
1	B	103	ARG	CD-NE-CZ	6.05	132.08	123.60
1	A	103	ARG	NE-CZ-NH1	5.19	122.90	120.30
1	A	103	ARG	CG-CD-NE	5.17	122.67	111.80
1	A	103	ARG	CB-CA-C	5.13	120.66	110.40

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	34	SER	Peptide
1	B	34	SER	Peptide
1	B	415	ALA	Peptide
1	B	449	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3377	0	3313	95	0
1	B	3413	0	3358	84	0
2	A	21	0	0	1	0
2	B	21	0	0	5	0
All	All	6832	0	6671	175	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:ARG:CG	1:B:103:ARG:CD	1.77	1.59
1:A:103:ARG:CG	1:A:103:ARG:CB	1.84	1.54
1:B:103:ARG:CB	1:B:103:ARG:CG	1.93	1.42
1:A:12:ARG:HH11	1:A:12:ARG:HG2	1.16	1.06
1:A:133:ASN:HD21	1:A:194:THR:H	1.04	0.98
1:B:133:ASN:HD21	1:B:194:THR:H	1.12	0.92
1:A:133:ASN:HD22	1:A:133:ASN:H	1.19	0.90
1:B:327:ASN:HD22	1:B:330:TRP:H	1.14	0.89
1:B:76:GLY:H	1:B:306:THR:HG21	1.36	0.89
1:B:371:ILE:HD11	1:B:449:ILE:O	1.75	0.85
1:B:133:ASN:ND2	1:B:194:THR:H	1.76	0.83
1:A:327:ASN:HD22	1:A:330:TRP:H	1.27	0.83
1:A:249:THR:OG1	1:A:252:GLN:HG3	1.81	0.81
1:B:249:THR:OG1	1:B:252:GLN:HG3	1.84	0.77
1:A:133:ASN:HD22	1:A:133:ASN:N	1.82	0.76
1:B:353:GLN:HE21	1:B:354:GLN:H	1.34	0.76
1:A:32:ILE:O	1:A:35:GLY:HA2	1.85	0.75
1:B:327:ASN:HB3	1:B:330:TRP:HB3	1.68	0.75
1:B:103:ARG:HG2	1:B:138:THR:HG21	1.67	0.75
1:B:233:GLU:HG2	1:B:335:ILE:HD11	1.66	0.75
1:B:240:GLN:HG2	1:B:241:ARG:HG3	1.68	0.73
1:B:65:ALA:O	2:B:501:HOH:O	2.06	0.73
1:B:76:GLY:N	1:B:306:THR:HG21	2.04	0.72
1:A:225:VAL:HG22	1:A:263:MET:HG3	1.72	0.71
1:A:9:GLU:HG3	1:A:333:TYR:CZ	2.25	0.71
1:B:107:GLN:HB3	1:B:301:GLN:OE1	1.90	0.71
1:B:69:ARG:HG3	2:B:501:HOH:O	1.90	0.71
1:A:12:ARG:HG2	1:A:12:ARG:NH1	1.94	0.70
1:B:9:GLU:HG3	1:B:333:TYR:CZ	2.27	0.70
1:B:133:ASN:HD21	1:B:194:THR:N	1.89	0.69
1:B:385:LEU:HD11	1:B:439:PHE:CE1	2.28	0.68
1:A:103:ARG:HG3	1:A:270:LLP:OP1	1.94	0.68
1:A:376:PHE:N	1:A:376:PHE:CD2	2.62	0.66
1:A:5:LYS:N	2:A:513:HOH:O	2.27	0.66
1:B:170:ASN:HD21	1:B:206:SER:H	1.43	0.66
1:B:171:PHE:H	1:B:209:ASN:HD21	1.42	0.65
1:A:170:ASN:HD21	1:A:206:SER:H	1.43	0.65
1:A:228:SER:HB3	1:A:258:TYR:OH	1.97	0.65
1:B:178:ARG:NH1	1:B:178:ARG:HG3	2.12	0.64
1:A:143:SER:OG	1:A:190:TYR:OH	2.15	0.64
1:A:51:LEU:O	1:A:419:ARG:NH2	2.31	0.64
1:B:110:ILE:O	1:B:114:ILE:HG13	1.98	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:389:ALA:HB1	1:B:434:PHE:CE1	2.34	0.63
1:B:58:ALA:HB3	1:B:425:ALA:HB3	1.81	0.62
1:B:171:PHE:HB2	1:B:209:ASN:HD21	1.64	0.62
1:A:101:GLN:HB2	1:A:270:LLP:OP2	2.01	0.61
1:B:38:PRO:HD2	1:B:379:GLN:HE22	1.65	0.61
1:A:124:ASP:H	1:A:187:ASN:HD22	1.48	0.60
1:B:178:ARG:HH11	1:B:178:ARG:HG3	1.65	0.60
1:B:101:GLN:HB2	1:B:270:LLP:OP2	2.00	0.60
1:B:218:LYS:HG3	2:B:518:HOH:O	2.01	0.60
1:A:381:LEU:CD1	1:A:442:VAL:HG11	2.31	0.60
1:B:124:ASP:H	1:B:187:ASN:HD22	1.48	0.59
1:B:103:ARG:HG3	1:B:270:LLP:OP1	2.03	0.59
1:A:171:PHE:H	1:A:209:ASN:HD21	1.50	0.59
1:A:141:GLY:O	1:A:145:ILE:HG12	2.03	0.57
1:A:327:ASN:ND2	1:A:330:TRP:H	2.01	0.57
1:A:353:GLN:HG3	1:A:354:GLN:N	2.18	0.57
1:B:124:ASP:HB3	1:B:127:LYS:HB2	1.87	0.57
1:A:359:ALA:HB2	1:A:421:THR:HG22	1.87	0.56
1:A:376:PHE:HD2	1:A:376:PHE:N	2.03	0.56
1:B:9:GLU:HG3	1:B:333:TYR:OH	2.05	0.56
1:B:171:PHE:H	1:B:209:ASN:ND2	2.03	0.56
1:A:376:PHE:HD2	1:A:376:PHE:H	1.53	0.56
1:A:133:ASN:ND2	1:A:133:ASN:H	1.98	0.56
1:A:133:ASN:HD21	1:A:194:THR:N	1.88	0.55
1:A:248:TRP:HZ3	1:A:256:GLU:HB2	1.72	0.55
1:A:108:ILE:O	1:A:111:PRO:HD2	2.07	0.55
1:A:133:ASN:ND2	1:A:194:THR:H	1.88	0.55
1:A:381:LEU:HD13	1:A:442:VAL:HG11	1.89	0.55
1:A:372:PRO:HD2	1:A:375:GLN:OE1	2.07	0.54
1:A:446:ALA:C	1:A:448:ASN:H	2.11	0.54
1:B:256:GLU:HA	1:B:256:GLU:OE2	2.08	0.54
1:A:13:ILE:HG23	1:B:13:ILE:HG23	1.90	0.53
1:B:267:SER:HB2	1:B:270:LLP:OP4	2.09	0.53
1:B:108:ILE:O	1:B:111:PRO:HD2	2.09	0.53
1:B:225:VAL:HG22	1:B:263:MET:HG3	1.92	0.52
1:B:178:ARG:HH11	1:B:178:ARG:CG	2.23	0.52
1:B:195:ILE:O	1:B:195:ILE:HG13	2.09	0.52
1:A:133:ASN:ND2	1:A:133:ASN:N	2.56	0.51
1:B:327:ASN:ND2	1:B:330:TRP:H	1.95	0.51
1:B:102:GLY:HA3	1:B:270:LLP:OP4	2.11	0.51
1:B:284:ASP:OD1	1:B:286:SER:OG	2.28	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:LEU:HD21	1:A:257:THR:HA	1.93	0.51
1:A:6:HIS:CE1	1:A:337:GLN:HG3	2.46	0.50
1:B:133:ASN:O	1:B:134:TYR:HB2	2.11	0.50
1:B:261:ALA:O	1:B:283:LYS:HE3	2.11	0.50
1:A:135:PHE:CE2	1:A:150:VAL:HB	2.47	0.50
1:B:270:LLP:O3	1:B:270:LLP:NZ	2.43	0.50
1:A:201:GLY:HA2	1:A:361:PHE:CZ	2.47	0.49
1:A:267:SER:HB2	1:A:270:LLP:OP4	2.12	0.49
1:A:304:PHE:HD2	1:A:306:THR:HB	1.77	0.49
1:A:39:PHE:CE1	1:A:51:LEU:HD21	2.47	0.49
1:A:394:VAL:CG1	1:A:395:GLU:N	2.75	0.49
1:A:445:ASN:HD22	1:A:448:ASN:HD22	1.60	0.49
1:A:361:PHE:CZ	1:A:419:ARG:HG3	2.48	0.49
1:A:103:ARG:HG2	1:A:138:THR:HG21	1.95	0.49
1:A:171:PHE:HB2	1:A:209:ASN:HD21	1.77	0.48
1:A:226:MET:HG2	1:A:258:TYR:CE1	2.48	0.48
1:B:129:VAL:HG22	1:B:149:THR:HB	1.96	0.48
1:A:135:PHE:CD2	1:A:150:VAL:HB	2.48	0.48
1:A:136:PHE:CE1	1:A:198:ASN:ND2	2.82	0.48
1:A:228:SER:HB3	1:A:258:TYR:HH	1.79	0.48
1:A:15:VAL:HB	1:B:15:VAL:HG23	1.96	0.47
1:B:211:LYS:HG2	1:B:260:TYR:CE1	2.49	0.47
1:B:230:ARG:CZ	1:B:270:LLP:HG3	2.45	0.47
1:A:211:LYS:HG2	1:A:260:TYR:CZ	2.49	0.47
1:A:159:PHE:CE2	1:A:200:ALA:HA	2.50	0.47
1:A:22:THR:O	1:A:27:ARG:NH1	2.47	0.47
1:A:107:GLN:CG	1:A:142:HIS:NE2	2.77	0.47
1:A:6:HIS:HD2	1:A:7:LEU:O	1.98	0.47
1:A:13:ILE:HD13	1:B:13:ILE:HG12	1.97	0.47
1:A:306:THR:CG2	1:A:306:THR:O	2.62	0.47
1:B:233:GLU:HG2	1:B:335:ILE:CD1	2.40	0.47
1:B:207:LEU:HD21	1:B:257:THR:HA	1.96	0.46
1:A:304:PHE:CD2	1:A:306:THR:HB	2.50	0.46
1:A:306:THR:HG23	1:A:306:THR:O	2.15	0.46
1:A:249:THR:HG1	1:A:252:GLN:HG3	1.79	0.46
1:A:144:GLN:HB2	1:A:144:GLN:HE21	1.58	0.46
1:B:155:ILE:HD11	1:B:168:LYS:HA	1.98	0.46
1:A:51:LEU:O	1:A:52:THR:HB	2.16	0.46
1:B:124:ASP:H	1:B:187:ASN:ND2	2.13	0.46
1:A:76:GLY:N	1:A:306:THR:HG21	2.31	0.45
1:B:161:THR:HG22	1:B:353:GLN:HB2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:194:THR:HA	1:B:227:ASP:HB3	1.97	0.45
1:B:7:LEU:HD21	2:B:512:HOH:O	2.16	0.45
1:A:171:PHE:H	1:A:209:ASN:ND2	2.14	0.45
1:A:15:VAL:HA	1:B:59:VAL:O	2.16	0.45
1:A:270:LLP:O3	1:A:270:LLP:NZ	2.49	0.45
1:A:211:LYS:HB3	1:A:211:LYS:HE2	1.62	0.45
1:B:142:HIS:O	1:B:143:SER:C	2.55	0.45
1:A:266:MET:HE3	1:A:268:ALA:HA	1.98	0.45
1:A:102:GLY:HA3	1:A:270:LLP:OP4	2.17	0.45
1:B:95:TYR:HB3	1:B:291:TYR:CD1	2.52	0.45
1:A:107:GLN:HG2	1:A:142:HIS:NE2	2.32	0.45
1:A:58:ALA:HB3	1:A:425:ALA:HB3	1.99	0.45
1:A:353:GLN:HG3	1:A:354:GLN:O	2.17	0.44
1:B:137:ASP:OD2	1:B:137:ASP:N	2.50	0.44
1:B:168:LYS:NZ	1:B:353:GLN:HE22	2.15	0.44
1:A:394:VAL:HG12	1:A:395:GLU:N	2.32	0.44
1:B:353:GLN:NE2	1:B:354:GLN:H	2.09	0.44
1:B:211:LYS:HG2	1:B:260:TYR:CZ	2.53	0.44
1:B:37:ASN:O	1:B:39:PHE:N	2.51	0.44
1:B:385:LEU:HD11	1:B:439:PHE:CZ	2.53	0.44
1:B:375:GLN:HB3	1:B:452:LEU:H	1.83	0.43
1:B:158:ALA:HA	1:B:168:LYS:HB3	1.99	0.43
1:A:102:GLY:O	1:A:104:GLY:N	2.51	0.43
1:A:155:ILE:HD12	1:A:157:GLU:OE2	2.18	0.43
1:A:264:LEU:HG	1:A:281:CYS:HB2	2.00	0.43
1:A:88:LYS:O	1:A:92:GLY:HA2	2.19	0.43
1:A:445:ASN:ND2	1:A:448:ASN:HD22	2.16	0.43
1:B:69:ARG:N	2:B:501:HOH:O	2.51	0.43
1:A:124:ASP:H	1:A:187:ASN:ND2	2.15	0.42
1:A:327:ASN:HB3	1:A:330:TRP:HB3	2.01	0.42
1:A:83:LEU:HA	1:A:319:ALA:HB2	2.00	0.42
1:B:123:LEU:HD12	1:B:187:ASN:HA	2.00	0.42
1:B:140:GLN:HG3	1:B:150:VAL:HG21	2.01	0.42
1:A:204:PRO:HG3	1:A:237:PHE:CG	2.54	0.42
1:A:128:MET:HE3	1:A:148:CYS:HB2	2.02	0.42
1:A:249:THR:O	1:A:253:ILE:HG13	2.20	0.42
1:B:160:ASP:C	1:B:162:GLY:H	2.24	0.41
1:B:133:ASN:HD22	1:B:133:ASN:H	1.67	0.41
1:B:396:ILE:O	1:B:419:ARG:NH1	2.53	0.41
1:B:451:GLY:O	1:B:452:LEU:HD23	2.20	0.41
1:A:102:GLY:C	1:A:104:GLY:N	2.74	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:THR:O	1:A:299:VAL:HB	2.21	0.41
1:B:379:GLN:HE21	1:B:379:GLN:HA	1.85	0.41
1:B:23:THR:O	1:B:24:ARG:C	2.58	0.41
1:A:170:ASN:HD22	1:A:205:VAL:HG13	1.85	0.41
1:A:385:LEU:HD12	1:A:442:VAL:HG21	2.03	0.41
1:B:9:GLU:HA	1:B:333:TYR:CE1	2.56	0.41
1:B:167:PHE:CD2	1:B:204:PRO:HB2	2.56	0.41
1:B:328:LEU:HD12	1:B:328:LEU:HA	1.82	0.40
1:A:201:GLY:HA2	1:A:361:PHE:CE2	2.57	0.40
1:A:99:THR:HA	1:A:308:GLY:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/467 (91%)	389 (92%)	29 (7%)	5 (1%)	15	46
1	B	428/467 (92%)	388 (91%)	36 (8%)	4 (1%)	20	54
All	All	851/934 (91%)	777 (91%)	65 (8%)	9 (1%)	17	48

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	35	GLY
1	A	373	ALA
1	A	447	ALA
1	B	450	LYS
1	A	35	GLY
1	A	414	PRO
1	B	376	PHE
1	A	103	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	134	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/385 (91%)	326 (93%)	25 (7%)	17	44
1	B	355/385 (92%)	323 (91%)	32 (9%)	11	33
All	All	706/770 (92%)	649 (92%)	57 (8%)	14	38

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	ARG
1	A	20	LYS
1	A	36	MET
1	A	51	LEU
1	A	119	GLN
1	A	133	ASN
1	A	143	SER
1	A	156	LYS
1	A	163	VAL
1	A	164	ARG
1	A	177	GLU
1	A	215	SER
1	A	218	LYS
1	A	219	LYS
1	A	228	SER
1	A	273	MET
1	A	306	THR
1	A	334	ARG
1	A	353	GLN
1	A	370	HIS
1	A	374	ASP
1	A	376	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	417	LEU
1	A	421	THR
1	A	445	ASN
1	B	12	ARG
1	B	20	LYS
1	B	32	ILE
1	B	51	LEU
1	B	107	GLN
1	B	115	LYS
1	B	133	ASN
1	B	137	ASP
1	B	139	THR
1	B	156	LYS
1	B	163	VAL
1	B	177	GLU
1	B	178	ARG
1	B	182	GLU
1	B	215	SER
1	B	218	LYS
1	B	219	LYS
1	B	240	GLN
1	B	246	LYS
1	B	255	ARG
1	B	273	MET
1	B	306	THR
1	B	334	ARG
1	B	353	GLN
1	B	376	PHE
1	B	379	GLN
1	B	394	VAL
1	B	395	GLU
1	B	396	ILE
1	B	417	LEU
1	B	444	GLU
1	B	450	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	HIS
1	A	64	GLN
1	A	119	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	133	ASN
1	A	140	GLN
1	A	144	GLN
1	A	170	ASN
1	A	187	ASN
1	A	198	ASN
1	A	209	ASN
1	A	327	ASN
1	A	339	GLN
1	A	353	GLN
1	A	379	GLN
1	A	445	ASN
1	B	6	HIS
1	B	64	GLN
1	B	119	GLN
1	B	133	ASN
1	B	140	GLN
1	B	170	ASN
1	B	187	ASN
1	B	209	ASN
1	B	327	ASN
1	B	353	GLN
1	B	379	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LLP	A	270	1	24,24,25	2.19	6 (25%)	28,32,34	2.07	7 (25%)
1	LLP	B	270	1	24,24,25	2.15	6 (25%)	28,32,34	1.99	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	A	270	1	-	0/15/17/19	0/1/1/1
1	LLP	B	270	1	-	0/15/17/19	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	270	LLP	O3-C3	-5.98	1.23	1.37
1	A	270	LLP	O3-C3	-5.63	1.24	1.37
1	B	270	LLP	C3-C2	-3.45	1.38	1.40
1	B	270	LLP	P-OP1	-2.22	1.43	1.50
1	A	270	LLP	C2-N1	2.25	1.38	1.33
1	A	270	LLP	C4'-NZ	2.56	1.34	1.27
1	B	270	LLP	C4-C4'	2.57	1.51	1.46
1	A	270	LLP	C6-N1	2.69	1.40	1.34
1	B	270	LLP	C4'-NZ	2.77	1.35	1.27
1	A	270	LLP	C4-C4'	4.10	1.54	1.46
1	B	270	LLP	CA-C	4.86	1.56	1.50
1	A	270	LLP	CA-C	5.35	1.57	1.50

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	270	LLP	OP2-P-OP4	-3.62	97.10	106.73
1	B	270	LLP	C4-C4'-NZ	-3.33	108.50	124.66
1	A	270	LLP	C4-C4'-NZ	-3.29	108.70	124.66
1	A	270	LLP	O-C-CA	-2.49	118.15	125.02
1	A	270	LLP	OP3-P-OP2	2.02	115.78	107.61
1	A	270	LLP	CB-CA-C	2.23	115.33	111.65
1	B	270	LLP	OP3-P-OP2	2.58	118.01	107.61
1	A	270	LLP	C4-C3-C2	2.90	121.94	120.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	270	LLP	OP4-C5'-C5	7.90	125.22	109.32
1	B	270	LLP	OP4-C5'-C5	8.28	125.97	109.32

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	270	LLP	5	0
1	B	270	LLP	6	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	427/467 (91%)	-0.02	25 (5%)	23 18	32, 54, 108, 178	0
1	B	432/467 (92%)	-0.10	14 (3%)	48 42	29, 52, 87, 148	0
All	All	859/934 (91%)	-0.06	39 (4%)	34 29	29, 53, 103, 178	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	413	CYS	10.7
1	B	413	CYS	9.5
1	B	415	ALA	5.5
1	B	215	SER	4.7
1	A	414	PRO	4.7
1	B	414	PRO	4.5
1	A	35	GLY	4.1
1	A	415	ALA	3.9
1	A	119	GLN	3.9
1	A	370	HIS	3.8
1	A	447	ALA	3.8
1	B	219	LYS	3.6
1	A	372	PRO	3.4
1	A	162	GLY	3.4
1	B	369	PRO	3.3
1	B	370	HIS	3.2
1	A	396	ILE	3.2
1	A	137	ASP	3.2
1	B	453	THR	3.1
1	A	374	ASP	3.1
1	A	24	ARG	3.1
1	B	176	LEU	3.1
1	B	374	ASP	3.1
1	A	369	PRO	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	23	THR	3.0
1	A	376	PHE	2.9
1	A	218	LYS	2.7
1	A	163	VAL	2.6
1	B	145	ILE	2.6
1	B	175	GLY	2.4
1	A	33	LYS	2.4
1	A	127	LYS	2.2
1	A	89	ASN	2.1
1	B	89	ASN	2.1
1	B	365	GLY	2.1
1	A	419	ARG	2.1
1	A	34	SER	2.1
1	A	25	ALA	2.0
1	A	448	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	LLP	A	270	24/25	0.95	0.16	-	37,50,52,53	0
1	LLP	B	270	24/25	0.97	0.11	-	35,41,45,47	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.