



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 17, 2017 – 08:02 AM EDT

PDB ID : 4W6U
Title : Crystal Structure of Full-Length Split GFP Mutant E115H/T118H With Nickel Mediated Crystal Contacts, P 21 21 21 Space Group
Authors : Leibly, D.J.; Waldo, G.S.; Yeates, T.O.
Deposited on : unknown
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20029824
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	5609 (2.30-2.26)
Clashscore	112137	6364 (2.30-2.26)
Ramachandran outliers	110173	6281 (2.30-2.26)
Sidechain outliers	110143	6281 (2.30-2.26)
RSRZ outliers	101464	5639 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	229	<div> <div>3%</div> <div> <div></div> <div>88%</div> <div>9%</div> <div></div> </div> <div></div> </div>
1	B	229	<div> <div></div> <div>88%</div> <div>8%</div> <div></div> </div> <div></div>
1	C	229	<div> <div>2%</div> <div> <div></div> <div>90%</div> <div>7%</div> <div></div> </div> <div></div> </div>
1	D	229	<div> <div>5%</div> <div> <div></div> <div>90%</div> <div>7%</div> <div></div> </div> <div></div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	303	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7317 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called fluorescent protein E115H/T118H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	223	Total	C	N	O	S	0	0	0
			1801	1148	308	342	3			
1	B	222	Total	C	N	O	S	0	0	0
			1791	1141	306	341	3			
1	C	222	Total	C	N	O	S	0	0	0
			1782	1137	303	339	3			
1	D	223	Total	C	N	O	S	0	0	0
			1797	1144	308	342	3			

- Molecule 2 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ni	0	0
			1	1		
2	A	1	Total	Ni	0	0
			1	1		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is CITRIC ACID (three-letter code: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			13	6	7		



- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	30	Total 30	O 30	0	0
5	B	45	Total 45	O 45	0	0
5	C	26	Total 26	O 26	0	0
5	D	22	Total 22	O 22	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: fluorescent protein E115H/T118H




- Molecule 1: fluorescent protein E115H/T118H



- Molecule 1: fluorescent protein E115H/T118H



- Molecule 1: fluorescent protein E115H/T118H



GLOBAL-STATISTICS INFOmissingINFO

4 Model quality

4.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NI, CIT, EDO, CRO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.52	1/1818 (0.1%)	0.69	2/2455 (0.1%)
1	B	0.50	1/1810 (0.1%)	0.66	0/2448
1	C	0.45	1/1800 (0.1%)	0.61	0/2433
1	D	0.47	1/1814 (0.1%)	0.63	0/2449
All	All	0.48	4/7242 (0.1%)	0.65	2/9785 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	68	VAL	N-CA	-7.35	1.31	1.46
1	A	68	VAL	N-CA	-7.21	1.31	1.46
1	B	68	VAL	N-CA	-6.63	1.33	1.46
1	C	68	VAL	N-CA	-6.00	1.34	1.46

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	68	VAL	N-CA-C	-6.41	93.69	111.00
1	A	197	ASP	CB-CG-OD1	5.07	122.86	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	189	GLY	Mainchain

4.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1801	0	1750	21	0
1	B	1791	0	1734	20	0
1	C	1782	0	1721	10	0
1	D	1797	0	1742	17	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	8	0	12	5	0
4	C	13	0	4	0	0
5	A	30	0	0	1	0
5	B	45	0	0	0	1
5	C	26	0	0	0	0
5	D	22	0	0	1	0
All	All	7317	0	6963	64	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:303:EDO:H12	1:B:102:ASP:HA	1.58	0.85
1:C:131:LYS:O	1:C:137:LEU:HD12	1.85	0.77
1:B:17:GLU:OE1	1:B:122:ARG:NH1	2.20	0.74
1:D:193:VAL:HG13	1:D:194:ASP:N	2.07	0.69
1:A:133:ASP:C	1:A:133:ASP:OD1	2.34	0.66
1:B:133:ASP:OD1	1:B:133:ASP:C	2.33	0.66
1:B:132:GLU:O	1:B:133:ASP:CG	2.35	0.65
1:A:73:ARG:HH11	1:A:73:ARG:HG3	1.63	0.62
1:D:111:GLU:OE2	1:D:113:LYS:NZ	2.29	0.62
1:B:142:GLU:CD	1:C:149:LYS:HE3	2.21	0.60
1:D:220:LEU:C	1:D:220:LEU:HD23	2.22	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:193:VAL:HG13	1:D:194:ASP:H	1.67	0.58
1:A:147:SER:HB2	1:A:203:THR:O	2.05	0.57
1:B:111:GLU:OE2	1:B:113:LYS:NZ	2.30	0.57
1:C:3:LYS:HB3	1:C:7:LEU:HG	1.87	0.57
1:A:81:HIS:O	1:A:196:PRO:HB3	2.04	0.57
1:D:132:GLU:O	1:D:133:ASP:CB	2.53	0.57
1:C:17:GLU:OE1	1:C:122:ARG:NH1	2.38	0.56
1:D:169:HIS:HD2	5:D:321:HOH:O	1.88	0.56
1:A:153:THR:HG22	3:A:303:EDO:H22	1.87	0.56
1:A:4:GLY:O	1:A:5:GLU:HB2	2.06	0.56
1:B:133:ASP:OD1	1:B:133:ASP:O	2.24	0.55
1:A:133:ASP:O	1:A:133:ASP:OD1	2.24	0.55
1:A:122:ARG:NH2	5:A:401:HOH:O	2.40	0.55
1:B:142:GLU:OE2	1:C:149:LYS:HE3	2.08	0.54
1:D:3:LYS:HB3	1:D:7:LEU:HG	1.90	0.54
1:B:147:SER:HB2	1:B:203:THR:O	2.08	0.54
1:B:132:GLU:O	1:B:133:ASP:CB	2.52	0.53
1:D:86:SER:HB2	1:D:193:VAL:HG12	1.88	0.53
1:A:228:GLY:O	1:A:229:ILE:HG13	2.08	0.53
1:B:18:LEU:HD23	1:B:18:LEU:C	2.30	0.51
1:A:145:PHE:HB2	1:A:207:LEU:HD13	1.91	0.51
1:A:81:HIS:HB3	1:A:196:PRO:HB3	1.93	0.51
1:A:81:HIS:CA	1:A:196:PRO:HB3	2.41	0.51
1:D:111:GLU:HG2	1:D:113:LYS:HE3	1.93	0.51
1:B:111:GLU:HG2	1:B:113:LYS:HE3	1.93	0.50
1:B:132:GLU:O	1:B:133:ASP:OD1	2.30	0.50
1:D:193:VAL:CG1	1:D:194:ASP:N	2.73	0.50
1:C:207:LEU:HD22	1:C:218:MET:SD	2.52	0.49
1:A:5:GLU:O	1:A:7:LEU:N	2.46	0.49
1:B:17:GLU:OE2	1:B:30:ARG:NH1	2.46	0.48
1:D:132:GLU:O	1:D:133:ASP:HB2	2.12	0.48
1:B:164:ASN:O	1:B:164:ASN:ND2	2.43	0.47
1:D:193:VAL:CG1	1:D:194:ASP:H	2.27	0.47
1:A:81:HIS:HB3	1:A:196:PRO:CB	2.45	0.47
1:A:164:ASN:ND2	3:A:303:EDO:C1	2.78	0.47
1:D:133:ASP:OD1	1:D:133:ASP:N	2.48	0.46
1:A:5:GLU:O	1:A:8:PHE:N	2.41	0.46
1:B:221:LEU:HD21	1:C:221:LEU:HD21	1.98	0.46
1:D:86:SER:HB2	1:D:193:VAL:CG1	2.47	0.45
1:D:220:LEU:O	1:D:220:LEU:HD23	2.17	0.44
1:A:132:GLU:O	1:A:133:ASP:CB	2.66	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:166:THR:HG23	1:D:180:ASP:OD1	2.19	0.42
1:A:73:ARG:NH1	1:A:73:ARG:HG3	2.31	0.42
1:A:164:ASN:HD21	3:A:303:EDO:H12	1.84	0.42
1:D:63:THR:CG2	1:D:123:ILE:HG21	2.50	0.42
1:B:133:ASP:O	1:B:133:ASP:CG	2.57	0.41
1:B:166:THR:HG23	1:B:180:ASP:OD1	2.20	0.41
1:B:102:ASP:O	1:B:131:LYS:CE	2.69	0.41
1:B:149:LYS:HE3	1:C:142:GLU:CD	2.41	0.41
1:C:125:LEU:C	1:C:125:LEU:HD23	2.41	0.41
1:A:164:ASN:ND2	3:A:303:EDO:O1	2.54	0.41
1:C:77:HIS:CE1	1:C:78:MET:HG3	2.56	0.41
1:A:207:LEU:HD12	1:A:207:LEU:N	2.37	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:404:HOH:O	5:B:413:HOH:O[1_455]	2.12	0.08

4.3 Torsion angles

4.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/229 (94%)	209 (97%)	6 (3%)	1 (0%)	32	38
1	B	217/229 (95%)	212 (98%)	5 (2%)	0	100	100
1	C	215/229 (94%)	211 (98%)	4 (2%)	0	100	100
1	D	216/229 (94%)	213 (99%)	3 (1%)	0	100	100
All	All	864/916 (94%)	845 (98%)	18 (2%)	1 (0%)	55	66

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	6	GLU

4.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	193/197 (98%)	192 (100%)	1 (0%)	91	95
1	B	192/197 (98%)	190 (99%)	2 (1%)	80	89
1	C	190/197 (96%)	190 (100%)	0	100	100
1	D	192/197 (98%)	191 (100%)	1 (0%)	91	95
All	All	767/788 (97%)	763 (100%)	4 (0%)	91	95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	133	ASP
1	B	133	ASP
1	B	164	ASN
1	D	133	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	164	ASN

4.3.3 RNA [i](#)

There are no RNA molecules in this entry.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CRO	A	66	1	23,23,24	3.59	7 (30%)	27,32,34	3.38	8 (29%)
1	CRO	B	66	1	23,23,24	3.55	7 (30%)	27,32,34	4.28	7 (25%)
1	CRO	C	66	1	23,23,24	3.66	8 (34%)	27,32,34	3.55	7 (25%)
1	CRO	D	66	1	23,23,24	3.87	7 (30%)	27,32,34	4.26	6 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRO	A	66	1	-	0/12/31/32	0/2/2/2
1	CRO	B	66	1	-	0/12/31/32	0/2/2/2
1	CRO	C	66	1	-	0/12/31/32	0/2/2/2
1	CRO	D	66	1	-	0/12/31/32	0/2/2/2

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	66	CRO	CA2-C2	-7.10	1.41	1.48
1	A	66	CRO	C2-N3	-5.34	1.26	1.39
1	C	66	CRO	CA1-N1	-5.11	1.31	1.47
1	D	66	CRO	CA1-N1	-4.76	1.32	1.47
1	C	66	CRO	CA2-C2	-4.52	1.44	1.48
1	C	66	CRO	C2-N3	-4.33	1.29	1.39
1	B	66	CRO	CA2-C2	-4.33	1.44	1.48
1	B	66	CRO	CA1-N1	-4.18	1.34	1.47
1	A	66	CRO	CA1-N1	-4.16	1.34	1.47
1	B	66	CRO	C2-N3	-3.99	1.30	1.39
1	D	66	CRO	C2-N3	-3.98	1.30	1.39
1	B	66	CRO	CA2-N2	-3.37	1.31	1.38
1	D	66	CRO	CA2-N2	-3.19	1.31	1.38
1	A	66	CRO	CA2-N2	-3.15	1.31	1.38
1	C	66	CRO	CA2-N2	-3.02	1.31	1.38
1	D	66	CRO	CA2-C2	-2.84	1.45	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	66	CRO	OH-CZ	-2.45	1.31	1.37
1	A	66	CRO	C1-N3	-2.43	1.33	1.37
1	C	66	CRO	CA1-C1	-2.30	1.47	1.51
1	D	66	CRO	CA1-C1	-2.29	1.47	1.51
1	A	66	CRO	CA3-N3	-2.23	1.42	1.47
1	C	66	CRO	CA3-N3	-2.13	1.42	1.47
1	C	66	CRO	OH-CZ	-2.11	1.32	1.37
1	D	66	CRO	C1-N2	2.21	1.35	1.32
1	B	66	CRO	C1-N2	2.68	1.36	1.32
1	A	66	CRO	CB2-CA2	12.70	1.46	1.35
1	B	66	CRO	CB2-CA2	14.16	1.47	1.35
1	C	66	CRO	CB2-CA2	14.32	1.47	1.35
1	D	66	CRO	CB2-CA2	16.30	1.49	1.35

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	66	CRO	O2-C2-CA2	-14.20	123.31	130.97
1	D	66	CRO	O2-C2-CA2	-12.37	124.30	130.97
1	C	66	CRO	O2-C2-CA2	-10.02	125.57	130.97
1	A	66	CRO	O3-C3-CA3	-7.23	102.47	126.38
1	A	66	CRO	O2-C2-CA2	-7.19	127.09	130.97
1	D	66	CRO	C2-CA2-N2	-5.07	105.22	108.93
1	B	66	CRO	O3-C3-CA3	-4.93	110.09	126.38
1	C	66	CRO	O3-C3-CA3	-4.91	110.16	126.38
1	C	66	CRO	C2-CA2-N2	-4.65	105.53	108.93
1	A	66	CRO	CA1-C1-N3	-3.24	120.87	124.75
1	B	66	CRO	C2-CA2-N2	-3.04	106.71	108.93
1	A	66	CRO	C2-CA2-N2	-2.84	106.85	108.93
1	B	66	CRO	CB2-CA2-N2	-2.26	125.37	128.79
1	B	66	CRO	OG1-CB1-CA1	2.08	113.77	109.04
1	C	66	CRO	OG1-CB1-CA1	2.42	114.56	109.04
1	A	66	CRO	CD2-CG2-CD1	2.47	121.34	117.63
1	A	66	CRO	OG1-CB1-CA1	2.54	114.83	109.04
1	C	66	CRO	CA2-N2-C1	2.57	107.77	105.75
1	D	66	CRO	OG1-CB1-CA1	2.73	115.26	109.04
1	D	66	CRO	N3-C1-N2	2.93	113.48	111.45
1	A	66	CRO	CA1-C1-N2	3.37	128.60	123.89
1	D	66	CRO	CB2-CA2-C2	4.20	127.61	122.32
1	B	66	CRO	CB2-CA2-C2	4.44	127.90	122.32
1	C	66	CRO	CB2-CA2-C2	4.49	127.97	122.32
1	A	66	CRO	CA2-C2-N3	11.93	108.62	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	66	CRO	CA2-C2-N3	12.19	108.74	103.30
1	B	66	CRO	CA2-C2-N3	14.52	109.78	103.30
1	D	66	CRO	CA2-C2-N3	16.10	110.48	103.30

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

4.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

4.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	302	-	3,3,3	0.31	0	2,2,2	0.35	0
3	EDO	A	303	-	3,3,3	0.32	0	2,2,2	0.39	0
4	CIT	C	301	-	3,12,12	4.02	3 (100%)	3,17,17	0.98	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	302	-	-	0/1/1/1	0/0/0/0
3	EDO	A	303	-	-	0/1/1/1	0/0/0/0
4	CIT	C	301	-	-	0/6/16/16	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	301	CIT	O7-C3	-4.58	1.35	1.43
4	C	301	CIT	C2-C3	-3.77	1.49	1.54
4	C	301	CIT	C4-C3	-3.63	1.49	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	303	EDO	5	0

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data ⓘ

5.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	222/229 (96%)	0.17	8 (3%) 43 49	27, 40, 64, 125	0
1	B	221/229 (96%)	0.02	1 (0%) 90 93	26, 40, 60, 125	0
1	C	221/229 (96%)	0.16	4 (1%) 69 74	24, 47, 70, 101	0
1	D	222/229 (96%)	0.30	11 (4%) 30 35	32, 53, 82, 116	0
All	All	886/916 (96%)	0.16	24 (2%) 55 61	24, 45, 75, 125	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	GLY	12.0
1	C	133	ASP	5.6
1	D	133	ASP	5.3
1	C	223	TYR	4.6
1	D	193	VAL	3.9
1	A	190	ASP	3.7
1	A	211	LEU	3.2
1	A	6	GLU	2.8
1	D	191	GLY	2.7
1	D	132	GLU	2.7
1	D	115	HIS	2.7
1	A	196	PRO	2.6
1	D	194	ASP	2.6
1	D	134	GLY	2.4
1	C	128	ILE	2.3
1	A	223	TYR	2.3
1	A	5	GLU	2.3
1	D	138	GLY	2.2
1	D	99	TYR	2.2
1	C	211	LEU	2.1
1	D	106	TYR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	132	GLU	2.1
1	B	212	ASN	2.0
1	D	189	GLY	2.0

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CRO	D	66	22/23	0.94	0.11	-	30,32,43,43	0
1	CRO	B	66	22/23	0.94	0.14	-	22,26,33,37	0
1	CRO	C	66	22/23	0.95	0.11	-	27,32,39,43	0
1	CRO	A	66	22/23	0.94	0.13	-	24,29,36,39	0

5.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	EDO	A	303	4/4	0.82	0.21	1.46	48,52,56,57	0
3	EDO	A	302	4/4	0.79	0.19	1.22	54,55,55,56	0
2	NI	A	301	1/1	0.94	0.09	-	70,70,70,70	0
4	CIT	C	301	13/13	0.84	0.23	-	39,49,61,63	0
2	NI	B	301	1/1	0.68	0.10	-	63,63,63,63	0

5.5 Other polymers [i](#)

There are no such residues in this entry.