



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2017 – 06:09 PM EST

PDB ID : 3W7H
Title : Structure of Trypanosoma cruzi dihydroorotate dehydrogenase in complex with MII-5-015
Authors : Inaoka, D.K.; Iida, M.; Tabuchi, T.; Lee, N.; Hashimoto, S.; Matsuoka, S.; Kuranaga, T.; Shiba, T.; Sakamoto, K.; Suzuki, S.; Balogun, E.O.; Nara, T.; Aoki, T.; Inoue, M.; Honma, T.; Tanaka, A.; Harada, S.; Kita, K.
Deposited on : unknown
Resolution : 1.67 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030345
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	5252 (1.70-1.66)
Clashscore	112137	5803 (1.70-1.66)
Ramachandran outliers	110173	5704 (1.70-1.66)
Sidechain outliers	110143	5703 (1.70-1.66)
RSRZ outliers	101464	5298 (1.70-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	313	<div> <div style="width: 100%; height: 10px; background-color: red;"></div> <div style="width: 91%; height: 10px; background-color: green;"></div> <div style="width: 9%; height: 10px; background-color: yellow;"></div> <div style="width: 0%; height: 10px; background-color: orange;"></div> <div style="width: 0%; height: 10px; background-color: red;"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> 0% 91% 9% . </div> </div>
1	B	313	<div> <div style="width: 100%; height: 10px; background-color: red;"></div> <div style="width: 85%; height: 10px; background-color: green;"></div> <div style="width: 14%; height: 10px; background-color: yellow;"></div> <div style="width: 0%; height: 10px; background-color: orange;"></div> <div style="width: 0%; height: 10px; background-color: red;"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> 3% 85% 14% . </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	402[A]	-	-	-	X
3	GOL	A	402[B]	-	-	-	X
3	GOL	A	404	-	-	-	X
3	GOL	A	405	-	-	-	X
3	GOL	A	406	-	-	-	X
3	GOL	A	407	-	-	-	X
3	GOL	A	408	-	-	-	X
3	GOL	A	409	-	-	-	X
3	GOL	B	404	-	-	-	X
3	GOL	B	405	-	-	X	X
3	GOL	B	406	-	-	-	X
3	GOL	B	407	-	-	-	X
3	GOL	B	408	-	-	-	X
3	GOL	B	409	-	-	-	X

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 5725 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydroorotate dehydrogenase (fumarate).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	4	0
			2425	1551	407	449	18			
1	B	313	Total	C	N	O	S	0	2	0
			2405	1539	401	447	18			

- Molecule 2 is 5-[2-(naphthalen-2-yl)ethyl]-2,6-dioxo-1,2,3,6-tetrahydropyrimidine-4-carboxylic acid (three-letter code: W7H) (formula: C₁₇H₁₄N₂O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			23	17	2	4		
2	B	1	Total	C	N	O	0	1
			46	34	4	8		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	1
			12	6	6		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
4	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 5 is COBALT HEXAMMINE(III) (three-letter code: NCO) (formula: $CoH_{18}N_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	Co	N	0	0
			7	1	6		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	314	Total	O	0	1
			315	315		
6	B	313	Total	O	0	3
			316	316		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dihydroorotate dehydrogenase (fumarate)



- Molecule 1: Dihydroorotate dehydrogenase (fumarate)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	67.91Å 71.72Å 129.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.86 – 1.67 29.86 – 1.67	Depositor EDS
% Data completeness (in resolution range)	99.7 (29.86-1.67) 99.7 (29.86-1.67)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.36 (at 1.67Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.143 , 0.176 0.144 , 0.175	Depositor DCC
R_{free} test set	3729 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	13.4	Xtriage
Anisotropy	0.076	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 52.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5725	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.05 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.8281e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, GOL, W7H, NCO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.24	4/2477 (0.2%)	1.09	4/3352 (0.1%)
1	B	1.21	3/2457 (0.1%)	1.06	4/3327 (0.1%)
All	All	1.22	7/4934 (0.1%)	1.08	8/6679 (0.1%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	255	GLU	CD-OE1	-7.21	1.17	1.25
1	A	303	GLU	CD-OE1	-6.90	1.18	1.25
1	A	195	SER	CB-OG	-6.34	1.34	1.42
1	A	224	TYR	CE1-CZ	-5.78	1.31	1.38
1	A	255	GLU	CD-OE1	-5.74	1.19	1.25
1	B	303	GLU	CD-OE2	-5.21	1.20	1.25
1	B	206	SER	CB-OG	-5.17	1.35	1.42

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	3	LYS	CD-CE-NZ	8.29	130.76	111.70
1	A	111	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	B	262	LEU	CA-CB-CG	5.67	128.33	115.30
1	A	0	MET	CG-SD-CE	5.45	108.91	100.20
1	B	11	PHE	CB-CG-CD1	5.39	124.57	120.80
1	B	246	PHE	CB-CG-CD2	-5.24	117.13	120.80
1	B	295	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	A	133	VAL	C-N-CD	5.03	138.97	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2425	0	2431	23	0
1	B	2405	0	2407	41	0
2	A	23	0	13	1	0
2	B	46	0	26	10	0
3	A	60	0	80	4	0
3	B	66	0	88	13	0
4	A	31	0	19	0	0
4	B	31	0	19	0	0
5	A	7	0	0	0	0
6	A	315	0	0	5	0
6	B	316	0	0	16	0
All	All	5725	0	5083	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:LEU:CD2	2:B:401[A]:W7H:H12	1.84	1.08
1:A:128:LEU:HD12	1:A:163:VAL:HG11	1.47	0.97
1:B:9:HIS:CE1	3:B:405:GOL:H11	1.99	0.97
1:B:5:ASN:HB3	6:B:720[B]:HOH:O	1.71	0.89
1:B:59:MET:HE3	6:B:611:HOH:O	1.73	0.87
1:B:93:PRO:HA	3:B:405:GOL:H31	1.64	0.80
1:B:9:HIS:ND1	3:B:405:GOL:H11	1.98	0.77
1:B:135:GLY:HA2	6:B:806:HOH:O	1.83	0.77
1:A:128:LEU:CD1	1:A:163:VAL:HG11	2.15	0.76
1:B:101:LEU:HD21	2:B:401[A]:W7H:H12	1.68	0.76
1:B:234:ASN:HD21	1:B:238:ARG:HE	1.33	0.75
1:B:213:PRO:HA	3:B:412:GOL:H11	1.68	0.73
3:B:405:GOL:H12	6:B:511:HOH:O	1.88	0.71
1:A:234:ASN:HD21	1:A:238:ARG:HE	1.39	0.71
1:A:128:LEU:HD12	1:A:163:VAL:CG1	2.21	0.71
1:B:101:LEU:HD23	2:B:401[A]:W7H:H12	1.73	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:401[B]:W7H:CAF	6:B:805:HOH:O	2.40	0.69
1:B:46:THR:HG23	1:B:71:LEU:CD2	2.25	0.66
3:B:405:GOL:C1	6:B:511:HOH:O	2.43	0.65
1:B:101:LEU:CD2	2:B:401[A]:W7H:CAH	2.68	0.64
1:A:61:PHE:CE1	3:A:408:GOL:H11	2.33	0.63
2:B:401[B]:W7H:H10	6:B:805:HOH:O	2.00	0.61
1:A:241:PRO:HA	3:A:405:GOL:H31	1.82	0.60
1:B:82:TYR:OH	1:B:87:HIS:HD2	1.85	0.60
1:B:234:ASN:ND2	1:B:238:ARG:HE	2.01	0.58
1:A:59:MET:HE1	6:A:621:HOH:O	2.04	0.57
1:B:9:HIS:CE1	3:B:405:GOL:C1	2.83	0.57
1:A:7:LEU:O	1:A:9:HIS:HD2	1.88	0.57
1:A:128:LEU:CD1	1:A:163:VAL:CG1	2.82	0.57
1:A:82:TYR:OH	1:A:87:HIS:HD2	1.88	0.56
1:B:7:LEU:O	1:B:9:HIS:HD2	1.87	0.56
1:A:111:ARG:NH1	6:A:546:HOH:O	2.38	0.55
1:A:59:MET:CE	6:A:621:HOH:O	2.54	0.55
1:B:46:THR:HG23	1:B:71:LEU:HD23	1.88	0.54
1:B:101:LEU:HD21	2:B:401[A]:W7H:CAH	2.36	0.53
1:A:87:HIS:HE1	1:A:92:LYS:O	1.92	0.53
1:A:71:LEU:HD22	2:A:401:W7H:H8	1.92	0.52
1:B:129:SER:HA	1:B:138:GLN:NE2	2.25	0.51
1:B:160:PRO:HB3	1:B:188:LYS:HG3	1.93	0.51
2:B:401[B]:W7H:CAI	6:B:805:HOH:O	2.57	0.50
1:B:87:HIS:HE1	1:B:92:LYS:O	1.94	0.50
1:B:9:HIS:HE1	3:B:405:GOL:H11	1.68	0.50
1:B:96:LEU:HD22	1:B:98:ILE:HD11	1.93	0.50
1:B:128:LEU:HD12	1:B:163:VAL:HG11	1.93	0.50
1:A:241:PRO:HA	3:A:405:GOL:C3	2.43	0.48
3:B:404:GOL:H12	6:B:783:HOH:O	2.14	0.48
1:B:93:PRO:CA	3:B:405:GOL:H31	2.40	0.48
1:B:132:ASN:ND2	1:B:133:VAL:H	2.11	0.48
1:B:146:MET:HE1	1:B:180:VAL:HB	1.97	0.47
1:B:275:GLN:NE2	6:B:601:HOH:O	2.42	0.47
1:B:61:PHE:HB3	1:B:62:PRO:CD	2.45	0.47
2:B:401[B]:W7H:H6	2:B:401[B]:W7H:OAC	2.15	0.46
1:B:135:GLY:CA	6:B:806:HOH:O	2.51	0.46
1:A:234:ASN:ND2	1:A:238:ARG:HE	2.11	0.45
1:B:81:LYS:NZ	6:B:717:HOH:O	2.42	0.45
1:B:89:TYR:HB3	3:B:405:GOL:H32	1.99	0.45
1:A:195:SER:HB3	6:A:765:HOH:O	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:PRO:HB3	1:A:188:LYS:HG3	2.00	0.44
1:A:128:LEU:HG	1:A:163:VAL:HG13	1.99	0.44
1:A:217:PHE:CE1	3:A:404:GOL:H12	2.52	0.44
1:B:147:ARG:O	1:B:151:GLN:HG3	2.18	0.44
1:B:101:LEU:HD22	1:B:131:PRO:HG2	2.00	0.43
1:B:302:GLU:HG3	6:B:719:HOH:O	2.18	0.43
1:B:0:MET:HG2	6:B:790:HOH:O	2.19	0.43
1:A:144:GLU:OE1	1:A:147:ARG:NH1	2.51	0.43
1:A:6:LEU:HD12	1:A:6:LEU:C	2.39	0.43
1:A:132:ASN:HB3	6:A:787:HOH:O	2.19	0.43
2:B:401[B]:W7H:H11	6:B:804:HOH:O	2.19	0.42
1:B:130:CYS:SG	6:B:786:HOH:O	2.52	0.41
1:B:213:PRO:HA	3:B:412:GOL:C1	2.46	0.40
1:B:89:TYR:HD2	3:B:405:GOL:H12	1.87	0.40
1:B:128:LEU:HD12	1:B:163:VAL:CG1	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/313 (101%)	308 (98%)	7 (2%)	0	100	100
1	B	313/313 (100%)	307 (98%)	6 (2%)	0	100	100
All	All	628/626 (100%)	615 (98%)	13 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/258 (102%)	261 (100%)	1 (0%)	93	89
1	B	260/258 (101%)	256 (98%)	4 (2%)	70	52
All	All	522/516 (101%)	517 (99%)	5 (1%)	80	69

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	131	PRO
1	B	81	LYS
1	B	132	ASN
1	B	302	GLU
1	B	312	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	ASN
1	A	9	HIS
1	A	87	HIS
1	A	152	GLN
1	A	234	ASN
1	B	9	HIS
1	B	87	HIS
1	B	132	ASN
1	B	138	GLN
1	B	215	GLN
1	B	234	ASN
1	B	275	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	W7H	A	401	-	20,25,25	2.46	5 (25%)	20,35,35	2.93	2 (10%)
3	GOL	A	402[A]	-	5,5,5	0.62	0	5,5,5	0.56	0
3	GOL	A	402[B]	-	5,5,5	0.78	0	5,5,5	0.55	0
3	GOL	A	403	-	5,5,5	0.40	0	5,5,5	0.57	0
3	GOL	A	404	-	5,5,5	1.07	0	5,5,5	0.93	0
3	GOL	A	405	-	5,5,5	0.49	0	5,5,5	0.77	0
3	GOL	A	406	-	5,5,5	0.85	0	5,5,5	0.89	0
3	GOL	A	407	-	5,5,5	0.69	0	5,5,5	1.01	0
3	GOL	A	408	-	5,5,5	1.28	1 (20%)	5,5,5	1.57	2 (40%)
3	GOL	A	409	-	5,5,5	0.42	0	5,5,5	0.58	0
3	GOL	A	410	-	5,5,5	0.55	0	5,5,5	1.70	1 (20%)
4	FMN	A	411	-	31,33,33	1.67	7 (22%)	38,50,50	2.15	11 (28%)
5	NCO	A	412	-	6,6,6	2.60	4 (66%)	0,15,15	0.00	-
2	W7H	B	401[A]	-	20,25,25	2.31	6 (30%)	20,35,35	2.20	4 (20%)
2	W7H	B	401[B]	-	20,25,25	2.55	5 (25%)	20,35,35	2.51	4 (20%)
3	GOL	B	402	-	5,5,5	0.83	0	5,5,5	1.08	0
3	GOL	B	403	-	5,5,5	0.72	0	5,5,5	1.04	0
3	GOL	B	404	-	5,5,5	1.02	0	5,5,5	1.04	0
3	GOL	B	405	-	5,5,5	0.50	0	5,5,5	1.53	1 (20%)
3	GOL	B	406	-	5,5,5	0.67	0	5,5,5	0.96	0
3	GOL	B	407	-	5,5,5	0.74	0	5,5,5	1.45	1 (20%)
3	GOL	B	408	-	5,5,5	0.54	0	5,5,5	0.40	0
3	GOL	B	409	-	5,5,5	0.90	0	5,5,5	1.27	0
3	GOL	B	410	-	5,5,5	0.24	0	5,5,5	0.62	0
3	GOL	B	411	-	5,5,5	0.42	0	5,5,5	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	412	-	5,5,5	0.44	0	5,5,5	0.51	0
4	FMN	B	413	-	31,33,33	1.50	4 (12%)	38,50,50	2.55	8 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	W7H	A	401	-	-	0/5/9/9	0/3/3/3
3	GOL	A	402[A]	-	-	0/4/4/4	0/0/0/0
3	GOL	A	402[B]	-	-	0/4/4/4	0/0/0/0
3	GOL	A	403	-	-	0/4/4/4	0/0/0/0
3	GOL	A	404	-	-	0/4/4/4	0/0/0/0
3	GOL	A	405	-	-	0/4/4/4	0/0/0/0
3	GOL	A	406	-	-	0/4/4/4	0/0/0/0
3	GOL	A	407	-	-	0/4/4/4	0/0/0/0
3	GOL	A	408	-	-	0/4/4/4	0/0/0/0
3	GOL	A	409	-	-	0/4/4/4	0/0/0/0
3	GOL	A	410	-	-	0/4/4/4	0/0/0/0
4	FMN	A	411	-	-	0/16/18/18	0/3/3/3
5	NCO	A	412	-	-	0/0/0/0	0/0/0/0
2	W7H	B	401[A]	-	-	0/5/9/9	0/3/3/3
2	W7H	B	401[B]	-	-	0/5/9/9	0/3/3/3
3	GOL	B	402	-	-	0/4/4/4	0/0/0/0
3	GOL	B	403	-	-	0/4/4/4	0/0/0/0
3	GOL	B	404	-	-	0/4/4/4	0/0/0/0
3	GOL	B	405	-	-	0/4/4/4	0/0/0/0
3	GOL	B	406	-	-	0/4/4/4	0/0/0/0
3	GOL	B	407	-	-	0/4/4/4	0/0/0/0
3	GOL	B	408	-	-	0/4/4/4	0/0/0/0
3	GOL	B	409	-	-	0/4/4/4	0/0/0/0
3	GOL	B	410	-	-	0/4/4/4	0/0/0/0
3	GOL	B	411	-	-	0/4/4/4	0/0/0/0
3	GOL	B	412	-	-	0/4/4/4	0/0/0/0
4	FMN	B	413	-	-	0/16/18/18	0/3/3/3

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401[B]	W7H	CAL-CAQ	-6.74	1.31	1.51
2	A	401	W7H	CAM-CAR	-6.41	1.40	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401[B]	W7H	CAM-CAR	-3.83	1.45	1.52
2	B	401[A]	W7H	CAL-CAQ	-3.65	1.41	1.51
2	B	401[A]	W7H	CAM-CAR	-3.38	1.46	1.52
2	A	401	W7H	CAS-CAR	-3.11	1.35	1.41
4	B	413	FMN	C1'-N10	-2.96	1.45	1.48
2	A	401	W7H	CAL-CAQ	-2.79	1.43	1.51
4	B	413	FMN	C6-C5A	-2.57	1.38	1.41
2	B	401[A]	W7H	CAH-CAV	-2.51	1.35	1.41
4	A	411	FMN	C8M-C8	-2.21	1.46	1.51
4	A	411	FMN	C2'-C3'	-2.21	1.49	1.53
2	B	401[A]	W7H	CAV-CAW	-2.19	1.37	1.42
3	A	408	GOL	O2-C2	-2.16	1.37	1.43
2	B	401[B]	W7H	CAI-CAW	-2.02	1.37	1.41
4	A	411	FMN	C4-N3	2.31	1.37	1.33
5	A	412	NCO	CO-N1	2.54	2.07	1.97
4	A	411	FMN	C5'-C4'	2.69	1.55	1.51
4	A	411	FMN	C9A-N10	2.78	1.42	1.38
5	A	412	NCO	CO-N4	2.80	2.08	1.97
4	B	413	FMN	C4A-C10	3.01	1.46	1.41
4	A	411	FMN	C5A-N5	3.21	1.40	1.35
5	A	412	NCO	CO-N2	3.21	2.09	1.97
4	B	413	FMN	C4-C4A	3.64	1.48	1.41
5	A	412	NCO	CO-N6	3.74	2.11	1.97
4	A	411	FMN	C4A-C10	4.00	1.48	1.41
2	A	401	W7H	CAU-NAO	4.59	1.41	1.33
2	B	401[B]	W7H	CAU-NAO	4.78	1.41	1.33
2	A	401	W7H	CAS-NAN	5.07	1.42	1.34
2	B	401[A]	W7H	CAU-NAO	5.14	1.42	1.33
2	B	401[B]	W7H	CAS-NAN	5.51	1.43	1.34
2	B	401[A]	W7H	CAS-NAN	5.59	1.43	1.34

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401[B]	W7H	CAL-CAM-CAR	-6.77	99.56	112.47
4	B	413	FMN	C4A-C10-N10	-6.43	116.05	120.52
4	B	413	FMN	C4A-C4-N3	-5.32	115.91	123.48
4	A	411	FMN	C4-C4A-C10	-4.57	116.27	119.96
4	A	411	FMN	C4A-C10-N10	-4.36	117.49	120.52
4	B	413	FMN	C4-C4A-C10	-3.87	116.83	119.96
4	B	413	FMN	C1'-N10-C10	-3.60	114.81	118.50
4	A	411	FMN	C4A-C4-N3	-3.28	118.82	123.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401[A]	W7H	CAL-CAM-CAR	-3.11	106.53	112.47
3	B	405	GOL	C3-C2-C1	-2.47	101.70	111.52
2	B	401[B]	W7H	CAL-CAQ-CAG	-2.32	115.47	121.24
2	B	401[A]	W7H	CAG-CAJ-CAV	-2.13	117.53	120.83
4	A	411	FMN	C7-C6-C5A	-2.12	117.80	121.08
4	A	411	FMN	C9A-C5A-N5	-2.10	119.12	122.24
2	B	401[B]	W7H	CAR-CAS-NAN	-2.06	119.93	122.75
3	A	408	GOL	C3-C2-C1	2.00	119.48	111.52
3	A	410	GOL	O2-C2-C1	2.02	118.37	108.84
4	B	413	FMN	C4A-N5-C5A	2.12	119.00	116.76
4	B	413	FMN	C5A-C9A-N10	2.21	119.30	117.66
2	B	401[A]	W7H	CAJ-CAV-CAW	2.23	123.03	118.92
2	A	401	W7H	CAK-CAW-CAV	2.25	122.13	118.94
4	A	411	FMN	O5'-C5'-C4'	2.29	115.49	109.36
3	B	407	GOL	O2-C2-C1	2.32	119.80	108.84
3	A	408	GOL	O1-C1-C2	2.32	121.77	110.07
4	A	411	FMN	C6-C5A-C9A	2.84	122.68	119.00
4	A	411	FMN	C4-C4A-N5	2.86	121.81	118.68
4	A	411	FMN	C5A-C9A-N10	2.97	119.86	117.66
4	A	411	FMN	C4A-N5-C5A	3.09	120.03	116.76
4	B	413	FMN	C1'-N10-C9A	5.28	123.19	118.35
2	B	401[B]	W7H	CAU-NAO-CAT	7.19	121.45	115.16
4	A	411	FMN	C4-N3-C2	7.79	121.97	115.16
2	B	401[A]	W7H	CAU-NAO-CAT	7.89	122.06	115.16
4	B	413	FMN	C4-N3-C2	9.66	123.61	115.16
2	A	401	W7H	CAU-NAO-CAT	12.09	125.73	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

9 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	W7H	1	0
3	A	404	GOL	1	0
3	A	405	GOL	2	0
3	A	408	GOL	1	0
2	B	401[A]	W7H	5	0
2	B	401[B]	W7H	5	0
3	B	404	GOL	1	0
3	B	405	GOL	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	412	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/313 (100%)	-0.19	4 (1%) 77 81	8, 13, 24, 49	0
1	B	313/313 (100%)	-0.07	9 (2%) 52 56	7, 13, 31, 47	0
All	All	626/626 (100%)	-0.13	13 (2%) 64 68	7, 13, 27, 49	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	133	VAL	7.3
1	B	134	PRO	6.1
1	A	130	CYS	5.0
1	B	135	GLY	4.4
1	B	131	PRO	3.8
1	A	312	GLU	3.6
1	B	312	GLU	2.8
1	B	130	CYS	2.8
1	B	0	MET	2.7
1	B	132	ASN	2.2
1	A	144	GLU	2.2
1	B	101	LEU	2.1
1	A	291	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	GOL	B	407	6/6	0.74	0.27	13.15	43,49,53,60	0
3	GOL	B	405	6/6	0.92	0.38	12.26	29,37,39,49	0
3	GOL	A	408	6/6	0.95	0.15	6.83	28,34,35,36	0
3	GOL	B	408	6/6	0.76	0.23	4.81	43,47,47,51	0
3	GOL	B	409	6/6	0.88	0.17	4.41	27,31,35,42	0
3	GOL	B	404	6/6	0.78	0.20	4.25	36,46,49,50	0
3	GOL	A	406	6/6	0.89	0.19	3.87	20,27,38,40	0
3	GOL	A	402[A]	6/6	0.95	0.11	3.86	13,14,16,17	6
3	GOL	B	406	6/6	0.87	0.15	3.69	27,35,37,39	0
3	GOL	A	409	6/6	0.72	0.16	3.57	40,44,47,48	0
3	GOL	A	407	6/6	0.79	0.25	3.47	30,33,38,41	0
3	GOL	A	402[B]	6/6	0.95	0.11	3.35	13,15,15,16	6
3	GOL	A	404	6/6	0.87	0.10	2.97	23,25,28,33	0
3	GOL	A	405	6/6	0.84	0.19	2.01	46,47,50,51	0
3	GOL	B	402	6/6	0.93	0.12	1.79	20,22,34,38	0
5	NCO	A	412	7/7	0.99	0.10	1.77	11,11,13,13	0
2	W7H	B	401[B]	23/23	0.93	0.16	1.29	11,15,34,35	23
2	W7H	B	401[A]	23/23	0.93	0.16	1.05	11,14,32,33	23
2	W7H	A	401	23/23	0.93	0.12	0.34	10,13,23,24	0
4	FMN	B	413	31/31	0.98	0.08	-0.03	8,9,11,12	0
4	FMN	A	411	31/31	0.98	0.09	-0.04	7,8,10,11	0
3	GOL	A	403	6/6	0.97	0.06	-1.42	19,20,21,23	0
3	GOL	B	411	6/6	0.61	0.19	-	47,48,51,54	0
3	GOL	B	403	6/6	0.84	0.15	-	40,45,48,58	0
3	GOL	A	410	6/6	0.82	0.25	-	44,45,45,47	0
3	GOL	B	410	6/6	0.87	0.14	-	30,43,44,49	0
3	GOL	B	412	6/6	0.86	0.31	-	25,34,40,40	0

6.5 Other polymers ⓘ

There are no such residues in this entry.