



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2017 – 08:32 AM EST

PDB ID : 3W87
Title : Structure of Trypanosoma cruzi dihydroorotate dehydrogenase in complex with SH-1-103
Authors : Inaoka, D.K.; Hashimoto, S.; Rocha, J.R.; Iida, M.; Tabuchi, T.; Lee, N.; Matsuoka, S.; Kuranaga, T.; Shiba, T.; Balogun, E.O.; Sakamoto, K.; Suzuki, S.; Montanari, C.A.; Nara, T.; Aoki, T.; Inoue, M.; Honma, T.; Tanaka, A.; Harada, S.; Kita, K.
Deposited on : unknown
Resolution : 1.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1367 (1.46-1.42)
Clashscore	112137	1425 (1.46-1.42)
Ramachandran outliers	110173	1405 (1.46-1.42)
Sidechain outliers	110143	1405 (1.46-1.42)
RSRZ outliers	101464	1372 (1.46-1.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	<div> <div>3%</div> <div>75%</div> <div>21%</div> <div>.</div> </div>
1	B	314	<div> <div>%</div> <div>83%</div> <div>15%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	402[A]	-	-	-	X
3	GOL	A	402[B]	-	-	-	X
3	GOL	A	404	-	-	-	X
3	GOL	A	405	-	-	-	X
3	GOL	A	409	-	-	-	X
3	GOL	A	412	-	-	-	X
3	GOL	A	414	-	-	-	X
3	GOL	B	403	-	-	-	X
3	GOL	B	404	-	-	-	X
3	GOL	B	407	-	-	-	X
3	GOL	B	408	-	-	-	X
3	GOL	B	409	-	-	-	X
3	GOL	B	410	-	-	-	X
3	GOL	B	411	-	-	-	X
4	CAC	A	415	-	-	-	X
4	CAC	B	414	-	-	-	X
6	EDO	A	418	-	-	-	X
6	EDO	A	423	-	-	X	X
6	EDO	A	424	-	-	X	X
6	EDO	A	428	-	-	X	-
6	EDO	A	430	-	-	-	X
6	EDO	A	431	-	-	X	-
6	EDO	B	417	-	-	X	X
6	EDO	B	419	-	-	X	X
6	EDO	B	420	-	-	X	-
6	EDO	B	421	-	-	-	X
6	EDO	B	422	-	-	X	X
6	EDO	B	423	-	-	-	X
6	EDO	B	425	-	-	X	X
6	EDO	B	426	-	-	-	X
7	PEG	A	432	-	-	X	X
7	PEG	A	433	-	-	X	-
7	PEG	B	427	-	-	X	X
8	NCO	A	434	-	-	-	X
8	NCO	A	435[A]	-	-	-	X
8	NCO	A	435[B]	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 6373 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dihydroorotate dehydrogenase (fumarate).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	314	Total	C	N	O	S	0	18	0
			2540	1618	425	478	19			
1	B	314	Total	C	N	O	S	0	15	0
			2522	1603	423	477	19			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	EXPRESSION TAG	UNP Q4D3W2
B	-1	SER	-	EXPRESSION TAG	UNP Q4D3W2

- Molecule 2 is 5-{4-[5-(methoxycarbonyl)naphthalen-2-yl]butyl}-2,6-dioxo-1,2,3,6-tetrahydro pyrimidine-4-carboxylic acid (three-letter code: W87) (formula: C₂₁H₂₀N₂O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			29	21	2	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	1
			58	42	4	12		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	1
			12	6	6		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	1
			12	6	6		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	1
			12	6	6		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is CACODYLATE ION (three-letter code: CAC) (formula: C₂H₆AsO₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	As	C	O	0	0
			5	1	2	2		
4	A	1	Total	As	C	O	0	0
			5	1	2	2		
4	B	1	Total	As	C	O	0	0
			5	1	2	2		
4	B	1	Total	As	C	O	0	0
			5	1	2	2		

- Molecule 5 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
5	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0

- Molecule 7 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			7	4	3		
7	A	1	Total	C	O	0	0
			7	4	3		
7	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is COBALT HEXAMMINE(III) (three-letter code: NCO) (formula: $\text{CoH}_{18}\text{N}_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	Co	N	0	0
			7	1	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	Co	N	0	1
			14	2	12		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	377	Total	O	0	9
			386	386		
9	B	444	Total	O	0	6
			450	450		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dihydroorotate dehydrogenase (fumarate)



- Molecule 1: Dihydroorotate dehydrogenase (fumarate)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	67.93Å 71.48Å 129.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.98 – 1.43 39.21 – 1.43	Depositor EDS
% Data completeness (in resolution range)	97.3 (36.98-1.43) 97.4 (39.21-1.43)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.39 (at 1.43Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.153 , 0.187 0.152 , 0.186	Depositor DCC
R_{free} test set	5704 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	8.9	Xtriage
Anisotropy	0.008	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.005 for k,h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6373	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.97 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.3903e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, W87, EDO, FMN, NCO, CAC, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.41	15/2591 (0.6%)	1.30	19/3506 (0.5%)
1	B	1.39	12/2574 (0.5%)	1.30	19/3482 (0.5%)
All	All	1.40	27/5165 (0.5%)	1.30	38/6988 (0.5%)

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	3	LYS	CE-NZ	14.96	1.86	1.49
1	B	1	CYS	CB-SG	-12.48	1.61	1.82
1	B	3	LYS	CD-CE	8.12	1.71	1.51
1	B	195	SER	CB-OG	-7.68	1.32	1.42
1	B	291	GLU	CG-CD	7.31	1.62	1.51
1	B	255	GLU	CD-OE1	-7.28	1.17	1.25
1	A	129	SER	CB-OG	7.14	1.51	1.42
1	A	255	GLU	CD-OE1	-7.04	1.18	1.25
1	A	6	LEU	CA-CB	6.78	1.69	1.53
1	A	129	SER	CA-C	6.74	1.70	1.52
1	B	146	MET	SD-CE	-6.27	1.42	1.77
1	B	312	GLU	CD-OE1	5.89	1.32	1.25
1	A	99	SER	CB-OG	-5.74	1.34	1.42
1	B	291	GLU	CD-OE1	5.68	1.31	1.25
1	A	129	SER	CA-CB	5.65	1.61	1.52
1	A	163[A]	VAL	CB-CG1	-5.57	1.41	1.52
1	A	163[B]	VAL	CB-CG1	-5.57	1.41	1.52
1	A	36	SER	CB-OG	-5.54	1.35	1.42
1	A	136	LYS	N-CA	5.49	1.57	1.46
1	B	149	TYR	CG-CD1	5.46	1.46	1.39
1	A	15	PHE	CD2-CE2	5.40	1.50	1.39
1	B	61	PHE	CB-CG	-5.25	1.42	1.51
1	B	105	GLU	CD-OE1	-5.18	1.20	1.25
1	A	291	GLU	CD-OE1	5.18	1.31	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	302	GLU	CG-CD	5.09	1.59	1.51
1	A	153	VAL	CB-CG1	-5.04	1.42	1.52
1	A	185	PRO	N-CA	-5.04	1.38	1.47

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	3	LYS	CD-CE-NZ	13.46	142.67	111.70
1	B	146	MET	CG-SD-CE	-9.20	85.48	100.20
1	B	77	ASP	CB-CG-OD2	-8.52	110.63	118.30
1	A	105	GLU	OE1-CD-OE2	-8.41	113.20	123.30
1	B	1	CYS	N-CA-CB	-8.03	96.15	110.60
1	B	142	ASP	CB-CG-OD2	-7.64	111.42	118.30
1	A	174	PHE	CB-CG-CD2	-7.42	115.61	120.80
1	A	299	ARG	NE-CZ-NH2	-7.11	116.75	120.30
1	B	111[A]	ARG	NE-CZ-NH1	-7.10	116.75	120.30
1	B	111[B]	ARG	NE-CZ-NH1	-7.10	116.75	120.30
1	B	111[A]	ARG	NE-CZ-NH2	7.00	123.80	120.30
1	B	111[B]	ARG	NE-CZ-NH2	7.00	123.80	120.30
1	A	4[A]	LEU	CB-CG-CD1	6.97	122.86	111.00
1	A	4[B]	LEU	CB-CG-CD1	6.97	122.86	111.00
1	A	77	ASP	CB-CG-OD2	-6.96	112.04	118.30
1	A	51	ASP	CB-CG-OD2	-6.90	112.09	118.30
1	A	246	PHE	CB-CG-CD2	-6.77	116.06	120.80
1	A	3	LYS	CA-CB-CG	6.67	128.08	113.40
1	A	146	MET	CG-SD-CE	-6.25	90.19	100.20
1	A	3	LYS	CB-CG-CD	-6.24	95.36	111.60
1	A	129	SER	CB-CA-C	6.12	121.74	110.10
1	B	168	TYR	CG-CD1-CE1	-6.07	116.44	121.30
1	B	174	PHE	CB-CG-CD1	5.97	124.98	120.80
1	B	174	PHE	CB-CG-CD2	-5.88	116.68	120.80
1	B	141	TYR	CB-CG-CD2	-5.72	117.57	121.00
1	B	262	LEU	CB-CG-CD1	-5.62	101.45	111.00
1	A	175	ASP	CB-CG-OD1	5.56	123.31	118.30
1	A	239	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	A	184	PHE	CB-CG-CD1	-5.54	116.92	120.80
1	A	57	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	A	239	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	B	149	TYR	CB-CG-CD2	-5.45	117.73	121.00
1	B	129	SER	CB-CA-C	5.32	120.21	110.10
1	A	183	GLU	OE1-CD-OE2	-5.28	116.97	123.30
1	B	246	PHE	CB-CG-CD2	-5.12	117.21	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	28	ASP	CB-CG-OD1	5.10	122.89	118.30
1	B	161	PHE	CB-CG-CD2	5.09	124.36	120.80
1	A	184	PHE	CB-CG-CD2	5.02	124.31	120.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2540	0	2524	118	0
1	B	2522	0	2501	57	0
2	A	29	0	19	1	0
2	B	58	0	38	3	0
3	A	90	0	119	12	0
3	B	78	0	102	9	0
4	A	10	0	0	2	0
4	B	10	0	0	0	0
5	A	31	0	19	1	0
5	B	31	0	19	0	0
6	A	56	0	84	33	0
6	B	40	0	59	34	0
7	A	14	0	19	21	0
7	B	7	0	10	8	0
8	A	21	0	0	4	0
9	A	386	0	0	24	0
9	B	450	0	0	23	0
All	All	6373	0	5513	207	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (207) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:3:LYS:NZ	1:B:3:LYS:CE	1.86	1.38
1:A:2:LEU:HD12	1:A:286:GLU:HG3	1.18	1.09
1:A:128:LEU:CD1	1:A:163[B]:VAL:HG21	1.85	1.06
1:A:1:CYS:HB2	7:A:433:PEG:H22	1.26	1.06
6:B:420:EDO:H21	9:B:874:HOH:O	1.54	1.05
1:A:5[A]:ASN:ND2	1:A:10[A]:VAL:HG22	1.73	1.04
1:A:4[B]:LEU:C	1:A:4[B]:LEU:HD12	1.73	1.01
1:A:312[A]:GLU:N	1:A:312[A]:GLU:OE2	1.94	1.01
8:A:434:NCO:N4	9:A:655:HOH:O	1.91	1.01
1:A:2:LEU:HD12	1:A:286:GLU:CG	1.92	1.00
1:B:81:LYS:HE2	9:B:920:HOH:O	1.63	0.97
1:A:5[A]:ASN:HD21	1:A:10[A]:VAL:HG22	1.28	0.96
1:A:5[B]:ASN:HB3	6:A:431:EDO:C2	1.96	0.94
1:A:2:LEU:CD1	1:A:286:GLU:HG3	1.97	0.94
1:A:312[A]:GLU:HG3	9:B:748:HOH:O	1.67	0.93
1:B:277:GLU:HB2	6:B:419:EDO:H12	1.51	0.93
1:A:5[A]:ASN:HB3	6:A:431:EDO:C2	1.99	0.92
1:A:128:LEU:HD12	1:A:163[B]:VAL:HG21	1.52	0.91
1:A:2:LEU:HB2	7:A:433:PEG:H12	1.51	0.91
1:A:138[B]:GLN:HG2	1:B:170:ASP:OD2	1.68	0.90
1:B:54:PRO:HG2	6:B:423:EDO:H21	1.52	0.90
6:B:423:EDO:H11	9:B:527:HOH:O	1.75	0.86
1:A:91:LYS:O	6:A:423:EDO:H22	1.76	0.85
1:A:185:PRO:HG2	6:A:420:EDO:H12	1.60	0.83
1:A:2:LEU:H	7:A:433:PEG:C2	1.91	0.83
1:A:138[B]:GLN:CG	1:B:170:ASP:OD2	2.28	0.82
1:A:5[B]:ASN:HB3	6:A:431:EDO:H21	1.62	0.81
3:A:410:GOL:H12	9:A:809:HOH:O	1.80	0.80
1:B:59:MET:CE	9:B:602:HOH:O	2.30	0.79
1:A:234:ASN:HD21	1:A:238:ARG:HE	1.31	0.79
1:A:128:LEU:CD1	1:A:163[B]:VAL:CG2	2.61	0.78
1:A:5[A]:ASN:HB3	6:A:431:EDO:H21	1.66	0.78
1:A:128:LEU:HD11	1:A:163[B]:VAL:HG21	1.66	0.78
1:B:47[B]:SER:O	6:B:417:EDO:H12	1.85	0.77
1:A:130[B]:CYS:SG	1:A:139:VAL:HG23	2.23	0.77
1:A:312[A]:GLU:CG	9:B:748:HOH:O	2.30	0.76
1:B:188:LYS:HE3	9:B:927:HOH:O	1.83	0.76
1:B:37:SER:O	6:B:425:EDO:H22	1.86	0.75
1:B:195:SER:HB3	9:B:679:HOH:O	1.87	0.75
1:A:291:GLU:OE2	1:A:295:ARG:NH1	2.20	0.74
8:A:434:NCO:N5	9:A:626:HOH:O	2.19	0.74
1:A:4[B]:LEU:CD1	1:A:4[B]:LEU:C	2.52	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:68[B]:SER:OG	1:B:214[B]:LYS:NZ	2.20	0.74
3:B:413:GOL:H11	9:B:938:HOH:O	1.86	0.73
1:A:1:CYS:CB	7:A:433:PEG:H22	2.12	0.73
1:B:234:ASN:HD21	1:B:238:ARG:HE	1.35	0.72
1:A:1:CYS:HB2	7:A:433:PEG:C2	2.14	0.72
1:A:128:LEU:HD12	1:A:163[A]:VAL:CG1	2.19	0.72
1:A:3:LYS:N	7:A:433:PEG:H21	2.06	0.71
1:B:129:SER:HA	1:B:138:GLN:NE2	2.06	0.70
1:A:128:LEU:HD12	1:A:163[A]:VAL:HG11	1.73	0.70
1:A:-1:SER:N	1:A:299:ARG:HA	2.06	0.70
1:A:312[A]:GLU:CA	1:A:312[A]:GLU:OE2	2.40	0.69
1:A:138[A]:GLN:HG3	9:A:868:HOH:O	1.94	0.68
1:A:128:LEU:HG	1:A:163[B]:VAL:HG23	1.75	0.68
1:A:4[B]:LEU:O	1:A:4[B]:LEU:HD12	1.93	0.68
1:A:5[A]:ASN:HD21	1:A:10[A]:VAL:CG2	2.06	0.68
2:B:401[A]:W87:H14	2:B:401[A]:W87:OAC	1.94	0.68
1:B:195:SER:OG	3:B:403:GOL:H11	1.93	0.68
1:A:185:PRO:HG2	6:A:420:EDO:C1	2.24	0.67
1:A:184:PHE:CE1	3:A:411:GOL:H32	2.30	0.67
1:A:128:LEU:CD1	1:A:163[A]:VAL:CG1	2.73	0.66
1:A:82:TYR:OH	1:A:87:HIS:HD2	1.79	0.66
1:A:255:GLU:OE2	6:A:424:EDO:H21	1.94	0.66
1:B:129:SER:HB3	9:B:678:HOH:O	1.96	0.66
1:B:214[C]:LYS:NZ	6:B:422:EDO:H11	2.11	0.65
1:A:128:LEU:HG	1:A:163[B]:VAL:CG2	2.26	0.65
7:A:432:PEG:H21	9:A:874:HOH:O	1.97	0.65
1:B:276:GLU:HB2	6:B:419:EDO:H22	1.79	0.65
1:B:273:ALA:HB1	6:B:419:EDO:H11	1.79	0.65
1:A:149:TYR:HE1	9:A:691:HOH:O	1.80	0.64
1:A:2:LEU:H	7:A:433:PEG:C1	2.12	0.63
1:A:3:LYS:HG3	7:A:433:PEG:O2	1.98	0.63
4:A:415:CAC:C1	9:A:795:HOH:O	2.46	0.63
1:A:63:LEU:HD11	6:B:420:EDO:H22	1.81	0.63
1:A:183:GLU:HB3	3:A:411:GOL:H12	1.80	0.62
1:A:312[A]:GLU:OE2	1:A:312[A]:GLU:HA	2.00	0.62
1:A:128:LEU:CD1	1:A:163[A]:VAL:HG11	2.29	0.62
6:B:421:EDO:H11	9:B:585:HOH:O	2.00	0.62
1:A:5[B]:ASN:HB3	6:A:431:EDO:O2	2.00	0.62
1:B:59:MET:HE3	9:B:602:HOH:O	1.95	0.62
1:A:307:ARG:HH22	6:A:426:EDO:H22	1.65	0.62
1:B:92:LYS:HB3	6:B:425:EDO:H11	1.81	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:401[B]:W87:OAS	2:B:401[B]:W87:H14	2.01	0.61
1:A:132:ASN:HB2	9:A:590:HOH:O	2.00	0.60
1:A:5[A]:ASN:HB3	6:A:431:EDO:O2	2.02	0.60
1:A:275:GLN:O	8:A:434:NCO:N3	2.33	0.60
1:A:2:LEU:N	7:A:433:PEG:C2	2.63	0.60
1:A:2:LEU:CD1	1:A:286:GLU:CG	2.70	0.60
3:B:413:GOL:H32	6:B:420:EDO:O2	2.02	0.59
1:B:82:TYR:OH	1:B:87:HIS:HD2	1.85	0.59
8:A:434:NCO:N2	9:A:712:HOH:O	2.32	0.59
1:A:107:VAL:O	1:A:111[B]:ARG:HG3	2.04	0.58
1:A:154:SER:O	6:A:428:EDO:H21	2.03	0.58
1:B:87:HIS:HE1	1:B:92:LYS:O	1.86	0.58
1:B:210:VAL:HA	3:B:411:GOL:H31	1.85	0.58
1:A:37:SER:O	6:A:423:EDO:H11	2.03	0.58
1:B:111[B]:ARG:NH2	7:B:427:PEG:H21	2.19	0.57
1:A:3:LYS:HG3	7:A:433:PEG:C3	2.34	0.57
1:B:111[B]:ARG:NH2	7:B:427:PEG:C2	2.67	0.57
1:A:98[A]:ILE:O	1:A:98[A]:ILE:HG13	2.05	0.56
1:A:238:ARG:NH2	6:A:418:EDO:H22	2.21	0.56
1:A:128:LEU:HD12	1:A:163[B]:VAL:CG2	2.28	0.56
1:A:128:LEU:CD1	1:A:163[A]:VAL:HG13	2.36	0.56
1:A:298:TYR:HE1	6:A:427:EDO:H22	1.70	0.56
1:A:155:LEU:HA	6:A:428:EDO:H21	1.87	0.55
1:A:195:SER:HB3	9:A:808:HOH:O	2.06	0.55
1:B:234:ASN:ND2	1:B:238:ARG:HE	2.05	0.55
1:B:47[B]:SER:O	6:B:417:EDO:C1	2.54	0.55
1:B:277:GLU:CB	6:B:419:EDO:H12	2.31	0.55
1:A:241:PRO:HB3	3:A:413:GOL:H12	1.87	0.55
1:B:108:ALA:HA	7:B:427:PEG:H12	1.89	0.55
1:B:241:PRO:HA	3:B:409:GOL:H31	1.89	0.54
1:A:2:LEU:N	7:A:433:PEG:H21	2.21	0.54
1:A:3:LYS:CG	7:A:433:PEG:H31	2.36	0.54
1:A:183:GLU:O	3:A:411:GOL:H31	2.08	0.54
7:A:433:PEG:H11	9:A:653:HOH:O	2.06	0.54
1:B:92:LYS:HE2	6:B:425:EDO:H11	1.89	0.53
1:A:212:LYS:NZ	1:B:312:GLU:HG2	2.23	0.53
1:A:87:HIS:HE1	1:A:92:LYS:O	1.90	0.53
1:B:12:ALA:HB3	6:B:425:EDO:H21	1.90	0.53
1:A:128:LEU:CG	1:A:163[B]:VAL:CG2	2.87	0.53
1:A:234:ASN:ND2	1:A:238:ARG:HE	2.02	0.53
1:A:5[A]:ASN:ND2	1:A:10[A]:VAL:CG2	2.62	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:LEU:HG	1:A:163[A]:VAL:HG13	1.91	0.52
6:A:421:EDO:H21	9:A:535:HOH:O	2.09	0.52
2:A:401:W87:OAC	2:A:401:W87:H14	2.09	0.52
1:A:91:LYS:O	6:A:423:EDO:C2	2.54	0.52
4:A:416:CAC:C2	6:A:427:EDO:O1	2.58	0.52
1:B:104:GLU:HB3	7:B:427:PEG:H31	1.92	0.52
1:A:308:VAL:O	6:A:418:EDO:H21	2.10	0.51
1:A:2:LEU:H	7:A:433:PEG:H21	1.72	0.51
1:A:3:LYS:HG3	7:A:433:PEG:H31	1.93	0.51
1:A:130[A]:CYS:SG	1:A:131:PRO:HD2	2.51	0.51
1:B:38:GLY:HA2	6:B:425:EDO:H22	1.92	0.50
1:A:295:ARG:HH21	6:A:424:EDO:C1	2.23	0.50
3:B:410:GOL:C3	9:B:697:HOH:O	2.60	0.49
1:A:7:LEU:O	1:A:9:HIS:HD2	1.96	0.49
1:B:5[B]:ASN:ND2	1:B:10:VAL:HG22	2.28	0.49
1:B:214[C]:LYS:HZ3	6:B:422:EDO:H11	1.76	0.49
1:B:77:ASP:H	6:B:417:EDO:H11	1.78	0.48
1:B:37:SER:O	6:B:425:EDO:C2	2.59	0.48
1:A:10[B]:VAL:O	3:A:409:GOL:H11	2.15	0.47
1:A:34:ALA:HB3	3:A:402[A]:GOL:H11	1.97	0.47
3:A:403:GOL:O1	6:B:422:EDO:H12	2.15	0.46
1:A:59:MET:HE3	9:A:739:HOH:O	2.15	0.46
1:A:275:GLN:NE2	9:A:589:HOH:O	2.48	0.46
7:A:432:PEG:H12	1:B:168:TYR:HA	1.97	0.46
6:B:421:EDO:C1	9:B:585:HOH:O	2.59	0.46
1:A:9:HIS:HE1	9:A:523:HOH:O	1.99	0.46
6:A:420:EDO:O1	6:A:428:EDO:C1	2.64	0.46
1:B:108:ALA:CB	7:B:427:PEG:H12	2.46	0.45
1:A:307:ARG:HH22	6:A:426:EDO:C2	2.29	0.45
1:B:77:ASP:H	6:B:417:EDO:C1	2.30	0.45
1:A:37:SER:O	6:A:423:EDO:C1	2.66	0.44
1:B:160:PRO:HB2	6:B:426:EDO:H22	1.98	0.44
1:B:223:LYS:HD3	6:B:420:EDO:H12	1.99	0.44
6:B:423:EDO:C1	9:B:527:HOH:O	2.47	0.44
6:B:417:EDO:H11	9:B:539:HOH:O	2.16	0.44
1:A:92:LYS:HE2	6:A:423:EDO:H11	1.99	0.44
1:A:149:TYR:CE1	9:A:691:HOH:O	2.56	0.44
1:B:47[A]:SER:O	6:B:417:EDO:H12	2.17	0.43
7:A:432:PEG:H32	9:A:786:HOH:O	2.17	0.43
1:B:97:SER:HA	1:B:125:GLU:O	2.18	0.43
6:A:430:EDO:H11	9:A:580:HOH:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:GLY:HA2	2:B:401[B]:W87:CAK	2.47	0.43
1:A:5[A]:ASN:HD22	6:A:431:EDO:C2	2.31	0.43
1:B:129:SER:CB	9:B:678:HOH:O	2.60	0.43
6:B:417:EDO:C2	9:B:539:HOH:O	2.66	0.43
1:A:163[A]:VAL:HG12	1:A:165:MET:SD	2.59	0.43
1:B:104:GLU:CA	7:B:427:PEG:H31	2.49	0.43
6:B:418:EDO:H11	9:B:760:HOH:O	2.19	0.42
1:A:138[A]:GLN:CG	9:A:868:HOH:O	2.61	0.42
1:A:8[B]:ASP:N	6:A:431:EDO:O1	2.39	0.42
1:A:98[A]:ILE:O	1:A:98[A]:ILE:CG1	2.68	0.42
1:A:3:LYS:CG	7:A:433:PEG:C3	2.96	0.42
1:B:223:LYS:HG2	1:B:252:TYR:CE1	2.54	0.42
3:B:408:GOL:H32	9:B:659:HOH:O	2.19	0.42
1:B:108:ALA:CA	7:B:427:PEG:H12	2.48	0.42
1:A:101:LEU:N	1:A:105:GLU:OE1	2.48	0.42
1:A:128:LEU:O	9:A:868:HOH:O	2.21	0.42
6:B:417:EDO:H22	9:B:539:HOH:O	2.19	0.42
1:B:214[C]:LYS:HZ2	6:B:422:EDO:C1	2.32	0.42
1:A:2:LEU:HG	1:A:290:LEU:HD21	2.01	0.42
1:A:155:LEU:HA	6:A:428:EDO:C2	2.48	0.42
1:A:295:ARG:NH2	6:A:424:EDO:H22	2.35	0.42
1:A:71:LEU:N	1:A:72:PRO:CD	2.83	0.42
3:B:410:GOL:H31	9:B:697:HOH:O	2.19	0.42
7:B:427:PEG:H41	9:B:811:HOH:O	2.19	0.42
1:A:20:GLY:HA3	5:A:417:FMN:N5	2.35	0.41
1:A:10[A]:VAL:O	3:A:409:GOL:H11	2.20	0.41
6:A:425:EDO:H21	9:A:633:HOH:O	2.20	0.41
1:A:97:SER:HA	1:A:125:GLU:O	2.20	0.41
1:B:241:PRO:HA	3:B:409:GOL:C3	2.50	0.41
1:A:-1:SER:H3	1:A:299:ARG:HA	1.80	0.41
1:A:308:VAL:O	6:A:418:EDO:C2	2.68	0.41
1:A:295:ARG:HH21	6:A:424:EDO:H12	1.85	0.41
1:A:223[B]:LYS:HG3	1:A:252:TYR:CE1	2.56	0.41
3:A:414:GOL:C3	9:A:747:HOH:O	2.69	0.41
1:A:138[B]:GLN:HG3	1:B:170:ASP:OD2	2.16	0.41
1:A:59:MET:CE	9:A:739:HOH:O	2.68	0.41
3:A:414:GOL:H32	9:A:747:HOH:O	2.21	0.41
3:A:406[B]:GOL:H2	1:B:238:ARG:HB3	2.03	0.41
7:A:432:PEG:H41	7:A:432:PEG:H21	1.42	0.41
7:A:432:PEG:H22	7:A:432:PEG:H42	1.64	0.40
1:B:77:ASP:HB2	6:B:417:EDO:H21	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:ASN:HB3	1:A:213:PRO:HG3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	329/314 (105%)	318 (97%)	10 (3%)	1 (0%)	44	17
1	B	328/314 (104%)	316 (96%)	12 (4%)	0	100	100
All	All	657/628 (105%)	634 (96%)	22 (3%)	1 (0%)	51	21

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	0	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/259 (107%)	270 (98%)	7 (2%)	53	16
1	B	275/259 (106%)	274 (100%)	1 (0%)	93	81
All	All	552/518 (107%)	544 (99%)	8 (1%)	75	38

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	SER
1	A	3	LYS
1	A	118	GLN
1	A	130[A]	CYS
1	A	130[B]	CYS
1	A	312[A]	GLU
1	A	312[B]	GLU
1	B	312	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	87	HIS
1	A	151	GLN
1	A	234	ASN
1	A	275	GLN
1	B	87	HIS
1	B	118	GLN
1	B	138	GLN
1	B	234	ASN
1	B	275	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

67 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	W87	A	401	-	26,31,31	1.83	4 (15%)	28,43,43	2.49	12 (42%)
3	GOL	A	402[A]	-	5,5,5	1.01	0	5,5,5	0.43	0
3	GOL	A	402[B]	-	5,5,5	1.28	0	5,5,5	0.99	0
3	GOL	A	403	-	5,5,5	0.60	0	5,5,5	0.99	0
3	GOL	A	404	-	5,5,5	0.82	0	5,5,5	2.11	2 (40%)
3	GOL	A	405	-	5,5,5	0.93	0	5,5,5	1.22	1 (20%)
3	GOL	A	406[A]	-	5,5,5	0.50	0	5,5,5	0.40	0
3	GOL	A	406[B]	-	5,5,5	0.20	0	5,5,5	0.66	0
3	GOL	A	407	-	5,5,5	0.34	0	5,5,5	0.43	0
3	GOL	A	408	-	5,5,5	0.51	0	5,5,5	0.69	0
3	GOL	A	409	-	5,5,5	0.80	0	5,5,5	1.35	1 (20%)
3	GOL	A	410	-	5,5,5	0.34	0	5,5,5	0.61	0
3	GOL	A	411	-	5,5,5	0.53	0	5,5,5	1.26	1 (20%)
3	GOL	A	412	-	5,5,5	0.53	0	5,5,5	0.69	0
3	GOL	A	413	-	5,5,5	0.72	0	5,5,5	0.74	0
3	GOL	A	414	-	5,5,5	0.36	0	5,5,5	0.39	0
4	CAC	A	415	-	0,4,4	0.00	-	0,6,6	0.00	-
4	CAC	A	416	-	0,4,4	0.00	-	0,6,6	0.00	-
5	FMN	A	417	-	31,33,33	1.19	4 (12%)	38,50,50	2.32	4 (10%)
6	EDO	A	418	-	3,3,3	0.87	0	2,2,2	0.34	0
6	EDO	A	419	-	3,3,3	0.53	0	2,2,2	0.45	0
6	EDO	A	420	-	3,3,3	0.63	0	2,2,2	0.81	0
6	EDO	A	421	-	3,3,3	0.37	0	2,2,2	2.06	1 (50%)
6	EDO	A	422	-	3,3,3	0.37	0	2,2,2	1.13	0
6	EDO	A	423	-	3,3,3	0.51	0	2,2,2	0.49	0
6	EDO	A	424	-	3,3,3	0.60	0	2,2,2	0.34	0
6	EDO	A	425	-	3,3,3	0.67	0	2,2,2	0.38	0
6	EDO	A	426	-	3,3,3	0.53	0	2,2,2	0.23	0
6	EDO	A	427	-	3,3,3	0.82	0	2,2,2	0.14	0
6	EDO	A	428	-	3,3,3	0.50	0	2,2,2	0.62	0
6	EDO	A	429	-	3,3,3	0.40	0	2,2,2	0.82	0
6	EDO	A	430	-	3,3,3	0.88	0	2,2,2	0.67	0
6	EDO	A	431	-	3,3,3	1.63	1 (33%)	2,2,2	1.66	1 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	PEG	A	432	-	6,6,6	1.04	1 (16%)	5,5,5	1.08	0
7	PEG	A	433	-	6,6,6	1.04	1 (16%)	5,5,5	2.24	1 (20%)
8	NCO	A	434	-	6,6,6	4.54	6 (100%)	0,15,15	0.00	-
8	NCO	A	435[A]	-	6,6,6	2.10	2 (33%)	0,15,15	0.00	-
8	NCO	A	435[B]	-	6,6,6	2.16	4 (66%)	0,15,15	0.00	-
2	W87	B	401[A]	-	26,31,31	1.82	6 (23%)	28,43,43	2.17	7 (25%)
2	W87	B	401[B]	-	26,31,31	1.66	5 (19%)	28,43,43	1.93	4 (14%)
3	GOL	B	402	-	5,5,5	0.67	0	5,5,5	0.60	0
3	GOL	B	403	-	5,5,5	0.54	0	5,5,5	0.85	0
3	GOL	B	404	-	5,5,5	1.27	1 (20%)	5,5,5	0.95	0
3	GOL	B	405[A]	-	5,5,5	0.74	0	5,5,5	0.81	0
3	GOL	B	405[B]	-	5,5,5	0.32	0	5,5,5	1.07	0
3	GOL	B	406	-	5,5,5	0.96	0	5,5,5	1.34	1 (20%)
3	GOL	B	407	-	5,5,5	0.43	0	5,5,5	0.81	0
3	GOL	B	408	-	5,5,5	0.48	0	5,5,5	0.62	0
3	GOL	B	409	-	5,5,5	0.91	0	5,5,5	0.86	0
3	GOL	B	410	-	5,5,5	0.20	0	5,5,5	0.77	0
3	GOL	B	411	-	5,5,5	0.47	0	5,5,5	1.04	0
3	GOL	B	412	-	5,5,5	0.32	0	5,5,5	0.77	0
3	GOL	B	413	-	5,5,5	0.36	0	5,5,5	1.11	0
4	CAC	B	414	-	0,4,4	0.00	-	0,6,6	0.00	-
4	CAC	B	415	-	0,4,4	0.00	-	0,6,6	0.00	-
5	FMN	B	416	-	31,33,33	1.15	1 (3%)	38,50,50	1.77	6 (15%)
6	EDO	B	417	-	3,3,3	1.26	0	2,2,2	1.36	0
6	EDO	B	418	-	3,3,3	0.31	0	2,2,2	1.08	0
6	EDO	B	419	-	3,3,3	0.64	0	2,2,2	0.52	0
6	EDO	B	420	-	3,3,3	0.95	0	2,2,2	0.95	0
6	EDO	B	421	-	3,3,3	0.82	0	2,2,2	0.54	0
6	EDO	B	422	-	3,3,3	0.66	0	2,2,2	0.28	0
6	EDO	B	423	-	3,3,3	0.47	0	2,2,2	0.64	0
6	EDO	B	424	-	3,3,3	0.59	0	2,2,2	0.31	0
6	EDO	B	425	-	3,3,3	1.25	1 (33%)	2,2,2	2.07	1 (50%)
6	EDO	B	426	-	3,3,3	0.80	0	2,2,2	0.68	0
7	PEG	B	427	-	6,6,6	1.25	1 (16%)	5,5,5	1.72	2 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	W87	A	401	-	-	0/13/17/17	0/3/3/3
3	GOL	A	402[A]	-	-	0/4/4/4	0/0/0/0
3	GOL	A	402[B]	-	-	0/4/4/4	0/0/0/0
3	GOL	A	403	-	-	0/4/4/4	0/0/0/0
3	GOL	A	404	-	-	0/4/4/4	0/0/0/0
3	GOL	A	405	-	-	0/4/4/4	0/0/0/0
3	GOL	A	406[A]	-	-	0/4/4/4	0/0/0/0
3	GOL	A	406[B]	-	-	0/4/4/4	0/0/0/0
3	GOL	A	407	-	-	0/4/4/4	0/0/0/0
3	GOL	A	408	-	-	0/4/4/4	0/0/0/0
3	GOL	A	409	-	-	0/4/4/4	0/0/0/0
3	GOL	A	410	-	-	0/4/4/4	0/0/0/0
3	GOL	A	411	-	-	0/4/4/4	0/0/0/0
3	GOL	A	412	-	-	0/4/4/4	0/0/0/0
3	GOL	A	413	-	-	0/4/4/4	0/0/0/0
3	GOL	A	414	-	-	0/4/4/4	0/0/0/0
4	CAC	A	415	-	-	0/0/0/0	0/0/0/0
4	CAC	A	416	-	-	0/0/0/0	0/0/0/0
5	FMN	A	417	-	-	0/16/18/18	0/3/3/3
6	EDO	A	418	-	-	0/1/1/1	0/0/0/0
6	EDO	A	419	-	-	0/1/1/1	0/0/0/0
6	EDO	A	420	-	-	0/1/1/1	0/0/0/0
6	EDO	A	421	-	-	0/1/1/1	0/0/0/0
6	EDO	A	422	-	-	0/1/1/1	0/0/0/0
6	EDO	A	423	-	-	0/1/1/1	0/0/0/0
6	EDO	A	424	-	-	0/1/1/1	0/0/0/0
6	EDO	A	425	-	-	0/1/1/1	0/0/0/0
6	EDO	A	426	-	-	0/1/1/1	0/0/0/0
6	EDO	A	427	-	-	0/1/1/1	0/0/0/0
6	EDO	A	428	-	-	0/1/1/1	0/0/0/0
6	EDO	A	429	-	-	0/1/1/1	0/0/0/0
6	EDO	A	430	-	-	0/1/1/1	0/0/0/0
6	EDO	A	431	-	-	0/1/1/1	0/0/0/0
7	PEG	A	432	-	-	0/4/4/4	0/0/0/0
7	PEG	A	433	-	-	0/4/4/4	0/0/0/0
8	NCO	A	434	-	-	0/0/0/0	0/0/0/0
8	NCO	A	435[A]	-	-	0/0/0/0	0/0/0/0
8	NCO	A	435[B]	-	-	0/0/0/0	0/0/0/0
2	W87	B	401[A]	-	-	0/13/17/17	0/3/3/3
2	W87	B	401[B]	-	-	0/13/17/17	0/3/3/3
3	GOL	B	402	-	-	0/4/4/4	0/0/0/0
3	GOL	B	403	-	-	0/4/4/4	0/0/0/0
3	GOL	B	404	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	405[A]	-	-	0/4/4/4	0/0/0/0
3	GOL	B	405[B]	-	-	0/4/4/4	0/0/0/0
3	GOL	B	406	-	-	0/4/4/4	0/0/0/0
3	GOL	B	407	-	-	0/4/4/4	0/0/0/0
3	GOL	B	408	-	-	0/4/4/4	0/0/0/0
3	GOL	B	409	-	-	0/4/4/4	0/0/0/0
3	GOL	B	410	-	-	0/4/4/4	0/0/0/0
3	GOL	B	411	-	-	0/4/4/4	0/0/0/0
3	GOL	B	412	-	-	0/4/4/4	0/0/0/0
3	GOL	B	413	-	-	0/4/4/4	0/0/0/0
4	CAC	B	414	-	-	0/0/0/0	0/0/0/0
4	CAC	B	415	-	-	0/0/0/0	0/0/0/0
5	FMN	B	416	-	-	0/16/18/18	0/3/3/3
6	EDO	B	417	-	-	0/1/1/1	0/0/0/0
6	EDO	B	418	-	-	0/1/1/1	0/0/0/0
6	EDO	B	419	-	-	0/1/1/1	0/0/0/0
6	EDO	B	420	-	-	0/1/1/1	0/0/0/0
6	EDO	B	421	-	-	0/1/1/1	0/0/0/0
6	EDO	B	422	-	-	0/1/1/1	0/0/0/0
6	EDO	B	423	-	-	0/1/1/1	0/0/0/0
6	EDO	B	424	-	-	0/1/1/1	0/0/0/0
6	EDO	B	425	-	-	0/1/1/1	0/0/0/0
6	EDO	B	426	-	-	0/1/1/1	0/0/0/0
7	PEG	B	427	-	-	0/4/4/4	0/0/0/0

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	417	FMN	C6-C5A	-3.03	1.37	1.41
5	B	416	FMN	C4-C4A	-2.76	1.36	1.41
3	B	404	GOL	O2-C2	-2.68	1.35	1.43
2	A	401	W87	CAL-CBB	-2.63	1.35	1.42
2	B	401[B]	W87	CAZ-NAR	-2.29	1.33	1.38
2	B	401[A]	W87	CAZ-NAR	-2.26	1.33	1.38
6	B	425	EDO	O1-C1	-2.16	1.30	1.42
2	B	401[A]	W87	CAL-CBB	-2.11	1.37	1.42
2	B	401[A]	W87	CBC-CBB	-2.04	1.39	1.43
7	A	432	PEG	O4-C4	-2.00	1.31	1.42
7	A	433	PEG	O2-C3	2.17	1.51	1.42
7	B	427	PEG	O2-C2	2.18	1.51	1.42
8	A	434	NCO	CO-N1	2.19	2.05	1.97
5	A	417	FMN	C5A-N5	2.21	1.38	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	417	FMN	C1'-N10	2.22	1.50	1.48
2	B	401[B]	W87	CBA-NAR	2.23	1.37	1.33
2	B	401[A]	W87	CBA-NAR	2.25	1.37	1.33
6	A	431	EDO	O2-C2	2.28	1.54	1.42
2	B	401[B]	W87	CAK-CAI	2.31	1.41	1.36
8	A	435[A]	NCO	CO-N6	2.32	2.06	1.97
8	A	435[B]	NCO	CO-N5	2.34	2.06	1.97
8	A	435[B]	NCO	CO-N4	2.38	2.06	1.97
2	A	401	W87	CAX-NAQ	2.38	1.38	1.34
2	B	401[A]	W87	OAE-CBA	2.53	1.30	1.24
2	B	401[B]	W87	OAE-CBA	2.54	1.30	1.24
8	A	435[B]	NCO	CO-N1	2.64	2.07	1.97
5	A	417	FMN	C4A-C10	2.66	1.45	1.41
8	A	435[B]	NCO	CO-N6	2.89	2.08	1.97
8	A	434	NCO	CO-N6	3.07	2.09	1.97
8	A	434	NCO	CO-N2	3.65	2.11	1.97
8	A	435[A]	NCO	CO-N5	3.82	2.12	1.97
2	A	401	W87	CBA-NAR	4.27	1.40	1.33
8	A	434	NCO	CO-N4	4.56	2.15	1.97
2	A	401	W87	OAS-CAU	5.07	1.45	1.33
8	A	434	NCO	CO-N3	5.38	2.18	1.97
2	B	401[A]	W87	OAS-CAU	5.80	1.46	1.33
2	B	401[B]	W87	OAS-CAU	5.85	1.46	1.33
8	A	434	NCO	CO-N5	6.80	2.24	1.97

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	417	FMN	C4A-C10-N10	-7.36	115.41	120.52
5	A	417	FMN	C4-C4A-C10	-6.98	114.32	119.96
2	A	401	W87	CAO-CAV-CAL	-4.79	111.01	120.95
5	B	416	FMN	C4-C4A-C10	-4.28	116.50	119.96
2	B	401[A]	W87	CAO-CAV-CAL	-3.79	113.09	120.95
2	A	401	W87	CAJ-CBB-CAL	-3.57	115.70	122.05
2	A	401	W87	CAI-CAK-CBC	-3.33	116.59	121.14
6	A	421	EDO	O1-C1-C2	-2.88	91.45	112.08
2	A	401	W87	CAG-CAJ-CBB	-2.76	116.11	120.44
6	B	425	EDO	O2-C2-C1	-2.72	92.61	112.08
2	A	401	W87	CAV-CAL-CBB	-2.31	117.30	121.26
2	A	401	W87	CAK-CBC-CAW	-2.27	119.91	123.28
5	B	416	FMN	C4A-C4-N3	-2.10	120.49	123.48
2	B	401[B]	W87	CAI-CAK-CBC	-2.05	118.34	121.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	409	GOL	C3-C2-C1	-2.02	103.47	111.52
7	B	427	PEG	O1-C1-C2	2.00	123.39	111.89
2	A	401	W87	OAS-CAU-CAW	2.02	115.85	111.82
6	A	431	EDO	O2-C2-C1	2.05	126.78	112.08
2	B	401[A]	W87	CAO-CAV-CAI	2.08	126.43	121.24
3	A	404	GOL	O2-C2-C1	2.11	118.83	108.84
3	A	405	GOL	O2-C2-C1	2.16	119.03	108.84
3	A	411	GOL	O3-C3-C2	2.23	121.29	110.07
2	B	401[B]	W87	CAA-OAS-CAU	2.23	120.24	115.85
2	B	401[A]	W87	CAA-OAS-CAU	2.29	120.35	115.85
2	B	401[A]	W87	CAJ-CBB-CBC	2.33	122.14	119.11
3	B	406	GOL	O1-C1-C2	2.38	122.09	110.07
2	A	401	W87	CAM-CAN-CAP	2.56	123.88	113.70
2	A	401	W87	CAK-CBC-CBB	2.59	121.24	117.89
7	B	427	PEG	O2-C2-C1	2.64	122.33	110.15
2	B	401[A]	W87	CAM-CAO-CAV	2.96	124.78	113.67
5	B	416	FMN	C1'-N10-C10	2.98	121.56	118.50
2	B	401[A]	W87	OAS-CAU-CAW	3.12	118.05	111.82
5	A	417	FMN	C10-C4A-N5	3.17	124.25	120.59
5	B	416	FMN	C4A-N5-C5A	3.22	120.17	116.76
5	B	416	FMN	C4-C4A-N5	3.25	122.24	118.68
2	A	401	W87	CAJ-CBB-CBC	3.33	123.44	119.11
3	A	404	GOL	O3-C3-C2	3.50	127.73	110.07
2	B	401[B]	W87	OAS-CAU-CAW	3.64	119.09	111.82
2	A	401	W87	CAI-CAV-CAL	4.20	125.33	118.86
7	A	433	PEG	C3-O2-C2	4.91	134.59	113.30
5	B	416	FMN	C4-N3-C2	6.21	120.59	115.16
2	A	401	W87	CBA-NAR-CAZ	7.14	121.41	115.16
2	B	401[B]	W87	CBA-NAR-CAZ	7.72	121.91	115.16
2	B	401[A]	W87	CBA-NAR-CAZ	7.79	121.97	115.16
5	A	417	FMN	C4-N3-C2	7.80	121.98	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

44 monomers are involved in 125 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	W87	1	0
3	A	402[A]	GOL	1	0
3	A	403	GOL	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	406[B]	GOL	1	0
3	A	409	GOL	2	0
3	A	410	GOL	1	0
3	A	411	GOL	3	0
3	A	413	GOL	1	0
3	A	414	GOL	2	0
4	A	415	CAC	1	0
4	A	416	CAC	1	0
5	A	417	FMN	1	0
6	A	418	EDO	3	0
6	A	420	EDO	3	0
6	A	421	EDO	1	0
6	A	423	EDO	5	0
6	A	424	EDO	4	0
6	A	425	EDO	1	0
6	A	426	EDO	2	0
6	A	427	EDO	2	0
6	A	428	EDO	4	0
6	A	430	EDO	1	0
6	A	431	EDO	8	0
7	A	432	PEG	5	0
7	A	433	PEG	16	0
8	A	434	NCO	4	0
2	B	401[A]	W87	1	0
2	B	401[B]	W87	2	0
3	B	403	GOL	1	0
3	B	408	GOL	1	0
3	B	409	GOL	2	0
3	B	410	GOL	2	0
3	B	411	GOL	1	0
3	B	413	GOL	2	0
6	B	417	EDO	9	0
6	B	418	EDO	1	0
6	B	419	EDO	4	0
6	B	420	EDO	4	0
6	B	421	EDO	2	0
6	B	422	EDO	4	0
6	B	423	EDO	3	0
6	B	425	EDO	6	0
6	B	426	EDO	1	0
7	B	427	PEG	8	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	314/314 (100%)	-0.21	10 (3%) 48 49	4, 9, 24, 41	0
1	B	314/314 (100%)	-0.39	3 (0%) 82 82	4, 8, 19, 36	0
All	All	628/628 (100%)	-0.30	13 (2%) 64 65	4, 8, 21, 41	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	131	PRO	5.6
1	A	133	VAL	5.4
1	A	-1	SER	5.2
1	A	135	GLY	4.8
1	A	134	PRO	4.7
1	B	-1	SER	4.7
1	B	312	GLU	3.6
1	A	130[A]	CYS	3.5
1	A	312[A]	GLU	3.1
1	A	132	ASN	2.9
1	A	0	MET	2.6
1	A	149	TYR	2.5
1	B	130[A]	CYS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	GOL	B	410	6/6	0.90	0.42	26.26	20,39,42,43	0
8	NCO	A	434	7/7	0.96	0.31	24.46	7,14,18,19	0
3	GOL	B	411	6/6	0.83	0.34	21.56	26,32,35,40	0
6	EDO	B	419	4/4	0.94	0.19	20.59	19,20,22,23	0
4	CAC	A	415	5/5	0.92	0.28	16.02	11,18,21,21	0
8	NCO	A	435[B]	7/7	0.94	0.35	15.39	14,25,29,30	7
8	NCO	A	435[A]	7/7	0.94	0.35	15.39	16,26,28,29	7
3	GOL	A	412	6/6	0.83	0.29	12.60	31,42,44,45	0
3	GOL	B	409	6/6	0.82	0.19	11.45	29,35,36,43	0
6	EDO	B	417	4/4	0.88	0.24	11.43	17,23,23,32	0
4	CAC	B	414	5/5	0.96	0.20	11.38	10,16,19,19	0
3	GOL	A	405	6/6	0.87	0.19	10.14	19,24,29,31	0
6	EDO	A	423	4/4	0.91	0.23	8.61	20,27,28,35	0
3	GOL	A	414	6/6	0.82	0.28	7.93	33,48,49,52	0
6	EDO	B	421	4/4	0.80	0.21	7.84	33,34,40,41	0
6	EDO	A	430	4/4	0.83	0.19	6.99	30,36,38,40	0
6	EDO	A	418	4/4	0.89	0.23	6.39	15,24,30,31	0
7	PEG	B	427	7/7	0.86	0.22	6.24	20,25,26,26	0
6	EDO	B	425	4/4	0.95	0.21	5.53	18,21,21,24	0
3	GOL	A	402[A]	6/6	0.96	0.10	5.42	8,9,10,10	6
3	GOL	B	407	6/6	0.88	0.18	5.20	28,37,39,48	0
3	GOL	A	409	6/6	0.89	0.16	4.62	23,25,30,38	0
3	GOL	A	402[B]	6/6	0.96	0.10	4.47	8,11,11,11	6
3	GOL	B	404	6/6	0.91	0.15	4.21	22,23,24,25	0
7	PEG	A	432	7/7	0.95	0.14	4.02	11,23,26,30	0
6	EDO	B	423	4/4	0.91	0.29	3.99	22,29,34,35	0
6	EDO	B	426	4/4	0.92	0.20	3.94	25,31,33,35	0
3	GOL	B	408	6/6	0.88	0.20	3.77	27,41,42,43	0
6	EDO	B	422	4/4	0.72	0.25	3.52	41,42,43,44	0
6	EDO	A	424	4/4	0.89	0.20	3.48	30,30,37,40	0
3	GOL	B	403	6/6	0.77	0.20	2.65	20,34,36,37	0
3	GOL	A	404	6/6	0.90	0.16	2.42	19,23,33,33	0
6	EDO	B	424	4/4	0.68	0.16	1.92	47,47,50,51	0
7	PEG	A	433	7/7	0.83	0.23	1.44	18,21,32,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	W87	B	401[A]	29/29	0.94	0.15	1.38	5,11,27,29	29
2	W87	B	401[B]	29/29	0.94	0.15	1.38	5,9,24,29	29
3	GOL	B	406	6/6	0.88	0.15	1.33	16,20,21,23	0
6	EDO	A	431	4/4	0.81	0.14	0.96	17,23,29,31	0
3	GOL	A	403	6/6	0.88	0.11	0.43	22,22,25,30	0
2	W87	A	401	29/29	0.94	0.12	0.41	5,16,32,34	0
5	FMN	B	416	31/31	0.99	0.08	0.29	3,4,6,6	0
3	GOL	B	402	6/6	0.96	0.07	0.15	15,15,18,18	0
5	FMN	A	417	31/31	0.99	0.07	-0.11	3,4,6,6	0
3	GOL	A	407	6/6	0.75	0.24	-	38,51,54,55	0
6	EDO	A	421	4/4	0.92	0.27	-	22,28,33,34	0
6	EDO	A	422	4/4	0.91	0.13	-	31,32,36,37	0
3	GOL	B	405[B]	6/6	0.80	0.18	-	22,28,31,36	6
4	CAC	B	415	5/5	0.55	0.36	-	169,169,169,169	0
6	EDO	B	418	4/4	0.86	0.16	-	35,37,39,41	0
3	GOL	B	413	6/6	0.86	0.36	-	27,46,48,51	0
6	EDO	A	420	4/4	0.93	0.25	-	27,28,30,35	0
3	GOL	B	405[A]	6/6	0.80	0.18	-	14,18,18,27	6
4	CAC	A	416	5/5	0.94	0.41	-	33,35,43,44	0
3	GOL	A	410	6/6	0.40	0.26	-	50,56,58,62	0
3	GOL	A	406[B]	6/6	0.87	0.16	-	16,26,27,28	6
3	GOL	A	406[A]	6/6	0.87	0.16	-	35,37,38,41	6
3	GOL	A	408	6/6	0.76	0.20	-	29,35,40,48	0
6	EDO	A	419	4/4	0.65	0.13	-	53,53,54,55	0
3	GOL	B	412	6/6	0.63	0.20	-	49,50,50,51	0
6	EDO	A	428	4/4	0.88	0.36	-	34,35,36,37	0
6	EDO	A	426	4/4	0.67	0.24	-	53,54,54,55	0
6	EDO	A	429	4/4	0.78	0.17	-	51,52,52,53	0
6	EDO	B	420	4/4	0.86	0.22	-	27,31,32,33	0
3	GOL	A	411	6/6	0.90	0.48	-	25,41,44,52	0
6	EDO	A	427	4/4	0.63	0.43	-	39,48,48,52	0
6	EDO	A	425	4/4	0.76	0.24	-	33,35,37,39	0
3	GOL	A	413	6/6	0.87	0.17	-	29,38,42,43	0

6.5 Other polymers ⓘ

There are no such residues in this entry.