



wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 15, 2017 – 08:22 PM EST

PDB ID : 4WF1
Title : Crystal structure of the E. coli ribosome bound to negamycin.
Authors : Olivier, N.B.; Altman, R.B.; Noeske, J.; Basarab, G.S.; Code, E.; Ferguson, A.D.; Gao, N.; Huang, J.; Juetten, M.F.; Livchak, S.; Miller, M.D.; Prince, D.B.; Cate, J.H.D.; Buurman, E.T.; Blanchard, S.C.
Deposited on : unknown
Resolution : 3.09 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1001 (3.12-3.08)
Clashscore	112137	1099 (3.12-3.08)
Ramachandran outliers	110173	1057 (3.12-3.08)
Sidechain outliers	110143	1057 (3.12-3.08)
RSRZ outliers	101464	1006 (3.12-3.08)
RNA backbone	2435	1112 (3.50-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1539	<div> <div>4%</div> <div>35%</div> <div>49%</div> <div>15%</div> </div>
1	CA	1539	<div> <div>9%</div> <div>35%</div> <div>51%</div> <div>13%</div> </div>
2	AB	218	<div> <div>6%</div> <div>31%</div> <div>51%</div> <div>16%</div> <div>.</div> </div>
2	CB	218	<div> <div>11%</div> <div>36%</div> <div>45%</div> <div>16%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	AC	206	
3	CC	206	
4	AD	205	
4	CD	205	
5	AE	150	
5	CE	150	
6	AF	100	
6	CF	100	
7	AG	151	
7	CG	151	
8	AH	129	
8	CH	129	
9	AI	127	
9	CI	127	
10	AJ	98	
10	CJ	98	
11	AK	117	
11	CK	117	
12	AL	123	
12	CL	123	
13	AM	114	
13	CM	114	
14	AN	100	
14	CN	100	
15	AO	88	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	CO	88	
16	AP	82	
16	CP	82	
17	AQ	80	
17	CQ	80	
18	AR	55	
18	CR	55	
19	AS	79	
19	CS	79	
20	AT	85	
20	CT	85	
21	AU	51	
21	CU	51	
22	BA	2903	
22	DA	2903	
23	BB	119	
23	DB	119	
24	BC	271	
24	DC	271	
25	BD	209	
25	DD	209	
26	BE	201	
26	DE	201	
27	BF	177	
27	DF	177	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	BG	176	
28	DG	176	
29	BH	149	
29	DH	149	
30	BI	141	
30	DI	141	
31	BJ	142	
31	DJ	142	
32	BK	122	
32	DK	122	
33	BL	143	
33	DL	143	
34	BM	136	
34	DM	136	
35	BN	120	
35	DN	120	
36	BO	116	
36	DO	116	
37	BP	114	
37	DP	114	
38	BQ	117	
38	DQ	117	
39	BR	103	
39	DR	103	
40	BS	110	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	DS	110	
41	BT	93	
41	DT	93	
42	BU	102	
42	DU	102	
43	BV	94	
43	DV	94	
44	BW	76	
44	DW	76	
45	BX	77	
45	DX	77	
46	BY	63	
46	DY	63	
47	BZ	58	
47	DZ	58	
48	B0	56	
48	D0	56	
49	B1	50	
49	D1	50	
50	B2	46	
50	D2	46	
51	B3	64	
51	D3	64	
52	B4	38	
52	D4	38	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	B5	207	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
54	MG	AA	1617	-	-	-	X
54	MG	AA	1622	-	-	-	X
54	MG	AA	1630	-	-	-	X
54	MG	AA	1635	-	-	-	X
54	MG	AA	1662	-	-	-	X
54	MG	AA	1670	-	-	-	X
54	MG	AM	201	-	-	-	X
54	MG	BA	3040	-	-	-	X
54	MG	BA	3057	-	-	-	X
54	MG	BA	3083	-	-	-	X
54	MG	BA	3104	-	-	-	X
54	MG	BA	3124	-	-	-	X
54	MG	BA	3130	-	-	-	X
54	MG	BA	3131	-	-	-	X
54	MG	BA	3136	-	-	-	X
54	MG	BA	3146	-	-	-	X
54	MG	BA	3150	-	-	-	X
54	MG	BA	3152	-	-	-	X
54	MG	BA	3158	-	-	-	X
54	MG	BA	3160	-	-	-	X
54	MG	BA	3162	-	-	-	X
54	MG	BA	3167	-	-	-	X
54	MG	BA	3174	-	-	-	X
54	MG	BA	3177	-	-	-	X
54	MG	BA	3185	-	-	-	X
54	MG	CA	1614	-	-	-	X
54	MG	CA	1641	-	-	-	X
54	MG	DA	3027	-	-	-	X
54	MG	DA	3048	-	-	-	X
54	MG	DA	3057	-	-	-	X
54	MG	DA	3071	-	-	-	X
54	MG	DA	3104	-	-	-	X
54	MG	DA	3109	-	-	-	X
54	MG	DA	3114	-	-	-	X
54	MG	DA	3115	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
54	MG	DA	3127	-	-	-	X
54	MG	DA	3135	-	-	-	X
54	MG	DA	3147	-	-	-	X
54	MG	DA	3152	-	-	-	X
54	MG	DA	3155	-	-	-	X

2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 288204 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1538	Total	C	N	O	P	0	0	0
			32995	14716	6050	10691	1538			
1	CA	1539	Total	C	N	O	P	0	0	0
			33015	14725	6052	10699	1539			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	218	Total	C	N	O	S	0	0	0
			1705	1081	305	312	7			
2	CB	218	Total	C	N	O	S	0	0	0
			1705	1081	305	312	7			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			
3	CC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			
4	CD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	150	Total	C	N	O	S	0	0	0
			1106	687	211	202	6			
5	CE	150	Total	C	N	O	S	0	0	0
			1106	687	211	202	6			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	100	Total	C	N	O	S	0	0	0
			818	515	148	149	6			
6	CF	100	Total	C	N	O	S	0	0	0
			818	515	148	149	6			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			
7	CG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			
8	CH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			
9	CI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AJ	98	Total	C	N	O	S	0	0	0
			787	493	150	143	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	CJ	98	Total	C	N	O	S	0	0	0
			787	493	150	143	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			
11	CK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AL	123	Total	C	N	O	S	0	0	0
			955	590	196	165	4			
12	CL	123	Total	C	N	O	S	0	0	0
			955	590	196	165	4			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			
13	CM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AN	96	Total	C	N	O	S	0	0	0
			774	483	160	128	3			
14	CN	96	Total	C	N	O	S	0	0	0
			774	483	160	128	3			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AO	88	Total	C	N	O	S	0	0	0
			714	439	144	130	1			
15	CO	88	Total	C	N	O	S	0	0	0
			714	439	144	130	1			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			
16	CP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			
17	CQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AR	55	Total	C	N	O	0	0	0
			456	288	86	82			
18	CR	55	Total	C	N	O	0	0	0
			456	288	86	82			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			
19	CS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			
20	CT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AU	51	Total	C	N	O	S	0	0	0
			426	265	86	74	1			
21	CU	51	Total	C	N	O	S	0	0	0
			426	265	86	74	1			

- Molecule 22 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	BA	2897	Total	C	N	O	P	0	0	0
			62195	27745	11446	20107	2897			
22	DA	2897	Total	C	N	O	P	0	0	0
			62195	27745	11446	20107	2897			

- Molecule 23 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	BB	119	Total	C	N	O	P	0	0	0
			2549	1135	466	829	119			
23	DB	118	Total	C	N	O	P	0	0	0
			2529	1126	464	821	118			

- Molecule 24 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	BC	271	Total	C	N	O	S	0	0	0
			2083	1288	423	365	7			
24	DC	271	Total	C	N	O	S	0	0	0
			2083	1288	423	365	7			

- Molecule 25 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	BD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			
25	DD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			

- Molecule 26 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	DE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

- Molecule 27 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	BF	177	Total	C	N	O	S	0	0	0
			1411	899	249	257	6			
27	DF	177	Total	C	N	O	S	0	0	0
			1411	899	249	257	6			

- Molecule 28 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	BG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			
28	DG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			

- Molecule 29 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	BH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			
29	DH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			

- Molecule 30 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	BI	141	Total	C	N	O	S	0	0	0
			1032	651	179	196	6			
30	DI	141	Total	C	N	O	S	0	0	0
			1032	651	179	196	6			

- Molecule 31 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	BJ	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			
31	DJ	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			

- Molecule 32 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	BK	122	Total	C	N	O	S	0	0	0
			939	587	180	166	6			
32	DK	122	Total	C	N	O	S	0	0	0
			939	587	180	166	6			

- Molecule 33 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	BL	143	Total	C	N	O	S	0	0	0
			1045	649	206	189	1			
33	DL	143	Total	C	N	O	S	0	0	0
			1045	649	206	189	1			

- Molecule 34 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BM	136	Total	C	N	O	S	0	0	0
			1074	686	205	177	6			
34	DM	136	Total	C	N	O	S	0	0	0
			1074	686	205	177	6			

- Molecule 35 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	BN	120	Total	C	N	O	S	0	0	0
			961	593	196	167	5			
35	DN	120	Total	C	N	O	S	0	0	0
			961	593	196	167	5			

- Molecule 36 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
36	BO	116	Total	C	N	O	0	0	0
			892	552	178	162			
36	DO	116	Total	C	N	O	0	0	0
			892	552	178	162			

- Molecule 37 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BP	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			
37	DP	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			

- Molecule 38 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BQ	117	Total	C	N	O	S	0	0	0
			947	604	192	151				
38	DQ	117	Total	C	N	O	S	0	0	0
			947	604	192	151				

- Molecule 39 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BR	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			
39	DR	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			

- Molecule 40 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	BS	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			
40	DS	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			

- Molecule 41 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	BT	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			
41	DT	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			

- Molecule 42 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BU	102	Total	C	N	O	S	0	0	0
			780	492	146	142				

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
42	DU	102	Total	C	N	O	0	0	0
			780	492	146	142			

- Molecule 43 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	BV	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			
43	DV	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			

- Molecule 44 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	BW	76	Total	C	N	O	S	0	0	0
			580	359	117	103	1			
44	DW	75	Total	C	N	O	S	0	0	0
			569	353	113	102	1			

- Molecule 45 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	BX	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			
45	DX	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	BY	63	Total 509	C 313	N 99	O 95	S 2	0	0	0
46	DY	63	Total 509	C 313	N 99	O 95	S 2	0	0	0

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	BZ	58	Total 449	C 281	N 87	O 79	S 2	0	0	0
47	DZ	58	Total 449	C 281	N 87	O 79	S 2	0	0	0

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	B0	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			
48	D0	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			

- Molecule 49 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
49	B1	50	Total	C	N	O	0	0	0
			410	263	75	72			
49	D1	50	Total	C	N	O	0	0	0
			410	263	75	72			

- Molecule 50 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	B2	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			
50	D2	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			

- Molecule 51 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	B3	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			
51	D3	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			

- Molecule 52 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	B4	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			
52	D4	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			

- Molecule 53 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
53	B5	191	Total	C	N	O	0	0	1
			1142	691	221	230			


- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	BB	4	Total	Mg	0	0
			4	4		
54	DQ	1	Total	Mg	0	0
			1	1		
54	BA	194	Total	Mg	0	0
			194	194		
54	CA	56	Total	Mg	0	0
			56	56		
54	CT	1	Total	Mg	0	0
			1	1		
54	DL	2	Total	Mg	0	0
			2	2		
54	D2	1	Total	Mg	0	0
			1	1		
54	AA	71	Total	Mg	0	0
			71	71		
54	BQ	1	Total	Mg	0	0
			1	1		
54	DA	164	Total	Mg	0	0
			164	164		
54	DB	3	Total	Mg	0	0
			3	3		
54	AM	1	Total	Mg	0	0
			1	1		

- Molecule 55 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
55	B4	1	Total	Zn	0	0
			1	1		
55	D4	1	Total	Zn	0	0
			1	1		

- Molecule 56 is NEGAMYCIN (three-letter code: NEG) (formula: C₉H₂₀N₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
56	CA	1	Total	C	N	O	0	0
			17	9	4	4		

- Molecule 57 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	AA	196	Total	O	0	0
			196	196		
57	AE	1	Total	O	0	0
			1	1		
57	AL	1	Total	O	0	0
			1	1		
57	AN	3	Total	O	0	0
			3	3		
57	AT	1	Total	O	0	0
			1	1		
57	AU	1	Total	O	0	0
			1	1		
57	BA	620	Total	O	0	0
			620	620		
57	BB	14	Total	O	0	0
			14	14		
57	BC	10	Total	O	0	0
			10	10		
57	BD	4	Total	O	0	0
			4	4		
57	BF	1	Total	O	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	BG	1	Total 1	O 1	0	0
57	BL	6	Total 6	O 6	0	0
57	BN	3	Total 3	O 3	0	0
57	BS	1	Total 1	O 1	0	0
57	B2	1	Total 1	O 1	0	0
57	B3	3	Total 3	O 3	0	0
57	B4	2	Total 2	O 2	0	0
57	CA	186	Total 186	O 186	0	0
57	CL	1	Total 1	O 1	0	0
57	CN	3	Total 3	O 3	0	0
57	CT	3	Total 3	O 3	0	0
57	CU	1	Total 1	O 1	0	0
57	DA	611	Total 611	O 611	0	0
57	DB	13	Total 13	O 13	0	0
57	DC	8	Total 8	O 8	0	0
57	DD	3	Total 3	O 3	0	0
57	DE	5	Total 5	O 5	0	0
57	DJ	1	Total 1	O 1	0	0
57	DL	4	Total 4	O 4	0	0
57	DN	1	Total 1	O 1	0	0
57	DS	1	Total 1	O 1	0	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	DT	3	Total 3	O 3	0	0
57	DU	1	Total 1	O 1	0	0
57	DV	1	Total 1	O 1	0	0
57	D2	1	Total 1	O 1	0	0
57	D3	2	Total 2	O 2	0	0
57	D4	1	Total 1	O 1	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 16S rRNA






A143	A144	G145	G146	G147	G148	A149	A150	A151	A152	A153	A154	A155	C156	G157	G158	G159	A160	A161	G164	G165	G168	A171	A172	U173	A179	A182	C183	G184	U185	C186	G187	A188	A189	A195	A196	A197	G201	G202	G203	G204	A205	C206	C207	U209	C210	G211	G212	G213	C214	C215	C216			
A74	G75	G76	A77	A78	G79	A80	A81	G82	A83	U84	U85	G86	C87	U88	U89	C90	U91	G94	C95	C99	G100	A101	G102	U103	G104	G105	C106	G107	G108	A109	C110	G111	G115	A116	G117	U118	A119	A120	U121	G122	U123	C124	G127	G128	A129	A130	A131	C132	U133	G134	C135	C136	U137	G142
A2	A3	U4	U5	G9	G15	A16	U17	C18	G21	G22	A26	G27	A28	G31	A32	A33	C34	G35	C36	U37	G38	G39	C40	G41	G42	G45	G46	C47	C48	U49	A50	A51	C52	A53	C54	A55	U56	G57	C58	A59	U62	C63	G64	A65	A66	C67	G68	G69	U70	A71	A72	C72		







• Molecule 2: 30S ribosomal protein S2




• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3







• Molecule 3: 30S ribosomal protein S3



• Molecule 4: 30S ribosomal protein S4




• Molecule 4: 30S ribosomal protein S4




• Molecule 5: 30S ribosomal protein S5






- Molecule 5: 30S ribosomal protein S5

Chain CE: 41% 45% 15%




- Molecule 6: 30S ribosomal protein S6

Chain AF: 4% 40% 47% 11%




- Molecule 6: 30S ribosomal protein S6

Chain CF: 2% 35% 48% 15%



- Molecule 7: 30S ribosomal protein S7

Chain AG: 17% 54% 38% 8%







• Molecule 7: 30S ribosomal protein S7




• Molecule 8: 30S ribosomal protein S8




• Molecule 8: 30S ribosomal protein S8




• Molecule 9: 30S ribosomal protein S9




• Molecule 9: 30S ribosomal protein S9




• Molecule 10: 30S ribosomal protein S10




• Molecule 10: 30S ribosomal protein S10




• Molecule 11: 30S ribosomal protein S11




• Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13




- Molecule 13: 30S ribosomal protein S13





- Molecule 14: 30S ribosomal protein S14






- Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15





- Molecule 15: 30S ribosomal protein S15




- Molecule 16: 30S ribosomal protein S16




- Molecule 16: 30S ribosomal protein S16



- Molecule 17: 30S ribosomal protein S17




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19




- Molecule 19: 30S ribosomal protein S19








- Molecule 20: 30S ribosomal protein S20



- Molecule 20: 30S ribosomal protein S20






- Molecule 21: 30S ribosomal protein S21



- Molecule 21: 30S ribosomal protein S21




- Molecule 22: 23S rRNA




U1397	U1398	A1403	C1404	U1405	U1406	G1407	U1408	U1409	U1410	U1411	A1413	U1326	U1263	U1181	G1107	A1039	G989	A905	U942	G780	C634	U567	A501	C420	G338	
C1398	A1327	A1328	U1329	G1330	G1331	G1332	G1333	G1334	A1335	U1336	U1337	A1326	A1264	U1265	U1183	C1045	G971	U906	G843	A781	C635	U568	A502	A423	U339	
A1403	U1329	U1328	U1329	G1330	G1331	G1332	G1333	G1334	A1335	U1336	U1337	A1326	A1264	U1265	U1183	C1045	G971	U906	G843	A782	G636	U569	A503	A424	A340	
C1404	U1329	U1328	U1329	G1330	G1331	G1332	G1333	G1334	A1335	U1336	U1337	A1326	A1264	U1265	U1183	C1045	G971	U906	G843	A783	G637	U570	A504	G424	C341	
U1405	G1330	G1331	G1332	G1333	G1334	G1335	G1336	G1337	G1338	G1339	G1340	G1341	G1342	G1343	G1344	G1345	G1346	G1347	G1348	G1349	G1350	G1351	G1352	G1353	C342	
U1406	G1330	G1331	G1332	G1333	G1334	G1335	G1336	G1337	G1338	G1339	G1340	G1341	G1342	G1343	G1344	G1345	G1346	G1347	G1348	G1349	G1350	G1351	G1352	G1353	C343	
G1407	G1333	G1334	G1335	G1336	G1337	G1338	G1339	G1340	G1341	G1342	G1343	G1344	G1345	G1346	G1347	G1348	G1349	G1350	G1351	G1352	G1353	G1354	G1355	G1356	C344	
U1408	G1334	G1335	G1336	G1337	G1338	G1339	G1340	G1341	G1342	G1343	G1344	G1345	G1346	G1347	G1348	G1349	G1350	G1351	G1352	G1353	G1354	G1355	G1356	G1357	C345	
U1409	G1335	G1336	G1337	G1338	G1339	G1340	G1341	G1342	G1343	G1344	G1345	G1346	G1347	G1348	G1349	G1350	G1351	G1352	G1353	G1354	G1355	G1356	G1357	G1358	C346	
U1410	G1336	G1337	G1338	G1339	G1340	G1341	G1342	G1343	G1344	G1345	G1346	G1347	G1348	G1349	G1350	G1351	G1352	G1353	G1354	G1355	G1356	G1357	G1358	G1359	C347	
U1411	G1337	G1338	G1339	G1340	G1341	G1342	G1343	G1344	G1345	G1346	G1347	G1348	G1349	G1350	G1351	G1352	G1353	G1354	G1355	G1356	G1357	G1358	G1359	G1360	C348	
A1413	U1337	U1338	U1339	U1340	U1341	U1342	U1343	U1344	U1345	U1346	U1347	U1348	U1349	U1350	U1351	U1352	U1353	U1354	U1355	U1356	U1357	U1358	U1359	U1360	C349	
U1326	A1327	A1328	U1329	G1330	G1331	G1332	G1333	G1334	A1335	U1336	U1337	A1326	A1264	U1265	U1183	C1045	G971	U906	G843	A782	G636	U567	A501	A423	U339	
U1263	A1264	U1265	U1266	U1267	U1268	U1269	U1270	U1271	U1272	U1273	U1274	U1275	U1276	U1277	U1278	U1279	U1280	U1281	U1282	U1283	U1284	U1285	U1286	U1287	C350	
U1181	G1107	A1039	G989	A905	U942	G780	C634	U567	A501	C420	G338	U339	A340	C341	C342	C343	C344	C345	C346	C347	C348	C349	C350	C351	C352	C353
G1182	U1108	A1040	U970	U906	G843	A781	C635	U568	A502	A423	U339	A340	C341	C342	C343	C344	C345	C346	C347	C348	C349	C350	C351	C352	C353	
U1183	C1109	C1045	G971	U906	G843	A782	G636	U569	A503	A424	U340	C341	C342	C343	C344	C345	C346	C347	C348	C349	C350	C351	C352	C353	C354	
U1184	G1110	C1046	G972	U907	G844	A783	G637	U570	A504	G424	U341	C342	C343	C344	C345	C346	C347	C348	C349	C350	C351	C352	C353	C354	C355	
G1185	A1111	G1047	G973	U908	U946	G784	G638	U571	A505	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1186	G1112	G1048	G974	U909	U947	G786	G640	U572	A506	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1187	U1113	A1050	G975	U910	U948	C786	C644	U573	A507	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1188	C1114	A1050	G976	U911	U949	C787	C644	U574	A508	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
A1189	G1115	A1050	G977	U912	U950	C788	C644	U575	A509	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1190	G1116	A1050	G978	U913	U951	C789	C644	U576	A510	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1191	G1117	A1050	G979	U914	U952	C790	C644	U577	A511	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1192	G1118	A1050	G980	U915	U953	C791	C644	U578	A512	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1193	G1119	A1050	G981	U916	U954	C792	C644	U579	A513	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1199	G1120	A1050	G982	U917	U955	C793	C644	U580	A514	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1199	G1121	A1050	G983	U918	U956	C794	C644	U581	A515	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
C1200	G1122	A1050	G984	U919	U957	C795	C644	U582	A516	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
A1205	G1123	A1050	G985	U920	U958	C796	C644	U583	A517	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1206	G1124	A1050	G986	U921	U959	C797	C644	U584	A518	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
C1207	G1125	A1050	G987	U922	U960	C798	C644	U585	A519	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1208	G1126	A1050	G988	U923	U961	C799	C644	U586	A520	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1218	G1127	A1050	G989	U924	U962	C800	C644	U587	A521	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1219	G1128	A1050	G990	U925	U963	C801	C644	U588	A522	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1220	G1129	A1050	G991	U926	U964	C802	C644	U589	A523	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
C1221	G1130	A1050	G992	U927	U965	C803	C644	U590	A524	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1222	G1131	A1050	G993	U928	U966	C804	C644	U591	A525	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1223	G1132	A1050	G994	U929	U967	C805	C644	U592	A526	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1224	G1133	A1050	G995	U930	U968	C806	C644	U593	A527	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1225	G1134	A1050	G996	U931	U969	C807	C644	U594	A528	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
C1226	G1135	A1050	G997	U932	U970	C808	C644	U595	A529	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1227	G1136	A1050	G998	U933	U971	C809	C644	U596	A530	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1228	G1137	A1050	G999	U934	U972	C810	C644	U597	A531	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1229	G1138	A1050	G1000	U935	U973	C811	C644	U598	A532	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
C1230	G1139	A1050	G1001	U936	U974	C812	C644	U599	A533	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1231	G1140	A1050	G1002	U937	U975	C813	C644	U600	A534	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1238	G1141	A1050	G1003	U938	U976	C814	C644	U601	A535	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1239	G1142	A1050	G1004	U939	U977	C815	C644	U602	A536	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
U1240	G1143	A1050	G1005	U940	U978	C816	C644	U603	A537	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
C1243	G1144	A1050	G1006	U941	U979	C817	C644	U604	A538	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
A1244	G1145	A1050	G1007	U942	U980	C818	C644	U605	A539	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
G1245	G1146	A1050	G1008	U943	U981	C819	C644	U606	A540	C440	U441	C442	C443	C444	C445	C446	C447	C448	C449	C450	C451	C452	C453	C454	C455	
A1246	G1147	A1050	G1009	U944	U982	C820	C644	U607	A541</																	






• Molecule 22: 23S rRNA




U1602	C1531	G1456	C1386	A1254	U1184	G1106	C1043	C961	C814	A749	C672	C610
A1603	A1532	U1457	A1387	U1255	G1195	G1107	C1044	C965	C817	A750	C673	C611
C1604	C1533	U1458	G1388	C1256	G1186	U1108	C1045	C985	C818	A751	C674	A613
C1605	U1534	C1462	G1389	C1257	G1187	C1109	A1046	C966	C819	A752		G612
C1606	C1463	U1390	U1325	U1258	U1188	A1110	G1047	G969	A820	A753	A677	A614
C1607	C1463	A1327	U1326	C1259	A1189	A1111	A1048	U970	A821	U754	C679	U615
A1608	G1537	G1464	A1328	A1260	G1190	G1112	C1049	U971	C822	U755	C680	A616
A1609	G1538	A1392		C1261		U1113	A1050	G972		A756	G681	G617
A1610	U1539	A1393	G1331	A1262	G1195	C1114	A1051	A972	C	C757	G682	G618
G1613	C1541	U1394	G1332	A1263	G1196	G1115	C1052	A973	C	A761	G683	G620
A1616	U1542	U1395	G1333	C1264	G1197	G1120	G1053	G974	U826	U762	U684	A621
C1617	G1471	U1397	G1334	A1265	U1198	C1121	A1057	A975	U827	U763	G685	A622
A1618	A1544	G1401	A1335	G1266	U1199	G1122	U1058	G976	U828	G763	U686	C623
A1619	A1545	U1402	A1336	U1267	C1200		U1059	A980	U829	U766	C687	C624
A1619	A1546	A1403	G1337	A1268	U1201	G1125	U1060	A981	A833	G770	G690	A627
G1620	C1547	U1404	G1338	A1269	C1202	U1132	U1061	C982	U834	G771	C691	G628
U1621	A1548	U1405	G1339	C1270	U1203	A1133	U1066	A988	U835	G772	C692	G629
G1622	A1477	U1406	G1341	C1271	A1204	A1134	G1067	A990	U836	G773	C693	A631
G1623	C1550	G1407	A1342	U1273	G1206	G1128	G1068	C991	C840	G774	C694	A632
A1624	A1551		G1343	A1274	C1207	G1131	G1069	C987	U842	G775	C695	A633
A1625	A1552	U1411	U1344	A1275	C1208	U1132	U1070	A988	U843	G776	C696	A634
A1626		U1412	G1345	A1276	U1209	A1133	U1071	G989	U844	G777	C697	C634
G1627	G1555	U1484	G1346	C1277	G1210	A1134	G1072	A997	U845	C776	C698	C635
G1628	C1556	C1414		C1278	C1211	C1135	A1078	A1000	U850	C777	C699	G636
A1635	U1559	U1415	C1350	G1279	G1212	G1136	G1079	A1001	U852		G700	A637
A1636	C1493	G1416	C1351	U1280	A1213		U1082	A1009	U853	G778	C705	G638
A1637	A1494	G1423	U1352	G1281	A1214	G1139	U1083	A1010	U856	G779	C706	G639
C1638	U1495	G1423	G1355		G1215	C1140	A1084	G1011	C857	A781	A705	U639
G1645	U1496	G1424	G1356	G1288	G1216	U1141	A1085	C1013	U858	A782	G712	U641
C1646	U1497	G1425	G1357	C1289	U1217	A1142	A1086	U1019	C859	A783	G713	U642
U1647	A1503	G1426	C1358	C1290	U1218	A1143	C1075	C998	U864	A784	A716	A644
G1649	A1504	A1427	A1359	C1291	U1219	G1149	C1076	U999	C865	C785	A717	A645
A1650	U1505	G1428	G1361	C1292	G1220	C1150	U1077	A1001	A866	C787	U719	U646
A1651	C1507	G1430	C1362	U1293	C1221		A1078	A1001	U867	A788	U720	G647
A1652	A1571	G1431	C1363	U1294	A1226	G1153	U1082	A1009	U868	A789		G648
G1653	A1509	G1432	A1364	C1297	C1229	G1154	U1083	A1010	U869	A792	U724	C650
A1654	G1510	A1433	A1365	C1298	A1230	A1155	A1084	G1011	C857	A793	G725	G651
	G1511	A1434	A1366	G1300	U1231	A1156	A1085	C1013	U859	A794	G726	U652
U1657	C1577	G1435	A1367	A1301	G1232	G1160	A1086	U1019	C935	C795	A727	U653
C1658	U1578	G1436	G1368	A1304	G1236	G1166	A1087	A1020	C936	C796	G728	A654
G1659	A1579	C1437	G1369	C1305	A1237	C1167	A1088	A1021	C937	G797	C729	A655
G1660	A1581	U1438	C1370	A1306	A1238		A1089	A1022	G938	G798	A730	G656
G1661	C1582	A1439	G1371	A1307	G1239	C1170	G1091	G1025	G939	C731	U657	U657
U1662	G1517	U1440	U1372	A1308	G1239	G1171	G1092	G1026	U868	A802	G732	U658
G1663	C1518	G1441	A1373	G1309	U1240	C1172	G1093	A1027	C869	G801	G733	G659
A1664	G1519	U1375	G1374	G1310	A1241	U1173	U1094	A1028	U870	U803	A734	C660
A1665	U1520	C1376	U1375	G1311	U1242	U1174	A1095	A1029	U871	A804	A735	
G1666	U1521	G1377	U1376	U1312	C1243	U1175	A1096	A1029	U872	G805		G663
	A1522	C1446	A1378	G1313	A1244	U1176	U1097	A1029	C873	C806	G738	G664
A1669	U1523	C1447	C1314	C1315	G1245	G1177	A1098	G1030	U874	U807	A739	U665
C1670	G1524	G1450	U1316	U1316	U1249	C1178	G1099	A1032	C875	G808	C740	A666
U1671	A1525	C1451	G1317	G1317	U1249	G1179	C1100	U1034	C876	G809	U741	U667
G1674	C1526	G1452	U1382	U1318	G1250	U1180	A1103	G1034	A877	U810	U746	A668
C1675	G1527	U1453	C1383	C1319	C1251	U1181	A1104	U1035	A878	U811	U747	G669
A1676	G1530	C1454	A1384	C1320	G1252	U1182	U1105	G1042	A879	C812	G748	C671
		G1455	A1385	A1321	A1253	U1183			U880	U813		

G2595	G2596	G2597	A2598	A2599	A2600	C2601	C2602	C2603	C2604	C2605	C2606	C2607	C2608	C2609	C2610	C2611	C2612	C2613	C2614	C2615	C2616	C2617	C2618	C2619	C2620	C2621	C2622	C2623	C2624	C2625	C2626	C2627	C2628	C2629	C2630	C2631	A2632	C2636	C2637	C2642	C2646	C2647	C2651	C2652	C2653	C2657	C2658	C2659	C2660	C2661	C2662	C2663	C2664	C2665	C2666	C2667	C2677																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
G2595	G2596	G2597	A2598	A2599	A2600	C2601	C2602	C2603	C2604	C2605	C2606	C2607	C2608	C2609	C2610	C2611	C2612	C2613	C2614	C2615	C2616	C2617	C2618	C2619	C2620	C2621	C2622	C2623	C2624	C2625	C2626	C2627	C2628	C2629	C2630	C2631	A2632	C2636	C2637	C2642	C2646	C2647	C2651	C2652	C2653	C2657	C2658	C2659	C2660	C2661	C2662	C2663	C2664	C2665	C2666	C2667	C2677																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
U2598	U2599	U2600	U2601	U2602	U2603	U2604	U2605	U2606	U2607	U2608	U2609	U2610	U2611	U2612	U2613	U2614	U2615	U2616	U2617	U2618	U2619	U2620	U2621	U2622	U2623	U2624	U2625	U2626	U2627	U2628	U2629	U2630	U2631	A2632	C2636	C2637	C2642	C2646	C2647	C2651	C2652	C2653	C2657	C2658	C2659	C2660	C2661	C2662	C2663	C2664	C2665	C2666	C2667	C2677																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
A2446	A2447	A2448	A2449	A2450	A2451	A2452	A2453	A2454	A2455	A2456	A2457	A2458	A2459	A2460	A2461	A2462	A2463	A2464	A2465	A2466	A2467	A2468	A2469	A2470	A2471	A2472	A2473	A2474	A2475	A2476	A2477	A2478	A2479	A2480	A2481	A2482	A2483	A2484	A2485	A2486	A2487	A2488	A2489	A2490	A2491	A2492	A2493	A2494	A2495	A2496	A2497	A2498	A2499	A2500	A2501	A2502	A2503	A2504	A2505	A2506	A2507	A2508	A2509	A2510	A2511	A2512	A2513	A2514	A2515	A2516	A2517	A2518	A2519	A2520	A2521	A2522	A2523	A2524	A2525																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
C2307	C2308	C2309	C2310	C2311	C2312	C2313	C2314	C2315	C2316	C2317	C2318	C2319	C2320	C2321	C2322	C2323	C2324	C2325	C2326	C2327	C2328	C2329	C2330	C2331	C2332	C2333	C2334	C2335	C2336	C2337	C2338	C2339	C2340	C2341	C2342	C2343	C2344	C2345	C2346	C2347	C2348	C2349	C2350	C2351	C2352	C2353	C2354	C2355	C2356	C2357	C2358	C2359	C2360	C2361	C2362	C2363	C2364	C2365	C2366	C2367	C2368	C2369	C2370	C2371	C2372	C2373	C2374	C2375																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
U2172	U2173	U2174	U2175	U2176	U2177	U2178	U2179	U2180	U2181	U2182	U2183	U2184	U2185	U2186	U2187	U2188	U2189	U2190	U2191	U2192	U2193	U2194	U2195	U2196	U2197	U2198	U2199	U2200	U2201	U2202	U2203	U2204	U2205	U2206	U2207	U2208	U2209	U2210	U2211	U2212	U2213	U2214	U2215	U2216	U2217	U2218	U2219	U2220	U2221	U2222	U2223	U2224	U2225	U2226	U2227	U2228	U2229	U2230	U2231	U2232	U2233	U2234	U2235	U2236	U2237	U2238	U2239	U2240	U2241	U2242	U2243	U2244	U2245	U2246	U2247	U2248	U2249	U2250	U2251	U2252	U2253	U2254	U2255	U2256	U2257	U2258	U2259	U2260	U2261	U2262	U2263	U2264	U2265	U2266	U2267	U2268	U2269	U2270	U2271	U2272	U2273	U2274	U2275	U2276	U2277	U2278	U2279	U2280	U2281	U2282	U2283	U2284	U2285	U2286	U2287	U2288	U2289	U2290	U2291	U2292	U2293	U2294	U2295	U2296	U2297	U2298	U2299	U2300	U2301	U2302	U2303	U2304	U2305	U2306	U2307	U2308	U2309	U2310	U2311	U2312	U2313	U2314	U2315	U2316	U2317	U2318	U2319	U2320	U2321	U2322	U2323	U2324	U2325	U2326	U2327	U2328	U2329	U2330	U2331	U2332	U2333	U2334	U2335	U2336	U2337	U2338	U2339	U2340	U2341	U2342	U2343	U2344	U2345	U2346	U2347	U2348	U2349	U2350	U2351	U2352	U2353	U2354	U2355	U2356	U2357	U2358	U2359	U2360	U2361	U2362	U2363	U2364	U2365	U2366	U2367	U2368	U2369	U2370	U2371	U2372	U2373	U2374	U2375																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
A2378	A2379	A2380	A2381	A2382	A2383	A2384	A2385	A2386	A2387	A2388	A2389	A2390	A2391	A2392	A2393	A2394	U2402	U2403	U2404	U2405	U2406	U2407	U2408	U2409	U2410	U2411	U2412	U2413	U2414	U2415	U2416	U2417	U2418	U2419	U2420	U2421	U2422	U2423	U2424	U2425	U2426	U2427	U2428	U2429	U2430	U2431	U2432	U2433	U2434	U2435	U2436	U2437	U2438	U2439	U2440	U2441	U2442	U2443	U2444	U2445	U2446	U2447	U2448	U2449	U2450	U2451	U2452	U2453	U2454	U2455	U2456	U2457	U2458	U2459	U2460	U2461	U2462	U2463	U2464	U2465	U2466	U2467	U2468	U2469	U2470	U2471	U2472	U2473	U2474	U2475	U2476	U2477	U2478	U2479	U2480	U2481	U2482	U2483	U2484	U2485	U2486	U2487	U2488	U2489	U2490	U2491	U2492	U2493	U2494	U2495	U2496	U2497	U2498	U2499	U2500	U2501	U2502	U2503	U2504	U2505	U2506	U2507	U2508	U2509	U2510	U2511	U2512	U2513	U2514	U2515	U2516	U2517	U2518	U2519	U2520	U2521	U2522	U2523	U2524	U2525																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
G2526	G2527	G2528	G2529	G2530	A2531	A2532	A2533	A2534	C2538	C2539	C2540	C2541	C2542	C2543	C2544	C2545	C2546	C2547	C2548	C2549	C2550	C2551	C2552	C2553	U2554	U2555	C2556	C2557	C2558	C2559	C2560	C2561	C2562	C2563	C2564	C2565	C2566	C2567	C2568	C2569	C2570	C2571	U2572	C2573	C2574	C2575	C2576	C2577	C2578	C2579	C2580	C2581	C2582	U2585	U2586	C2587	U2590	C2591	C2592	C2593	C2594	C2595	C2596	C2597	C2598	C2599	C2600	C2601	C2602	C2603	C2604	C2605	C2606	C2607	C2608	C2609	C2610	C2611	C2612	C2613	C2614	C2615	C2616	C2617	C2618	C2619	C2620	C2621	C2622	C2623	C2624	C2625	C2626	C2627	C2628	C2629	C2630	C2631	C2632	C2633	C2634	C2635	C2636	C2637	C2638	C2639	C2640	C2641	C2642	C2643	C2644	C2645	C2646	C2647	C2648	C2649	C2650	C2651	C2652	C2653	C2654	C2655	C2656	C2657	C2658	C2659	C2660	C2661	C2662	C2663	C2664	C2665	C2666	C2667	C2668	C2669	C2670	C2671	C2672	C2673	C2674	C2675	C2676	C2677	C2678	C2679	C2680	C2681	C2682	C2683	C2684	C2685	C2686	C2687	C2688	C2689	C2690	C2691	C2692	C2693	C2694	C2695	C2696	C2697	C2698	C2699	C2700	C2701	C2702	C2703	C2704	C2705	C2706	C2707	C2708	C2709	C2710	C2711	C2712	C2713	C2714	C2715	C2716	C2717	C2718	C2719	C2720	C2721	C2722	C2723	C2724	C2725	C2726	C2727	C2728	C2729	C2730	C2731	C2732	C2733	C2734	C2735	C2736	C2737	C2738	C2739	C2740	C2741	C2742	C2743	C2744	C2745	C2746	C2747	C2748	C2749	C2750	C2751	C2752	C2753	C2754	C2755	C2756	C2757	C2758	C2759	C2760	C2761	C2762	C2763	C2764	C2765	C2766	C2767	C2768	C2769	C2770	C2771	C2772	C2773	C2774	C2775	C2776	C2777	C2778	C2779	C2780	C2781	C2782	C2783	C2784	C2785	C2786	C2787	C2788	C2789	C2790	C2791	C2792	C2793	C2794	C2795	C2796	C2797	C2798	C2799	C2800	C2801	C2802	C2803	C2804	C2805	C2806	C2807	C2808	C2809	C2810	C2811	C2812	C2813	C2814	C2815	C2816	C2817	C2818	C2819	C2820	C2821	C2822	C2823	C2824	C2825	C2826	C2827	C2828	C2829	C2830	C2831	C2832	C2833	C2834	C2835	C2836	C2837	C2838	C2839	C2840	C2841	C2842	C2843	C2844	C2845	C2846	C2847	C2848	C2849	C2850	C2851	C2852	C2853	C2854	C2855	C2856	C2857	C2858	C2859	C2860	C2861	C2862	C2863	C2864	C2865	C2866	C2867	C2868	C2869	C2870	C2871	C2872	C2873	C2874	C2875	C2876	C2877	C2878	C2879	C2880	C2881	C2882	C2883	C2884	C2885	C2886	C2887	C2888	C2889	C2890	C2891	C2892	C2893	C2894	C2895	C2896	C2897	C2898	C2899	C2900	C2901	C2902	C2903	C2904	C2905	C2906	C2907	C2908	C2909	C2910	C2911	C2912	C2913	C2914	C2915	C2916	C2917	C2918	C2919	C2920	C2921	C2922	C2923	C2924	C2925	C2926	C2927	C2928	C2929	C2930	C2931	C2932	C2933	C2934	C2935	C2936	C2937	C2938	C2939	C2940	C2941	C2942	C2943	C2944	C2945	C2946	C2947	C2948	C2949	C2950	C2951	C2952	C2953	C2954	C2955	C2956	C2957	C2958	C2959	C2960	C2961	C2962	C2963	C2964	C2965	C2966	C2967	C2968	C2969	C2970	C2971	C2972	C2973	C2974	C2975	C2976	C2977	C2978	C2979	C2980	C2981	C2982	C2983	C2984	C2985	C2986	C2987	C2988	C2989	C2990	C2991	C2992	C2993	C2994	C2995	C2996	C2997	C2998	C2999	C3000	C3001	C3002	C3003	C3004	C3005	C3006	C3007	C3008	C3009	C3010	C3011	C3012	C3013	C3014	C3015	C3016	C3017	C3018	C3019	C3020	C3021	C3022	C3023	C3024	C3025	C3026	C3027	C3028	C3029	C3030	C3031	C3032	C3033	C3034	C3035	C3036	C3037	C3038	C3039	C3040	C3041	C3042	C3043	C3044	C3045	C3046	C3047	C3048	C3049	C3050	C3051	C3052	C3053	C3054	C3055	C3056	C3057	C3058	C3059	C3060	C3061	C3062	C3063	C3064	C3065	C3066	C3067	C3068	C3069	C3070	C3071	C3072	C3073	C3074	C3075	C3076	C3077	C3078	C3079	C3080	C3081	C3082	C3083	C3084	C3085	C3086	C3087	C3088	C3089	C3090	C3091	C3092	C3093	C3094	C3095	C3096	C3097	C3098	C3099	C3100	C3101	C3102	C3103	C3104	C3105	C3106	C3107	C3108	C3109	C3110	C3111	C3112	C3113	C3114	C3115	C3116	C3117	C3118	C3119	C3120	C3121	C3122	C3123	C3124	C3125	C3126	C3127	C3128	C3129	C3130	C3131	C3132	C3133	C3134	C3135	C3136	C3137	C3138	C3139	C3140	C3141	C3142	C3143	C3144	C3145	C3146	C3147	C3148	C3149	C3150	C3151	C3152	C3153	C3154	C3155	C3156	C3157	C3158	C3159	C3160	C3161	C3162	C3163	C3164	C3165	C3166	C3167	C3168	C3169	C3170	C3171	C3172	C3173	C3174	C3175	C3176	C3177	C3178	C3179	C3180	C3181	C3182	C3183	C3184	C3185	C3186	C3187	C3188	C3189	C3190	C3191	C3192	C3193	C3194	C3195	C3196	C3197	C3198	C319




- Molecule 23: 5S rRNA

Chain BB: 45% 48% 7% .




- Molecule 23: 5S rRNA

Chain DB: 4% 48% 46% 5% .




- Molecule 24: 50S ribosomal protein L2


Chain BC: 4% 58% 37% 6%




- Molecule 24: 50S ribosomal protein L2




- Molecule 25: 50S ribosomal protein L3




- Molecule 25: 50S ribosomal protein L3




- Molecule 26: 50S ribosomal protein L4




- Molecule 26: 50S ribosomal protein L4




- Molecule 27: 50S ribosomal protein L5




- Molecule 27: 50S ribosomal protein L5




- Molecule 28: 50S ribosomal protein L6




- Molecule 28: 50S ribosomal protein L6




- Molecule 29: 50S ribosomal protein L9




- Molecule 29: 50S ribosomal protein L9





- Molecule 30: 50S ribosomal protein L11







• Molecule 30: 50S ribosomal protein L11




• Molecule 31: 50S ribosomal protein L13




• Molecule 31: 50S ribosomal protein L13




• Molecule 32: 50S ribosomal protein L14




- Molecule 32: 50S ribosomal protein L14




- Molecule 33: 50S ribosomal protein L15




- Molecule 33: 50S ribosomal protein L15




- Molecule 34: 50S ribosomal protein L16




- Molecule 34: 50S ribosomal protein L16




- Molecule 35: 50S ribosomal protein L17




- Molecule 35: 50S ribosomal protein L17




- Molecule 36: 50S ribosomal protein L18



- Molecule 36: 50S ribosomal protein L18




- Molecule 37: 50S ribosomal protein L19




- Molecule 37: 50S ribosomal protein L19






• Molecule 38: 50S ribosomal protein L20

Chain BQ: 56% 40%




• Molecule 38: 50S ribosomal protein L20

Chain DQ: 15% 58% 39%




• Molecule 39: 50S ribosomal protein L21

Chain BR: 57% 35% 7%




• Molecule 39: 50S ribosomal protein L21

Chain DR: 25% 54% 39% 7%




• Molecule 40: 50S ribosomal protein L22

Chain BS: 64% 30% 6%




- Molecule 40: 50S ribosomal protein L22




- Molecule 41: 50S ribosomal protein L23



- Molecule 41: 50S ribosomal protein L23




- Molecule 42: 50S ribosomal protein L24



- Molecule 42: 50S ribosomal protein L24





- Molecule 43: 50S ribosomal protein L25

Chain BV: 69% 23% 7%




- Molecule 43: 50S ribosomal protein L25

Chain DV: 74% 22% 4%




- Molecule 44: 50S ribosomal protein L27

Chain BW: 64% 33% 3%



- Molecule 44: 50S ribosomal protein L27

Chain DW: 75% 20% 5%




- Molecule 45: 50S ribosomal protein L28


Chain BX: 60% 39% 1%



- Molecule 45: 50S ribosomal protein L28

Chain DX: 42% 49% 9%






- Molecule 46: 50S ribosomal protein L29



- Molecule 46: 50S ribosomal protein L29



- Molecule 47: 50S ribosomal protein L30




- Molecule 47: 50S ribosomal protein L30




- Molecule 48: 50S ribosomal protein L32




- Molecule 48: 50S ribosomal protein L32




- Molecule 49: 50S ribosomal protein L33




- Molecule 49: 50S ribosomal protein L33




- Molecule 50: 50S ribosomal protein L34




- Molecule 50: 50S ribosomal protein L34




- Molecule 51: 50S ribosomal protein L35



- Molecule 51: 50S ribosomal protein L35




- Molecule 52: 50S ribosomal protein L36








- Molecule 52: 50S ribosomal protein L36





- Molecule 53: 50S ribosomal protein L1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	211.91Å 434.31Å 624.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.14 – 3.09 41.14 – 3.09	Depositor EDS
% Data completeness (in resolution range)	99.9 (41.14-3.09) 99.9 (41.14-3.09)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.37 (at 3.06Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.202 , 0.244 0.211 , 0.254	Depositor DCC
R_{free} test set	4190 reflections (0.40%)	DCC
Wilson B-factor (Å ²)	72.7	Xtriage
Anisotropy	0.339	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 58.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	288204	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NEG, ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AA	0.58	3/36944 (0.0%)	1.07	91/57632 (0.2%)
1	CA	0.51	3/36966 (0.0%)	1.00	57/57666 (0.1%)
2	AB	0.42	0/1736	0.60	0/2338
2	CB	0.35	0/1736	0.55	0/2338
3	AC	0.36	0/1652	0.52	0/2225
3	CC	0.36	0/1652	0.48	0/2225
4	AD	0.40	0/1665	0.60	0/2227
4	CD	0.50	0/1665	0.66	0/2227
5	AE	0.46	0/1119	0.71	0/1504
5	CE	0.44	0/1119	0.68	0/1504
6	AF	0.46	0/836	0.63	0/1128
6	CF	0.39	0/836	0.54	0/1128
7	AG	0.37	0/1196	0.53	0/1602
7	CG	0.37	0/1196	0.48	0/1602
8	AH	0.41	0/989	0.59	0/1326
8	CH	0.34	0/989	0.55	0/1326
9	AI	0.35	0/1034	0.54	0/1375
9	CI	0.35	0/1034	0.50	0/1375
10	AJ	0.35	0/797	0.54	0/1077
10	CJ	0.34	0/797	0.51	0/1077
11	AK	0.38	0/893	0.59	0/1205
11	CK	0.35	0/893	0.59	0/1205
12	AL	0.49	0/969	0.73	0/1300
12	CL	0.41	0/969	0.71	0/1300
13	AM	0.36	0/893	0.57	0/1193
13	CM	0.36	0/893	0.54	0/1193
14	AN	0.36	0/785	0.52	0/1043
14	CN	0.34	0/785	0.48	0/1043
15	AO	0.38	0/722	0.60	0/964
15	CO	0.34	0/722	0.54	0/964
16	AP	0.42	0/659	0.59	0/884
16	CP	0.40	0/659	0.62	0/884

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	AQ	0.47	0/658	0.62	0/881
17	CQ	0.37	0/658	0.56	0/881
18	AR	0.39	0/463	0.59	0/621
18	CR	0.37	0/463	0.57	0/621
19	AS	0.37	0/653	0.53	0/877
19	CS	0.35	0/653	0.48	0/877
20	AT	0.44	0/671	0.62	0/888
20	CT	0.37	0/671	0.54	0/888
21	AU	0.58	0/431	0.70	0/570
21	CU	0.57	0/431	0.67	0/570
22	BA	1.11	160/69659 (0.2%)	1.57	1390/108672 (1.3%)
22	DA	0.49	0/69659	0.96	49/108672 (0.0%)
23	BB	0.92	4/2850 (0.1%)	1.50	47/4444 (1.1%)
23	DB	0.39	0/2828	0.83	0/4410
24	BC	0.68	1/2122 (0.0%)	0.79	0/2852
24	DC	0.39	0/2122	0.60	0/2852
25	BD	0.80	1/1586 (0.1%)	0.98	4/2134 (0.2%)
25	DD	0.37	0/1586	0.56	0/2134
26	BE	0.60	0/1571	0.72	0/2113
26	DE	0.37	0/1571	0.53	0/2113
27	BF	0.43	0/1435	0.61	0/1926
27	DF	0.32	0/1435	0.46	0/1926
28	BG	0.50	0/1343	0.70	1/1816 (0.1%)
28	DG	0.32	0/1343	0.46	0/1816
29	BH	0.32	0/1121	0.63	0/1515
29	DH	0.34	0/1121	0.56	0/1515
30	BI	0.39	0/1046	0.51	0/1410
30	DI	0.38	0/1046	0.51	0/1410
31	BJ	0.77	0/1152	0.76	0/1551
31	DJ	0.36	0/1152	0.56	0/1551
32	BK	0.70	0/948	0.86	0/1268
32	DK	0.39	0/948	0.55	0/1268
33	BL	0.66	0/1054	0.80	0/1403
33	DL	0.36	0/1054	0.57	0/1403
34	BM	0.71	0/1093	0.86	1/1460 (0.1%)
34	DM	0.34	0/1093	0.53	0/1460
35	BN	0.71	0/974	0.89	0/1301
35	DN	0.36	0/974	0.53	0/1301
36	BO	0.50	0/902	0.67	0/1209
36	DO	0.32	0/902	0.46	0/1209
37	BP	0.64	0/929	0.74	0/1242
37	DP	0.39	0/929	0.55	0/1242
38	BQ	0.86	0/960	0.92	1/1278 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	DQ	0.37	0/960	0.52	0/1278
39	BR	0.82	0/829	0.91	1/1107 (0.1%)
39	DR	0.35	0/829	0.55	0/1107
40	BS	0.85	0/864	0.91	1/1156 (0.1%)
40	DS	0.35	0/864	0.55	0/1156
41	BT	0.67	1/745 (0.1%)	0.77	1/994 (0.1%)
41	DT	0.38	0/745	0.57	0/994
42	BU	0.54	0/788	0.71	0/1051
42	DU	0.41	0/788	0.57	0/1051
43	BV	0.63	0/766	0.70	0/1025
43	DV	0.31	0/766	0.45	0/1025
44	BW	0.70	0/587	0.80	1/776 (0.1%)
44	DW	0.33	0/576	0.48	0/762
45	BX	0.52	0/635	0.71	0/848
45	DX	0.40	0/635	0.60	0/848
46	BY	0.55	0/510	0.74	0/677
46	DY	0.37	0/510	0.54	0/677
47	BZ	0.77	0/453	0.86	0/605
47	DZ	0.34	0/453	0.50	0/605
48	B0	0.77	0/450	0.81	0/599
48	D0	0.36	0/450	0.57	0/599
49	B1	0.50	0/417	0.60	0/554
49	D1	0.36	0/417	0.49	0/554
50	B2	0.77	0/380	0.95	0/498
50	D2	0.39	0/380	0.62	0/498
51	B3	0.63	0/513	0.86	1/676 (0.1%)
51	D3	0.33	0/513	0.53	0/676
52	B4	0.71	0/303	0.87	0/397
52	D4	0.32	0/303	0.51	0/397
53	B5	0.34	0/1145	0.47	0/1556
All	All	0.69	173/310634 (0.1%)	1.09	1646/464376 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	CE	0	2
11	AK	0	1
11	CK	0	1
12	CL	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
25	BD	0	1
25	DD	0	1
41	BT	0	1
47	BZ	0	1
All	All	0	9

The worst 5 of 173 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	BA	2777	G	N7-C5	15.93	1.48	1.39
22	BA	984	A	N9-C4	-14.44	1.29	1.37
22	BA	2777	G	N9-C8	13.80	1.47	1.37
22	BA	1142	A	N9-C4	-12.51	1.30	1.37
1	CA	500	G	N9-C8	10.22	1.45	1.37

The worst 5 of 1646 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BD	151	THR	C-N-CD	-21.19	73.98	120.60
22	BA	2777	G	C5-N7-C8	-19.20	94.70	104.30
22	BA	984	A	C2-N3-C4	-18.54	101.33	110.60
22	BA	2777	G	C4-C5-C6	-17.34	108.40	118.80
22	BA	528	A	N1-C6-N6	16.96	128.78	118.60

There are no chirality outliers.

5 of 9 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	AK	126	LYS	Peptide
25	BD	132	ALA	Peptide
41	BT	2	ILE	Peptide
47	BZ	15	GLY	Peptide
5	CE	102	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32995	0	16607	893	5
1	CA	33015	0	16617	1011	0
2	AB	1705	0	1732	112	0
2	CB	1705	0	1732	107	0
3	AC	1625	0	1696	57	0
3	CC	1625	0	1696	49	0
4	AD	1643	0	1707	117	0
4	CD	1643	0	1707	96	0
5	AE	1106	0	1148	81	0
5	CE	1106	0	1148	88	0
6	AF	818	0	808	47	0
6	CF	818	0	808	47	0
7	AG	1182	0	1238	47	0
7	CG	1182	0	1238	46	0
8	AH	979	0	1031	41	0
8	CH	979	0	1031	36	0
9	AI	1022	0	1070	55	0
9	CI	1022	0	1070	36	0
10	AJ	787	0	828	42	0
10	CJ	787	0	828	32	0
11	AK	877	0	887	59	0
11	CK	877	0	887	52	0
12	AL	955	0	1016	61	0
12	CL	955	0	1016	73	0
13	AM	884	0	941	51	0
13	CM	884	0	941	35	0
14	AN	774	0	824	44	0
14	CN	774	0	824	26	0
15	AO	714	0	734	28	0
15	CO	714	0	734	36	0
16	AP	649	0	666	27	0
16	CP	649	0	666	43	0
17	AQ	649	0	691	46	0
17	CQ	649	0	691	38	0
18	AR	456	0	478	9	0
18	CR	456	0	478	22	0
19	AS	638	0	665	33	0
19	CS	638	0	665	22	0
20	AT	665	0	714	41	0
20	CT	665	0	714	34	0
21	AU	426	0	449	59	0
21	CU	426	0	449	44	0
22	BA	62195	0	31278	1182	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
22	DA	62195	0	31280	2055	0
23	BB	2549	0	1291	36	0
23	DB	2529	0	1281	42	0
24	BC	2083	0	2154	81	0
24	DC	2083	0	2154	161	0
25	BD	1565	0	1616	59	0
25	DD	1565	0	1616	69	0
26	BE	1552	0	1619	57	0
26	DE	1552	0	1619	80	0
27	BF	1411	0	1444	66	0
27	DF	1411	0	1444	26	0
28	BG	1323	0	1371	44	0
28	DG	1323	0	1371	41	0
29	BH	1110	0	1148	166	0
29	DH	1110	0	1148	86	5
30	BI	1032	0	1085	54	0
30	DI	1032	0	1085	38	0
31	BJ	1129	0	1162	41	0
31	DJ	1129	0	1162	43	0
32	BK	939	0	1012	29	0
32	DK	939	0	1012	33	0
33	BL	1045	0	1117	54	0
33	DL	1045	0	1117	59	0
34	BM	1074	0	1157	40	0
34	DM	1074	0	1157	23	0
35	BN	961	0	1000	46	0
35	DN	961	0	1000	47	0
36	BO	892	0	923	48	0
36	DO	892	0	923	36	0
37	BP	917	0	962	24	0
37	DP	917	0	962	40	0
38	BQ	947	0	1019	49	0
38	DQ	947	0	1019	47	0
39	BR	816	0	839	59	0
39	DR	816	0	839	45	0
40	BS	857	0	922	29	0
40	DS	857	0	922	29	0
41	BT	739	0	807	49	0
41	DT	739	0	807	27	0
42	BU	780	0	831	33	0
42	DU	780	0	831	61	0
43	BV	753	0	780	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	DV	753	0	780	14	0
44	BW	580	0	594	22	0
44	DW	569	0	581	11	0
45	BX	625	0	652	21	0
45	DX	625	0	652	54	0
46	BY	509	0	543	30	0
46	DY	509	0	543	24	0
47	BZ	449	0	488	12	0
47	DZ	449	0	488	15	0
48	B0	444	0	458	24	0
48	D0	444	0	458	18	0
49	B1	410	0	440	15	0
49	D1	410	0	440	12	0
50	B2	377	0	418	14	0
50	D2	377	0	418	41	0
51	B3	504	0	572	23	0
51	D3	504	0	572	22	0
52	B4	302	0	340	9	0
52	D4	302	0	342	10	0
53	B5	1142	0	865	26	0
54	AA	71	0	0	0	0
54	AM	1	0	0	0	0
54	BA	194	0	0	0	0
54	BB	4	0	0	0	0
54	BQ	1	0	0	0	0
54	CA	56	0	0	0	0
54	CT	1	0	0	0	0
54	D2	1	0	0	0	0
54	DA	164	0	0	0	0
54	DB	3	0	0	0	0
54	DL	2	0	0	0	0
54	DQ	1	0	0	0	0
55	B4	1	0	0	0	0
55	D4	1	0	0	0	0
56	CA	17	0	19	1	0
57	AA	196	0	0	18	0
57	AE	1	0	0	0	0
57	AL	1	0	0	0	0
57	AN	3	0	0	1	0
57	AT	1	0	0	0	0
57	AU	1	0	0	0	0
57	B2	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	B3	3	0	0	0	0
57	B4	2	0	0	0	0
57	BA	620	0	0	82	0
57	BB	14	0	0	0	0
57	BC	10	0	0	1	0
57	BD	4	0	0	2	0
57	BF	1	0	0	0	0
57	BG	1	0	0	0	0
57	BL	6	0	0	2	0
57	BN	3	0	0	0	0
57	BS	1	0	0	0	0
57	CA	186	0	0	16	0
57	CL	1	0	0	0	0
57	CN	3	0	0	0	0
57	CT	3	0	0	1	0
57	CU	1	0	0	0	0
57	D2	1	0	0	1	0
57	D3	2	0	0	0	0
57	D4	1	0	0	1	0
57	DA	611	0	0	87	0
57	DB	13	0	0	1	0
57	DC	8	0	0	0	0
57	DD	3	0	0	1	0
57	DE	5	0	0	0	0
57	DJ	1	0	0	0	0
57	DL	4	0	0	0	0
57	DN	1	0	0	0	0
57	DS	1	0	0	0	0
57	DT	3	0	0	0	0
57	DU	1	0	0	0	0
57	DV	1	0	0	0	0
All	All	288204	0	192819	8827	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

The worst 5 of 8827 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
29:BH:94:ILE:H	29:BH:122:LEU:CB	1.08	1.58
29:BH:94:ILE:O	29:BH:122:LEU:CD1	1.69	1.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
29:BH:94:ILE:N	29:BH:122:LEU:CB	1.88	1.34
29:BH:94:ILE:N	29:BH:122:LEU:HB3	1.41	1.28
29:BH:122:LEU:HD21	1:CA:368:U:OP2	1.09	1.25

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AA:368:U:OP2	29:DH:123:ARG:NH2[4_455]	2.03	0.17
1:AA:368:U:OP2	29:DH:123:ARG:NE[4_455]	2.07	0.13
1:AA:368:U:OP1	29:DH:93:SER:OG[4_455]	2.08	0.12
1:AA:368:U:OP2	29:DH:123:ARG:CZ[4_455]	2.18	0.02
1:AA:359:G:OP1	29:DH:89:LYS:NZ[4_455]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	216/218 (99%)	140 (65%)	41 (19%)	35 (16%)	0	0
2	CB	216/218 (99%)	144 (67%)	44 (20%)	28 (13%)	0	1
3	AC	204/206 (99%)	161 (79%)	32 (16%)	11 (5%)	2	14
3	CC	204/206 (99%)	165 (81%)	29 (14%)	10 (5%)	2	16
4	AD	203/205 (99%)	149 (73%)	29 (14%)	25 (12%)	0	1
4	CD	203/205 (99%)	155 (76%)	34 (17%)	14 (7%)	1	8
5	AE	148/150 (99%)	109 (74%)	24 (16%)	15 (10%)	1	4
5	CE	148/150 (99%)	104 (70%)	29 (20%)	15 (10%)	1	4
6	AF	98/100 (98%)	75 (76%)	17 (17%)	6 (6%)	2	11
6	CF	98/100 (98%)	72 (74%)	17 (17%)	9 (9%)	1	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	AG	149/151 (99%)	111 (74%)	31 (21%)	7 (5%)	3	17
7	CG	149/151 (99%)	127 (85%)	18 (12%)	4 (3%)	6	30
8	AH	127/129 (98%)	97 (76%)	20 (16%)	10 (8%)	1	6
8	CH	127/129 (98%)	100 (79%)	24 (19%)	3 (2%)	7	32
9	AI	125/127 (98%)	93 (74%)	28 (22%)	4 (3%)	5	25
9	CI	125/127 (98%)	95 (76%)	23 (18%)	7 (6%)	2	12
10	AJ	96/98 (98%)	67 (70%)	13 (14%)	16 (17%)	0	0
10	CJ	96/98 (98%)	69 (72%)	15 (16%)	12 (12%)	0	1
11	AK	115/117 (98%)	91 (79%)	15 (13%)	9 (8%)	1	6
11	CK	115/117 (98%)	87 (76%)	23 (20%)	5 (4%)	3	18
12	AL	121/123 (98%)	84 (69%)	31 (26%)	6 (5%)	2	16
12	CL	121/123 (98%)	90 (74%)	16 (13%)	15 (12%)	0	1
13	AM	112/114 (98%)	84 (75%)	20 (18%)	8 (7%)	1	8
13	CM	112/114 (98%)	83 (74%)	16 (14%)	13 (12%)	0	2
14	AN	92/100 (92%)	65 (71%)	17 (18%)	10 (11%)	0	3
14	CN	92/100 (92%)	71 (77%)	13 (14%)	8 (9%)	1	5
15	AO	86/88 (98%)	72 (84%)	10 (12%)	4 (5%)	3	17
15	CO	86/88 (98%)	69 (80%)	14 (16%)	3 (4%)	4	23
16	AP	80/82 (98%)	49 (61%)	18 (22%)	13 (16%)	0	0
16	CP	80/82 (98%)	61 (76%)	14 (18%)	5 (6%)	1	10
17	AQ	78/80 (98%)	53 (68%)	20 (26%)	5 (6%)	1	9
17	CQ	78/80 (98%)	59 (76%)	12 (15%)	7 (9%)	1	5
18	AR	53/55 (96%)	44 (83%)	8 (15%)	1 (2%)	9	39
18	CR	53/55 (96%)	41 (77%)	8 (15%)	4 (8%)	1	7
19	AS	77/79 (98%)	61 (79%)	13 (17%)	3 (4%)	3	21
19	CS	77/79 (98%)	66 (86%)	6 (8%)	5 (6%)	1	9
20	AT	83/85 (98%)	68 (82%)	8 (10%)	7 (8%)	1	5
20	CT	83/85 (98%)	67 (81%)	10 (12%)	6 (7%)	1	7
21	AU	49/51 (96%)	29 (59%)	11 (22%)	9 (18%)	0	0
21	CU	49/51 (96%)	24 (49%)	11 (22%)	14 (29%)	0	0
24	BC	269/271 (99%)	219 (81%)	38 (14%)	12 (4%)	3	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
24	DC	269/271 (99%)	200 (74%)	43 (16%)	26 (10%)	1	4
25	BD	207/209 (99%)	186 (90%)	18 (9%)	3 (1%)	13	47
25	DD	207/209 (99%)	165 (80%)	32 (16%)	10 (5%)	2	16
26	BE	199/201 (99%)	174 (87%)	22 (11%)	3 (2%)	12	45
26	DE	199/201 (99%)	167 (84%)	24 (12%)	8 (4%)	3	20
27	BF	175/177 (99%)	144 (82%)	19 (11%)	12 (7%)	1	8
27	DF	175/177 (99%)	143 (82%)	24 (14%)	8 (5%)	3	17
28	BG	174/176 (99%)	150 (86%)	18 (10%)	6 (3%)	4	24
28	DG	174/176 (99%)	145 (83%)	21 (12%)	8 (5%)	3	17
29	BH	147/149 (99%)	91 (62%)	35 (24%)	21 (14%)	0	1
29	DH	147/149 (99%)	100 (68%)	32 (22%)	15 (10%)	1	4
30	BI	139/141 (99%)	85 (61%)	37 (27%)	17 (12%)	0	2
30	DI	139/141 (99%)	89 (64%)	39 (28%)	11 (8%)	1	6
31	BJ	140/142 (99%)	127 (91%)	9 (6%)	4 (3%)	5	28
31	DJ	140/142 (99%)	116 (83%)	22 (16%)	2 (1%)	13	47
32	BK	120/122 (98%)	98 (82%)	16 (13%)	6 (5%)	2	16
32	DK	120/122 (98%)	100 (83%)	14 (12%)	6 (5%)	2	16
33	BL	141/143 (99%)	114 (81%)	21 (15%)	6 (4%)	3	18
33	DL	141/143 (99%)	106 (75%)	28 (20%)	7 (5%)	2	16
34	BM	134/136 (98%)	118 (88%)	13 (10%)	3 (2%)	8	35
34	DM	134/136 (98%)	111 (83%)	18 (13%)	5 (4%)	4	22
35	BN	118/120 (98%)	98 (83%)	18 (15%)	2 (2%)	11	42
35	DN	118/120 (98%)	93 (79%)	18 (15%)	7 (6%)	2	12
36	BO	114/116 (98%)	94 (82%)	18 (16%)	2 (2%)	10	40
36	DO	114/116 (98%)	94 (82%)	16 (14%)	4 (4%)	4	23
37	BP	112/114 (98%)	104 (93%)	5 (4%)	3 (3%)	6	30
37	DP	112/114 (98%)	89 (80%)	18 (16%)	5 (4%)	3	17
38	BQ	115/117 (98%)	107 (93%)	5 (4%)	3 (3%)	6	31
38	DQ	115/117 (98%)	97 (84%)	15 (13%)	3 (3%)	6	31
39	BR	101/103 (98%)	90 (89%)	5 (5%)	6 (6%)	2	12
39	DR	101/103 (98%)	79 (78%)	17 (17%)	5 (5%)	2	16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	BS	108/110 (98%)	99 (92%)	7 (6%)	2 (2%)	9	39
40	DS	108/110 (98%)	91 (84%)	13 (12%)	4 (4%)	4	22
41	BT	91/93 (98%)	73 (80%)	9 (10%)	9 (10%)	1	4
41	DT	91/93 (98%)	65 (71%)	18 (20%)	8 (9%)	1	5
42	BU	100/102 (98%)	79 (79%)	15 (15%)	6 (6%)	2	11
42	DU	100/102 (98%)	74 (74%)	13 (13%)	13 (13%)	0	1
43	BV	92/94 (98%)	86 (94%)	5 (5%)	1 (1%)	17	54
43	DV	92/94 (98%)	83 (90%)	7 (8%)	2 (2%)	8	35
44	BW	74/76 (97%)	66 (89%)	7 (10%)	1 (1%)	13	47
44	DW	73/76 (96%)	61 (84%)	11 (15%)	1 (1%)	13	47
45	BX	75/77 (97%)	68 (91%)	6 (8%)	1 (1%)	14	48
45	DX	75/77 (97%)	54 (72%)	17 (23%)	4 (5%)	2	14
46	BY	61/63 (97%)	47 (77%)	5 (8%)	9 (15%)	0	1
46	DY	61/63 (97%)	50 (82%)	8 (13%)	3 (5%)	2	16
47	BZ	56/58 (97%)	52 (93%)	4 (7%)	0	100	100
47	DZ	56/58 (97%)	49 (88%)	5 (9%)	2 (4%)	4	23
48	B0	54/56 (96%)	44 (82%)	8 (15%)	2 (4%)	4	22
48	D0	54/56 (96%)	37 (68%)	14 (26%)	3 (6%)	2	12
49	B1	48/50 (96%)	39 (81%)	7 (15%)	2 (4%)	3	19
49	D1	48/50 (96%)	35 (73%)	9 (19%)	4 (8%)	1	6
50	B2	44/46 (96%)	39 (89%)	3 (7%)	2 (4%)	3	17
50	D2	44/46 (96%)	38 (86%)	3 (7%)	3 (7%)	1	8
51	B3	62/64 (97%)	57 (92%)	4 (6%)	1 (2%)	11	43
51	D3	62/64 (97%)	54 (87%)	6 (10%)	2 (3%)	5	25
52	B4	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
52	D4	36/38 (95%)	31 (86%)	3 (8%)	2 (6%)	2	12
53	B5	183/207 (88%)	100 (55%)	58 (32%)	25 (14%)	0	1
All	All	11418/11651 (98%)	8949 (78%)	1727 (15%)	742 (6%)	1	9

5 of 742 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	16	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	AB	34	ALA
2	AB	73	LYS
2	AB	74	ARG
2	AB	120	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	180/180 (100%)	142 (79%)	38 (21%)	1	5
2	CB	180/180 (100%)	141 (78%)	39 (22%)	1	5
3	AC	170/170 (100%)	138 (81%)	32 (19%)	2	8
3	CC	170/170 (100%)	150 (88%)	20 (12%)	6	25
4	AD	172/172 (100%)	148 (86%)	24 (14%)	4	18
4	CD	172/172 (100%)	149 (87%)	23 (13%)	4	19
5	AE	113/113 (100%)	89 (79%)	24 (21%)	1	5
5	CE	113/113 (100%)	94 (83%)	19 (17%)	2	11
6	AF	87/87 (100%)	71 (82%)	16 (18%)	2	9
6	CF	87/87 (100%)	67 (77%)	20 (23%)	1	4
7	AG	124/124 (100%)	103 (83%)	21 (17%)	2	11
7	CG	124/124 (100%)	102 (82%)	22 (18%)	2	10
8	AH	104/104 (100%)	92 (88%)	12 (12%)	6	27
8	CH	104/104 (100%)	88 (85%)	16 (15%)	3	14
9	AI	105/105 (100%)	82 (78%)	23 (22%)	1	5
9	CI	105/105 (100%)	84 (80%)	21 (20%)	1	6
10	AJ	86/86 (100%)	71 (83%)	15 (17%)	2	10
10	CJ	86/86 (100%)	75 (87%)	11 (13%)	5	21
11	AK	90/90 (100%)	73 (81%)	17 (19%)	2	7
11	CK	90/90 (100%)	75 (83%)	15 (17%)	2	11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	AL	103/103 (100%)	90 (87%)	13 (13%)	5	22
12	CL	103/103 (100%)	81 (79%)	22 (21%)	1	5
13	AM	92/92 (100%)	82 (89%)	10 (11%)	7	30
13	CM	92/92 (100%)	82 (89%)	10 (11%)	7	30
14	AN	79/83 (95%)	71 (90%)	8 (10%)	9	33
14	CN	79/83 (95%)	74 (94%)	5 (6%)	21	56
15	AO	76/76 (100%)	66 (87%)	10 (13%)	5	20
15	CO	76/76 (100%)	61 (80%)	15 (20%)	1	6
16	AP	65/65 (100%)	54 (83%)	11 (17%)	2	11
16	CP	65/65 (100%)	55 (85%)	10 (15%)	3	14
17	AQ	74/74 (100%)	58 (78%)	16 (22%)	1	5
17	CQ	74/74 (100%)	59 (80%)	15 (20%)	1	6
18	AR	48/48 (100%)	44 (92%)	4 (8%)	13	45
18	CR	48/48 (100%)	43 (90%)	5 (10%)	8	31
19	AS	70/70 (100%)	63 (90%)	7 (10%)	9	33
19	CS	70/70 (100%)	63 (90%)	7 (10%)	9	33
20	AT	65/65 (100%)	55 (85%)	10 (15%)	3	14
20	CT	65/65 (100%)	55 (85%)	10 (15%)	3	14
21	AU	44/44 (100%)	29 (66%)	15 (34%)	0	0
21	CU	44/44 (100%)	31 (70%)	13 (30%)	0	1
24	BC	216/216 (100%)	195 (90%)	21 (10%)	9	35
24	DC	216/216 (100%)	191 (88%)	25 (12%)	6	26
25	BD	164/164 (100%)	154 (94%)	10 (6%)	22	58
25	DD	164/164 (100%)	147 (90%)	17 (10%)	8	31
26	BE	165/165 (100%)	152 (92%)	13 (8%)	14	47
26	DE	165/165 (100%)	152 (92%)	13 (8%)	14	47
27	BF	148/148 (100%)	127 (86%)	21 (14%)	4	17
27	DF	148/148 (100%)	131 (88%)	17 (12%)	6	27
28	BG	137/137 (100%)	122 (89%)	15 (11%)	7	30
28	DG	137/137 (100%)	124 (90%)	13 (10%)	10	37
29	BH	114/114 (100%)	89 (78%)	25 (22%)	1	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
29	DH	114/114 (100%)	89 (78%)	25 (22%)	1	5
30	BI	109/109 (100%)	86 (79%)	23 (21%)	1	5
30	DI	109/109 (100%)	91 (84%)	18 (16%)	2	12
31	BJ	116/116 (100%)	106 (91%)	10 (9%)	12	44
31	DJ	116/116 (100%)	110 (95%)	6 (5%)	27	63
32	BK	103/103 (100%)	93 (90%)	10 (10%)	9	35
32	DK	103/103 (100%)	96 (93%)	7 (7%)	18	53
33	BL	102/102 (100%)	88 (86%)	14 (14%)	4	19
33	DL	102/102 (100%)	94 (92%)	8 (8%)	15	48
34	BM	109/109 (100%)	98 (90%)	11 (10%)	9	33
34	DM	109/109 (100%)	104 (95%)	5 (5%)	31	68
35	BN	100/100 (100%)	87 (87%)	13 (13%)	5	21
35	DN	100/100 (100%)	89 (89%)	11 (11%)	7	30
36	BO	86/86 (100%)	72 (84%)	14 (16%)	3	12
36	DO	86/86 (100%)	78 (91%)	8 (9%)	10	38
37	BP	99/99 (100%)	89 (90%)	10 (10%)	9	33
37	DP	99/99 (100%)	89 (90%)	10 (10%)	9	33
38	BQ	89/89 (100%)	81 (91%)	8 (9%)	11	40
38	DQ	89/89 (100%)	84 (94%)	5 (6%)	25	61
39	BR	84/84 (100%)	71 (84%)	13 (16%)	3	14
39	DR	84/84 (100%)	79 (94%)	5 (6%)	22	58
40	BS	93/93 (100%)	80 (86%)	13 (14%)	4	18
40	DS	93/93 (100%)	86 (92%)	7 (8%)	16	49
41	BT	80/80 (100%)	68 (85%)	12 (15%)	3	15
41	DT	80/80 (100%)	68 (85%)	12 (15%)	3	15
42	BU	83/83 (100%)	74 (89%)	9 (11%)	7	30
42	DU	83/83 (100%)	73 (88%)	10 (12%)	6	24
43	BV	78/78 (100%)	68 (87%)	10 (13%)	5	21
43	DV	78/78 (100%)	71 (91%)	7 (9%)	11	40
44	BW	57/58 (98%)	55 (96%)	2 (4%)	41	76
44	DW	56/58 (97%)	52 (93%)	4 (7%)	17	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	BX	67/67 (100%)	64 (96%)	3 (4%)	32	68
45	DX	67/67 (100%)	61 (91%)	6 (9%)	11	40
46	BY	55/55 (100%)	47 (86%)	8 (14%)	4	16
46	DY	55/55 (100%)	46 (84%)	9 (16%)	2	12
47	BZ	48/48 (100%)	41 (85%)	7 (15%)	3	16
47	DZ	48/48 (100%)	40 (83%)	8 (17%)	2	11
48	B0	47/47 (100%)	40 (85%)	7 (15%)	3	15
48	D0	47/47 (100%)	42 (89%)	5 (11%)	8	30
49	B1	45/45 (100%)	39 (87%)	6 (13%)	4	20
49	D1	45/45 (100%)	43 (96%)	2 (4%)	33	69
50	B2	38/38 (100%)	34 (90%)	4 (10%)	8	31
50	D2	38/38 (100%)	32 (84%)	6 (16%)	3	13
51	B3	51/51 (100%)	47 (92%)	4 (8%)	15	48
51	D3	51/51 (100%)	48 (94%)	3 (6%)	23	58
52	B4	34/34 (100%)	29 (85%)	5 (15%)	3	16
52	D4	34/34 (100%)	31 (91%)	3 (9%)	12	42
53	B5	61/161 (38%)	50 (82%)	11 (18%)	2	9
All	All	9388/9499 (99%)	8137 (87%)	1251 (13%)	4	20

5 of 1251 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
40	BS	59	GLU
3	CC	27	LYS
37	DP	80	VAL
42	BU	9	ASP
50	B2	25	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 32 such sidechains are listed below:

Mol	Chain	Res	Type
27	BF	21	ASN
6	CF	37	HIS
40	DS	7	HIS
36	BO	29	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	CO	46	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1537/1539 (99%)	304 (19%)	13 (0%)
1	CA	1538/1539 (99%)	303 (19%)	7 (0%)
22	BA	2895/2903 (99%)	518 (17%)	34 (1%)
22	DA	2895/2903 (99%)	536 (18%)	22 (0%)
23	BB	118/119 (99%)	16 (13%)	1 (0%)
23	DB	117/119 (98%)	18 (15%)	0
All	All	9100/9122 (99%)	1695 (18%)	77 (0%)

5 of 1695 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	4	U
1	AA	5	U
1	AA	7	A
1	AA	9	G
1	AA	13	U

5 of 77 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
22	BA	1610	A
22	BA	2425	A
22	DA	2225	A
22	BA	1738	G
22	BA	2286	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 502 ligands modelled in this entry, 501 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
56	NEG	CA	1657	54	11,16,16	0.81	0	11,20,20	0.89	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	NEG	CA	1657	54	-	0/15/18/18	0/0/0/0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
56	CA	1657	NEG	C9-N3-C7	-2.24	116.36	122.54

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
56	CA	1657	NEG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1538/1539 (99%)	-0.07	54 (3%) 44 22	12, 56, 146, 187	0
1	CA	1539/1539 (100%)	0.38	132 (8%) 11 4	24, 78, 151, 182	0
2	AB	218/218 (100%)	0.25	13 (5%) 23 9	38, 79, 106, 130	0
2	CB	218/218 (100%)	0.49	24 (11%) 6 2	62, 97, 114, 127	0
3	AC	206/206 (100%)	0.37	14 (6%) 18 7	57, 83, 97, 110	0
3	CC	206/206 (100%)	1.39	60 (29%) 1 0	83, 101, 112, 120	0
4	AD	205/205 (100%)	-0.10	3 (1%) 74 54	39, 64, 88, 106	0
4	CD	205/205 (100%)	-0.21	4 (1%) 65 44	21, 41, 70, 92	0
5	AE	150/150 (100%)	-0.08	1 (0%) 87 75	31, 50, 83, 105	0
5	CE	150/150 (100%)	-0.06	0 100 100	28, 58, 89, 109	0
6	AF	100/100 (100%)	0.17	4 (4%) 39 19	36, 60, 80, 92	0
6	CF	100/100 (100%)	0.12	2 (2%) 65 44	48, 81, 103, 108	0
7	AG	151/151 (100%)	0.75	25 (16%) 2 1	68, 93, 106, 116	0
7	CG	151/151 (100%)	2.68	88 (58%) 0 0	95, 117, 127, 130	0
8	AH	129/129 (100%)	-0.18	1 (0%) 86 71	31, 52, 72, 90	0
8	CH	129/129 (100%)	0.09	7 (5%) 26 12	55, 75, 93, 105	0
9	AI	127/127 (100%)	1.45	42 (33%) 0 0	70, 95, 110, 122	0
9	CI	127/127 (100%)	2.03	48 (37%) 0 0	100, 112, 123, 131	0
10	AJ	98/98 (100%)	0.89	19 (19%) 1 0	76, 90, 107, 127	0
10	CJ	98/98 (100%)	3.18	55 (56%) 0 0	97, 114, 122, 133	0
11	AK	117/117 (100%)	0.08	3 (2%) 56 33	26, 70, 98, 117	0
11	CK	117/117 (100%)	0.06	3 (2%) 56 33	36, 75, 94, 98	0
12	AL	123/123 (100%)	-0.13	3 (2%) 59 37	23, 39, 70, 100	0
12	CL	123/123 (100%)	0.19	5 (4%) 38 18	34, 56, 84, 108	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	AM	114/114 (100%)	0.92	23 (20%) 1 0	70, 87, 104, 111	0
13	CM	114/114 (100%)	3.30	82 (71%) 0 0	105, 122, 130, 134	0
14	AN	96/100 (96%)	1.04	23 (23%) 1 0	79, 91, 108, 117	0
14	CN	96/100 (96%)	2.56	61 (63%) 0 0	98, 112, 125, 129	0
15	AO	88/88 (100%)	-0.15	0 100 100	30, 51, 72, 92	0
15	CO	88/88 (100%)	0.25	4 (4%) 34 16	45, 71, 89, 106	0
16	AP	82/82 (100%)	0.10	2 (2%) 59 37	34, 51, 92, 108	0
16	CP	82/82 (100%)	0.74	11 (13%) 4 1	52, 73, 105, 117	0
17	AQ	80/80 (100%)	0.26	2 (2%) 58 35	30, 53, 77, 120	0
17	CQ	80/80 (100%)	0.88	14 (17%) 2 1	48, 88, 102, 109	0
18	AR	55/55 (100%)	0.20	3 (5%) 26 11	44, 57, 87, 108	0
18	CR	55/55 (100%)	0.22	4 (7%) 16 6	41, 58, 85, 109	0
19	AS	79/79 (100%)	1.40	20 (25%) 1 0	78, 95, 107, 113	0
19	CS	79/79 (100%)	2.43	44 (55%) 0 0	105, 123, 130, 133	0
20	AT	85/85 (100%)	0.22	3 (3%) 44 22	35, 52, 79, 98	0
20	CT	85/85 (100%)	1.42	22 (25%) 1 0	61, 86, 102, 106	0
21	AU	51/51 (100%)	0.28	3 (5%) 23 10	39, 73, 105, 115	0
21	CU	51/51 (100%)	0.27	3 (5%) 23 10	46, 73, 101, 107	0
22	BA	2897/2903 (99%)	0.08	130 (4%) 34 16	1, 14, 135, 195	0
22	DA	2897/2903 (99%)	0.53	215 (7%) 15 5	38, 91, 152, 183	0
23	BB	119/119 (100%)	-0.39	0 100 100	2, 25, 59, 89	0
23	DB	118/119 (99%)	0.43	5 (4%) 37 18	80, 119, 136, 145	0
24	BC	271/271 (100%)	-0.15	12 (4%) 35 17	2, 21, 52, 65	0
24	DC	271/271 (100%)	0.47	24 (8%) 10 4	45, 70, 90, 96	0
25	BD	209/209 (100%)	-0.34	0 100 100	1, 12, 38, 77	0
25	DD	209/209 (100%)	0.78	34 (16%) 2 1	56, 82, 97, 107	0
26	BE	201/201 (100%)	-0.34	1 (0%) 90 80	1, 27, 64, 92	0
26	DE	201/201 (100%)	1.13	45 (22%) 1 0	63, 98, 114, 122	0
27	BF	177/177 (100%)	-0.12	6 (3%) 46 23	20, 51, 84, 100	0
27	DF	177/177 (100%)	2.08	70 (39%) 0 0	100, 119, 131, 137	0
28	BG	176/176 (100%)	-0.29	2 (1%) 80 65	12, 38, 66, 79	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	DG	176/176 (100%)	1.66	56 (31%) 0 0	87, 105, 116, 126	0
29	BH	149/149 (100%)	2.45	64 (42%) 0 0	25, 102, 121, 129	0
29	DH	149/149 (100%)	0.93	22 (14%) 3 1	25, 92, 107, 115	0
30	BI	141/141 (100%)	2.93	72 (51%) 0 0	103, 122, 132, 139	0
30	DI	141/141 (100%)	4.25	124 (87%) 0 0	109, 130, 140, 149	0
31	BJ	142/142 (100%)	-0.33	0 100 100	1, 8, 28, 41	0
31	DJ	142/142 (100%)	0.45	11 (7%) 14 5	57, 79, 92, 103	0
32	BK	122/122 (100%)	-0.37	0 100 100	4, 13, 35, 66	0
32	DK	122/122 (100%)	0.56	17 (13%) 3 1	56, 75, 94, 106	0
33	BL	143/143 (100%)	-0.33	0 100 100	1, 22, 52, 87	0
33	DL	143/143 (100%)	1.26	32 (22%) 1 0	58, 92, 106, 127	0
34	BM	136/136 (100%)	-0.41	0 100 100	1, 11, 34, 82	0
34	DM	136/136 (100%)	0.36	11 (8%) 13 5	50, 79, 94, 113	0
35	BN	120/120 (100%)	-0.39	0 100 100	2, 10, 21, 70	0
35	DN	120/120 (100%)	0.83	18 (15%) 3 1	65, 88, 100, 123	0
36	BO	116/116 (100%)	-0.32	0 100 100	12, 30, 47, 57	0
36	DO	116/116 (100%)	1.77	50 (43%) 0 0	91, 106, 114, 121	0
37	BP	114/114 (100%)	-0.35	0 100 100	5, 18, 46, 67	0
37	DP	114/114 (100%)	0.83	22 (19%) 1 0	65, 81, 94, 103	0
38	BQ	117/117 (100%)	-0.27	0 100 100	1, 4, 15, 52	0
38	DQ	117/117 (100%)	0.86	17 (14%) 3 1	62, 79, 89, 94	0
39	BR	103/103 (100%)	-0.42	0 100 100	1, 13, 35, 67	0
39	DR	103/103 (100%)	1.29	26 (25%) 1 0	67, 91, 101, 103	0
40	BS	110/110 (100%)	-0.40	0 100 100	1, 5, 27, 79	0
40	DS	110/110 (100%)	1.27	26 (23%) 1 0	68, 88, 105, 112	0
41	BT	93/93 (100%)	-0.04	2 (2%) 62 41	8, 27, 77, 106	0
41	DT	93/93 (100%)	1.65	29 (31%) 0 0	80, 98, 117, 125	0
42	BU	102/102 (100%)	0.10	8 (7%) 14 5	13, 32, 67, 96	0
42	DU	102/102 (100%)	2.28	44 (43%) 0 0	88, 106, 122, 129	0
43	BV	94/94 (100%)	-0.36	0 100 100	7, 23, 51, 63	0
43	DV	94/94 (100%)	0.50	7 (7%) 15 5	74, 95, 107, 115	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	BW	76/76 (100%)	-0.27	1 (1%) 77 59	3, 13, 32, 61	0
44	DW	75/76 (98%)	1.58	20 (26%) 1 0	60, 90, 99, 114	0
45	BX	77/77 (100%)	-0.33	0 100 100	5, 26, 54, 77	0
45	DX	77/77 (100%)	0.74	8 (10%) 7 2	57, 80, 94, 101	0
46	BY	63/63 (100%)	0.04	1 (1%) 72 51	17, 40, 74, 92	0
46	DY	63/63 (100%)	1.79	29 (46%) 0 0	89, 105, 112, 115	0
47	BZ	58/58 (100%)	-0.28	0 100 100	2, 8, 35, 48	0
47	DZ	58/58 (100%)	0.63	6 (10%) 7 2	64, 81, 96, 102	0
48	B0	56/56 (100%)	-0.47	0 100 100	1, 11, 44, 65	0
48	D0	56/56 (100%)	1.13	15 (26%) 1 0	58, 89, 102, 109	0
49	B1	50/50 (100%)	0.33	3 (6%) 23 9	25, 38, 63, 84	0
49	D1	50/50 (100%)	2.29	24 (48%) 0 0	79, 99, 108, 112	0
50	B2	46/46 (100%)	-0.21	0 100 100	3, 8, 17, 80	0
50	D2	46/46 (100%)	0.93	7 (15%) 2 1	58, 80, 89, 105	0
51	B3	64/64 (100%)	-0.28	0 100 100	5, 11, 20, 33	0
51	D3	64/64 (100%)	0.92	11 (17%) 2 1	66, 82, 93, 98	0
52	B4	38/38 (100%)	-0.17	0 100 100	4, 13, 33, 51	0
52	D4	38/38 (100%)	1.48	10 (26%) 1 0	65, 84, 99, 109	0
53	B5	191/207 (92%)	4.94	167 (87%) 0 0	108, 127, 138, 143	0
All	All	20734/20773 (99%)	0.51	2438 (11%) 5 2	1, 73, 130, 195	0

The worst 5 of 2438 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
22	BA	2184	A	19.4
30	BI	3	LYS	16.8
22	BA	2101	A	16.1
30	BI	2	ALA	15.4
30	BI	4	LYS	15.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
54	MG	BA	3174	1/1	0.87	0.82	33.52	25,25,25,25	0
54	MG	DA	3135	1/1	0.78	0.62	29.36	112,112,112,112	0
54	MG	DA	3155	1/1	0.71	0.74	27.39	51,51,51,51	0
54	MG	BA	3057	1/1	0.83	0.48	27.27	40,40,40,40	0
54	MG	AM	201	1/1	0.53	1.29	24.26	63,63,63,63	0
54	MG	BA	3146	1/1	0.93	0.36	22.91	32,32,32,32	0
54	MG	DA	3057	1/1	0.70	0.85	22.11	99,99,99,99	0
54	MG	AA	1670	1/1	0.75	0.43	20.90	49,49,49,49	0
54	MG	BA	3040	1/1	0.80	0.47	20.37	1,1,1,1	0
54	MG	BA	3167	1/1	0.73	0.41	18.14	25,25,25,25	0
54	MG	BA	3083	1/1	0.91	0.33	17.10	44,44,44,44	0
54	MG	AA	1662	1/1	0.65	0.75	13.87	76,76,76,76	0
54	MG	AA	1622	1/1	0.96	0.26	13.70	21,21,21,21	0
54	MG	BA	3160	1/1	0.80	0.35	13.26	7,7,7,7	0
54	MG	BA	3152	1/1	0.96	0.45	13.09	1,1,1,1	0
54	MG	BA	3162	1/1	0.94	0.39	12.66	30,30,30,30	0
54	MG	DA	3027	1/1	0.84	0.56	11.10	106,106,106,106	0
54	MG	BA	3104	1/1	0.99	0.29	9.51	1,1,1,1	0
54	MG	BA	3185	1/1	0.86	0.28	8.76	17,17,17,17	0
54	MG	AA	1630	1/1	0.90	0.31	8.21	78,78,78,78	0
54	MG	BA	3150	1/1	0.83	0.34	7.63	23,23,23,23	0
54	MG	BA	3177	1/1	0.93	0.22	5.57	24,24,24,24	0
54	MG	AA	1617	1/1	0.27	0.85	5.24	124,124,124,124	0
54	MG	DA	3147	1/1	0.81	0.41	5.18	49,49,49,49	0
54	MG	AA	1635	1/1	0.86	0.26	4.95	73,73,73,73	0
54	MG	BA	3131	1/1	0.70	0.29	4.38	49,49,49,49	0
54	MG	DA	3071	1/1	0.52	0.33	4.33	99,99,99,99	0
54	MG	BA	3158	1/1	0.95	0.26	4.27	15,15,15,15	0
54	MG	DA	3104	1/1	0.86	0.46	4.12	97,97,97,97	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	BA	3130	1/1	0.94	0.28	3.99	7,7,7,7	0
54	MG	CA	1614	1/1	0.80	0.27	3.66	60,60,60,60	0
54	MG	BA	3136	1/1	0.93	0.26	3.16	50,50,50,50	0
54	MG	DA	3152	1/1	0.76	0.28	3.08	59,59,59,59	0
54	MG	BA	3124	1/1	0.96	0.33	2.71	44,44,44,44	0
54	MG	DA	3048	1/1	0.82	0.36	2.65	109,109,109,109	0
54	MG	DA	3115	1/1	0.88	0.29	2.54	79,79,79,79	0
54	MG	DA	3109	1/1	0.96	0.36	2.41	64,64,64,64	0
54	MG	DA	3127	1/1	0.93	0.38	2.34	91,91,91,91	0
54	MG	BA	3169	1/1	0.88	0.18	1.89	33,33,33,33	0
54	MG	BA	3013	1/1	0.97	0.22	1.77	1,1,1,1	0
54	MG	BA	3154	1/1	0.90	0.25	1.67	18,18,18,18	0
54	MG	BA	3053	1/1	0.99	0.23	1.46	1,1,1,1	0
54	MG	CA	1641	1/1	0.87	0.56	1.34	49,49,49,49	0
54	MG	BA	3105	1/1	0.87	0.22	1.23	10,10,10,10	0
54	MG	BA	3151	1/1	0.92	0.24	1.00	7,7,7,7	0
54	MG	BA	3012	1/1	0.95	0.24	0.96	1,1,1,1	0
54	MG	DA	3008	1/1	0.76	0.27	0.89	96,96,96,96	0
54	MG	BA	3108	1/1	0.93	0.21	0.88	1,1,1,1	0
54	MG	DA	3108	1/1	0.96	0.25	0.55	22,22,22,22	0
54	MG	BA	3109	1/1	0.96	0.21	0.37	1,1,1,1	0
54	MG	DA	3114	1/1	0.42	0.42	0.37	126,126,126,126	0
54	MG	DA	3005	1/1	0.79	0.20	0.33	113,113,113,113	0
54	MG	DL	202	1/1	0.85	0.39	0.24	116,116,116,116	0
54	MG	CA	1611	1/1	0.97	0.12	0.06	42,42,42,42	0
54	MG	BA	3132	1/1	0.96	0.37	0.01	45,45,45,45	0
54	MG	DA	3024	1/1	0.45	0.25	-0.01	77,77,77,77	0
54	MG	CA	1638	1/1	0.96	0.17	-0.21	28,28,28,28	0
54	MG	DA	3131	1/1	0.90	0.30	-0.30	79,79,79,79	0
54	MG	BA	3017	1/1	0.98	0.20	-0.31	1,1,1,1	0
54	MG	CA	1621	1/1	0.90	0.17	-0.32	75,75,75,75	0
54	MG	BA	3049	1/1	0.98	0.20	-0.34	3,3,3,3	0
54	MG	CA	1633	1/1	0.61	0.29	-0.36	134,134,134,134	0
54	MG	DA	3070	1/1	0.68	0.20	-0.36	105,105,105,105	0
54	MG	DA	3101	1/1	0.94	0.20	-0.41	85,85,85,85	0
54	MG	DA	3013	1/1	0.65	0.22	-0.47	72,72,72,72	0
54	MG	BB	201	1/1	0.95	0.15	-0.52	32,32,32,32	0
54	MG	DA	3012	1/1	0.95	0.22	-0.55	46,46,46,46	0
54	MG	BA	3079	1/1	0.90	0.18	-0.59	29,29,29,29	0
54	MG	DA	3023	1/1	0.92	0.21	-0.63	57,57,57,57	0
55	ZN	B4	101	1/1	1.00	0.17	-0.77	28,28,28,28	0
54	MG	AA	1629	1/1	0.93	0.20	-0.95	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	DA	3077	1/1	0.84	0.14	-1.01	114,114,114,114	0
54	MG	DA	3107	1/1	0.88	0.18	-1.04	70,70,70,70	0
54	MG	DA	3018	1/1	0.78	0.11	-1.05	88,88,88,88	0
54	MG	BA	3116	1/1	0.96	0.19	-1.05	1,1,1,1	0
54	MG	BA	3097	1/1	0.99	0.17	-1.13	1,1,1,1	0
54	MG	AA	1607	1/1	0.94	0.06	-1.18	48,48,48,48	0
56	NEG	CA	1657	17/17	0.87	0.13	-1.27	62,88,103,104	0
54	MG	BA	3008	1/1	0.95	0.16	-1.30	3,3,3,3	0
54	MG	DA	3017	1/1	0.94	0.23	-1.35	71,71,71,71	0
54	MG	BA	3023	1/1	0.98	0.18	-1.37	1,1,1,1	0
55	ZN	D4	101	1/1	0.97	0.09	-1.38	95,95,95,95	0
54	MG	BA	3022	1/1	0.96	0.14	-1.55	1,1,1,1	0
54	MG	DA	3129	1/1	0.93	0.17	-1.55	93,93,93,93	0
54	MG	DB	202	1/1	0.90	0.08	-1.58	89,89,89,89	0
54	MG	CA	1628	1/1	0.40	0.14	-1.64	137,137,137,137	0
54	MG	BA	3107	1/1	0.99	0.16	-1.73	3,3,3,3	0
54	MG	BA	3039	1/1	0.97	0.19	-1.73	1,1,1,1	0
54	MG	AA	1641	1/1	0.99	0.13	-1.76	12,12,12,12	0
54	MG	DA	3046	1/1	0.90	0.13	-1.79	80,80,80,80	0
54	MG	AA	1616	1/1	0.95	0.08	-1.92	94,94,94,94	0
54	MG	AA	1618	1/1	0.87	0.10	-1.93	89,89,89,89	0
54	MG	BA	3164	1/1	0.92	0.15	-1.98	13,13,13,13	0
54	MG	BA	3113	1/1	0.99	0.15	-2.04	4,4,4,4	0
54	MG	BA	3032	1/1	0.95	0.18	-2.08	4,4,4,4	0
54	MG	DA	3003	1/1	0.95	0.10	-2.20	83,83,83,83	0
54	MG	DA	3042	1/1	0.94	0.11	-2.32	67,67,67,67	0
54	MG	CA	1656	1/1	0.90	0.08	-2.33	88,88,88,88	0
54	MG	DA	3105	1/1	0.75	0.18	-2.33	77,77,77,77	0
54	MG	DA	3097	1/1	0.90	0.09	-2.42	67,67,67,67	0
54	MG	BA	3134	1/1	0.95	0.18	-2.48	3,3,3,3	0
54	MG	DA	3078	1/1	0.80	0.09	-2.50	103,103,103,103	0
54	MG	BA	3050	1/1	0.99	0.12	-2.51	7,7,7,7	0
54	MG	DA	3053	1/1	0.85	0.19	-2.52	49,49,49,49	0
54	MG	BA	3009	1/1	0.95	0.14	-2.57	1,1,1,1	0
54	MG	AA	1642	1/1	0.99	0.11	-2.63	23,23,23,23	0
54	MG	BA	3062	1/1	0.98	0.12	-2.68	4,4,4,4	0
54	MG	BA	3018	1/1	0.98	0.10	-2.69	14,14,14,14	0
54	MG	CA	1630	1/1	0.80	0.06	-2.73	79,79,79,79	0
54	MG	DA	3021	1/1	0.94	0.09	-2.75	69,69,69,69	0
54	MG	DA	3073	1/1	0.93	0.15	-2.79	69,69,69,69	0
54	MG	DA	3095	1/1	0.85	0.08	-2.81	77,77,77,77	0
54	MG	BA	3114	1/1	0.86	0.14	-2.90	14,14,14,14	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	BB	202	1/1	0.98	0.08	-3.08	10,10,10,10	0
54	MG	DA	3022	1/1	0.95	0.09	-3.17	74,74,74,74	0
54	MG	CA	1616	1/1	0.87	0.11	-3.19	43,43,43,43	0
54	MG	DA	3050	1/1	0.93	0.09	-3.20	41,41,41,41	0
54	MG	CA	1606	1/1	0.97	0.11	-3.23	61,61,61,61	0
54	MG	BA	3101	1/1	0.88	0.12	-3.26	14,14,14,14	0
54	MG	DA	3058	1/1	0.95	0.10	-3.46	64,64,64,64	0
54	MG	BA	3129	1/1	0.97	0.17	-3.59	1,1,1,1	0
54	MG	BA	3028	1/1	0.97	0.16	-3.65	1,1,1,1	0
54	MG	DA	3065	1/1	0.93	0.16	-3.65	44,44,44,44	0
54	MG	DA	3068	1/1	0.89	0.08	-3.69	81,81,81,81	0
54	MG	CA	1609	1/1	0.93	0.10	-3.78	56,56,56,56	0
54	MG	AA	1604	1/1	0.84	0.09	-3.87	81,81,81,81	0
54	MG	DA	3133	1/1	0.88	0.14	-4.03	78,78,78,78	0
54	MG	DA	3026	1/1	0.33	0.14	-4.07	93,93,93,93	0
54	MG	DA	3062	1/1	0.94	0.13	-4.14	67,67,67,67	0
54	MG	CA	1603	1/1	0.93	0.06	-4.22	40,40,40,40	0
54	MG	DA	3028	1/1	0.74	0.14	-4.23	83,83,83,83	0
54	MG	BA	3027	1/1	0.95	0.14	-4.36	10,10,10,10	0
54	MG	CA	1601	1/1	0.94	0.12	-4.47	45,45,45,45	0
54	MG	AA	1633	1/1	0.95	0.10	-4.49	25,25,25,25	0
54	MG	BA	3096	1/1	0.98	0.09	-4.57	2,2,2,2	0
54	MG	BA	3066	1/1	0.96	0.12	-4.69	3,3,3,3	0
54	MG	BA	3112	1/1	0.91	0.10	-4.70	25,25,25,25	0
54	MG	BA	3002	1/1	0.95	0.09	-4.82	11,11,11,11	0
54	MG	CA	1618	1/1	0.98	0.10	-4.94	35,35,35,35	0
54	MG	DA	3038	1/1	0.97	0.15	-4.94	68,68,68,68	0
54	MG	DA	3063	1/1	0.97	0.14	-5.02	64,64,64,64	0
54	MG	AA	1613	1/1	0.95	0.08	-5.03	13,13,13,13	0
54	MG	BA	3073	1/1	0.82	0.12	-5.08	16,16,16,16	0
54	MG	BA	3065	1/1	0.97	0.13	-5.34	1,1,1,1	0
54	MG	AA	1606	1/1	0.97	0.08	-5.44	42,42,42,42	0
54	MG	DB	201	1/1	0.73	0.09	-5.54	118,118,118,118	0
54	MG	BA	3024	1/1	0.98	0.10	-5.55	13,13,13,13	0
54	MG	DA	3079	1/1	0.95	0.11	-5.55	91,91,91,91	0
54	MG	BA	3021	1/1	0.94	0.13	-5.60	1,1,1,1	0
54	MG	BA	3093	1/1	0.98	0.12	-5.74	11,11,11,11	0
54	MG	BA	3058	1/1	0.98	0.09	-6.12	14,14,14,14	0
54	MG	AA	1625	1/1	0.83	0.08	-6.75	47,47,47,47	0
54	MG	DA	3049	1/1	0.88	0.10	-6.98	61,61,61,61	0
54	MG	BA	3071	1/1	0.98	0.08	-7.08	13,13,13,13	0
54	MG	BA	3005	1/1	0.97	0.06	-7.20	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	CA	1625	1/1	0.96	0.04	-9.66	44,44,44,44	0
54	MG	AA	1609	1/1	0.97	0.05	-10.06	23,23,23,23	0
54	MG	BA	3070	1/1	0.96	0.11	-14.80	6,6,6,6	0
54	MG	BA	3118	1/1	0.94	0.07	-33.28	14,14,14,14	0
54	MG	DA	3092	1/1	-0.22	0.48	-	123,123,123,123	0
54	MG	DA	3002	1/1	0.83	0.48	-	94,94,94,94	0
54	MG	DA	3146	1/1	0.23	0.19	-	68,68,68,68	0
54	MG	DA	3145	1/1	0.70	1.24	-	60,60,60,60	0
54	MG	CA	1626	1/1	0.54	0.94	-	125,125,125,125	0
54	MG	BA	3085	1/1	0.92	0.13	-	9,9,9,9	0
54	MG	BA	3100	1/1	0.97	0.17	-	4,4,4,4	0
54	MG	BA	3043	1/1	0.99	0.08	-	11,11,11,11	0
54	MG	DA	3031	1/1	0.85	0.52	-	95,95,95,95	0
54	MG	BA	3120	1/1	0.94	0.14	-	10,10,10,10	0
54	MG	DA	3084	1/1	0.76	0.42	-	104,104,104,104	0
54	MG	BA	3123	1/1	0.97	0.14	-	6,6,6,6	0
54	MG	DA	3076	1/1	0.68	0.52	-	114,114,114,114	0
54	MG	BA	3077	1/1	0.94	0.12	-	16,16,16,16	0
54	MG	DA	3099	1/1	0.78	0.13	-	69,69,69,69	0
54	MG	CA	1645	1/1	0.86	0.38	-	52,52,52,52	0
54	MG	BA	3182	1/1	0.94	0.33	-	25,25,25,25	0
54	MG	BA	3175	1/1	0.93	0.23	-	38,38,38,38	0
54	MG	DA	3032	1/1	0.97	0.06	-	67,67,67,67	0
54	MG	BA	3142	1/1	0.95	0.61	-	17,17,17,17	0
54	MG	DA	3067	1/1	0.84	0.17	-	70,70,70,70	0
54	MG	AA	1624	1/1	0.74	0.12	-	36,36,36,36	0
54	MG	AA	1651	1/1	0.90	0.80	-	52,52,52,52	0
54	MG	DA	3139	1/1	0.90	0.58	-	49,49,49,49	0
54	MG	BA	3048	1/1	0.97	0.15	-	10,10,10,10	0
54	MG	DA	3037	1/1	0.86	0.25	-	66,66,66,66	0
54	MG	BA	3155	1/1	0.89	0.26	-	21,21,21,21	0
54	MG	BA	3060	1/1	0.63	0.71	-	72,72,72,72	0
54	MG	BA	3051	1/1	0.98	0.15	-	2,2,2,2	0
54	MG	DA	3086	1/1	0.91	0.20	-	81,81,81,81	0
54	MG	CA	1605	1/1	0.72	0.20	-	110,110,110,110	0
54	MG	DA	3132	1/1	0.27	1.08	-	123,123,123,123	0
54	MG	DA	3125	1/1	0.94	0.27	-	83,83,83,83	0
54	MG	CT	101	1/1	0.94	0.18	-	91,91,91,91	0
54	MG	DA	3051	1/1	0.94	0.19	-	51,51,51,51	0
54	MG	BA	3166	1/1	0.88	0.45	-	36,36,36,36	0
54	MG	BA	3194	1/1	0.91	0.16	-	42,42,42,42	0
54	MG	DA	3025	1/1	0.67	1.85	-	120,120,120,120	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	DA	3141	1/1	0.97	0.56	-	45,45,45,45	0
54	MG	DA	3035	1/1	0.95	0.27	-	54,54,54,54	0
54	MG	BA	3138	1/1	0.96	0.54	-	1,1,1,1	0
54	MG	BQ	201	1/1	0.88	0.33	-	17,17,17,17	0
54	MG	BA	3106	1/1	0.98	0.18	-	1,1,1,1	0
54	MG	BA	3135	1/1	0.95	0.15	-	23,23,23,23	0
54	MG	DA	3102	1/1	0.88	0.15	-	77,77,77,77	0
54	MG	DA	3015	1/1	0.88	0.33	-	90,90,90,90	0
54	MG	DA	3019	1/1	0.96	0.32	-	38,38,38,38	0
54	MG	BA	3064	1/1	0.96	0.13	-	5,5,5,5	0
54	MG	AA	1660	1/1	0.93	0.37	-	72,72,72,72	0
54	MG	CA	1639	1/1	0.88	0.15	-	59,59,59,59	0
54	MG	CA	1653	1/1	0.70	0.39	-	54,54,54,54	0
54	MG	CA	1607	1/1	0.85	0.20	-	96,96,96,96	0
54	MG	AA	1611	1/1	0.93	0.10	-	32,32,32,32	0
54	MG	DA	3007	1/1	0.83	0.29	-	114,114,114,114	0
54	MG	DA	3137	1/1	0.88	0.49	-	38,38,38,38	0
54	MG	BA	3192	1/1	0.96	0.17	-	30,30,30,30	0
54	MG	DA	3163	1/1	0.74	0.25	-	45,45,45,45	0
54	MG	DA	3004	1/1	0.48	0.53	-	112,112,112,112	0
54	MG	BA	3178	1/1	0.94	0.77	-	41,41,41,41	0
54	MG	DA	3153	1/1	0.80	0.42	-	58,58,58,58	0
54	MG	BA	3190	1/1	0.89	0.27	-	46,46,46,46	0
54	MG	BA	3171	1/1	0.95	0.23	-	29,29,29,29	0
54	MG	DA	3009	1/1	0.84	0.07	-	91,91,91,91	0
54	MG	BA	3006	1/1	0.98	0.14	-	29,29,29,29	0
54	MG	BA	3054	1/1	0.97	0.14	-	4,4,4,4	0
54	MG	BA	3176	1/1	0.70	0.45	-	37,37,37,37	0
54	MG	AA	1627	1/1	0.93	0.47	-	68,68,68,68	0
54	MG	DA	3128	1/1	0.89	0.14	-	60,60,60,60	0
54	MG	BA	3168	1/1	0.69	0.74	-	43,43,43,43	0
54	MG	BA	3059	1/1	0.91	0.41	-	27,27,27,27	0
54	MG	AA	1652	1/1	0.79	0.21	-	63,63,63,63	0
54	MG	DA	3120	1/1	0.72	0.27	-	82,82,82,82	0
54	MG	DA	3119	1/1	0.90	0.24	-	83,83,83,83	0
54	MG	DA	3093	1/1	0.77	0.23	-	119,119,119,119	0
54	MG	BA	3010	1/1	0.97	0.13	-	1,1,1,1	0
54	MG	CA	1634	1/1	0.65	0.59	-	143,143,143,143	0
54	MG	BA	3041	1/1	0.99	0.16	-	3,3,3,3	0
54	MG	AA	1638	1/1	0.82	0.15	-	88,88,88,88	0
54	MG	CA	1624	1/1	0.99	0.28	-	4,4,4,4	0
54	MG	BA	3125	1/1	0.97	0.20	-	4,4,4,4	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	DA	3110	1/1	0.93	0.24	-	89,89,89,89	0
54	MG	CA	1651	1/1	0.16	0.46	-	70,70,70,70	0
54	MG	BA	3094	1/1	0.97	0.07	-	19,19,19,19	0
54	MG	DA	3144	1/1	0.08	0.33	-	96,96,96,96	0
54	MG	CA	1627	1/1	0.69	0.07	-	116,116,116,116	0
54	MG	DA	3055	1/1	0.43	0.60	-	109,109,109,109	0
54	MG	CA	1647	1/1	0.95	0.56	-	72,72,72,72	0
54	MG	BA	3188	1/1	0.88	0.20	-	5,5,5,5	0
54	MG	BA	3075	1/1	0.99	0.17	-	3,3,3,3	0
54	MG	DA	3162	1/1	0.67	0.49	-	66,66,66,66	0
54	MG	DA	3061	1/1	0.76	1.24	-	91,91,91,91	0
54	MG	DA	3117	1/1	0.93	0.21	-	79,79,79,79	0
54	MG	BA	3143	1/1	0.95	0.48	-	18,18,18,18	0
54	MG	DA	3052	1/1	0.88	0.09	-	50,50,50,50	0
54	MG	AA	1665	1/1	0.89	0.57	-	61,61,61,61	0
54	MG	BA	3163	1/1	0.86	0.99	-	36,36,36,36	0
54	MG	AA	1655	1/1	0.96	0.41	-	55,55,55,55	0
54	MG	DA	3098	1/1	0.70	0.21	-	89,89,89,89	0
54	MG	CA	1610	1/1	0.96	0.04	-	57,57,57,57	0
54	MG	BA	3137	1/1	0.97	0.59	-	11,11,11,11	0
54	MG	DA	3143	1/1	0.85	0.45	-	63,63,63,63	0
54	MG	DA	3157	1/1	0.86	0.37	-	61,61,61,61	0
54	MG	BA	3126	1/1	0.98	0.15	-	3,3,3,3	0
54	MG	BA	3180	1/1	0.92	0.28	-	45,45,45,45	0
54	MG	DA	3054	1/1	0.89	0.14	-	64,64,64,64	0
54	MG	AA	1634	1/1	0.85	0.12	-	58,58,58,58	0
54	MG	CA	1632	1/1	0.81	0.16	-	85,85,85,85	0
54	MG	BA	3026	1/1	0.99	0.09	-	2,2,2,2	0
54	MG	DA	3151	1/1	0.94	0.27	-	42,42,42,42	0
54	MG	DA	3122	1/1	0.95	0.10	-	51,51,51,51	0
54	MG	DA	3124	1/1	0.87	0.26	-	55,55,55,55	0
54	MG	DA	3087	1/1	0.76	0.10	-	84,84,84,84	0
54	MG	BA	3148	1/1	0.85	0.62	-	44,44,44,44	0
54	MG	AA	1639	1/1	0.97	0.12	-	60,60,60,60	0
54	MG	BA	3153	1/1	0.89	0.57	-	33,33,33,33	0
54	MG	BA	3052	1/1	0.97	0.08	-	1,1,1,1	0
54	MG	AA	1614	1/1	0.73	0.65	-	97,97,97,97	0
54	MG	DA	3118	1/1	0.68	0.61	-	113,113,113,113	0
54	MG	AA	1632	1/1	0.97	0.09	-	60,60,60,60	0
54	MG	BA	3007	1/1	0.93	0.06	-	29,29,29,29	0
54	MG	BA	3016	1/1	0.96	0.12	-	13,13,13,13	0
54	MG	BA	3128	1/1	0.99	0.41	-	1,1,1,1	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	BA	3172	1/1	0.90	0.19	-	29,29,29,29	0
54	MG	BA	3031	1/1	0.98	0.04	-	11,11,11,11	0
54	MG	CA	1623	1/1	0.97	0.06	-	48,48,48,48	0
54	MG	CA	1642	1/1	0.83	0.28	-	53,53,53,53	0
54	MG	DA	3123	1/1	0.91	0.23	-	88,88,88,88	0
54	MG	DA	3047	1/1	0.52	0.16	-	132,132,132,132	0
54	MG	DA	3020	1/1	0.90	0.74	-	76,76,76,76	0
54	MG	DA	3116	1/1	0.78	0.19	-	106,106,106,106	0
54	MG	DA	3161	1/1	0.85	0.36	-	65,65,65,65	0
54	MG	BB	203	1/1	0.98	0.08	-	12,12,12,12	0
54	MG	DA	3148	1/1	0.90	0.25	-	53,53,53,53	0
54	MG	BA	3067	1/1	0.91	0.16	-	2,2,2,2	0
54	MG	CA	1635	1/1	0.89	0.76	-	99,99,99,99	0
54	MG	DA	3033	1/1	0.89	0.20	-	77,77,77,77	0
54	MG	BA	3089	1/1	0.97	0.07	-	8,8,8,8	0
54	MG	DA	3016	1/1	0.76	0.18	-	103,103,103,103	0
54	MG	DA	3130	1/1	0.65	1.52	-	108,108,108,108	0
54	MG	BA	3183	1/1	0.98	0.42	-	35,35,35,35	0
54	MG	DA	3111	1/1	0.89	0.12	-	71,71,71,71	0
54	MG	AA	1666	1/1	0.69	0.37	-	55,55,55,55	0
54	MG	DA	3075	1/1	0.97	0.28	-	78,78,78,78	0
54	MG	CA	1637	1/1	0.97	0.12	-	35,35,35,35	0
54	MG	AA	1663	1/1	0.84	0.66	-	36,36,36,36	0
54	MG	DA	3001	1/1	0.80	0.12	-	93,93,93,93	0
54	MG	CA	1602	1/1	0.89	0.11	-	93,93,93,93	0
54	MG	BA	3173	1/1	0.89	0.24	-	40,40,40,40	0
54	MG	DA	3030	1/1	0.88	0.18	-	71,71,71,71	0
54	MG	AA	1644	1/1	0.62	0.60	-	60,60,60,60	0
54	MG	BA	3191	1/1	0.82	0.30	-	17,17,17,17	0
54	MG	AA	1620	1/1	0.79	0.13	-	100,100,100,100	0
54	MG	AA	1658	1/1	0.52	0.51	-	71,71,71,71	0
54	MG	CA	1620	1/1	0.79	0.10	-	81,81,81,81	0
54	MG	BA	3044	1/1	0.99	0.34	-	1,1,1,1	0
54	MG	CA	1608	1/1	0.81	0.17	-	86,86,86,86	0
54	MG	CA	1612	1/1	0.93	0.19	-	20,20,20,20	0
54	MG	BA	3086	1/1	0.97	0.17	-	2,2,2,2	0
54	MG	AA	1669	1/1	0.76	0.72	-	83,83,83,83	0
54	MG	DA	3080	1/1	0.94	0.17	-	74,74,74,74	0
54	MG	CA	1646	1/1	0.91	0.80	-	21,21,21,21	0
54	MG	AA	1628	1/1	0.69	0.11	-	84,84,84,84	0
54	MG	AA	1657	1/1	0.73	0.44	-	42,42,42,42	0
54	MG	AA	1636	1/1	0.96	0.16	-	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	BA	3119	1/1	0.95	0.29	-	40,40,40,40	0
54	MG	AA	1612	1/1	0.96	0.10	-	42,42,42,42	0
54	MG	DA	3041	1/1	0.74	0.15	-	96,96,96,96	0
54	MG	CA	1654	1/1	0.69	0.67	-	70,70,70,70	0
54	MG	BA	3063	1/1	0.95	0.11	-	6,6,6,6	0
54	MG	AA	1649	1/1	0.70	0.66	-	52,52,52,52	0
54	MG	AA	1631	1/1	0.95	0.08	-	32,32,32,32	0
54	MG	DA	3064	1/1	0.90	0.12	-	61,61,61,61	0
54	MG	CA	1631	1/1	0.90	0.18	-	85,85,85,85	0
54	MG	DA	3150	1/1	0.98	0.16	-	86,86,86,86	0
54	MG	BA	3038	1/1	0.96	0.16	-	1,1,1,1	0
54	MG	BA	3082	1/1	0.91	0.07	-	8,8,8,8	0
54	MG	DA	3156	1/1	0.90	0.16	-	72,72,72,72	0
54	MG	CA	1619	1/1	0.64	0.10	-	85,85,85,85	0
54	MG	DA	3066	1/1	0.94	0.15	-	58,58,58,58	0
54	MG	CA	1650	1/1	0.76	0.41	-	85,85,85,85	0
54	MG	CA	1649	1/1	0.88	0.63	-	50,50,50,50	0
54	MG	BA	3029	1/1	0.95	0.08	-	20,20,20,20	0
54	MG	BA	3020	1/1	0.97	0.05	-	1,1,1,1	0
54	MG	DA	3072	1/1	0.77	0.27	-	78,78,78,78	0
54	MG	BA	3187	1/1	0.95	0.22	-	41,41,41,41	0
54	MG	BA	3078	1/1	0.96	0.07	-	48,48,48,48	0
54	MG	AA	1615	1/1	0.94	0.23	-	52,52,52,52	0
54	MG	BA	3004	1/1	0.94	0.20	-	55,55,55,55	0
54	MG	BA	3133	1/1	0.77	0.55	-	63,63,63,63	0
54	MG	DA	3164	1/1	0.53	0.56	-	60,60,60,60	0
54	MG	AA	1640	1/1	0.92	0.06	-	39,39,39,39	0
54	MG	AA	1602	1/1	0.96	0.10	-	37,37,37,37	0
54	MG	AA	1647	1/1	0.96	0.19	-	51,51,51,51	0
54	MG	BA	3042	1/1	0.93	0.14	-	1,1,1,1	0
54	MG	CA	1615	1/1	0.96	0.17	-	39,39,39,39	0
54	MG	BA	3145	1/1	0.94	0.56	-	35,35,35,35	0
54	MG	BA	3088	1/1	0.95	0.12	-	25,25,25,25	0
54	MG	DA	3074	1/1	0.72	0.18	-	96,96,96,96	0
54	MG	DA	3056	1/1	0.58	0.63	-	103,103,103,103	0
54	MG	AA	1661	1/1	0.90	0.55	-	40,40,40,40	0
54	MG	DA	3059	1/1	0.56	0.34	-	87,87,87,87	0
54	MG	DA	3121	1/1	0.94	0.19	-	62,62,62,62	0
54	MG	DA	3089	1/1	0.61	0.15	-	106,106,106,106	0
54	MG	BA	3055	1/1	0.85	0.64	-	89,89,89,89	0
54	MG	DA	3126	1/1	0.96	0.13	-	58,58,58,58	0
54	MG	DA	3043	1/1	0.64	0.31	-	104,104,104,104	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	CA	1617	1/1	0.94	0.15	-	38,38,38,38	0
54	MG	BA	3011	1/1	0.89	0.07	-	16,16,16,16	0
54	MG	AA	1608	1/1	0.97	0.17	-	26,26,26,26	0
54	MG	CA	1604	1/1	0.87	0.07	-	102,102,102,102	0
54	MG	DA	3160	1/1	0.98	0.30	-	86,86,86,86	0
54	MG	BA	3080	1/1	0.96	0.15	-	24,24,24,24	0
54	MG	DA	3036	1/1	0.66	0.14	-	114,114,114,114	0
54	MG	CA	1622	1/1	0.94	0.60	-	84,84,84,84	0
54	MG	BA	3141	1/1	0.98	0.65	-	2,2,2,2	0
54	MG	BA	3159	1/1	0.96	0.32	-	18,18,18,18	0
54	MG	AA	1648	1/1	0.88	0.32	-	34,34,34,34	0
54	MG	CA	1644	1/1	-0.03	1.58	-	86,86,86,86	0
54	MG	BA	3147	1/1	0.96	0.39	-	13,13,13,13	0
54	MG	DA	3158	1/1	0.77	0.33	-	52,52,52,52	0
54	MG	BA	3102	1/1	0.29	0.37	-	68,68,68,68	0
54	MG	BA	3061	1/1	0.78	0.33	-	56,56,56,56	0
54	MG	DA	3140	1/1	0.78	0.48	-	51,51,51,51	0
54	MG	AA	1626	1/1	0.98	0.25	-	1,1,1,1	0
54	MG	BA	3090	1/1	0.99	0.18	-	13,13,13,13	0
54	MG	AA	1654	1/1	0.95	0.41	-	46,46,46,46	0
54	MG	BA	3193	1/1	0.90	0.29	-	46,46,46,46	0
54	MG	D2	101	1/1	0.81	0.18	-	111,111,111,111	0
54	MG	BA	3184	1/1	0.89	0.19	-	24,24,24,24	0
54	MG	DA	3159	1/1	0.57	0.45	-	71,71,71,71	0
54	MG	CA	1643	1/1	0.92	0.22	-	43,43,43,43	0
54	MG	DA	3044	1/1	0.97	0.30	-	51,51,51,51	0
54	MG	DA	3090	1/1	0.87	0.09	-	85,85,85,85	0
54	MG	DA	3094	1/1	0.76	0.38	-	99,99,99,99	0
54	MG	DA	3106	1/1	0.87	0.10	-	60,60,60,60	0
54	MG	DA	3138	1/1	0.92	0.42	-	41,41,41,41	0
54	MG	AA	1667	1/1	0.88	0.49	-	54,54,54,54	0
54	MG	BA	3186	1/1	0.88	0.35	-	29,29,29,29	0
54	MG	BA	3115	1/1	0.72	0.16	-	58,58,58,58	0
54	MG	AA	1601	1/1	0.85	0.08	-	59,59,59,59	0
54	MG	AA	1621	1/1	0.92	0.08	-	32,32,32,32	0
54	MG	CA	1636	1/1	0.77	0.18	-	93,93,93,93	0
54	MG	BA	3068	1/1	0.95	0.11	-	1,1,1,1	0
54	MG	DA	3014	1/1	0.90	0.30	-	86,86,86,86	0
54	MG	DA	3088	1/1	0.71	0.22	-	81,81,81,81	0
54	MG	DL	201	1/1	0.38	0.48	-	95,95,95,95	0
54	MG	BA	3170	1/1	0.86	0.25	-	44,44,44,44	0
54	MG	BA	3081	1/1	0.97	0.15	-	1,1,1,1	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	AA	1619	1/1	0.88	0.24	-	57,57,57,57	0
54	MG	AA	1610	1/1	0.91	0.09	-	64,64,64,64	0
54	MG	AA	1653	1/1	0.93	0.38	-	27,27,27,27	0
54	MG	BA	3074	1/1	0.97	0.08	-	24,24,24,24	0
54	MG	BA	3033	1/1	0.97	0.23	-	1,1,1,1	0
54	MG	BA	3140	1/1	0.93	0.29	-	34,34,34,34	0
54	MG	DA	3100	1/1	0.76	0.17	-	74,74,74,74	0
54	MG	BA	3084	1/1	0.93	0.26	-	33,33,33,33	0
54	MG	BA	3015	1/1	0.65	0.31	-	62,62,62,62	0
54	MG	DA	3136	1/1	0.72	0.54	-	46,46,46,46	0
54	MG	AA	1645	1/1	0.95	0.89	-	52,52,52,52	0
54	MG	CA	1655	1/1	0.89	0.08	-	85,85,85,85	0
54	MG	AA	1659	1/1	0.73	0.45	-	68,68,68,68	0
54	MG	BA	3092	1/1	0.95	0.14	-	33,33,33,33	0
54	MG	BA	3014	1/1	0.94	0.12	-	8,8,8,8	0
54	MG	BA	3003	1/1	0.85	0.09	-	29,29,29,29	0
54	MG	BA	3046	1/1	0.96	0.20	-	5,5,5,5	0
54	MG	BA	3045	1/1	0.93	0.25	-	5,5,5,5	0
54	MG	BA	3122	1/1	0.99	0.24	-	1,1,1,1	0
54	MG	BA	3091	1/1	0.97	0.27	-	53,53,53,53	0
54	MG	DA	3039	1/1	0.89	0.18	-	96,96,96,96	0
54	MG	AA	1605	1/1	0.94	0.18	-	35,35,35,35	0
54	MG	AA	1637	1/1	0.98	0.10	-	13,13,13,13	0
54	MG	BA	3149	1/1	0.80	0.23	-	48,48,48,48	0
54	MG	CA	1648	1/1	0.76	0.43	-	47,47,47,47	0
54	MG	BA	3030	1/1	0.99	0.17	-	4,4,4,4	0
54	MG	BA	3025	1/1	0.92	0.34	-	38,38,38,38	0
54	MG	DA	3060	1/1	0.60	0.67	-	92,92,92,92	0
54	MG	DA	3040	1/1	0.07	0.64	-	94,94,94,94	0
54	MG	BA	3056	1/1	0.90	0.36	-	27,27,27,27	0
54	MG	AA	1643	1/1	0.96	0.71	-	7,7,7,7	0
54	MG	DB	203	1/1	0.93	0.07	-	106,106,106,106	0
54	MG	AA	1671	1/1	0.60	0.54	-	52,52,52,52	0
54	MG	BA	3098	1/1	0.96	0.36	-	41,41,41,41	0
54	MG	BA	3087	1/1	0.97	0.07	-	18,18,18,18	0
54	MG	DA	3045	1/1	0.95	0.11	-	74,74,74,74	0
54	MG	BA	3117	1/1	0.98	0.21	-	1,1,1,1	0
54	MG	BA	3144	1/1	0.98	0.46	-	34,34,34,34	0
54	MG	BA	3019	1/1	0.95	0.41	-	1,1,1,1	0
54	MG	BA	3157	1/1	0.95	0.23	-	26,26,26,26	0
54	MG	BA	3110	1/1	0.88	0.23	-	61,61,61,61	0
54	MG	AA	1656	1/1	0.99	0.15	-	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	AA	1668	1/1	0.89	0.24	-	39,39,39,39	0
54	MG	AA	1603	1/1	0.98	0.04	-	30,30,30,30	0
54	MG	BA	3103	1/1	0.99	0.13	-	2,2,2,2	0
54	MG	BB	204	1/1	0.97	0.69	-	6,6,6,6	0
54	MG	BA	3037	1/1	0.99	0.25	-	1,1,1,1	0
54	MG	BA	3072	1/1	0.97	0.13	-	1,1,1,1	0
54	MG	DA	3081	1/1	0.69	0.12	-	75,75,75,75	0
54	MG	BA	3035	1/1	0.97	0.21	-	1,1,1,1	0
54	MG	BA	3181	1/1	0.96	0.49	-	33,33,33,33	0
54	MG	DA	3082	1/1	0.96	0.09	-	80,80,80,80	0
54	MG	BA	3069	1/1	0.92	0.10	-	72,72,72,72	0
54	MG	DA	3112	1/1	0.92	0.28	-	78,78,78,78	0
54	MG	AA	1623	1/1	0.93	0.21	-	60,60,60,60	0
54	MG	AA	1664	1/1	0.98	0.29	-	58,58,58,58	0
54	MG	AA	1646	1/1	0.71	0.61	-	49,49,49,49	0
54	MG	DA	3085	1/1	0.92	0.14	-	71,71,71,71	0
54	MG	CA	1652	1/1	0.88	0.45	-	73,73,73,73	0
54	MG	BA	3189	1/1	0.84	0.16	-	43,43,43,43	0
54	MG	DA	3113	1/1	0.90	0.13	-	54,54,54,54	0
54	MG	DA	3010	1/1	0.92	0.16	-	60,60,60,60	0
54	MG	DA	3029	1/1	0.80	0.18	-	83,83,83,83	0
54	MG	DA	3096	1/1	0.90	0.26	-	81,81,81,81	0
54	MG	DA	3154	1/1	0.83	0.36	-	63,63,63,63	0
54	MG	BA	3034	1/1	0.88	0.50	-	39,39,39,39	0
54	MG	DA	3083	1/1	0.57	0.28	-	116,116,116,116	0
54	MG	DA	3006	1/1	0.43	0.13	-	127,127,127,127	0
54	MG	DA	3034	1/1	0.93	0.12	-	90,90,90,90	0
54	MG	BA	3179	1/1	0.32	1.42	-	29,29,29,29	0
54	MG	BA	3036	1/1	0.87	0.52	-	20,20,20,20	0
54	MG	BA	3156	1/1	0.96	0.88	-	40,40,40,40	0
54	MG	BA	3139	1/1	0.91	0.50	-	1,1,1,1	0
54	MG	DA	3091	1/1	0.51	0.71	-	128,128,128,128	0
54	MG	DA	3103	1/1	0.81	0.10	-	85,85,85,85	0
54	MG	BA	3121	1/1	0.85	0.14	-	50,50,50,50	0
54	MG	DA	3069	1/1	0.77	0.06	-	121,121,121,121	0
54	MG	CA	1613	1/1	0.85	0.10	-	51,51,51,51	0
54	MG	BA	3047	1/1	0.90	0.13	-	43,43,43,43	0
54	MG	BA	3099	1/1	0.94	0.18	-	1,1,1,1	0
54	MG	DA	3134	1/1	0.71	0.30	-	112,112,112,112	0
54	MG	DA	3011	1/1	0.95	0.19	-	98,98,98,98	0
54	MG	BA	3095	1/1	0.98	0.07	-	6,6,6,6	0
54	MG	BA	3076	1/1	0.92	0.25	-	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	MG	DA	3142	1/1	0.95	0.44	-	53,53,53,53	0
54	MG	DQ	201	1/1	0.84	0.77	-	51,51,51,51	0
54	MG	BA	3111	1/1	0.96	0.10	-	40,40,40,40	0
54	MG	BA	3127	1/1	0.95	0.13	-	3,3,3,3	0
54	MG	DA	3149	1/1	0.83	0.38	-	77,77,77,77	0
54	MG	BA	3161	1/1	0.78	0.41	-	30,30,30,30	0
54	MG	AA	1650	1/1	0.81	0.79	-	49,49,49,49	0
54	MG	BA	3001	1/1	0.90	0.14	-	39,39,39,39	0
54	MG	BA	3165	1/1	0.89	0.30	-	29,29,29,29	0
54	MG	CA	1629	1/1	0.70	0.52	-	123,123,123,123	0
54	MG	CA	1640	1/1	0.88	0.35	-	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.