



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 02:07 am GMT

PDB ID : 4WKM
Title : AmpR effector binding domain from *Citrobacter freundii* bound to UDP-MurNAc-pentapeptide
Authors : Vadlamani, G.; Reeve, T.M.; Mark, B.L.
Deposited on : 2014-10-02
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1170 (2.16-2.16)
Clashscore	112137	1278 (2.16-2.16)
Ramachandran outliers	110173	1256 (2.16-2.16)
Sidechain outliers	110143	1255 (2.16-2.16)
RSRZ outliers	101464	1175 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	
1	B	219	
1	C	219	
1	D	219	
1	E	219	
1	F	219	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	219	 85% 11%
1	H	219	 86% 11%
2	I	5	 100%
2	J	5	 100%
2	K	5	 100%
2	L	5	 100%
2	M	5	 100%
2	N	5	 100%
2	O	5	 80% 20%
2	P	5	 80% 20%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	C	401	-	-	-	X
4	MUB	I	401	-	-	-	X
4	MUB	N	401	-	-	-	X
4	MUB	P	401	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 26109 atoms, of which 12401 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LysR family transcriptional regulator.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	197	Total	C	H	N	O	S	0	0	0
			3055	987	1513	264	281	10			
1	B	196	Total	C	H	N	O	S	0	0	0
			2987	975	1473	250	279	10			
1	C	196	Total	C	H	N	O	S	0	0	0
			3019	979	1494	257	279	10			
1	D	196	Total	C	H	N	O	S	0	0	0
			3018	980	1494	256	278	10			
1	E	196	Total	C	H	N	O	S	0	0	0
			3028	980	1501	260	277	10			
1	F	196	Total	C	H	N	O	S	0	0	0
			3057	987	1520	261	279	10			
1	G	196	Total	C	H	N	O	S	0	0	0
			3040	984	1509	258	279	10			
1	H	196	Total	C	H	N	O	S	0	0	0
			3036	982	1505	260	279	10			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	292	THR	-	expression tag	UNP K8QNC4
A	293	SER	-	expression tag	UNP K8QNC4
A	294	GLY	-	expression tag	UNP K8QNC4
A	295	SER	-	expression tag	UNP K8QNC4
A	296	HIS	-	expression tag	UNP K8QNC4
A	297	HIS	-	expression tag	UNP K8QNC4
A	298	HIS	-	expression tag	UNP K8QNC4
A	299	HIS	-	expression tag	UNP K8QNC4
A	300	HIS	-	expression tag	UNP K8QNC4
A	301	HIS	-	expression tag	UNP K8QNC4
B	292	THR	-	expression tag	UNP K8QNC4
B	293	SER	-	expression tag	UNP K8QNC4
B	294	GLY	-	expression tag	UNP K8QNC4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	295	SER	-	expression tag	UNP K8QNC4
B	296	HIS	-	expression tag	UNP K8QNC4
B	297	HIS	-	expression tag	UNP K8QNC4
B	298	HIS	-	expression tag	UNP K8QNC4
B	299	HIS	-	expression tag	UNP K8QNC4
B	300	HIS	-	expression tag	UNP K8QNC4
B	301	HIS	-	expression tag	UNP K8QNC4
C	292	THR	-	expression tag	UNP K8QNC4
C	293	SER	-	expression tag	UNP K8QNC4
C	294	GLY	-	expression tag	UNP K8QNC4
C	295	SER	-	expression tag	UNP K8QNC4
C	296	HIS	-	expression tag	UNP K8QNC4
C	297	HIS	-	expression tag	UNP K8QNC4
C	298	HIS	-	expression tag	UNP K8QNC4
C	299	HIS	-	expression tag	UNP K8QNC4
C	300	HIS	-	expression tag	UNP K8QNC4
C	301	HIS	-	expression tag	UNP K8QNC4
D	292	THR	-	expression tag	UNP K8QNC4
D	293	SER	-	expression tag	UNP K8QNC4
D	294	GLY	-	expression tag	UNP K8QNC4
D	295	SER	-	expression tag	UNP K8QNC4
D	296	HIS	-	expression tag	UNP K8QNC4
D	297	HIS	-	expression tag	UNP K8QNC4
D	298	HIS	-	expression tag	UNP K8QNC4
D	299	HIS	-	expression tag	UNP K8QNC4
D	300	HIS	-	expression tag	UNP K8QNC4
D	301	HIS	-	expression tag	UNP K8QNC4
E	292	THR	-	expression tag	UNP K8QNC4
E	293	SER	-	expression tag	UNP K8QNC4
E	294	GLY	-	expression tag	UNP K8QNC4
E	295	SER	-	expression tag	UNP K8QNC4
E	296	HIS	-	expression tag	UNP K8QNC4
E	297	HIS	-	expression tag	UNP K8QNC4
E	298	HIS	-	expression tag	UNP K8QNC4
E	299	HIS	-	expression tag	UNP K8QNC4
E	300	HIS	-	expression tag	UNP K8QNC4
E	301	HIS	-	expression tag	UNP K8QNC4
F	292	THR	-	expression tag	UNP K8QNC4
F	293	SER	-	expression tag	UNP K8QNC4
F	294	GLY	-	expression tag	UNP K8QNC4
F	295	SER	-	expression tag	UNP K8QNC4
F	296	HIS	-	expression tag	UNP K8QNC4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	297	HIS	-	expression tag	UNP K8QNC4
F	298	HIS	-	expression tag	UNP K8QNC4
F	299	HIS	-	expression tag	UNP K8QNC4
F	300	HIS	-	expression tag	UNP K8QNC4
F	301	HIS	-	expression tag	UNP K8QNC4
G	292	THR	-	expression tag	UNP K8QNC4
G	293	SER	-	expression tag	UNP K8QNC4
G	294	GLY	-	expression tag	UNP K8QNC4
G	295	SER	-	expression tag	UNP K8QNC4
G	296	HIS	-	expression tag	UNP K8QNC4
G	297	HIS	-	expression tag	UNP K8QNC4
G	298	HIS	-	expression tag	UNP K8QNC4
G	299	HIS	-	expression tag	UNP K8QNC4
G	300	HIS	-	expression tag	UNP K8QNC4
G	301	HIS	-	expression tag	UNP K8QNC4
H	292	THR	-	expression tag	UNP K8QNC4
H	293	SER	-	expression tag	UNP K8QNC4
H	294	GLY	-	expression tag	UNP K8QNC4
H	295	SER	-	expression tag	UNP K8QNC4
H	296	HIS	-	expression tag	UNP K8QNC4
H	297	HIS	-	expression tag	UNP K8QNC4
H	298	HIS	-	expression tag	UNP K8QNC4
H	299	HIS	-	expression tag	UNP K8QNC4
H	300	HIS	-	expression tag	UNP K8QNC4
H	301	HIS	-	expression tag	UNP K8QNC4

- Molecule 2 is a protein (with D amino acids) called ALA-FGA-API-DAL-DAL.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	5	Total 69	C 21	H 32	N 6	O 10	0	0	0
2	J	5	Total 69	C 21	H 32	N 6	O 10	0	0	0
2	K	5	Total 69	C 21	H 32	N 6	O 10	0	0	0
2	L	5	Total 69	C 21	H 32	N 6	O 10	0	0	0
2	M	5	Total 69	C 21	H 32	N 6	O 10	0	0	0
2	N	5	Total 69	C 21	H 32	N 6	O 10	0	0	0
2	O	5	Total 69	C 21	H 32	N 6	O 10	0	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	5	Total	C	H	N	O	0	0	0
			69	21	32	6	10			

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	C	1	Total	C	H	O	0	0
			14	3	8	3		
3	D	1	Total	C	H	O	0	0
			14	3	8	3		
3	E	1	Total	C	H	O	0	0
			14	3	8	3		
3	F	1	Total	C	H	O	0	0
			14	3	8	3		
3	G	1	Total	C	H	O	0	0
			14	3	8	3		
3	H	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 4 is N-ACETYLMURAMIC ACID (three-letter code: MUB) (formula: $C_{11}H_{19}NO_8$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	I	1	Total C H N O 37 11 18 1 7	0	0
4	J	1	Total C H O 9 3 4 2	0	0
4	K	1	Total C H N O 37 11 18 1 7	0	0
4	L	1	Total C O 5 3 2	0	0
4	M	1	Total C O 5 3 2	0	0
4	N	1	Total C H N O 37 11 18 1 7	0	0
4	O	1	Total C H O 9 3 4 2	0	0
4	P	1	Total C H N O 37 11 18 1 7	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	111	Total O 111 111	0	0
5	B	89	Total O 89 89	0	0
5	C	116	Total O 116 116	0	0
5	D	113	Total O 113 113	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	131	Total 131	O 131	0	0
5	F	144	Total 144	O 144	0	0
5	G	127	Total 127	O 127	0	0
5	H	157	Total 157	O 157	0	0
5	I	4	Total 4	O 4	0	0
5	J	6	Total 6	O 6	0	0
5	K	9	Total 9	O 9	0	0
5	L	5	Total 5	O 5	0	0
5	M	7	Total 7	O 7	0	0
5	N	10	Total 10	O 10	0	0
5	O	10	Total 10	O 10	0	0
5	P	4	Total 4	O 4	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: LysR family transcriptional regulator

Chain A: 





- Molecule 1: LysR family transcriptional regulator

Chain B: 





- Molecule 1: LysR family transcriptional regulator

Chain C: 




- Molecule 1: LysR family transcriptional regulator

Chain D: 




- Molecule 1: LysR family transcriptional regulator


Chain E: 



- Molecule 1: LysR family transcriptional regulator



- Molecule 1: LysR family transcriptional regulator



- Molecule 1: LysR family transcriptional regulator



- Molecule 2: ALA-FGA-API-DAL-DAL



There are no outlier residues recorded for this chain.

- Molecule 2: ALA-FGA-API-DAL-DAL



There are no outlier residues recorded for this chain.

- Molecule 2: ALA-FGA-API-DAL-DAL



There are no outlier residues recorded for this chain.

- Molecule 2: ALA-FGA-API-DAL-DAL



There are no outlier residues recorded for this chain.

- Molecule 2: ALA-FGA-API-DAL-DAL



There are no outlier residues recorded for this chain.

- Molecule 2: ALA-FGA-API-DAL-DAL

Chain N:  100%


There are no outlier residues recorded for this chain.

- Molecule 2: ALA-FGA-API-DAL-DAL

Chain O:  80% 20%



- Molecule 2: ALA-FGA-API-DAL-DAL

Chain P:  80% 20%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	62.70Å 183.60Å 197.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	52.96 – 2.15 52.96 – 2.15	Depositor EDS
% Data completeness (in resolution range)	96.7 (52.96-2.15) 96.7 (52.96-2.15)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.16Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.9pre_1669)	Depositor
R, R_{free}	0.201 , 0.254 0.204 , 0.254	Depositor DCC
R_{free} test set	2721 reflections (2.25%)	DCC
Wilson B-factor (Å ²)	31.4	Xtrriage
Anisotropy	0.389	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 47.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	26109	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 52.50 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.8214e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DAL, GOL, API, FGA, MUB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/1585	0.63	1/2164 (0.0%)
1	B	0.59	0/1557	0.66	0/2129
1	C	0.63	0/1568	0.67	0/2142
1	D	0.65	0/1567	0.69	0/2140
1	E	0.60	0/1570	0.64	0/2144
1	F	0.63	0/1580	0.69	0/2155
1	G	0.63	0/1574	0.67	0/2148
1	H	0.65	0/1574	0.70	0/2149
2	I	0.71	0/4	1.27	0/4
2	J	0.51	0/4	1.71	0/4
2	K	0.55	0/4	2.29	0/4
2	L	0.46	0/4	2.03	0/4
2	M	0.70	0/4	1.71	0/4
2	N	0.52	0/4	0.93	0/4
2	O	0.38	0/4	2.84	1/4 (25.0%)
2	P	0.45	0/4	1.30	0/4
All	All	0.62	0/12607	0.67	2/17203 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	260	ASP	CB-CG-OD1	5.33	123.10	118.30
2	O	1	ALA	CB-CA-C	-5.31	102.14	110.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	194	ARG	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1542	1513	1513	4	0
1	B	1514	1473	1471	9	0
1	C	1525	1494	1494	8	0
1	D	1524	1494	1494	8	0
1	E	1527	1501	1501	6	0
1	F	1537	1520	1520	10	0
1	G	1531	1509	1509	4	0
1	H	1531	1505	1505	3	0
2	I	37	32	30	0	0
2	J	37	32	30	0	0
2	K	37	32	30	0	0
2	L	37	32	30	0	0
2	M	37	32	29	0	0
2	N	37	32	31	0	0
2	O	37	32	29	0	0
2	P	37	32	30	1	0
3	A	6	8	8	0	0
3	C	6	8	8	0	0
3	D	6	8	8	0	0
3	E	6	8	8	0	0
3	F	6	8	8	0	0
3	G	6	8	8	0	0
3	H	6	8	8	0	0
4	I	19	18	18	0	0
4	J	5	4	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	K	19	18	18	0	0
4	L	5	0	4	0	0
4	M	5	0	4	0	0
4	N	19	18	18	0	0
4	O	5	4	4	0	0
4	P	19	18	18	1	0
5	A	111	0	0	2	1
5	B	89	0	0	2	0
5	C	116	0	0	1	1
5	D	113	0	0	1	0
5	E	131	0	0	1	0
5	F	144	0	0	1	1
5	G	127	0	0	1	0
5	H	157	0	0	0	0
5	I	4	0	0	0	0
5	J	6	0	0	0	0
5	K	9	0	0	0	0
5	L	5	0	0	0	0
5	M	7	0	0	0	0
5	N	10	0	0	0	0
5	O	10	0	0	0	0
5	P	4	0	0	0	0
All	All	13708	12401	12390	49	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:279:ARG:O	1:H:283:ARG:HG3	1.95	0.65
1:B:202:GLN:OE1	1:D:202:GLN:NE2	2.30	0.65
1:B:284:TRP:O	1:B:288:VAL:HG13	2.02	0.60
1:D:207:ALA:O	5:D:594:HOH:O	2.17	0.58
1:B:190:ARG:HD3	1:B:215:VAL:HG11	1.89	0.55
2:P:1:ALA:HA	4:P:401:MUB:H82	1.89	0.54
1:A:206:GLU:O	5:A:547:HOH:O	2.18	0.53
1:F:283:ARG:HG2	1:F:283:ARG:HH11	1.76	0.51
1:B:112:LEU:HD13	1:B:288:VAL:HG21	1.93	0.50
1:F:94:GLU:OE1	5:F:614:HOH:O	2.20	0.49
1:E:128:SER:HA	1:F:217:VAL:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:283:ARG:CG	1:F:283:ARG:HH11	2.28	0.47
1:G:240:ARG:NH2	5:G:608:HOH:O	2.47	0.47
1:C:115:ASP:OD1	1:C:118:ARG:NH1	2.48	0.46
1:C:113:LEU:HD11	1:C:127:ILE:HD13	1.99	0.45
1:F:113:LEU:HD11	1:F:127:ILE:CD1	2.46	0.45
1:A:283:ARG:HD2	5:A:566:HOH:O	2.16	0.45
1:B:139:GLU:OE2	5:B:527:HOH:O	2.21	0.45
1:E:98:ILE:HD12	1:E:125:LEU:HD11	1.98	0.45
1:G:113:LEU:HD11	1:G:127:ILE:CD1	2.47	0.45
1:G:161:CYS:HB2	1:G:240:ARG:NH1	2.32	0.45
1:B:104:PHE:CD2	1:B:145:ILE:HG21	2.53	0.44
1:F:98:ILE:HG13	1:F:125:LEU:HD11	2.00	0.43
1:C:162:SER:O	1:C:240:ARG:HD3	2.18	0.43
1:E:133:ARG:NH1	5:E:602:HOH:O	2.51	0.43
1:A:113:LEU:HD11	1:A:127:ILE:HD12	2.00	0.43
1:B:188:LEU:HB2	1:B:215:VAL:HG22	2.01	0.42
1:D:110:PHE:HB2	1:D:111:PRO:HD3	1.99	0.42
1:D:96:LEU:HD23	1:D:125:LEU:HD13	2.01	0.42
1:D:150:GLY:HA2	1:D:152:TRP:CZ3	2.54	0.42
1:F:97:LYS:NZ	1:F:139:GLU:O	2.43	0.42
1:B:202:GLN:HB3	1:D:199:LEU:HD21	2.00	0.42
1:E:110:PHE:N	1:E:111:PRO:CD	2.83	0.42
1:F:110:PHE:N	1:F:111:PRO:CD	2.83	0.42
1:F:113:LEU:HD11	1:F:127:ILE:HD12	2.02	0.42
1:C:100:VAL:O	1:C:129:THR:HA	2.20	0.42
1:C:161:CYS:HB2	1:C:240:ARG:NH1	2.35	0.41
1:A:110:PHE:N	1:A:111:PRO:CD	2.84	0.41
1:B:141:LEU:O	5:B:563:HOH:O	2.21	0.41
1:C:120:TYR:OH	5:C:521:HOH:O	2.20	0.41
1:F:110:PHE:HB2	1:F:111:PRO:HD3	2.03	0.41
1:E:112:LEU:HD13	1:E:288:VAL:HG21	2.03	0.41
1:D:134:VAL:HG11	1:D:144:THR:HG21	2.02	0.41
1:E:142:ASP:OD1	1:E:272:ARG:NH2	2.46	0.41
1:C:128:SER:HA	1:D:217:VAL:O	2.21	0.41
1:H:110:PHE:N	1:H:111:PRO:CD	2.84	0.40
1:C:165:MET:HG2	1:C:237:ALA:C	2.42	0.40
1:G:199:LEU:HD13	1:G:261:LEU:HD21	2.04	0.40
1:H:136:PRO:HA	1:H:141:LEU:HD12	2.03	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:501:HOH:O	5:C:501:HOH:O[2_775]	2.09	0.11
5:A:509:HOH:O	5:F:514:HOH:O[4_577]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	195/219 (89%)	188 (96%)	7 (4%)	0	100	100
1	B	194/219 (89%)	184 (95%)	10 (5%)	0	100	100
1	C	194/219 (89%)	187 (96%)	7 (4%)	0	100	100
1	D	194/219 (89%)	188 (97%)	6 (3%)	0	100	100
1	E	194/219 (89%)	188 (97%)	6 (3%)	0	100	100
1	F	194/219 (89%)	191 (98%)	3 (2%)	0	100	100
1	G	194/219 (89%)	189 (97%)	5 (3%)	0	100	100
1	H	194/219 (89%)	190 (98%)	4 (2%)	0	100	100
All	All	1553/1752 (89%)	1505 (97%)	48 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/189 (88%)	165 (99%)	2 (1%)	75	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	162/189 (86%)	159 (98%)	3 (2%)	62	66
1	C	165/189 (87%)	164 (99%)	1 (1%)	89	92
1	D	164/189 (87%)	163 (99%)	1 (1%)	89	92
1	E	165/189 (87%)	160 (97%)	5 (3%)	46	45
1	F	167/189 (88%)	163 (98%)	4 (2%)	54	57
1	G	166/189 (88%)	163 (98%)	3 (2%)	64	68
1	H	166/189 (88%)	164 (99%)	2 (1%)	75	80
All	All	1322/1512 (87%)	1301 (98%)	21 (2%)	68	73

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	113	LEU
1	A	126	HIS
1	B	156	ASP
1	B	270	GLN
1	B	282	SER
1	C	191	SER
1	D	154	ASP
1	E	178	GLN
1	E	199	LEU
1	E	210	SER
1	E	215	VAL
1	E	282	SER
1	F	124	ASP
1	F	154	ASP
1	F	210	SER
1	F	270	GLN
1	G	95	LYS
1	G	124	ASP
1	G	282	SER
1	H	199	LEU
1	H	283	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

32 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FGA	I	2	2	3,8,9	1.51	1 (33%)	2,9,11	1.45	0
2	API	I	3	2	6,11,12	0.57	0	3,13,15	0.44	0
2	DAL	I	4	2	4,4,5	2.03	2 (50%)	1,4,6	0.81	0
2	DAL	I	5	2	2,5,5	1.04	0	2,6,6	0.52	0
2	FGA	J	2	2	3,8,9	1.47	1 (33%)	2,9,11	1.19	0
2	API	J	3	2	6,11,12	1.21	1 (16%)	3,13,15	0.40	0
2	DAL	J	4	2	4,4,5	1.83	2 (50%)	1,4,6	0.85	0
2	DAL	J	5	2	2,5,5	1.16	0	2,6,6	0.99	0
2	FGA	K	2	2	3,8,9	1.12	0	2,9,11	2.16	1 (50%)
2	API	K	3	2	6,11,12	0.89	0	3,13,15	0.43	0
2	DAL	K	4	2	4,4,5	1.75	1 (25%)	1,4,6	0.09	0
2	DAL	K	5	2	2,5,5	0.95	0	2,6,6	1.83	1 (50%)
2	FGA	L	2	2	3,8,9	1.07	0	2,9,11	2.64	1 (50%)
2	API	L	3	2	6,11,12	1.24	1 (16%)	3,13,15	0.57	0
2	DAL	L	4	2	4,4,5	1.90	2 (50%)	1,4,6	0.13	0
2	DAL	L	5	2	2,5,5	1.06	0	2,6,6	1.03	0
2	FGA	M	2	2	3,8,9	1.19	0	2,9,11	3.10	1 (50%)
2	API	M	3	2	6,11,12	1.03	0	3,13,15	0.41	0
2	DAL	M	4	2	4,4,5	1.28	0	1,4,6	0.94	0
2	DAL	M	5	2	2,5,5	1.10	0	2,6,6	0.74	0
2	FGA	N	2	2	3,8,9	1.57	1 (33%)	2,9,11	2.04	1 (50%)
2	API	N	3	2	6,11,12	1.33	1 (16%)	3,13,15	0.47	0
2	DAL	N	4	2	4,4,5	1.68	2 (50%)	1,4,6	0.13	0
2	DAL	N	5	2	2,5,5	1.09	0	2,6,6	0.98	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FGA	O	2	2	3,8,9	1.24	1 (33%)	2,9,11	2.92	1 (50%)
2	API	O	3	2	6,11,12	1.26	1 (16%)	3,13,15	0.42	0
2	DAL	O	4	2	4,4,5	2.09	1 (25%)	1,4,6	0.48	0
2	DAL	O	5	2	2,5,5	1.19	0	2,6,6	0.78	0
2	FGA	P	2	2	3,8,9	1.43	1 (33%)	2,9,11	2.03	1 (50%)
2	API	P	3	2	6,11,12	0.91	0	3,13,15	0.37	0
2	DAL	P	4	2	4,4,5	1.72	2 (50%)	1,4,6	0.12	0
2	DAL	P	5	2	2,5,5	1.11	0	2,6,6	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FGA	I	2	2	-	0/3/8/9	0/0/0/0
2	API	I	3	2	-	0/6/12/14	0/0/0/0
2	DAL	I	4	2	-	0/0/2/4	0/0/0/0
2	DAL	I	5	2	-	0/0/4/4	0/0/0/0
2	FGA	J	2	2	-	0/3/8/9	0/0/0/0
2	API	J	3	2	-	0/6/12/14	0/0/0/0
2	DAL	J	4	2	-	0/0/2/4	0/0/0/0
2	DAL	J	5	2	-	0/0/4/4	0/0/0/0
2	FGA	K	2	2	-	0/3/8/9	0/0/0/0
2	API	K	3	2	-	0/6/12/14	0/0/0/0
2	DAL	K	4	2	-	0/0/2/4	0/0/0/0
2	DAL	K	5	2	-	0/0/4/4	0/0/0/0
2	FGA	L	2	2	-	0/3/8/9	0/0/0/0
2	API	L	3	2	-	0/6/12/14	0/0/0/0
2	DAL	L	4	2	-	0/0/2/4	0/0/0/0
2	DAL	L	5	2	-	0/0/4/4	0/0/0/0
2	FGA	M	2	2	-	0/3/8/9	0/0/0/0
2	API	M	3	2	-	0/6/12/14	0/0/0/0
2	DAL	M	4	2	-	0/0/2/4	0/0/0/0
2	DAL	M	5	2	-	0/0/4/4	0/0/0/0
2	FGA	N	2	2	-	0/3/8/9	0/0/0/0
2	API	N	3	2	-	0/6/12/14	0/0/0/0
2	DAL	N	4	2	-	0/0/2/4	0/0/0/0
2	DAL	N	5	2	-	0/0/4/4	0/0/0/0
2	FGA	O	2	2	-	0/3/8/9	0/0/0/0
2	API	O	3	2	-	0/6/12/14	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAL	O	4	2	-	0/0/2/4	0/0/0/0
2	DAL	O	5	2	-	0/0/4/4	0/0/0/0
2	FGA	P	2	2	-	0/3/8/9	0/0/0/0
2	API	P	3	2	-	0/6/12/14	0/0/0/0
2	DAL	P	4	2	-	0/0/2/4	0/0/0/0
2	DAL	P	5	2	-	0/0/4/4	0/0/0/0

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	4	DAL	CA-N	-2.63	1.39	1.47
2	L	3	API	C3-C2	-2.53	1.50	1.53
2	O	3	API	C3-C2	-2.43	1.50	1.53
2	J	3	API	C3-C2	-2.40	1.50	1.53
2	N	4	DAL	CA-N	-2.30	1.40	1.47
2	J	4	DAL	CA-N	-2.09	1.41	1.47
2	P	4	DAL	CA-N	-2.08	1.41	1.47
2	I	4	DAL	CA-N	-2.00	1.41	1.47
2	O	2	FGA	CG-CD	2.11	1.55	1.49
2	N	3	API	C2-C1	2.17	1.53	1.50
2	N	4	DAL	CA-C	2.24	1.53	1.50
2	P	2	FGA	CG-CD	2.41	1.56	1.49
2	J	2	FGA	CG-CD	2.49	1.56	1.49
2	I	2	FGA	CG-CD	2.54	1.56	1.49
2	L	4	DAL	CA-C	2.59	1.53	1.50
2	N	2	FGA	CG-CD	2.61	1.57	1.49
2	P	4	DAL	CA-C	2.63	1.53	1.50
2	K	4	DAL	CA-C	2.78	1.53	1.50
2	J	4	DAL	CA-C	2.95	1.54	1.50
2	I	4	DAL	CA-C	3.41	1.54	1.50
2	O	4	DAL	CA-C	3.47	1.54	1.50

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	2	FGA	CB-CG-CD	-4.32	100.20	112.29
2	O	2	FGA	CB-CG-CD	-3.89	101.41	112.29
2	L	2	FGA	CB-CG-CD	-3.54	102.39	112.29
2	K	2	FGA	CB-CG-CD	-3.01	103.88	112.29
2	N	2	FGA	CB-CG-CD	-2.70	104.74	112.29
2	P	2	FGA	CB-CG-CD	-2.64	104.90	112.29
2	K	5	DAL	CB-CA-C	-2.58	106.49	111.48

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	GOL	A	401	-	5,5,5	0.35	0	5,5,5	0.41	0
3	GOL	C	401	-	5,5,5	0.25	0	5,5,5	0.43	0
3	GOL	D	401	-	5,5,5	0.33	0	5,5,5	0.37	0
3	GOL	E	401	-	5,5,5	0.48	0	5,5,5	0.46	0
3	GOL	F	401	-	5,5,5	0.46	0	5,5,5	0.48	0
3	GOL	G	401	-	5,5,5	0.48	0	5,5,5	0.39	0
3	GOL	H	401	-	5,5,5	0.52	0	5,5,5	0.25	0
4	MUB	I	401	2	19,19,20	0.97	1 (5%)	21,26,28	0.95	1 (4%)
4	MUB	J	101	2	2,4,20	1.65	1 (50%)	1,4,28	0.25	0
4	MUB	K	401	2	19,19,20	1.36	4 (21%)	21,26,28	1.02	1 (4%)
4	MUB	L	401	2	2,4,20	1.48	0	1,4,28	0.19	0
4	MUB	M	401	2	2,4,20	1.66	0	1,4,28	0.10	0
4	MUB	N	401	2	19,19,20	1.29	2 (10%)	21,26,28	1.09	1 (4%)
4	MUB	O	401	2	2,4,20	1.27	0	1,4,28	0.12	0
4	MUB	P	401	2	19,19,20	1.27	2 (10%)	21,26,28	0.97	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	401	-	-	0/4/4/4	0/0/0/0
3	GOL	C	401	-	-	0/4/4/4	0/0/0/0
3	GOL	D	401	-	-	0/4/4/4	0/0/0/0
3	GOL	E	401	-	-	0/4/4/4	0/0/0/0
3	GOL	F	401	-	-	0/4/4/4	0/0/0/0
3	GOL	G	401	-	-	0/4/4/4	0/0/0/0
3	GOL	H	401	-	-	0/4/4/4	0/0/0/0
4	MUB	I	401	2	-	0/10/32/34	0/1/1/1
4	MUB	J	101	2	-	0/0/2/34	0/0/0/1
4	MUB	K	401	2	-	0/10/32/34	0/1/1/1
4	MUB	L	401	2	-	0/0/2/34	0/0/0/1
4	MUB	M	401	2	-	0/0/2/34	0/0/0/1
4	MUB	N	401	2	-	0/10/32/34	0/1/1/1
4	MUB	O	401	2	-	0/0/2/34	0/0/0/1
4	MUB	P	401	2	-	0/10/32/34	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	K	401	MUB	C2-N2	-2.42	1.41	1.45
4	J	101	MUB	O10-C10	2.06	1.28	1.19
4	K	401	MUB	C1-C2	2.11	1.55	1.52
4	N	401	MUB	C7-N2	2.19	1.42	1.34
4	I	401	MUB	C7-N2	2.24	1.42	1.34
4	K	401	MUB	C7-N2	2.46	1.43	1.34
4	P	401	MUB	C7-N2	2.74	1.44	1.34
4	K	401	MUB	C9-C10	3.09	1.55	1.50
4	P	401	MUB	C1-C2	3.22	1.56	1.52
4	N	401	MUB	C1-C2	3.25	1.56	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	401	MUB	C8-C7-N2	2.18	120.04	116.11
4	N	401	MUB	C8-C7-N2	2.18	120.05	116.11
4	I	401	MUB	C8-C7-N2	2.29	120.24	116.11
4	P	401	MUB	C8-C7-N2	2.30	120.27	116.11

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	P	401	MUB	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	197/219 (89%)	-0.11	0 100 100	21, 35, 51, 62	0
1	B	196/219 (89%)	0.25	4 (2%) 65 72	24, 38, 63, 73	0
1	C	196/219 (89%)	-0.08	0 100 100	19, 35, 48, 52	0
1	D	196/219 (89%)	0.30	7 (3%) 43 50	21, 36, 51, 57	0
1	E	196/219 (89%)	0.17	2 (1%) 82 86	22, 35, 48, 55	0
1	F	196/219 (89%)	0.07	1 (0%) 90 92	20, 31, 51, 58	0
1	G	196/219 (89%)	-0.07	1 (0%) 90 92	22, 34, 48, 51	0
1	H	196/219 (89%)	-0.09	0 100 100	21, 33, 49, 57	0
2	I	1/5 (20%)	0.39	0 100 100	45, 45, 45, 45	0
2	J	1/5 (20%)	0.56	0 100 100	45, 45, 45, 45	0
2	K	1/5 (20%)	-0.41	0 100 100	44, 44, 44, 44	0
2	L	1/5 (20%)	0.61	0 100 100	46, 46, 46, 46	0
2	M	1/5 (20%)	-0.26	0 100 100	44, 44, 44, 44	0
2	N	1/5 (20%)	-0.04	0 100 100	45, 45, 45, 45	0
2	O	1/5 (20%)	1.67	0 100 100	45, 45, 45, 45	0
2	P	1/5 (20%)	1.49	0 100 100	45, 45, 45, 45	0
All	All	1577/1792 (88%)	0.06	15 (0%) 82 86	19, 35, 51, 73	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	123	ILE	5.9
1	B	277	ALA	3.5
1	G	277	ALA	3.2
1	E	277	ALA	2.8
1	E	288	VAL	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	95	LYS	2.7
1	D	269	LEU	2.7
1	B	120	TYR	2.5
1	D	273	PRO	2.4
1	F	273	PRO	2.3
1	D	271	SER	2.2
1	B	124	ASP	2.1
1	D	199	LEU	2.1
1	D	281	PHE	2.0
1	D	123	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	DAL	O	4	5/6	0.97	0.10	-	22,25,28,30	0
2	DAL	K	5	6/6	0.98	0.10	-	25,30,32,36	0
2	DAL	P	5	6/6	0.99	0.09	-	26,30,34,36	0
2	FGA	M	2	9/10	0.93	0.12	-	26,38,46,50	0
2	DAL	N	4	5/6	0.98	0.14	-	22,24,28,29	0
2	DAL	L	4	5/6	0.98	0.12	-	21,26,27,30	0
2	API	K	3	12/13	0.96	0.12	-	23,31,40,45	0
2	API	I	3	12/13	0.94	0.15	-	23,30,41,44	0
2	API	L	3	12/13	0.98	0.14	-	20,28,39,43	0
2	DAL	K	4	5/6	0.97	0.08	-	22,27,28,32	0
2	FGA	L	2	9/10	0.96	0.12	-	23,39,46,51	0
2	DAL	L	5	6/6	0.98	0.10	-	25,30,32,36	0
2	FGA	J	2	9/10	0.94	0.14	-	25,41,47,52	0
2	FGA	I	2	9/10	0.94	0.13	-	24,39,46,52	0
2	FGA	P	2	9/10	0.90	0.17	-	25,41,48,53	0
2	DAL	J	4	5/6	0.98	0.11	-	22,25,27,30	0
2	DAL	I	4	5/6	0.97	0.11	-	22,26,28,31	0
2	API	O	3	12/13	0.97	0.10	-	23,29,39,45	0
2	DAL	P	4	5/6	0.99	0.10	-	20,25,29,30	0
2	FGA	O	2	9/10	0.89	0.16	-	25,41,46,51	0
2	FGA	N	2	9/10	0.88	0.15	-	25,41,47,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	DAL	M	5	6/6	0.98	0.12	-	25,29,32,35	0
2	DAL	J	5	6/6	0.98	0.10	-	26,30,33,36	0
2	API	N	3	12/13	0.95	0.13	-	22,29,39,45	0
2	DAL	M	4	5/6	0.98	0.14	-	21,25,28,31	0
2	DAL	O	5	6/6	0.98	0.11	-	26,30,33,36	0
2	DAL	N	5	6/6	0.98	0.13	-	25,30,32,36	0
2	FGA	K	2	9/10	0.93	0.13	-	24,40,47,51	0
2	DAL	I	5	6/6	0.96	0.11	-	23,28,33,35	0
2	API	P	3	12/13	0.97	0.11	-	22,30,40,45	0
2	API	M	3	12/13	0.97	0.10	-	22,29,39,43	0
2	API	J	3	12/13	0.97	0.12	-	22,29,39,45	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	GOL	C	401	6/6	0.94	0.24	7.78	38,47,57,57	0
4	MUB	P	401	19/20	0.75	0.28	4.17	41,56,70,78	0
4	MUB	N	401	19/20	0.73	0.23	2.79	43,56,69,77	0
4	MUB	I	401	19/20	0.78	0.23	2.56	44,56,70,77	0
3	GOL	D	401	6/6	0.97	0.15	1.83	33,42,54,61	0
3	GOL	G	401	6/6	0.94	0.14	0.66	38,47,53,63	0
3	GOL	E	401	6/6	0.97	0.11	0.48	32,42,51,60	0
3	GOL	A	401	6/6	0.96	0.11	-0.15	39,47,53,63	0
3	GOL	H	401	6/6	0.96	0.08	-0.92	40,48,52,58	0
3	GOL	F	401	6/6	0.94	0.09	-1.53	43,51,57,59	0
4	MUB	J	101	5/20	0.79	0.20	-	43,44,53,53	0
4	MUB	L	401	5/20	0.86	0.16	-	44,44,45,51	0
4	MUB	M	401	5/20	0.90	0.14	-	43,43,45,51	0
4	MUB	O	401	5/20	0.89	0.17	-	43,44,53,53	0
4	MUB	K	401	19/20	0.74	0.21	-	43,57,69,78	0

6.5 Other polymers [i](#)

There are no such residues in this entry.