



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 3, 2017 – 02:14 AM EDT

PDB ID : 1X2A
Title : Crystal Structure of e.coli AspAT complexed with N-phosphopyridoxyl-D-glutamic acid
Authors : Goto, M.
Deposited on : unknown
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	
1	B	396	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 6269 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aspartate aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	396	Total	C	N	O	S	0	0	0
			3038	1917	528	580	13			
1	B	396	Total	C	N	O	S	0	0	0
			2977	1884	514	566	13			

- Molecule 2 is N-({3-HYDROXY-2-METHYL-5-[(PHOSPHONOOXY)METHYL]PYRIDIN-4-YL}METHYL)-D-GLUTAMIC ACID (three-letter code: PDG) (formula: C₁₃H₁₉N₂O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			25	13	2	9	1		
2	B	1	Total	C	N	O	P	0	0
			25	13	2	9	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	115	Total 115	O 115	0	0
3	B	89	Total 89	O 89	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aspartate aminotransferase



• Molecule 1: Aspartate aminotransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	142.71 Å 142.71 Å 81.39 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.22 – 2.20 49.22 – 2.20	Depositor EDS
% Data completeness (in resolution range)	89.0 (49.22-2.20) 89.1 (49.22-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.91 (at 2.20 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.193 , 0.234 0.194 , 0.234	Depositor DCC
R_{free} test set	4311 reflections (10.08%)	DCC
Wilson B-factor (Å ²)	30.3	Xtriage
Anisotropy	0.122	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 63.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.036 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6269	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/3099	0.61	0/4207
1	B	0.34	0/3038	0.60	0/4135
All	All	0.35	0/6137	0.61	0/8342

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3038	0	2953	98	0
1	B	2977	0	2849	93	0
2	A	25	0	14	1	0
2	B	25	0	14	0	0
3	A	115	0	0	4	0
3	B	89	0	0	3	0
All	All	6269	0	5830	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:312:ASN:HD22	1:B:315:LEU:H	1.10	0.95
1:B:304:SER:O	1:B:308:THR:HG22	1.74	0.85
1:A:252:VAL:HG13	1:A:271:THR:HB	1.61	0.82
1:B:252:VAL:CG1	1:B:271:THR:HB	2.15	0.77
1:A:356:GLN:NE2	1:A:361:SER:HA	2.00	0.76
1:B:321:GLN:HA	1:B:321:GLN:HE21	1.50	0.76
1:A:79:PHE:O	1:A:83:THR:HG23	1.85	0.75
1:B:252:VAL:HG13	1:B:271:THR:HB	1.68	0.75
1:B:79:PHE:O	1:B:83:THR:HG23	1.87	0.74
1:B:312:ASN:HD21	1:B:314:ALA:HB3	1.52	0.74
1:B:335:GLN:HE21	1:B:339:ASN:ND2	1.85	0.73
1:A:312:ASN:HD22	1:A:313:ASP:N	1.86	0.73
1:A:94:LEU:HD11	1:A:244:ALA:HB1	1.71	0.72
1:B:312:ASN:ND2	1:B:315:LEU:H	1.87	0.72
1:B:120:ALA:HB2	1:B:152:LEU:HD21	1.73	0.71
1:A:353:ILE:HD12	1:A:361:SER:OG	1.90	0.71
1:A:338:VAL:HG21	1:A:354:ILE:HD13	1.75	0.69
1:B:202:LEU:O	1:B:206:GLN:HG2	1.93	0.69
1:B:71:LEU:HD22	1:B:300:ALA:HB2	1.73	0.69
1:A:57:GLU:OE2	1:A:301:HIS:HE1	1.76	0.68
1:B:350:PHE:HB3	1:B:353:ILE:HD12	1.76	0.67
1:A:167:THR:HG22	1:A:168:LEU:H	1.59	0.66
1:B:256:TYR:HA	1:B:259:ASN:HD21	1.60	0.66
1:A:203:GLU:HG2	3:A:525:HOH:O	1.94	0.66
1:A:237:ALA:O	1:A:241:ARG:HG3	1.96	0.66
1:B:82:CYS:HB3	1:B:310:LEU:HD23	1.77	0.66
1:A:256:TYR:HA	1:A:259:ASN:HD21	1.60	0.65
1:B:398:ALA:HB3	1:B:399:PRO:HD3	1.78	0.65
1:A:129:ARG:HD3	1:A:156:ARG:HG3	1.78	0.65
1:A:161:TYR:HE1	1:A:198:ILE:HD12	1.62	0.65
1:B:164:GLU:C	1:B:165:ASN:HD22	2.01	0.64
1:B:389:VAL:HG13	1:B:392:MET:CE	2.27	0.64
1:A:83:THR:HG22	1:A:256:TYR:OH	1.98	0.64
1:B:337:PHE:HD1	1:B:397:MET:HE2	1.62	0.64
1:B:389:VAL:HG13	1:B:392:MET:HE2	1.79	0.63
1:A:398:ALA:HB3	1:A:399:PRO:HD3	1.80	0.62
1:B:335:GLN:HE21	1:B:339:ASN:HD21	1.48	0.62
1:A:87:LEU:O	1:A:241:ARG:HD3	1.99	0.62
1:A:356:GLN:HE22	1:A:361:SER:HA	1.65	0.62
1:B:250:LEU:HD12	1:B:250:LEU:C	2.21	0.61
1:A:312:ASN:C	1:A:312:ASN:HD22	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:ASN:HB3	3:A:470:HOH:O	2.01	0.61
1:A:5:MET:N	1:A:7:GLU:OE2	2.33	0.60
1:B:187:LEU:HD13	1:B:188:PHE:N	2.17	0.60
1:B:101:ARG:HG2	1:B:280:VAL:HG22	1.84	0.59
1:A:312:ASN:ND2	1:A:314:ALA:H	2.00	0.59
1:B:321:GLN:HA	1:B:321:GLN:NE2	2.17	0.59
1:A:161:TYR:CE1	1:A:198:ILE:HD12	2.37	0.59
1:A:338:VAL:HG21	1:A:354:ILE:CD1	2.32	0.59
1:B:60:LEU:O	1:B:64:GLU:HB2	2.03	0.59
1:A:43:GLU:HG2	1:A:329:ARG:HD2	1.83	0.58
1:A:312:ASN:OD1	1:A:315:LEU:HD13	2.03	0.58
1:A:400:LEU:C	1:A:400:LEU:HD23	2.25	0.57
1:B:87:LEU:O	1:B:241:ARG:NH1	2.37	0.57
1:B:80:GLY:O	1:B:84:GLN:HG3	2.04	0.57
1:A:7:GLU:H	1:A:7:GLU:CD	2.09	0.56
1:A:34:ASN:ND2	1:A:36:GLY:H	2.04	0.56
1:A:98:LYS:NZ	1:A:98:LYS:HB3	2.21	0.56
1:A:60:LEU:O	1:A:64:GLU:HB2	2.06	0.56
1:A:235:GLU:O	1:A:238:GLU:HG3	2.07	0.55
1:B:371:LEU:HD11	1:B:375:GLU:OE2	2.06	0.55
1:A:49:VAL:HG22	1:A:54:LYS:HG2	1.89	0.55
1:A:24:PHE:CZ	1:A:34:ASN:HB2	2.42	0.54
1:B:71:LEU:HD21	1:B:76:ILE:HG13	1.90	0.54
1:A:252:VAL:CG1	1:A:271:THR:HB	2.35	0.53
1:B:94:LEU:HD11	1:B:244:ALA:HB1	1.91	0.53
1:B:356:GLN:NE2	1:B:361:SER:HA	2.24	0.53
1:A:201:THR:OG1	1:A:204:GLN:HG3	2.09	0.53
1:A:82:CYS:HB3	1:A:310:LEU:HD23	1.90	0.53
1:B:366:THR:O	1:B:370:VAL:HG23	2.09	0.53
1:B:152:LEU:HD22	1:B:152:LEU:N	2.23	0.52
1:B:348:ARG:N	3:B:1491:HOH:O	2.43	0.52
1:A:337:PHE:HE1	1:A:400:LEU:HD21	1.75	0.52
1:B:165:ASN:HB2	1:B:167:THR:HG22	1.92	0.52
1:A:278:GLU:OE2	1:A:282:ARG:NH1	2.43	0.51
1:A:274:ALA:HB3	1:A:280:VAL:HB	1.92	0.51
1:A:29:ARG:NH1	1:A:374:ARG:O	2.44	0.51
1:A:404:ILE:O	1:A:409:LEU:HD13	2.10	0.51
1:A:332:ARG:HD2	3:A:456:HOH:O	2.10	0.51
1:A:356:GLN:HE22	1:A:361:SER:CA	2.23	0.51
1:A:7:GLU:HA	1:B:282:ARG:HH12	1.76	0.51
1:A:144:LYS:HG3	1:A:148:ASN:ND2	2.26	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:SER:H	1:B:5:MET:HE2	1.75	0.51
1:B:405:VAL:HA	1:B:409:LEU:HD22	1.93	0.51
1:B:327:ARG:O	1:B:331:GLN:HG3	2.10	0.50
1:A:341:LEU:HD13	1:A:350:PHE:CD1	2.47	0.50
1:B:286:GLN:HE21	1:B:286:GLN:HA	1.76	0.50
1:B:286:GLN:HA	1:B:286:GLN:NE2	2.27	0.50
1:B:265:GLU:OE1	1:B:265:GLU:HA	2.12	0.50
1:A:49:VAL:CG2	1:A:54:LYS:HG2	2.41	0.50
1:B:237:ALA:O	1:B:241:ARG:HG2	2.12	0.50
1:A:210:GLN:O	1:A:213:VAL:HG22	2.12	0.49
1:A:225:TYR:CE1	1:A:258:LYS:HG2	2.47	0.49
1:A:69:ASN:HD22	1:A:70:TYR:H	1.58	0.49
1:A:312:ASN:C	1:A:312:ASN:ND2	2.66	0.49
1:B:120:ALA:HB2	1:B:152:LEU:CD2	2.41	0.49
1:B:274:ALA:HB3	1:B:280:VAL:HB	1.95	0.49
1:B:38:GLY:C	1:B:359:MET:HE1	2.32	0.49
1:B:100:ALA:O	1:B:101:ARG:HD2	2.13	0.49
1:B:374:ARG:HG3	1:B:380:TYR:CE2	2.48	0.49
1:B:229:ALA:HB3	1:B:236:ASP:OD1	2.13	0.49
1:A:136:SER:O	1:A:139:SER:HB2	2.13	0.48
1:B:101:ARG:HG2	1:B:280:VAL:CG2	2.43	0.48
1:A:135:VAL:O	1:A:157:GLU:HA	2.13	0.48
1:B:37:ILE:H	1:B:37:ILE:HD12	1.78	0.48
1:B:71:LEU:O	1:B:72:GLY:O	2.31	0.48
1:A:282:ARG:HG3	1:B:11:ALA:HB2	1.96	0.48
1:B:71:LEU:HD22	1:B:300:ALA:CB	2.44	0.47
1:A:337:PHE:O	1:A:341:LEU:HG	2.13	0.47
1:B:69:ASN:HD22	1:B:70:TYR:H	1.62	0.47
1:A:265:GLU:HA	1:A:265:GLU:OE1	2.15	0.47
1:B:234:GLU:OE1	1:B:241:ARG:NH2	2.48	0.47
1:A:324:THR:O	1:A:328:GLN:HG3	2.15	0.47
1:B:220:LEU:HD13	1:B:251:ILE:HB	1.96	0.47
1:B:209:ALA:O	1:B:212:SER:HB3	2.15	0.47
1:A:129:ARG:HD3	1:A:156:ARG:CG	2.45	0.46
1:A:248:LYS:HG3	1:A:275:ALA:HB2	1.97	0.46
1:A:46:LYS:O	1:A:48:PRO:HD3	2.15	0.46
1:B:363:SER:HB2	1:B:365:LEU:HD13	1.98	0.46
1:A:286:GLN:NE2	1:A:286:GLN:HA	2.31	0.46
1:A:105:THR:HB	1:A:106:PRO:HD2	1.98	0.45
1:B:195:PRO:HB3	1:B:386:ARG:HD3	1.97	0.45
1:A:206:GLN:HE22	1:A:246:MET:CE	2.29	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:335:GLN:NE2	1:B:339:ASN:HD21	2.15	0.45
1:B:37:ILE:HG22	1:B:39:VAL:HG23	1.97	0.45
1:B:349:ASP:OD1	1:B:351:SER:HB2	2.16	0.45
1:B:397:MET:HE1	1:B:400:LEU:HD13	1.98	0.45
1:B:5:MET:N	1:B:7:GLU:OE2	2.49	0.45
1:A:201:THR:OG1	1:A:203:GLU:HG3	2.17	0.45
1:B:37:ILE:N	1:B:37:ILE:HD12	2.32	0.45
1:A:237:ALA:O	1:A:241:ARG:CG	2.63	0.45
1:A:316:ARG:NH1	1:A:320:GLU:OE2	2.51	0.44
1:A:33:ILE:HG22	1:A:35:LEU:HD13	1.99	0.44
1:A:43:GLU:OE1	1:A:329:ARG:NH1	2.49	0.44
1:B:162:ASP:O	1:B:166:HIS:N	2.50	0.44
1:A:20:LEU:HD23	1:A:36:GLY:HA3	2.00	0.44
1:A:258:LYS:CE	2:A:413:PDG:H4A2	2.47	0.44
1:A:11:ALA:HB2	1:B:282:ARG:HG3	1.99	0.44
1:A:167:THR:HG22	1:A:168:LEU:N	2.30	0.44
1:B:389:VAL:HG13	1:B:392:MET:HE1	2.00	0.43
1:B:404:ILE:O	1:B:409:LEU:HD13	2.17	0.43
1:B:71:LEU:HD21	1:B:76:ILE:CG1	2.48	0.43
1:B:212:SER:OG	1:B:247:HIS:CE1	2.71	0.43
1:B:400:LEU:HD23	1:B:400:LEU:C	2.39	0.43
1:A:272:LEU:HD23	1:A:273:VAL:N	2.33	0.43
1:A:94:LEU:CD2	1:A:99:ARG:NH1	2.82	0.43
1:A:213:VAL:HG23	1:A:214:GLU:N	2.33	0.43
1:A:344:LYS:CG	1:A:402:GLU:HG3	2.49	0.43
1:B:135:VAL:O	1:B:157:GLU:HA	2.18	0.43
1:B:173:LEU:HD23	1:B:173:LEU:C	2.39	0.43
1:B:34:ASN:ND2	1:B:36:GLY:H	2.17	0.42
1:A:7:GLU:O	1:B:282:ARG:NH1	2.52	0.42
1:B:40:TYR:CD2	1:B:326:MET:HE1	2.54	0.42
1:B:397:MET:HE2	1:B:401:CYS:SG	2.59	0.42
1:B:76:ILE:O	1:B:79:PHE:HB3	2.18	0.42
1:A:301:HIS:HD2	3:B:1455:HOH:O	2.02	0.42
1:A:69:ASN:HD22	1:A:70:TYR:N	2.17	0.42
1:B:104:GLN:NE2	1:B:298:PRO:HB2	2.34	0.42
1:B:316:ARG:NH2	1:B:320:GLU:OE2	2.49	0.42
1:B:190:GLY:HA3	1:B:223:PHE:CD1	2.54	0.42
1:B:312:ASN:ND2	1:B:314:ALA:HB3	2.28	0.42
1:A:408:VAL:O	1:A:408:VAL:HG12	2.20	0.42
1:A:194:ASN:HA	1:A:195:PRO:HA	1.89	0.41
1:A:234:GLU:OE1	1:A:241:ARG:NH1	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:ALA:HB3	1:A:236:ASP:OD1	2.20	0.41
1:A:101:ARG:NH1	1:A:281:ASP:OD1	2.52	0.41
1:B:212:SER:HA	1:B:217:TRP:CE3	2.55	0.41
1:A:170:PHE:O	1:A:174:ILE:HG12	2.19	0.41
1:B:41:LYS:HE3	3:B:1433:HOH:O	2.21	0.41
1:A:140:TRP:CH2	1:A:142:ASN:HB3	2.56	0.41
1:A:78:GLU:OE1	1:A:81:ARG:CZ	2.69	0.41
1:A:286:GLN:HA	1:A:286:GLN:HE21	1.85	0.41
1:A:48:PRO:HG3	3:A:437:HOH:O	2.20	0.41
1:B:137:ASN:HB2	1:B:157:GLU:HB3	2.03	0.41
1:A:301:HIS:O	1:A:305:VAL:HG23	2.21	0.41
1:A:366:THR:O	1:A:370:VAL:HG23	2.21	0.41
1:A:206:GLN:NE2	1:A:246:MET:HE1	2.36	0.41
1:B:69:ASN:HD22	1:B:70:TYR:N	2.19	0.41
1:B:142:ASN:O	1:B:146:VAL:HG23	2.20	0.41
1:B:363:SER:CB	1:B:365:LEU:HD13	2.51	0.41
1:A:278:GLU:CD	1:A:282:ARG:HH12	2.24	0.40
1:A:250:LEU:C	1:A:250:LEU:HD12	2.42	0.40
1:A:250:LEU:HD12	1:A:251:ILE:N	2.36	0.40
1:A:258:LYS:N	1:A:258:LYS:HD3	2.35	0.40
1:B:220:LEU:HA	1:B:251:ILE:O	2.21	0.40
1:B:322:GLU:O	1:B:326:MET:HG3	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/396 (100%)	378 (96%)	16 (4%)	0	100	100
1	B	394/396 (100%)	376 (95%)	16 (4%)	2 (0%)	32	34
All	All	788/792 (100%)	754 (96%)	32 (4%)	2 (0%)	44	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	72	GLY
1	B	160	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/320 (98%)	288 (92%)	25 (8%)	14	14
1	B	298/320 (93%)	277 (93%)	21 (7%)	18	19
All	All	611/640 (96%)	565 (92%)	46 (8%)	16	16

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	THR
1	A	29	ARG
1	A	34	ASN
1	A	35	LEU
1	A	49	VAL
1	A	69	ASN
1	A	71	LEU
1	A	78	GLU
1	A	152	LEU
1	A	179	GLU
1	A	195	PRO
1	A	203	GLU
1	A	218	LEU
1	A	220	LEU
1	A	223	PHE
1	A	233	LEU
1	A	241	ARG
1	A	250	LEU
1	A	258	LYS
1	A	259	ASN
1	A	310	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	312	ASN
1	A	362	PHE
1	A	372	ARG
1	A	400	LEU
1	B	28	GLU
1	B	34	ASN
1	B	35	LEU
1	B	69	ASN
1	B	129	ARG
1	B	168	LEU
1	B	171	ASP
1	B	187	LEU
1	B	195	PRO
1	B	218	LEU
1	B	223	PHE
1	B	241	ARG
1	B	259	ASN
1	B	272	LEU
1	B	281	ASP
1	B	308	THR
1	B	310	LEU
1	B	316	ARG
1	B	362	PHE
1	B	372	ARG
1	B	409	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	69	ASN
1	A	84	GLN
1	A	96	ASN
1	A	165	ASN
1	A	206	GLN
1	A	247	HIS
1	A	259	ASN
1	A	286	GLN
1	A	301	HIS
1	A	312	ASN
1	A	321	GLN
1	A	328	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	356	GLN
1	A	357	ASN
1	B	34	ASN
1	B	69	ASN
1	B	84	GLN
1	B	96	ASN
1	B	137	ASN
1	B	165	ASN
1	B	247	HIS
1	B	259	ASN
1	B	286	GLN
1	B	312	ASN
1	B	321	GLN
1	B	328	GLN
1	B	339	ASN
1	B	342	GLN
1	B	356	GLN
1	B	357	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PDG	A	413	-	19,25,25	2.45	6 (31%)	24,35,35	4.14	14 (58%)
2	PDG	B	1413	-	19,25,25	2.89	6 (31%)	24,35,35	4.30	14 (58%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PDG	A	413	-	-	0/14/20/20	0/1/1/1
2	PDG	B	1413	-	-	0/14/20/20	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	413	PDG	P-OP1	-2.19	1.43	1.50
2	A	413	PDG	CAA-NA	2.08	1.50	1.47
2	A	413	PDG	C3-C4	2.42	1.43	1.40
2	B	1413	PDG	C3-C4	2.54	1.44	1.40
2	B	1413	PDG	CAA-NA	2.62	1.51	1.47
2	B	1413	PDG	C2-N1	2.75	1.39	1.33
2	A	413	PDG	C2-N1	2.79	1.39	1.33
2	A	413	PDG	C5-C4	2.85	1.44	1.40
2	B	1413	PDG	C4A-C4	3.00	1.55	1.51
2	B	1413	PDG	C5-C4	3.81	1.45	1.40
2	A	413	PDG	C3-C2	8.01	1.46	1.40
2	B	1413	PDG	C3-C2	9.73	1.47	1.40

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1413	PDG	C3-C4-C5	-7.15	111.65	118.71
2	A	413	PDG	C3-C4-C5	-6.82	111.98	118.71
2	B	1413	PDG	C5A-C5-C6	-4.93	110.86	119.33
2	B	1413	PDG	C2A-C2-N1	-4.46	108.97	117.89
2	A	413	PDG	C5A-C5-C6	-4.32	111.90	119.33
2	A	413	PDG	C2A-C2-N1	-4.17	109.57	117.89
2	A	413	PDG	C5-C6-N1	-3.46	118.02	123.87
2	A	413	PDG	O3-C3-C2	-3.38	110.70	117.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1413	PDG	O3-C3-C2	-3.34	110.78	117.78
2	B	1413	PDG	C5-C6-N1	-3.32	118.26	123.87
2	A	413	PDG	C4-C4A-NA	-2.32	105.40	111.78
2	A	413	PDG	C3-C2-N1	-2.31	117.71	120.75
2	B	1413	PDG	C3-C2-N1	-2.15	117.92	120.75
2	B	1413	PDG	C4-C4A-NA	-2.00	106.26	111.78
2	A	413	PDG	OP2-P-OP1	2.35	119.69	110.50
2	B	1413	PDG	OP2-P-OP1	2.36	119.72	110.50
2	A	413	PDG	O3-C3-C4	2.64	125.93	118.10
2	B	1413	PDG	O3-C3-C4	2.68	126.03	118.10
2	A	413	PDG	OP4-C5A-C5	3.32	116.00	109.32
2	B	1413	PDG	C4A-C4-C3	3.73	123.77	119.65
2	A	413	PDG	C4A-C4-C3	3.79	123.83	119.65
2	B	1413	PDG	OP4-C5A-C5	4.23	117.82	109.32
2	A	413	PDG	C4A-C4-C5	4.85	124.19	119.75
2	B	1413	PDG	C4A-C4-C5	5.28	124.58	119.75
2	A	413	PDG	C2A-C2-C3	9.86	132.72	120.96
2	B	1413	PDG	C2A-C2-C3	10.18	133.11	120.96
2	A	413	PDG	C6-C5-C4	10.92	126.25	118.13
2	B	1413	PDG	C6-C5-C4	11.13	126.42	118.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	413	PDG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	396/396 (100%)	-0.43	0 100 100	14, 27, 43, 56	0
1	B	396/396 (100%)	-0.33	0 100 100	14, 31, 47, 58	0
All	All	792/792 (100%)	-0.38	0 100 100	14, 29, 47, 58	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	PDG	B	1413	25/25	0.98	0.10	0.13	20,26,28,29	0
2	PDG	A	413	25/25	0.98	0.13	0.12	13,18,25,27	0

6.5 Other polymers

There are no such residues in this entry.