



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 02:49 am GMT

PDB ID : 3X3H
Title : Crystal Structure of the Manihot esculenta Hydroxynitrile Lyase (MeHNL)
3KP (K176P, K199P, K224P) triple mutant
Authors : Cielo, C.B.C.; Yamane, T.; Asano, Y.; Dadashipour, M.; Suzuki, A.;
Mizushima, T.; Komeda, H.; Okazaki, S.
Deposited on : 2015-01-21
Resolution : 2.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2135 (2.90-2.86)
Clashscore	112137	2400 (2.90-2.86)
Ramachandran outliers	110173	2346 (2.90-2.86)
Sidechain outliers	110143	2349 (2.90-2.86)
RSRZ outliers	101464	2149 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	
1	B	258	
1	C	258	
1	D	258	
1	E	258	
1	F	258	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	258	<div><div></div><div>86%</div><div>12%</div><div></div></div>
1	H	258	<div><div></div><div>83%</div><div>14%</div><div></div></div>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 16544 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called (S)-hydroxynitrile lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	0	0
			2068	1336	341	383	8			
1	B	258	Total	C	N	O	S	0	0	0
			2068	1336	341	383	8			
1	C	258	Total	C	N	O	S	0	0	0
			2068	1336	341	383	8			
1	D	258	Total	C	N	O	S	0	0	0
			2068	1336	341	383	8			
1	E	258	Total	C	N	O	S	0	0	0
			2068	1336	341	383	8			
1	F	258	Total	C	N	O	S	0	0	0
			2068	1336	341	383	8			
1	G	258	Total	C	N	O	S	0	0	0
			2068	1336	341	383	8			
1	H	258	Total	C	N	O	S	0	0	0
			2068	1336	341	383	8			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	176	PRO	LYS	ENGINEERED MUTATION	UNP P52705
A	199	PRO	LYS	ENGINEERED MUTATION	UNP P52705
A	224	PRO	LYS	ENGINEERED MUTATION	UNP P52705
B	176	PRO	LYS	ENGINEERED MUTATION	UNP P52705
B	199	PRO	LYS	ENGINEERED MUTATION	UNP P52705
B	224	PRO	LYS	ENGINEERED MUTATION	UNP P52705
C	176	PRO	LYS	ENGINEERED MUTATION	UNP P52705
C	199	PRO	LYS	ENGINEERED MUTATION	UNP P52705
C	224	PRO	LYS	ENGINEERED MUTATION	UNP P52705
D	176	PRO	LYS	ENGINEERED MUTATION	UNP P52705
D	199	PRO	LYS	ENGINEERED MUTATION	UNP P52705
D	224	PRO	LYS	ENGINEERED MUTATION	UNP P52705
E	176	PRO	LYS	ENGINEERED MUTATION	UNP P52705

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	199	PRO	LYS	ENGINEERED MUTATION	UNP P52705
E	224	PRO	LYS	ENGINEERED MUTATION	UNP P52705
F	176	PRO	LYS	ENGINEERED MUTATION	UNP P52705
F	199	PRO	LYS	ENGINEERED MUTATION	UNP P52705
F	224	PRO	LYS	ENGINEERED MUTATION	UNP P52705
G	176	PRO	LYS	ENGINEERED MUTATION	UNP P52705
G	199	PRO	LYS	ENGINEERED MUTATION	UNP P52705
G	224	PRO	LYS	ENGINEERED MUTATION	UNP P52705
H	176	PRO	LYS	ENGINEERED MUTATION	UNP P52705
H	199	PRO	LYS	ENGINEERED MUTATION	UNP P52705
H	224	PRO	LYS	ENGINEERED MUTATION	UNP P52705


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: (S)-hydroxynitrile lyase




- Molecule 1: (S)-hydroxynitrile lyase



- Molecule 1: (S)-hydroxynitrile lyase




- Molecule 1: (S)-hydroxynitrile lyase






- Molecule 1: (S)-hydroxynitrile lyase

Chain E: 83% 16%




- Molecule 1: (S)-hydroxynitrile lyase

Chain F: 84% 14%




- Molecule 1: (S)-hydroxynitrile lyase

Chain G: 86% 12%



- Molecule 1: (S)-hydroxynitrile lyase

Chain H: 83% 14%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.04Å 84.21Å 134.90Å 90.00° 90.20° 90.00°	Depositor
Resolution (Å)	15.26 – 2.88 15.26 – 2.88	Depositor EDS
% Data completeness (in resolution range)	95.9 (15.26-2.88) 96.2 (15.26-2.88)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.86Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.204 , 0.238 0.208 , 0.237	Depositor DCC
R_{free} test set	2100 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	28.5	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , -10.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.002 for k,h,-l 0.004 for -k,-h,-l 0.448 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	16544	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.22 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 6.0348e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/2122	0.71	0/2883
1	B	0.63	2/2122 (0.1%)	0.75	2/2883 (0.1%)
1	C	0.59	0/2122	0.79	4/2883 (0.1%)
1	D	0.58	0/2122	0.73	3/2883 (0.1%)
1	E	0.64	0/2122	0.75	2/2883 (0.1%)
1	F	0.61	0/2122	0.74	1/2883 (0.0%)
1	G	0.61	1/2122 (0.0%)	0.73	0/2883
1	H	0.62	0/2122	0.75	2/2883 (0.1%)
All	All	0.61	3/16976 (0.0%)	0.74	14/23064 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1
1	H	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	66	GLU	CD-OE1	5.83	1.32	1.25
1	B	66	GLU	CG-CD	5.56	1.60	1.51
1	G	119	GLU	CA-CB	5.22	1.65	1.53

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	51	ILE	CG1-CB-CG2	-10.43	88.44	111.40
1	D	53	SER	CB-CA-C	-9.47	92.10	110.10
1	C	174	MET	CG-SD-CE	-8.67	86.33	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	179	LEU	CB-CA-C	8.13	125.65	110.20
1	C	9	ILE	CA-CB-CG1	-7.78	96.21	111.00
1	H	179	LEU	CA-CB-CG	7.35	132.21	115.30
1	C	9	ILE	CG1-CB-CG2	-6.05	98.08	111.40
1	B	66	GLU	OE1-CD-OE2	-5.45	116.76	123.30
1	D	53	SER	CA-CB-OG	5.42	125.85	111.20
1	F	72	GLU	N-CA-CB	5.32	120.17	110.60
1	E	3	THR	N-CA-C	-5.23	96.87	111.00
1	C	92	ARG	NE-CZ-NH1	5.14	122.87	120.30
1	E	1	MET	CG-SD-CE	5.06	108.30	100.20
1	D	148	LYS	CD-CE-NZ	5.00	123.21	111.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	1	MET	Peptide
1	H	1	MET	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2068	0	2047	24	0
1	B	2068	0	2047	23	0
1	C	2068	0	2047	21	0
1	D	2068	0	2047	28	0
1	E	2068	0	2047	22	0
1	F	2068	0	2047	22	0
1	G	2068	0	2047	22	0
1	H	2068	0	2047	26	1
All	All	16544	0	16376	176	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:205:THR:HG21	1:D:233:GLY:O	1.52	1.09
1:H:91:ASP:OD1	1:H:191:THR:HG22	1.76	0.85
1:A:110:THR:HG21	1:A:192:GLU:OE2	1.88	0.73
1:C:110:THR:HG21	1:C:192:GLU:OE2	1.89	0.73
1:A:228:VAL:O	1:H:111:VAL:CG1	2.38	0.72
1:D:205:THR:HG22	1:D:207:GLN:H	1.55	0.71
1:B:163:THR:HB	1:B:166:GLU:HG2	1.74	0.70
1:C:163:THR:HB	1:C:166:GLU:HG2	1.75	0.69
1:H:163:THR:HB	1:H:166:GLU:HG2	1.75	0.69
1:E:163:THR:HB	1:E:166:GLU:HG2	1.75	0.69
1:A:228:VAL:O	1:H:111:VAL:HG13	1.93	0.68
1:A:163:THR:HB	1:A:166:GLU:HG2	1.75	0.67
1:G:163:THR:HB	1:G:166:GLU:HG2	1.75	0.67
1:H:191:THR:HG23	1:H:194:GLY:H	1.60	0.67
1:C:9:ILE:HD13	1:C:61:LEU:HD22	1.77	0.67
1:A:80:SER:OG	1:A:236:HIS:NE2	2.28	0.66
1:F:163:THR:HB	1:F:166:GLU:HG2	1.77	0.66
1:H:80:SER:OG	1:H:236:HIS:NE2	2.29	0.66
1:D:80:SER:OG	1:D:236:HIS:NE2	2.28	0.66
1:F:80:SER:OG	1:F:236:HIS:NE2	2.29	0.66
1:G:80:SER:OG	1:G:236:HIS:NE2	2.29	0.66
1:B:80:SER:OG	1:B:236:HIS:NE2	2.29	0.65
1:E:80:SER:OG	1:E:236:HIS:NE2	2.30	0.65
1:C:92:ARG:HB3	1:C:93:TYR:CD2	2.32	0.64
1:C:80:SER:OG	1:C:236:HIS:NE2	2.30	0.64
1:E:92:ARG:HB3	1:E:93:TYR:CD2	2.33	0.64
1:H:156:GLU:O	1:H:160:THR:HB	1.98	0.63
1:H:92:ARG:HB3	1:H:93:TYR:CD2	2.34	0.63
1:F:2:VAL:HG12	1:F:3:THR:O	1.98	0.62
1:H:235:ASP:O	1:H:238:LEU:HD13	2.00	0.61
1:F:138:ASN:ND2	1:F:142:GLU:HG3	2.17	0.60
1:B:92:ARG:HB3	1:B:93:TYR:CD2	2.37	0.59
1:H:160:THR:HG23	1:H:235:ASP:HB2	1.84	0.59
1:F:92:ARG:HB3	1:F:93:TYR:CD2	2.38	0.58
1:D:205:THR:HG23	1:D:231:VAL:O	2.04	0.58
1:G:92:ARG:HB3	1:G:93:TYR:CD2	2.39	0.57
1:G:11:THR:HB	1:G:80:SER:HB2	1.86	0.57
1:A:92:ARG:HB3	1:A:93:TYR:CD2	2.39	0.57
1:D:205:THR:CG2	1:D:233:GLY:O	2.40	0.56
1:D:168:GLU:HG3	1:G:24:PRO:HG3	1.87	0.56
1:A:228:VAL:O	1:H:111:VAL:HG11	2.04	0.56
1:E:167:TYR:CE2	1:E:171:LYS:HE2	2.40	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:81:CYS:HA	1:B:106:LEU:HD22	1.86	0.56
1:F:11:THR:HB	1:F:80:SER:HB2	1.87	0.56
1:B:163:THR:HG22	1:B:165:GLY:H	1.71	0.56
1:D:81:CYS:HA	1:D:106:LEU:HD22	1.88	0.56
1:D:92:ARG:HB3	1:D:93:TYR:CD2	2.40	0.56
1:C:81:CYS:HA	1:C:106:LEU:HD22	1.87	0.56
1:E:11:THR:HB	1:E:80:SER:HB2	1.88	0.55
1:H:163:THR:HG22	1:H:165:GLY:H	1.72	0.55
1:G:81:CYS:HA	1:G:106:LEU:HD22	1.89	0.54
1:A:81:CYS:HA	1:A:106:LEU:HD22	1.90	0.54
1:F:81:CYS:HA	1:F:106:LEU:HD22	1.88	0.54
1:A:168:GLU:HG3	1:F:24:PRO:HG3	1.89	0.54
1:H:110:THR:HG21	1:H:192:GLU:HG2	1.90	0.54
1:F:138:ASN:HD21	1:F:142:GLU:HG3	1.73	0.53
1:D:11:THR:HB	1:D:80:SER:HB2	1.90	0.53
1:H:11:THR:HB	1:H:80:SER:HB2	1.89	0.53
1:D:53:SER:HB2	1:D:56:GLU:H	1.72	0.53
1:E:163:THR:HG22	1:E:165:GLY:H	1.74	0.53
1:C:11:THR:HB	1:C:80:SER:HB2	1.89	0.53
1:E:87:ALA:HA	1:E:195:TYR:CD1	2.44	0.53
1:G:1:MET:HB2	1:G:255:ASP:HA	1.91	0.53
1:C:168:GLU:HG3	1:H:24:PRO:HG3	1.91	0.53
1:B:199:PRO:HB3	1:B:257:TYR:CE2	2.44	0.53
1:B:11:THR:HB	1:B:80:SER:HB2	1.90	0.52
1:C:163:THR:HG22	1:C:165:GLY:H	1.75	0.52
1:H:81:CYS:HA	1:H:106:LEU:HD22	1.90	0.52
1:A:23:LYS:HB3	1:A:24:PRO:HD3	1.91	0.52
1:F:87:ALA:HA	1:F:195:TYR:CD1	2.44	0.52
1:B:226:ASP:OD2	1:B:226:ASP:N	2.43	0.52
1:B:168:GLU:HG3	1:E:24:PRO:HG3	1.92	0.52
1:A:11:THR:HB	1:A:80:SER:HB2	1.91	0.52
1:E:81:CYS:HA	1:E:106:LEU:HD22	1.91	0.51
1:D:110:THR:HG21	1:D:192:GLU:HG2	1.92	0.51
1:D:23:LYS:HB3	1:D:24:PRO:HD3	1.92	0.51
1:F:163:THR:HG22	1:F:165:GLY:H	1.76	0.51
1:H:87:ALA:HA	1:H:195:TYR:CD1	2.46	0.51
1:B:111:VAL:O	1:B:189:LYS:NZ	2.43	0.50
1:E:23:LYS:HB3	1:E:24:PRO:HD3	1.93	0.50
1:G:182:ASN:N	1:G:182:ASN:OD1	2.43	0.50
1:D:120:LYS:HG3	1:D:218:TRP:CH2	2.46	0.50
1:D:163:THR:HG22	1:D:165:GLY:H	1.75	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:182:ASN:OD1	1:E:182:ASN:N	2.42	0.50
1:A:87:ALA:HA	1:A:195:TYR:CD1	2.47	0.50
1:G:87:ALA:HA	1:G:195:TYR:CD1	2.47	0.50
1:F:248:HIS:O	1:F:251:GLN:HB2	2.11	0.49
1:C:87:ALA:HA	1:C:195:TYR:CD1	2.47	0.49
1:C:120:LYS:HG3	1:C:218:TRP:CH2	2.48	0.49
1:E:167:TYR:CZ	1:E:171:LYS:HE2	2.48	0.49
1:D:87:ALA:HA	1:D:195:TYR:CD1	2.48	0.49
1:E:120:LYS:HG3	1:E:218:TRP:CH2	2.48	0.49
1:A:120:LYS:HG3	1:A:218:TRP:CH2	2.47	0.49
1:D:168:GLU:HG3	1:G:24:PRO:HD3	1.94	0.49
1:A:163:THR:HG22	1:A:165:GLY:H	1.77	0.49
1:A:168:GLU:HG3	1:F:24:PRO:HD3	1.95	0.48
1:G:23:LYS:HB3	1:G:24:PRO:HD3	1.95	0.48
1:B:200:LYS:HE2	1:B:223:TYR:HE2	1.78	0.48
1:B:23:LYS:HB3	1:B:24:PRO:HD3	1.96	0.48
1:C:23:LYS:HB3	1:C:24:PRO:HD3	1.96	0.48
1:H:182:ASN:OD1	1:H:182:ASN:N	2.41	0.48
1:C:200:LYS:HE2	1:C:223:TYR:HE2	1.78	0.48
1:D:80:SER:HG	1:D:236:HIS:HE2	1.57	0.48
1:F:182:ASN:N	1:F:182:ASN:OD1	2.43	0.48
1:G:163:THR:HG22	1:G:165:GLY:H	1.79	0.48
1:A:200:LYS:HE2	1:A:223:TYR:HE2	1.79	0.47
1:F:23:LYS:HB3	1:F:24:PRO:HD3	1.96	0.47
1:G:200:LYS:HE2	1:G:223:TYR:HE2	1.79	0.47
1:H:23:LYS:HB3	1:H:24:PRO:HD3	1.96	0.47
1:B:87:ALA:HA	1:B:195:TYR:CD1	2.49	0.47
1:C:182:ASN:N	1:C:182:ASN:OD1	2.46	0.47
1:B:120:LYS:HG3	1:B:218:TRP:CH2	2.50	0.47
1:B:256:ALA:HB3	1:B:257:TYR:CD1	2.49	0.47
1:D:200:LYS:HE2	1:D:223:TYR:HE2	1.80	0.47
1:C:161:LYS:HE3	1:C:234:GLY:O	2.15	0.47
1:H:200:LYS:HE2	1:H:223:TYR:HE2	1.80	0.47
1:H:120:LYS:HG3	1:H:218:TRP:CH2	2.50	0.47
1:B:182:ASN:N	1:B:182:ASN:OD1	2.47	0.46
1:G:120:LYS:HG3	1:G:218:TRP:CH2	2.50	0.46
1:G:2:VAL:HG23	1:G:258:ALA:OXT	2.15	0.46
1:F:200:LYS:HE2	1:F:223:TYR:HE2	1.80	0.46
1:H:163:THR:HB	1:H:166:GLU:CG	2.44	0.46
1:E:200:LYS:HE2	1:E:223:TYR:HE2	1.80	0.46
1:H:191:THR:CG2	1:H:194:GLY:H	2.26	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:THR:HB	1:A:166:GLU:CG	2.45	0.46
1:E:163:THR:HB	1:E:166:GLU:CG	2.45	0.45
1:H:155:ARG:HD3	1:H:155:ARG:HA	1.71	0.45
1:B:111:VAL:O	1:B:189:LYS:CE	2.64	0.45
1:F:80:SER:HG	1:F:236:HIS:HE2	1.56	0.45
1:A:182:ASN:N	1:A:182:ASN:OD1	2.47	0.45
1:G:155:ARG:HD3	1:G:155:ARG:HA	1.72	0.45
1:G:80:SER:HG	1:G:236:HIS:HE2	1.58	0.45
1:F:155:ARG:HA	1:F:155:ARG:HD3	1.71	0.45
1:D:139:ILE:HG23	1:D:140:THR:HG23	1.99	0.45
1:F:120:LYS:HG3	1:F:218:TRP:CH2	2.52	0.45
1:B:163:THR:HB	1:B:166:GLU:CG	2.44	0.45
1:E:155:ARG:HD3	1:E:155:ARG:HA	1.73	0.44
1:B:139:ILE:HG23	1:B:140:THR:HG23	1.99	0.44
1:A:139:ILE:HG23	1:A:140:THR:HG23	1.99	0.44
1:G:163:THR:HB	1:G:166:GLU:CG	2.45	0.44
1:C:163:THR:HB	1:C:166:GLU:CG	2.44	0.44
1:B:155:ARG:HD3	1:B:155:ARG:HA	1.72	0.44
1:D:182:ASN:OD1	1:D:182:ASN:N	2.50	0.44
1:C:139:ILE:HG23	1:C:140:THR:HG23	1.99	0.43
1:E:47:GLN:O	1:E:50:GLN:HG3	2.18	0.43
1:D:110:THR:HG21	1:D:192:GLU:OE2	2.18	0.43
1:A:139:ILE:HG13	1:E:187:ARG:NH2	2.32	0.43
1:C:155:ARG:HA	1:C:155:ARG:HD3	1.70	0.43
1:F:142:GLU:H	1:F:142:GLU:HG2	1.48	0.43
1:F:163:THR:HB	1:F:166:GLU:CG	2.47	0.42
1:A:139:ILE:HD11	1:E:187:ARG:CZ	2.49	0.42
1:A:80:SER:OG	1:A:236:HIS:CE1	2.73	0.42
1:D:80:SER:OG	1:D:236:HIS:CE1	2.73	0.42
1:B:80:SER:HG	1:B:236:HIS:HE2	1.57	0.42
1:E:11:THR:CB	1:E:80:SER:HB2	2.49	0.42
1:F:80:SER:OG	1:F:236:HIS:CE1	2.72	0.42
1:G:138:ASN:OD1	1:G:138:ASN:C	2.58	0.41
1:D:205:THR:OG1	1:D:238:LEU:HD11	2.19	0.41
1:D:53:SER:HB3	1:D:55:ASP:H	1.86	0.41
1:H:110:THR:HG21	1:H:192:GLU:OE2	2.20	0.41
1:G:80:SER:OG	1:G:236:HIS:CE1	2.72	0.41
1:C:80:SER:HG	1:C:236:HIS:HE2	1.57	0.41
1:H:80:SER:OG	1:H:236:HIS:CE1	2.73	0.41
1:D:134:PHE:CE1	1:D:148:LYS:HE3	2.56	0.41
1:E:10:HIS:HA	1:E:79:GLU:HG2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:ARG:HA	1:A:155:ARG:HD3	1.70	0.41
1:B:80:SER:OG	1:B:236:HIS:CE1	2.74	0.41
1:G:11:THR:CB	1:G:80:SER:HB2	2.50	0.41
1:A:138:ASN:C	1:A:138:ASN:OD1	2.59	0.40
1:B:10:HIS:HA	1:B:79:GLU:HG2	2.04	0.40
1:D:155:ARG:HD3	1:D:155:ARG:HA	1.71	0.40
1:C:138:ASN:C	1:C:138:ASN:OD1	2.60	0.40
1:C:80:SER:OG	1:C:236:HIS:CE1	2.74	0.40
1:D:168:GLU:HG3	1:G:24:PRO:CG	2.49	0.40
1:D:11:THR:CB	1:D:80:SER:HB2	2.52	0.40
1:E:80:SER:OG	1:E:236:HIS:CE1	2.73	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:2:VAL:CG2	1:H:214:ASP:OD2[2_746]	2.12	0.08

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/258 (99%)	246 (96%)	10 (4%)	0	100	100
1	B	256/258 (99%)	248 (97%)	8 (3%)	0	100	100
1	C	256/258 (99%)	248 (97%)	8 (3%)	0	100	100
1	D	256/258 (99%)	246 (96%)	10 (4%)	0	100	100
1	E	256/258 (99%)	246 (96%)	10 (4%)	0	100	100
1	F	256/258 (99%)	248 (97%)	8 (3%)	0	100	100
1	G	256/258 (99%)	248 (97%)	8 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	256/258 (99%)	247 (96%)	9 (4%)	0	100	100
All	All	2048/2064 (99%)	1977 (96%)	71 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/223 (100%)	207 (93%)	16 (7%)	17	42
1	B	223/223 (100%)	206 (92%)	17 (8%)	15	39
1	C	223/223 (100%)	207 (93%)	16 (7%)	17	42
1	D	223/223 (100%)	209 (94%)	14 (6%)	21	49
1	E	223/223 (100%)	206 (92%)	17 (8%)	15	39
1	F	223/223 (100%)	204 (92%)	19 (8%)	12	34
1	G	223/223 (100%)	207 (93%)	16 (7%)	17	42
1	H	223/223 (100%)	204 (92%)	19 (8%)	12	34
All	All	1784/1784 (100%)	1650 (92%)	134 (8%)	16	40

All (134) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	18	ILE
1	A	24	PRO
1	A	50	GLN
1	A	68	LEU
1	A	70	GLN
1	A	106	LEU
1	A	124	SER
1	A	129	ARG
1	A	143	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	148	LYS
1	A	154	LEU
1	A	155	ARG
1	A	169	LEU
1	A	207	GLN
1	A	244	GLU
1	B	1	MET
1	B	18	ILE
1	B	28	ARG
1	B	50	GLN
1	B	68	LEU
1	B	70	GLN
1	B	106	LEU
1	B	113	SER
1	B	124	SER
1	B	129	ARG
1	B	143	THR
1	B	148	LYS
1	B	154	LEU
1	B	155	ARG
1	B	169	LEU
1	B	207	GLN
1	B	232	GLN
1	C	18	ILE
1	C	28	ARG
1	C	50	GLN
1	C	68	LEU
1	C	70	GLN
1	C	72	GLU
1	C	92	ARG
1	C	106	LEU
1	C	124	SER
1	C	148	LYS
1	C	154	LEU
1	C	155	ARG
1	C	169	LEU
1	C	174	MET
1	C	207	GLN
1	C	244	GLU
1	D	18	ILE
1	D	50	GLN
1	D	66	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	68	LEU
1	D	70	GLN
1	D	106	LEU
1	D	110	THR
1	D	124	SER
1	D	129	ARG
1	D	154	LEU
1	D	155	ARG
1	D	169	LEU
1	D	207	GLN
1	D	244	GLU
1	E	1	MET
1	E	2	VAL
1	E	12	ILE
1	E	18	ILE
1	E	28	ARG
1	E	68	LEU
1	E	70	GLN
1	E	106	LEU
1	E	124	SER
1	E	143	THR
1	E	154	LEU
1	E	155	ARG
1	E	169	LEU
1	E	186	GLN
1	E	207	GLN
1	E	232	GLN
1	E	244	GLU
1	F	18	ILE
1	F	24	PRO
1	F	50	GLN
1	F	68	LEU
1	F	70	GLN
1	F	106	LEU
1	F	124	SER
1	F	142	GLU
1	F	148	LYS
1	F	154	LEU
1	F	155	ARG
1	F	156	GLU
1	F	161	LYS
1	F	169	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	207	GLN
1	F	217	ARG
1	F	227	LYS
1	F	244	GLU
1	F	251	GLN
1	G	2	VAL
1	G	18	ILE
1	G	24	PRO
1	G	50	GLN
1	G	63	THR
1	G	68	LEU
1	G	70	GLN
1	G	106	LEU
1	G	119	GLU
1	G	124	SER
1	G	129	ARG
1	G	154	LEU
1	G	155	ARG
1	G	169	LEU
1	G	207	GLN
1	G	244	GLU
1	H	1	MET
1	H	2	VAL
1	H	18	ILE
1	H	50	GLN
1	H	68	LEU
1	H	73	LYS
1	H	106	LEU
1	H	110	THR
1	H	124	SER
1	H	154	LEU
1	H	155	ARG
1	H	160	THR
1	H	161	LYS
1	H	169	LEU
1	H	179	LEU
1	H	191	THR
1	H	207	GLN
1	H	238	LEU
1	H	244	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	207	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	258/258 (100%)	-0.38	1 (0%) 92 92	12, 23, 42, 59	0
1	B	258/258 (100%)	-0.37	1 (0%) 92 92	13, 21, 41, 75	0
1	C	258/258 (100%)	-0.39	1 (0%) 92 92	12, 22, 41, 73	0
1	D	258/258 (100%)	-0.39	0 100 100	12, 23, 41, 59	0
1	E	258/258 (100%)	-0.45	0 100 100	11, 20, 33, 48	0
1	F	258/258 (100%)	-0.44	0 100 100	11, 20, 32, 62	0
1	G	258/258 (100%)	-0.50	0 100 100	12, 20, 34, 52	0
1	H	258/258 (100%)	-0.49	1 (0%) 92 92	10, 19, 35, 50	0
All	All	2064/2064 (100%)	-0.43	4 (0%) 94 95	10, 21, 39, 75	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	70	GLN	2.8
1	H	2	VAL	2.5
1	C	70	GLN	2.2
1	A	1	MET	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.