



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2018 – 02:17 PM EST

PDB ID : 5X3Q
Title : Ligand binding domain 1 and 2 of Talaromyces marneffeii Mp1 protein
Authors : Lam, W.H.; Zhang, H.; Hao, Q.
Deposited on : 2017-02-06
Resolution : 4.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030736
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1177 (4.80-3.60)
Clashscore	112137	1025 (4.72-3.66)
Ramachandran outliers	110173	1024 (4.76-3.62)
Sidechain outliers	110143	1008 (4.76-3.62)
RSRZ outliers	101464	1188 (4.80-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	313	 62% 30% 8%
1	B	313	 70% 26% •

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4682 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	1	0
			2340	1474	408	456	2			
1	B	313	Total	C	N	O	S	0	1	0
			2340	1474	408	456	2			


- Molecule 2 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ni	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Envelope glycoprotein



• Molecule 1: Envelope glycoprotein



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	146.39Å 146.39Å 148.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.01 – 4.20 41.03 – 4.20	Depositor EDS
% Data completeness (in resolution range)	99.5 (50.01-4.20) 99.7 (41.03-4.20)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.75 (at 4.13Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.224 , 0.266 0.227 , 0.265	Depositor DCC
R_{free} test set	547 reflections (4.68%)	DCC
Wilson B-factor (Å ²)	174.4	Xtriage
Anisotropy	0.240	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 201.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.048 for -h,l,k 0.033 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4682	wwPDB-VP
Average B, all atoms (Å ²)	220.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	4/2372 (0.2%)	0.93	3/3213 (0.1%)
1	B	0.72	2/2372 (0.1%)	0.91	1/3213 (0.0%)
All	All	0.76	6/4744 (0.1%)	0.92	4/6426 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	2
All	All	0	7

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	160	GLU	CD-OE2	10.30	1.36	1.25
1	A	160	GLU	CG-CD	10.04	1.67	1.51
1	A	160	GLU	CD-OE1	7.35	1.33	1.25
1	B	160	GLU	CG-CD	6.45	1.61	1.51
1	A	100	GLU	CG-CD	5.29	1.59	1.51
1	B	160	GLU	CD-OE2	5.18	1.31	1.25

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	242	GLY	C-N-CD	-6.50	106.30	120.60
1	B	74	LEU	CA-CB-CG	5.39	127.71	115.30
1	A	176	ILE	CB-CA-C	-5.21	101.18	111.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	199	ARG	NE-CZ-NH1	5.17	122.88	120.30

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	191	ASN	Peptide
1	A	240	LEU	Peptide
1	A	242	GLY	Peptide
1	A	250	GLN	Peptide
1	A	291	LEU	Peptide
1	B	166	ALA	Peptide
1	B	191	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2340	0	2420	97	0
1	B	2340	0	2420	72	0
2	A	2	0	0	0	0
All	All	4682	0	4840	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:ILE:HG23	1:A:102:LYS:CE	1.53	1.36
1:A:99:ILE:CG2	1:A:102:LYS:HE3	1.69	1.21
1:A:237:ALA:O	1:A:239:ALA:N	1.91	1.01
1:A:99:ILE:HG23	1:A:102:LYS:HE3	0.80	0.79
1:A:242:GLY:O	1:A:244:VAL:HG23	1.84	0.76
1:A:122:ALA:O	1:A:126:VAL:HG12	1.86	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:MET:SD	1:B:154:ALA:HB1	2.30	0.71
1:A:99:ILE:HG23	1:A:102:LYS:NZ	2.07	0.70
1:B:33:PHE:CE1	1:B:37:ILE:HD11	2.28	0.69
1:A:190[B]:VAL:HG12	1:A:215:LEU:HD11	1.75	0.69
1:A:99:ILE:CG2	1:A:102:LYS:CE	2.49	0.66
1:A:110:TYR:HD1	1:A:113:GLN:OE1	1.77	0.66
1:A:242:GLY:HA3	1:B:241:VAL:HA	1.78	0.65
1:B:166:ALA:O	1:B:167:ARG:HG3	1.97	0.64
1:A:97:HIS:CE1	1:B:298:HIS:CD2	2.86	0.64
1:B:140:LEU:O	1:B:143:ILE:HG12	1.98	0.63
1:B:34:ASN:HB2	1:B:94:THR:HG22	1.78	0.63
1:B:87:VAL:HG12	1:B:91:ILE:HD11	1.80	0.62
1:A:102:LYS:O	1:A:106:VAL:HG23	2.00	0.62
1:B:247:LEU:O	1:B:248:SER:C	2.39	0.61
1:B:92:MET:SD	1:B:154:ALA:CB	2.91	0.59
1:A:155:LEU:O	1:A:156:GLN:C	2.41	0.58
1:A:274:VAL:HG11	1:A:322:PHE:CD2	2.38	0.58
1:B:264:PRO:HA	1:B:267:GLN:HB2	1.85	0.58
1:A:92:MET:HG2	1:A:154:ALA:HB1	1.85	0.58
1:A:99:ILE:O	1:A:102:LYS:HG3	2.04	0.58
1:A:99:ILE:HA	1:A:102:LYS:HG3	1.85	0.58
1:B:170:THR:O	1:B:172:VAL:HG23	2.04	0.58
1:A:182:VAL:O	1:A:183:ILE:C	2.44	0.57
1:A:288:LEU:HD13	1:B:223:VAL:HG22	1.86	0.56
1:B:151:VAL:O	1:B:154:ALA:N	2.39	0.55
1:A:97:HIS:HE1	1:B:298:HIS:CD2	2.25	0.55
1:B:87:VAL:O	1:B:90:LEU:HB3	2.06	0.55
1:A:114:VAL:O	1:A:115:LYS:C	2.44	0.55
1:A:242:GLY:O	1:A:244:VAL:N	2.41	0.54
1:A:93:LYS:O	1:A:97:HIS:CD2	2.60	0.54
1:A:248:SER:O	1:A:252:LEU:HG	2.06	0.54
1:A:282:GLU:OE2	1:A:286:GLN:NE2	2.41	0.53
1:B:238:LEU:O	1:B:241:VAL:O	2.26	0.53
1:A:156:GLN:HG3	1:A:160:GLU:OE2	2.08	0.53
1:A:244:VAL:O	1:A:247:LEU:N	2.42	0.53
1:B:140:LEU:HG	1:B:143:ILE:HD11	1.91	0.52
1:A:250:GLN:HB3	1:B:191:ASN:HD21	1.74	0.52
1:B:239:ALA:O	1:B:243:PRO:HB3	2.08	0.52
1:B:87:VAL:HG12	1:B:91:ILE:CD1	2.38	0.52
1:A:184:GLN:NE2	1:B:180:GLN:HE22	2.08	0.52
1:A:274:VAL:O	1:A:276:ASN:N	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:ILE:CB	1:A:102:LYS:HE3	2.35	0.52
1:B:297:PRO:HD2	1:B:300:LEU:HD12	1.92	0.52
1:A:169:ALA:HA	1:B:198:GLU:CG	2.41	0.51
1:A:247:LEU:HD11	1:B:186:ILE:HG22	1.93	0.51
1:A:80:LEU:O	1:A:84:VAL:HG23	2.11	0.51
1:A:34:ASN:HA	1:A:37:ILE:HD12	1.90	0.51
1:A:169:ALA:HA	1:B:198:GLU:HG2	1.92	0.51
1:A:69:GLN:HG3	1:A:70:PRO:HD2	1.93	0.51
1:B:118:LEU:O	1:B:121:GLN:N	2.43	0.51
1:A:216:ILE:HD11	1:B:281:GLN:HG3	1.92	0.51
1:A:303:ILE:HA	1:A:306:GLN:HB2	1.92	0.51
1:B:158:GLY:O	1:B:159:ILE:C	2.49	0.50
1:A:156:GLN:HA	1:A:159:ILE:HD12	1.92	0.50
1:B:114:VAL:O	1:B:115:LYS:C	2.49	0.50
1:A:184:GLN:O	1:A:188:LEU:HB2	2.12	0.50
1:B:182:VAL:HG12	1:B:183:ILE:N	2.26	0.50
1:B:91:ILE:O	1:B:92:MET:C	2.51	0.50
1:A:236:GLU:O	1:A:239:ALA:HB3	2.13	0.49
1:A:237:ALA:C	1:A:239:ALA:N	2.65	0.49
1:A:179:PHE:CZ	1:A:232:LEU:HD11	2.48	0.49
1:A:93:LYS:O	1:A:97:HIS:HB2	2.13	0.49
1:B:292:VAL:HG12	1:B:293:SER:N	2.28	0.48
1:A:45:ALA:O	1:A:47:HIS:N	2.46	0.48
1:A:239:ALA:HA	1:A:243:PRO:HG3	1.94	0.48
1:B:245:GLN:O	1:B:249:ASN:CG	2.53	0.48
1:A:191:ASN:HD21	1:B:250:GLN:HB3	1.78	0.47
1:B:182:VAL:O	1:B:185:ASP:N	2.46	0.47
1:B:87:VAL:O	1:B:90:LEU:N	2.47	0.47
1:A:243:PRO:O	1:A:245:GLN:N	2.46	0.47
1:A:288:LEU:O	1:A:290:GLU:N	2.47	0.47
1:B:300:LEU:O	1:B:301:ALA:C	2.53	0.47
1:A:45:ALA:O	1:A:46:ASN:C	2.53	0.47
1:A:184:GLN:NE2	1:B:176:ILE:HD11	2.29	0.47
1:A:235:MET:SD	1:A:250:GLN:NE2	2.87	0.47
1:B:187:SER:HA	1:B:190[B]:VAL:HG22	1.97	0.47
1:B:218:ALA:HA	1:B:221:ASP:HB2	1.97	0.46
1:B:45:ALA:O	1:B:46:ASN:C	2.53	0.46
1:A:303:ILE:HD12	1:A:306:GLN:HB2	1.97	0.46
1:B:151:VAL:O	1:B:152:ALA:C	2.53	0.46
1:A:241:VAL:O	1:A:241:VAL:HG13	2.16	0.46
1:B:247:LEU:HD13	1:B:247:LEU:HA	1.88	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:PHE:CE2	1:A:37:ILE:HD11	2.51	0.46
1:B:258:LEU:O	1:B:259:ILE:C	2.54	0.46
1:A:289:SER:OG	1:A:308:SER:HB3	2.16	0.46
1:B:240:LEU:O	1:B:241:VAL:HG13	2.16	0.46
1:B:78:LEU:CD2	1:B:140:LEU:HD21	2.46	0.46
1:A:102:LYS:HG2	1:A:162:PHE:CE1	2.51	0.46
1:A:193:PHE:O	1:A:195:VAL:N	2.49	0.45
1:B:302:ASP:O	1:B:306:GLN:HG3	2.17	0.45
1:A:187:SER:HA	1:A:190[B]:VAL:HG22	1.99	0.45
1:A:37:ILE:HD13	1:A:98:LEU:HB2	1.98	0.45
1:A:38:LEU:HD21	1:A:97:HIS:HB3	1.98	0.45
1:B:293:SER:HA	1:B:296:VAL:HG22	1.98	0.45
1:A:303:ILE:HD12	1:A:306:GLN:CB	2.47	0.45
1:B:274:VAL:O	1:B:275:GLU:C	2.54	0.45
1:A:184:GLN:NE2	1:B:180:GLN:NE2	2.64	0.45
1:A:184:GLN:HE22	1:B:180:GLN:CD	2.20	0.45
1:B:186:ILE:O	1:B:187:SER:C	2.53	0.45
1:A:274:VAL:O	1:A:275:GLU:C	2.55	0.44
1:A:95:VAL:HG12	1:A:99:ILE:HD11	1.98	0.44
1:B:288:LEU:O	1:B:291:LEU:N	2.50	0.44
1:A:236:GLU:C	1:A:237:ALA:O	2.55	0.44
1:A:99:ILE:O	1:A:100:GLU:C	2.55	0.44
1:B:263:GLU:HB2	1:B:264:PRO:HD3	2.00	0.44
1:A:238:LEU:O	1:A:241:VAL:HG12	2.18	0.44
1:A:242:GLY:HA3	1:B:241:VAL:CA	2.46	0.44
1:A:257:ASN:ND2	1:B:198:GLU:OE1	2.51	0.44
1:A:297:PRO:HD2	1:A:300:LEU:HD12	2.00	0.44
1:A:90:LEU:O	1:A:94:THR:HG23	2.17	0.44
1:A:99:ILE:CG2	1:A:102:LYS:NZ	2.77	0.44
1:A:91:ILE:O	1:A:92:MET:C	2.55	0.44
1:B:70:PRO:O	1:B:71:PRO:C	2.56	0.44
1:B:182:VAL:O	1:B:183:ILE:C	2.55	0.43
1:A:172:VAL:O	1:A:173:LYS:HB2	2.19	0.43
1:B:291:LEU:O	1:B:292:VAL:C	2.56	0.43
1:A:182:VAL:O	1:A:185:ASP:N	2.51	0.43
1:A:105:LEU:O	1:A:110:TYR:N	2.51	0.43
1:B:129:SER:HB2	1:B:148:SER:HB3	2.00	0.43
1:A:190[B]:VAL:CG1	1:A:215:LEU:HD11	2.47	0.43
1:A:239:ALA:C	1:A:243:PRO:HD3	2.39	0.43
1:A:298:HIS:CG	1:B:97:HIS:HE1	2.36	0.43
1:A:247:LEU:O	1:A:248:SER:C	2.57	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:PRO:HD2	1:A:300:LEU:CD1	2.49	0.43
1:B:143:ILE:HG13	1:B:144:SER:N	2.35	0.42
1:A:18:VAL:O	1:A:22:VAL:HG23	2.19	0.42
1:B:155:LEU:O	1:B:158:GLY:N	2.48	0.42
1:B:34:ASN:O	1:B:37:ILE:HB	2.19	0.42
1:A:17:ASN:O	1:A:21:LYS:HG2	2.19	0.42
1:B:217:LYS:O	1:B:221:ASP:N	2.42	0.42
1:A:172:VAL:CG1	1:B:191:ASN:HB3	2.50	0.42
1:B:251:ILE:O	1:B:254:ALA:HB3	2.20	0.42
1:A:285:ALA:O	1:A:289:SER:HB3	2.21	0.41
1:A:297:PRO:HG2	1:A:300:LEU:HD12	2.02	0.41
1:A:94:THR:OG1	1:A:95:VAL:N	2.53	0.41
1:B:158:GLY:O	1:B:161:ALA:N	2.54	0.41
1:B:209:LEU:O	1:B:210:ALA:C	2.59	0.41
1:A:223:VAL:HG22	1:B:288:LEU:HD13	2.02	0.41
1:A:298:HIS:CG	1:B:97:HIS:CE1	3.09	0.40
1:A:239:ALA:O	1:A:240:LEU:HD23	2.21	0.40
1:A:263:GLU:HB2	1:A:264:PRO:CD	2.51	0.40
1:A:292:VAL:HG12	1:A:293:SER:N	2.36	0.40
1:A:170:THR:O	1:A:172:VAL:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	312/313 (100%)	241 (77%)	41 (13%)	30 (10%)	1	13
1	B	312/313 (100%)	238 (76%)	57 (18%)	17 (5%)	2	27
All	All	624/626 (100%)	479 (77%)	98 (16%)	47 (8%)	1	19

All (47) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	46	ASN
1	A	167	ARG
1	A	173	LYS
1	A	183	ILE
1	A	194	ASN
1	A	238	LEU
1	A	239	ALA
1	A	241	VAL
1	A	243	PRO
1	A	289	SER
1	A	292	VAL
1	B	163	SER
1	B	164	ILE
1	B	169	ALA
1	B	292	VAL
1	A	107	GLY
1	A	108	GLY
1	A	182	VAL
1	A	237	ALA
1	A	274	VAL
1	A	275	GLU
1	B	72	LEU
1	B	241	VAL
1	B	291	LEU
1	A	122	ALA
1	A	123	HIS
1	A	170	THR
1	A	297	PRO
1	B	170	THR
1	B	173	LYS
1	A	165	SER
1	A	171	LYS
1	A	245	GLN
1	B	46	ASN
1	B	275	GLU
1	B	297	PRO
1	A	117	SER
1	A	262	LYS
1	B	74	LEU
1	B	183	ILE
1	A	116	ALA
1	A	231	PRO
1	B	182	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	255	ILE
1	A	244	VAL
1	A	271	GLY
1	B	172	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/254 (100%)	242 (95%)	13 (5%)	28	62
1	B	255/254 (100%)	248 (97%)	7 (3%)	50	75
All	All	510/508 (100%)	490 (96%)	20 (4%)	37	68

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	ASP
1	A	49	ILE
1	A	69	GLN
1	A	127	THR
1	A	130	GLU
1	A	133	SER
1	A	146	GLN
1	A	168	GLN
1	A	172	VAL
1	A	196	ASP
1	A	199	ARG
1	A	258	LEU
1	A	325	THR
1	B	31	THR
1	B	51	ASP
1	B	133	SER
1	B	146	GLN
1	B	172	VAL
1	B	184	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	196	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	97	HIS
1	A	168	GLN
1	A	184	GLN
1	A	191	ASN
1	A	194	ASN
1	A	250	GLN
1	A	257	ASN
1	A	286	GLN
1	B	17	ASN
1	B	97	HIS
1	B	298	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/313 (100%)	-0.46	1 (0%) 93 91	138, 215, 282, 351	0
1	B	313/313 (100%)	-0.52	1 (0%) 93 91	131, 214, 303, 363	0
All	All	626/626 (100%)	-0.49	2 (0%) 93 91	131, 215, 297, 363	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	168	GLN	2.8
1	B	168	GLN	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NI	A	401	1/1	0.92	0.25	-	147,147,147,147	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NI	A	402	1/1	0.93	0.26	-	135,135,135,135	0

6.5 Other polymers [i](#)

There are no such residues in this entry.