



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 07:22 pm GMT

PDB ID : 4XAI  
Title : Crystal Structure of red flour beetle NR2E1/TLX  
Authors : Zhi, X.; Zhou, E.; Xu, E.  
Deposited on : 2014-12-14  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2542 (2.60-2.60)
Clashscore	112137	2895 (2.60-2.60)
Ramachandran outliers	110173	2848 (2.60-2.60)
Sidechain outliers	110143	2848 (2.60-2.60)
RSRZ outliers	101464	2550 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	573	<div> <div>4%</div> <div>84%</div> <div>13%</div> <div>••</div> </div>
1	B	573	<div> <div>4%</div> <div>80%</div> <div>16%</div> <div>••</div> </div>
2	P	21	<div> <div>10%</div> <div>67%</div> <div>29%</div> <div>5%</div> </div>
2	Q	21	<div> <div>24%</div> <div>52%</div> <div>24%</div> <div>5%</div> <div>5%</div> <div>14%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MAL	A	1401	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9306 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Maltose-binding periplasmic protein,Tailless ortholog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	565	Total	C	N	O	S	0	0	0
			4432	2861	722	835	14			
1	B	565	Total	C	N	O	S	0	0	0
			4432	2861	722	835	14			


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	369	ASN	-	linker	UNP P0AEY0
A	370	ALA	-	linker	UNP P0AEY0
A	371	ALA	-	linker	UNP P0AEY0
A	372	ALA	-	linker	UNP P0AEY0
A	373	GLU	-	linker	UNP P0AEY0
A	374	PHE	-	linker	UNP P0AEY0
B	369	ASN	-	linker	UNP P0AEY0
B	370	ALA	-	linker	UNP P0AEY0
B	371	ALA	-	linker	UNP P0AEY0
B	372	ALA	-	linker	UNP P0AEY0
B	373	GLU	-	linker	UNP P0AEY0
B	374	PHE	-	linker	UNP P0AEY0

- Molecule 2 is a protein called Grunge, isoform J.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	P	21	Total	C	N	O	0	0	0
			170	108	30	32			
2	Q	18	Total	C	N	O	0	0	0
			140	87	27	26			

- Molecule 3 is SUGAR (MALTOSE) (three-letter code: MAL) (formula: C<sub>12</sub>H<sub>22</sub>O<sub>11</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			23	12	11		
3	B	1	Total	C	O	0	0
			23	12	11		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	52	Total	O	0	0
			52	52		
4	P	3	Total	O	0	0
			3	3		
4	B	31	Total	O	0	0
			31	31		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Maltose-binding periplasmic protein,Tailless ortholog




- Molecule 1: Maltose-binding periplasmic protein,Tailless ortholog



- Molecule 2: Grunge, isoform J



● Molecule 2: Grunge, isoform J



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.78Å 84.10Å 262.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.27 – 2.60 37.90 – 2.53	Depositor EDS
% Data completeness (in resolution range)	94.6 (35.27-2.60) 95.8 (37.90-2.53)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.47 (at 2.54Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, $R_{free}$	0.207 , 0.262 0.211 , 0.263	Depositor DCC
$R_{free}$ test set	5587 reflections (6.94%)	DCC
Wilson B-factor (Å <sup>2</sup> )	58.5	Xtriage
Anisotropy	0.360	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 48.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	9306	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.29% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/4533	0.45	0/6148
1	B	0.27	0/4533	0.46	0/6148
2	P	0.28	0/175	0.58	0/237
2	Q	0.44	0/143	0.88	1/195 (0.5%)
All	All	0.27	0/9384	0.47	1/12728 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
2	Q	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Q	1831	VAL	N-CA-C	5.98	127.14	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	1270	ARG	Peptide
2	Q	1830	HIS	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4432	0	4433	57	0
1	B	4432	0	4433	74	0
2	P	170	0	159	5	0
2	Q	140	0	136	18	0
3	A	23	0	22	0	0
3	B	23	0	22	0	0
4	A	52	0	0	3	0
4	B	31	0	0	0	0
4	P	3	0	0	1	0
All	All	9306	0	9205	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1381:LYS:HE3	2:Q:1820:LEU:HD22	1.54	0.89
1:B:1367:ARG:HG2	1:B:1367:ARG:HH11	1.44	0.82
1:B:1375:GLU:OE1	1:B:1387:PRO:HD3	1.88	0.73
2:Q:1830:HIS:HD2	2:Q:1831:VAL:N	1.88	0.72
1:A:1260:CYS:SG	4:A:1527:HOH:O	2.47	0.71
1:A:1376:ASP:HA	1:A:1380:LYS:HG2	1.73	0.70
2:Q:1830:HIS:CD2	2:Q:1831:VAL:N	2.61	0.69
2:Q:1830:HIS:CD2	2:Q:1831:VAL:H	2.12	0.67
1:A:1281:GLN:NE2	4:A:1536:HOH:O	2.27	0.67
1:A:1199:ILE:HG12	1:A:1251:MET:HE1	1.77	0.65
1:B:1381:LYS:NZ	2:Q:1815:ALA:HB2	2.11	0.65
1:B:1381:LYS:HE3	2:Q:1820:LEU:CD2	2.26	0.64
1:B:1383:ILE:O	1:B:1384:ARG:HD2	1.98	0.63
1:A:1385:ASP:OD1	1:A:1385:ASP:N	2.32	0.63
1:B:1385:ASP:OD1	1:B:1385:ASP:N	2.31	0.63
1:B:1381:LYS:HE3	2:Q:1820:LEU:HB3	1.81	0.61
1:B:3:LYS:HD3	1:B:57:ASP:HB2	1.84	0.60
1:B:1246:GLN:OE1	1:B:1301:ARG:NH2	2.33	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1283:THR:HG23	1:A:1365:THR:HB	1.84	0.59
1:B:1381:LYS:HZ2	2:Q:1815:ALA:HB2	1.66	0.59
1:A:1382:VAL:CG2	1:A:1384:ARG:HB2	2.32	0.59
1:A:231:PRO:HA	1:A:234:TRP:CE2	2.38	0.58
1:B:285:TYR:O	1:B:288:THR:OG1	2.20	0.58
1:B:1263:LEU:HD22	1:B:1263:LEU:H	1.68	0.58
1:A:1253:PHE:O	1:A:1257:VAL:HG12	2.02	0.58
1:B:1385:ASP:OD2	2:Q:1828:ARG:N	2.37	0.58
1:B:99:VAL:HG21	1:B:109:PRO:HD3	1.86	0.58
1:B:1381:LYS:CE	2:Q:1820:LEU:HD22	2.31	0.57
1:B:120:ASN:HB3	1:B:123:LEU:HB3	1.85	0.57
1:B:1206:LEU:HD11	1:B:1243:GLY:HA3	1.87	0.56
1:A:1253:PHE:O	1:A:1257:VAL:N	2.30	0.56
1:B:1250:LEU:HD22	1:B:1250:LEU:H	1.71	0.55
1:A:1372:ARG:HH11	1:A:1380:LYS:HE2	1.71	0.55
1:B:1199:ILE:O	1:B:1202:SER:OG	2.24	0.54
1:B:1270:ARG:HG2	1:B:1273:PHE:HB2	1.89	0.54
1:B:1381:LYS:NZ	2:Q:1815:ALA:CB	2.71	0.54
1:B:131:TRP:CD1	1:B:250:PRO:HB2	2.43	0.54
1:A:1361:LEU:O	1:A:1365:THR:HG23	2.09	0.53
1:A:1379:PHE:O	1:A:1381:LYS:N	2.42	0.53
1:B:1381:LYS:CE	2:Q:1820:LEU:HB3	2.39	0.53
1:B:91:LEU:HB2	1:B:96:TRP:HE1	1.73	0.52
1:A:348:ALA:HB2	1:A:366:ALA:HB2	1.91	0.52
1:A:247:THR:OG1	1:A:248:VAL:N	2.42	0.51
1:B:1385:ASP:OD2	2:Q:1827:ALA:HA	2.10	0.51
1:B:344:ALA:HB2	1:B:370:ALA:HB2	1.92	0.51
1:A:1364:SER:O	1:A:1368:THR:HG23	2.10	0.50
1:B:1204:ALA:HB2	1:B:1379:PHE:HE2	1.77	0.50
1:A:1234:GLU:O	1:A:1307:LYS:NZ	2.44	0.50
1:A:1372:ARG:NH1	1:A:1380:LYS:HE2	2.26	0.50
1:B:1217:ILE:HG22	1:B:1220:PHE:H	1.76	0.50
1:B:261:VAL:HB	1:B:331:ILE:HD13	1.93	0.50
1:A:64:TRP:HB3	1:A:69:PHE:HE1	1.77	0.50
1:A:1260:CYS:O	1:A:1262:VAL:HG23	2.12	0.50
1:A:1384:ARG:HH11	2:P:1829:PRO:HB2	1.77	0.49
1:B:1381:LYS:HE3	2:Q:1820:LEU:CG	2.42	0.49
1:B:1310:PHE:HB3	1:B:1321:LYS:HD3	1.94	0.49
2:P:1825:GLU:O	2:P:1828:ARG:HG2	2.12	0.49
1:A:117:LEU:HB3	1:A:247:THR:HG23	1.95	0.49
1:B:1276:GLU:OE1	1:B:1373:THR:OG1	2.25	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:359:VAL:O	1:B:360:ASP:HB3	2.11	0.49
1:B:1207:ILE:HD11	1:B:1379:PHE:CE1	2.48	0.48
1:B:123:LEU:HD23	1:B:225:ALA:HA	1.95	0.48
1:B:1267:PRO:O	1:B:1268:HIS:HB2	2.13	0.48
1:B:276:GLU:O	1:B:280:GLU:HG2	2.14	0.48
1:A:1394:ASN:ND2	4:A:1514:HOH:O	2.37	0.48
1:A:148:ALA:O	1:A:226:MET:HG2	2.14	0.47
1:B:81:ILE:HG13	1:B:83:PRO:HD3	1.96	0.47
1:A:241:LYS:HB2	1:A:241:LYS:HE3	1.65	0.47
1:A:91:LEU:HD23	1:A:109:PRO:HG2	1.96	0.47
1:B:186:ASP:HA	1:B:363:LEU:HB3	1.97	0.47
1:A:201:ILE:HD13	1:A:208:ALA:HB2	1.95	0.47
1:B:1263:LEU:O	1:B:1266:GLU:HB2	2.16	0.46
1:A:1251:MET:HG2	1:A:1252:ASP:H	1.81	0.46
1:B:1290:PHE:HZ	1:B:1357:LYS:HB3	1.81	0.46
1:B:1362:VAL:HG13	1:B:1363:SER:N	2.30	0.46
2:P:1815:ALA:N	4:P:1902:HOH:O	2.48	0.46
1:B:1381:LYS:HE2	1:B:1381:LYS:HB3	1.64	0.46
1:B:1381:LYS:HZ1	2:Q:1815:ALA:CB	2.29	0.46
1:B:11:ILE:HG21	1:B:22:LEU:HD21	1.97	0.46
1:B:233:ALA:O	1:B:237:ILE:HG13	2.15	0.46
1:A:111:ALA:HA	1:A:304:VAL:HA	1.97	0.46
1:A:1384:ARG:HE	2:P:1829:PRO:CB	2.29	0.46
2:Q:1830:HIS:CD2	2:Q:1830:HIS:C	2.90	0.45
1:B:1381:LYS:HE3	2:Q:1820:LEU:CB	2.47	0.45
1:B:148:ALA:O	1:B:226:MET:HG2	2.16	0.45
1:A:1382:VAL:HG21	1:A:1384:ARG:HB2	1.97	0.45
1:A:53:ALA:HB3	1:A:77:LEU:HD13	1.98	0.44
1:B:1262:VAL:HG12	1:B:1265:GLN:CG	2.48	0.44
1:A:1377:LEU:HA	1:A:1377:LEU:HD23	1.87	0.44
1:A:99:VAL:HG21	1:A:109:PRO:HD3	1.99	0.44
1:A:1257:VAL:HG23	1:A:1273:PHE:HE2	1.82	0.44
1:A:12:TRP:HB3	1:A:45:LEU:HD13	2.00	0.44
1:B:1361:LEU:HD22	1:B:1365:THR:HG21	2.00	0.43
1:B:81:ILE:HG12	1:B:105:LEU:O	2.19	0.43
1:B:178:TYR:CE1	1:B:333:PRO:HG3	2.53	0.43
1:B:231:PRO:HA	1:B:234:TRP:CE2	2.53	0.43
1:A:1266:GLU:O	1:A:1268:HIS:N	2.44	0.43
1:B:1283:THR:HB	1:B:1365:THR:HB	2.00	0.43
1:A:220:ASN:HB3	1:A:240:SER:OG	2.19	0.43
1:B:1374:ILE:O	1:B:1378:PHE:HD1	2.02	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1213:TRP:CH2	1:A:1301:ARG:HB3	2.54	0.43
1:B:1367:ARG:NH1	1:B:1367:ARG:HG2	2.22	0.43
1:B:1387:PRO:O	1:B:1391:ILE:N	2.49	0.43
1:A:258:LYS:HE2	1:A:258:LYS:HB3	1.72	0.43
1:B:316:ASP:HB3	1:B:319:ILE:HG12	2.01	0.43
1:B:287:LEU:O	1:B:288:THR:HG23	2.19	0.42
1:A:1270:ARG:O	1:A:1273:PHE:HB3	2.19	0.42
1:A:1367:ARG:HH11	1:A:1367:ARG:HG2	1.84	0.42
1:B:1328:LYS:O	1:B:1332:ILE:HG12	2.18	0.42
1:B:4:ILE:H	1:B:4:ILE:HG12	1.58	0.42
1:B:1362:VAL:HG13	1:B:1363:SER:H	1.85	0.42
1:A:1304:VAL:O	1:A:1307:LYS:HE3	2.20	0.42
1:A:1256:LEU:HD21	1:A:1378:PHE:CE2	2.55	0.42
1:B:91:LEU:HB2	1:B:96:TRP:NE1	2.34	0.42
1:A:1382:VAL:HG22	1:A:1384:ARG:HB2	2.02	0.42
1:A:235:SER:O	1:A:239:THR:HG23	2.20	0.42
1:B:1383:ILE:C	1:B:1384:ARG:HD2	2.40	0.42
1:A:67:ASP:HA	1:A:334:ASN:HA	2.02	0.42
1:A:1372:ARG:NH1	1:A:1380:LYS:CE	2.82	0.41
1:A:138:ASP:HA	1:A:148:ALA:HB2	2.02	0.41
1:A:45:LEU:HD11	1:A:62:ILE:HG13	2.01	0.41
1:A:1255:VAL:O	1:A:1259:ALA:HB3	2.20	0.41
1:A:1379:PHE:C	1:A:1381:LYS:N	2.74	0.41
1:A:1285:LYS:HB3	1:A:1285:LYS:HE2	1.70	0.41
1:A:156:PRO:HG3	1:A:346:ARG:HB2	2.02	0.41
1:B:1280:PHE:O	1:B:1284:LEU:HB2	2.20	0.41
1:A:234:TRP:HB2	1:A:300:PRO:HG2	2.02	0.41
1:B:292:LEU:HD13	1:B:304:VAL:HG11	2.03	0.41
2:P:1816:ASP:O	2:P:1818:PRO:HD3	2.21	0.41
2:Q:1831:VAL:HG13	2:Q:1832:ALA:N	2.36	0.41
1:A:1253:PHE:O	1:A:1256:LEU:N	2.53	0.41
1:B:231:PRO:HA	1:B:234:TRP:CD2	2.56	0.41
1:B:1224:PRO:O	1:B:1228:GLN:HG3	2.22	0.40
1:B:1306:PHE:O	1:B:1333:GLN:NE2	2.53	0.40
1:B:247:THR:OG1	1:B:248:VAL:N	2.51	0.40
1:A:1380:LYS:HD3	1:A:1380:LYS:O	2.21	0.40
1:B:1367:ARG:CG	1:B:1367:ARG:HH11	2.25	0.40
1:B:235:SER:HB2	1:B:300:PRO:HD3	2.03	0.40
1:B:17:LYS:O	1:B:299:LYS:HG3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	561/573 (98%)	548 (98%)	13 (2%)	0	100	100
1	B	561/573 (98%)	546 (97%)	15 (3%)	0	100	100
2	P	19/21 (90%)	19 (100%)	0	0	100	100
2	Q	16/21 (76%)	16 (100%)	0	0	100	100
All	All	1157/1188 (97%)	1129 (98%)	28 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	470/478 (98%)	449 (96%)	21 (4%)	32	59
1	B	470/478 (98%)	448 (95%)	22 (5%)	30	57
2	P	17/17 (100%)	15 (88%)	2 (12%)	6	11
2	Q	14/17 (82%)	13 (93%)	1 (7%)	17	34
All	All	971/990 (98%)	925 (95%)	46 (5%)	30	57

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LEU
1	A	68	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	240	SER
1	A	241	LYS
1	A	260	PHE
1	A	356	ARG
1	A	1215	ARG
1	A	1250	LEU
1	A	1252	ASP
1	A	1260	CYS
1	A	1265	GLN
1	A	1271	ASP
1	A	1273	PHE
1	A	1274	LEU
1	A	1275	LYS
1	A	1276	GLU
1	A	1367	ARG
1	A	1372	ARG
1	A	1380	LYS
1	A	1384	ARG
1	A	1385	ASP
2	P	1828	ARG
2	P	1830	HIS
1	B	4	ILE
1	B	260	PHE
1	B	288	THR
1	B	364	LYS
1	B	1250	LEU
1	B	1256	LEU
1	B	1262	VAL
1	B	1263	LEU
1	B	1265	GLN
1	B	1266	GLU
1	B	1268	HIS
1	B	1269	ARG
1	B	1270	ARG
1	B	1290	PHE
1	B	1323	THR
1	B	1361	LEU
1	B	1367	ARG
1	B	1372	ARG
1	B	1380	LYS
1	B	1381	LYS
1	B	1385	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	1389	VAL
2	Q	1830	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	Q	1830	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	MAL	A	1401	-	24,24,24	0.55	0	35,35,35	0.62	0
3	MAL	B	1401	-	24,24,24	0.49	0	35,35,35	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means



no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MAL	A	1401	-	-	0/8/48/48	0/2/2/2
3	MAL	B	1401	-	-	0/8/48/48	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å <sup>2</sup> )	Q < 0.9
1	A	565/573 (98%)	-0.05	22 (3%)	40 32	32, 58, 111, 169	0
1	B	565/573 (98%)	0.22	25 (4%)	35 27	54, 78, 112, 147	0
2	P	21/21 (100%)	0.42	2 (9%)	9 5	48, 64, 104, 119	0
2	Q	18/21 (85%)	1.29	5 (27%)	1 0	69, 87, 121, 128	0
All	All	1169/1188 (98%)	0.11	54 (4%)	33 26	32, 71, 112, 169	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1260	CYS	6.8
2	Q	1815	ALA	6.2
1	A	1267	PRO	5.2
1	B	241	LYS	5.1
1	B	35	ILE	5.1
1	A	1268	HIS	5.0
1	B	1269	ARG	4.7
1	B	1264	GLN	4.0
1	A	353	ALA	3.9
1	B	1350	LYS	3.6
2	Q	1816	ASP	3.4
1	B	1267	PRO	3.3
1	A	1382	VAL	3.3
1	A	135	PRO	3.3
1	A	1265	GLN	3.2
1	A	1263	LEU	3.1
1	B	1257	VAL	3.0
1	B	1263	LEU	3.0
2	P	1816	ASP	2.9
1	B	54	ALA	2.9
1	A	196	PHE	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	65	ALA	2.7
1	B	329	GLY	2.7
2	Q	1817	THR	2.7
1	A	1262	VAL	2.6
1	A	200	LEU	2.6
2	Q	1821	ARG	2.6
1	B	120	ASN	2.5
1	B	29	PHE	2.5
1	B	55	THR	2.5
1	A	357	GLN	2.4
1	B	243	ASN	2.4
1	A	243	ASN	2.4
1	A	1269	ARG	2.4
1	A	198	VAL	2.4
1	B	9	LEU	2.4
1	A	1320	GLU	2.3
1	B	119	TYR	2.3
1	B	1381	LYS	2.3
1	B	331	ILE	2.3
1	B	129	LYS	2.3
1	A	365	ASP	2.2
1	A	361	GLU	2.2
1	A	139	LYS	2.2
1	A	359	VAL	2.2
1	B	330	GLU	2.2
1	A	134	ILE	2.2
1	B	128	PRO	2.2
1	A	1260	CYS	2.2
1	B	1258	GLU	2.1
1	A	356	ARG	2.1
1	B	66	HIS	2.0
2	P	1814	TYR	2.0
2	Q	1832	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	MAL	A	1401	23/23	0.93	0.35	4.64	55,61,72,79	0
3	MAL	B	1401	23/23	0.94	0.26	0.74	55,61,68,72	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.