



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 1, 2017 – 09:42 PM EDT

PDB ID : 1XJM
Title : Structural mechanism of allosteric substrate specificity in a ribonucleotide reductase: dTTP complex
Authors : Larsson, K.-M.; Jordan, A.; Eliasson, R.; Reichard, P.; Logan, D.T.; Nordlund, P.
Deposited on : unknown
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030345
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3166 (2.40-2.40)
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)
RSRZ outliers	101464	3195 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	644	<div> <div>4%</div> <div>74%</div> <div>18%</div> <div>• •</div> </div>
1	B	644	<div> <div>%</div> <div>74%</div> <div>17%</div> <div>• 6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TTP	A	1004	-	-	-	X
3	TTP	B	1003	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10246 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ribonucleotide reductase, B12-dependent.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	622	Total	C	N	O	S	0	0	0
			4990	3198	846	926	20			
1	B	603	Total	C	N	O	S	0	0	0
			4838	3102	821	895	20			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	205	SER	TYR	SEE REMARK 999	UNP O33839
B	205	SER	TYR	SEE REMARK 999	UNP O33839

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mg	0	0
			1	1		
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is THYMIDINE-5'-TRIPHOSPHATE (three-letter code: TTP) (formula: C₁₀H₁₇N₂O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 29	C 10	N 2	O 14	P 3	0	0
3	A	1	Total 29	C 10	N 2	O 14	P 3	0	0
3	B	1	Total 29	C 10	N 2	O 14	P 3	0	0
3	B	1	Total 29	C 10	N 2	O 14	P 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	146	Total O 146 146	0	0
4	B	154	Total O 154 154	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ribonucleotide reductase, B12-dependent



- Molecule 1: ribonucleotide reductase, B12-dependent



D579	I582	D592	I593	S596	M601	F602	Q603	D608	D609	V610	R623	S632	LEU	GLN	THR	GLN	VAL	LEU	THR	LYS	ALA	LEU	LYS	THR
------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	118.44Å 123.78Å 106.24Å 90.00° 103.64° 90.00°	Depositor
Resolution (Å)	19.98 – 2.40 19.98 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.98-2.40) 99.5 (19.98-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 2.19Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.184 , 0.247 0.183 , 0.243	Depositor DCC
R_{free} test set	2971 reflections (5.42%)	DCC
Wilson B-factor (Å ²)	31.8	Xtriage
Anisotropy	0.436	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10246	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.79	0/5087	0.82	5/6866 (0.1%)
1	B	0.80	1/4933 (0.0%)	0.82	5/6658 (0.1%)
All	All	0.79	1/10020 (0.0%)	0.82	10/13524 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	464	ASN	CB-CG	5.09	1.62	1.51

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	623	ARG	NE-CZ-NH1	9.63	125.12	120.30
1	A	623	ARG	NE-CZ-NH2	-7.34	116.63	120.30
1	A	257	LEU	CA-CB-CG	5.73	128.47	115.30
1	B	243	LEU	CA-CB-CG	5.59	128.17	115.30
1	A	363	ARG	NE-CZ-NH1	5.33	122.96	120.30
1	B	538	ASN	N-CA-C	5.23	125.11	111.00
1	B	171	ARG	NE-CZ-NH1	-5.19	117.71	120.30
1	B	555	LEU	CA-CB-CG	5.17	127.19	115.30
1	B	125	ARG	NE-CZ-NH2	-5.14	117.73	120.30
1	A	57	LEU	CA-CB-CG	5.08	126.98	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	518	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4990	0	5046	94	0
1	B	4838	0	4890	84	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	58	0	26	1	0
3	B	58	0	26	3	0
4	A	146	0	0	4	1
4	B	154	0	0	4	0
All	All	10246	0	9988	175	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:519:GLU:HB2	1:A:520:ASP:HB2	1.23	1.20
1:B:449:TYR:HE1	1:B:473:MET:CE	1.68	1.05
1:A:519:GLU:CB	1:A:520:ASP:HB2	1.91	1.00
1:B:449:TYR:HE1	1:B:473:MET:HE1	1.37	0.89
1:A:62:TYR:CE2	1:A:70:ARG:HG2	2.07	0.89
1:A:449:TYR:HE1	1:A:473:MET:CE	1.86	0.89
1:A:62:TYR:CZ	1:A:70:ARG:HG2	2.11	0.86
1:B:449:TYR:CE1	1:B:473:MET:CE	2.57	0.85
1:A:601:MET:HE1	1:A:610:VAL:HG22	1.57	0.84
1:B:381:LYS:O	1:B:385:GLU:HG3	1.77	0.83
1:B:538:ASN:HB2	1:B:539:PRO:O	1.81	0.80
1:A:450:ARG:NH1	1:A:477:LYS:O	2.17	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HB3	1:A:350:ASP:OD2	1.85	0.77
1:A:601:MET:CE	1:A:610:VAL:HG22	2.15	0.76
1:A:257:LEU:HD22	1:A:262:GLY:HA3	1.69	0.74
1:B:601:MET:CE	1:B:610:VAL:HG22	2.18	0.74
1:B:120:GLU:HG3	4:B:1057:HOH:O	1.88	0.73
1:B:449:TYR:CE1	1:B:473:MET:HE1	2.21	0.73
1:B:229:LYS:HG3	1:B:243:LEU:HD22	1.70	0.73
1:B:544:ARG:HH12	1:B:560:ASP:HB3	1.54	0.72
1:B:9:ARG:HH22	1:B:345:ASN:ND2	1.89	0.71
1:A:519:GLU:CA	1:A:520:ASP:HB2	2.21	0.71
1:A:519:GLU:HB2	1:A:520:ASP:CB	2.14	0.70
1:B:601:MET:HE3	1:B:610:VAL:HG22	1.72	0.70
1:A:449:TYR:HE1	1:A:473:MET:HE1	1.55	0.70
1:A:449:TYR:CE1	1:A:473:MET:CE	2.74	0.69
1:A:153:TYR:HB3	1:A:198:ILE:HD11	1.75	0.69
1:B:449:TYR:CE1	1:B:473:MET:HE3	2.26	0.69
1:A:475:MET:HE3	4:A:1134:HOH:O	1.93	0.67
1:B:180:THR:HG22	1:B:181:HIS:H	1.61	0.66
1:B:313:HIS:ND1	1:B:313:HIS:N	2.42	0.66
1:A:199:SER:HB2	1:A:240:PHE:CE1	2.31	0.66
1:A:250:ASP:HB3	1:A:253:GLU:HG3	1.79	0.65
1:A:236:ALA:O	1:A:238:LEU:N	2.19	0.65
1:A:180:THR:HG22	1:A:182:GLY:HA3	1.78	0.64
1:B:538:ASN:CB	1:B:539:PRO:O	2.46	0.64
1:B:212:MET:HB2	1:B:321:PRO:HA	1.78	0.64
1:B:123:ARG:NH1	4:B:1057:HOH:O	2.31	0.63
1:B:172:PRO:HG3	1:B:220:PRO:HG2	1.81	0.62
1:B:122:TYR:O	1:B:125:ARG:HD3	2.00	0.62
1:B:63:LYS:HB3	1:B:65:ASN:OD1	1.99	0.62
1:B:195:ASN:HD21	1:B:239:ASN:ND2	1.98	0.62
1:A:616:GLU:O	1:A:620:THR:HG23	2.00	0.61
1:B:226:ILE:HG21	1:B:285:LYS:HG2	1.81	0.61
1:A:198:ILE:HG13	1:A:211:LEU:HD11	1.81	0.61
1:B:50:ARG:HH12	1:B:108:LYS:HG2	1.66	0.60
1:A:475:MET:CE	4:A:1134:HOH:O	2.49	0.60
1:B:320:ASN:H	1:B:320:ASN:HD22	1.49	0.60
1:A:488:ILE:HG21	1:A:504:LEU:HG	1.84	0.59
1:A:241:PHE:HB3	1:A:243:LEU:HD13	1.85	0.59
1:B:541:ILE:O	1:B:545:ILE:HG12	2.03	0.59
1:A:199:SER:HB2	1:A:240:PHE:HE1	1.67	0.58
1:B:538:ASN:N	1:B:538:ASN:OD1	2.36	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:LYS:HD3	1:B:238:LEU:O	2.05	0.57
1:B:592:ASP:O	1:B:623:ARG:NH2	2.37	0.56
1:A:420:MET:CE	1:A:486:LEU:HD22	2.35	0.56
1:A:123:ARG:HG3	1:A:123:ARG:HH11	1.70	0.56
1:A:449:TYR:HE1	1:A:473:MET:HE3	1.71	0.55
1:B:241:PHE:HB3	1:B:243:LEU:HD13	1.88	0.55
1:B:544:ARG:HH12	1:B:560:ASP:CB	2.18	0.55
1:A:449:TYR:CE1	1:A:473:MET:HE3	2.41	0.55
1:B:601:MET:HE1	1:B:610:VAL:HG22	1.88	0.55
1:B:265:GLU:OE1	1:B:276:LYS:HG3	2.07	0.55
1:B:407:TYR:CZ	1:B:506:PRO:HD3	2.42	0.54
1:B:50:ARG:NH2	1:B:108:LYS:O	2.38	0.54
1:A:449:TYR:CE1	1:A:473:MET:HE1	2.40	0.54
1:A:111:ASP:OD1	1:A:112:GLN:N	2.41	0.54
3:B:1003:TTP:O2B	3:B:1003:TTP:O1A	2.24	0.54
1:B:180:THR:HG22	1:B:181:HIS:N	2.22	0.54
1:A:469:ILE:O	1:A:472:VAL:HG12	2.09	0.53
1:B:311:TYR:CD1	1:B:312:PRO:HA	2.43	0.53
1:B:1:MET:CB	1:B:350:ASP:OD2	2.57	0.53
1:B:229:LYS:HG3	1:B:243:LEU:CD2	2.39	0.53
1:A:516:VAL:HG23	1:A:524:GLU:HB3	1.90	0.52
1:B:257:LEU:HD22	1:B:262:GLY:HA3	1.92	0.52
1:B:376:ILE:HB	1:B:379:ILE:HD12	1.92	0.52
1:A:548:GLU:O	1:A:552:LYS:HG3	2.10	0.52
1:A:171:ARG:HG3	1:A:175:SER:OG	2.10	0.52
1:A:408:ASN:HB3	1:A:575:ILE:HG23	1.92	0.52
1:A:623:ARG:HD2	4:A:1013:HOH:O	2.10	0.52
1:A:214:ILE:HD12	1:A:318:SER:HA	1.91	0.52
1:A:138:PRO:HD3	1:A:329:ASP:HB3	1.91	0.51
1:B:486:LEU:O	1:B:593:ASN:HB2	2.10	0.51
1:A:349:VAL:HG21	1:A:415:PHE:HZ	1.75	0.51
1:A:128:LEU:HD13	1:B:179:GLY:HA2	1.92	0.51
1:A:529:VAL:HB	1:A:534:ARG:HD3	1.93	0.51
1:A:440:ASN:ND2	1:A:444:LEU:HD12	2.26	0.50
1:B:408:ASN:HB3	1:B:575:ILE:HG23	1.93	0.50
1:B:432:TYR:HB2	1:B:476:THR:HG22	1.93	0.50
1:A:152:GLU:HG2	1:A:376:ILE:HD13	1.93	0.50
1:B:549:LEU:HD13	1:B:555:LEU:HD23	1.93	0.50
1:A:320:ASN:ND2	1:A:325:ILE:H	2.10	0.50
1:A:522:THR:O	1:A:523:LYS:HB2	2.12	0.50
1:A:212:MET:HB2	1:A:321:PRO:HA	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:311:TYR:CD1	1:A:312:PRO:HA	2.48	0.49
1:B:537:LEU:HD13	1:B:565:ILE:HG21	1.94	0.49
1:B:320:ASN:ND2	1:B:325:ILE:H	2.10	0.49
1:B:492:GLY:HA3	3:B:1003:TTP:HM51	1.94	0.49
1:B:40:LYS:HB3	1:B:40:LYS:NZ	2.28	0.49
1:A:236:ALA:C	1:A:238:LEU:H	2.11	0.49
1:A:57:LEU:HD13	1:A:71:ILE:HD11	1.94	0.49
1:A:545:ILE:HB	1:A:558:ILE:HG21	1.95	0.48
1:B:141:ASP:HB2	1:B:169:GLU:O	2.13	0.48
1:B:214:ILE:HD12	1:B:318:SER:HA	1.95	0.48
1:B:1:MET:HB3	1:B:350:ASP:OD2	2.14	0.48
1:B:430:THR:HG22	1:B:434:LEU:HD22	1.95	0.48
1:A:190:PHE:CE1	1:B:200:VAL:CG1	2.97	0.47
1:B:320:ASN:HD21	1:B:325:ILE:H	1.61	0.47
1:B:134:CYS:O	1:B:332:ALA:HA	2.14	0.47
1:B:363:ARG:NH1	4:B:1142:HOH:O	2.47	0.47
1:B:32:LEU:H	1:B:32:LEU:HD12	1.80	0.47
1:A:190:PHE:CE1	1:B:200:VAL:HG11	2.49	0.47
1:B:408:ASN:HB2	1:B:579:ASP:OD2	2.14	0.47
1:B:187:PRO:HG3	1:B:219:HIS:CE1	2.50	0.47
1:A:72:LYS:HE2	1:A:110:ILE:O	2.15	0.46
1:A:538:ASN:HD22	1:A:540:GLU:H	1.64	0.46
1:A:66:GLU:O	1:A:69:ASP:HB2	2.17	0.45
1:A:127:HIS:CD2	1:A:127:HIS:H	2.33	0.45
1:A:561:VAL:HG13	1:A:566:LYS:HE2	1.98	0.45
1:B:539:PRO:HB2	1:B:540:GLU:H	1.55	0.45
1:B:54:THR:HG23	1:B:57:LEU:HD22	1.97	0.45
1:A:384:LYS:HD2	4:A:1068:HOH:O	2.15	0.45
1:B:324:GLU:OE2	3:B:1003:TTP:O3G	2.34	0.45
1:A:486:LEU:O	1:A:593:ASN:HB2	2.17	0.45
1:B:539:PRO:O	1:B:540:GLU:HB2	2.15	0.45
1:A:555:LEU:HA	1:A:558:ILE:HD12	1.99	0.45
1:A:50:ARG:NH2	1:A:108:LYS:O	2.44	0.45
1:A:251:LYS:HE3	1:A:618:LEU:HA	1.98	0.44
1:A:320:ASN:HD22	1:A:320:ASN:H	1.64	0.44
1:A:26:ARG:HH21	3:A:1004:TTP:H1'	1.83	0.44
1:B:250:ASP:HB3	1:B:253:GLU:HG3	1.98	0.44
1:B:1:MET:HB2	1:B:350:ASP:OD2	2.17	0.44
1:B:363:ARG:HH22	1:B:437:GLU:CD	2.21	0.44
1:A:172:PRO:HG3	1:A:220:PRO:HG2	2.00	0.44
1:A:42:GLU:HG3	1:A:83:LYS:HE2	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:PRO:O	1:B:191:MET:HG3	2.17	0.44
1:B:424:ALA:HA	1:B:486:LEU:HD11	1.98	0.44
1:A:11:ILE:CG1	1:A:83:LYS:HD3	2.47	0.44
1:B:90:ASN:HD22	1:B:90:ASN:C	2.21	0.43
1:A:387:ARG:O	1:A:482:ASN:HB3	2.18	0.43
1:B:198:ILE:HG13	1:B:211:LEU:HD21	1.99	0.43
1:B:578:MET:O	1:B:582:LEU:HG	2.17	0.43
1:B:146:ILE:O	1:B:150:VAL:HG23	2.17	0.43
1:A:514:ARG:HB3	1:A:514:ARG:HH11	1.84	0.43
1:B:14:GLU:O	1:B:15:PRO:C	2.57	0.43
1:A:122:TYR:O	1:A:125:ARG:HD3	2.19	0.43
1:A:375:PRO:C	1:A:376:ILE:HG13	2.39	0.43
1:B:320:ASN:H	1:B:320:ASN:ND2	2.14	0.42
1:A:457:PRO:HD3	1:A:473:MET:CE	2.49	0.42
1:A:558:ILE:HA	1:A:559:PRO:HD3	1.87	0.42
1:A:320:ASN:HD21	1:A:325:ILE:H	1.67	0.42
1:A:334:ASN:C	1:A:335:LEU:HD23	2.40	0.42
1:A:345:ASN:HD22	1:A:345:ASN:C	2.22	0.42
1:B:457:PRO:HD3	1:B:473:MET:CE	2.50	0.42
1:A:180:THR:HG22	1:A:182:GLY:CA	2.47	0.42
1:A:368:VAL:O	1:A:372:ASN:HB2	2.20	0.42
1:A:551:GLU:HG3	1:A:552:LYS:HG2	2.01	0.42
1:A:190:PHE:CD1	1:B:200:VAL:HG11	2.55	0.41
1:A:514:ARG:O	1:A:514:ARG:HG2	2.21	0.41
1:A:123:ARG:NH1	1:A:123:ARG:HG3	2.36	0.41
1:B:364:PHE:C	1:B:364:PHE:CD1	2.94	0.41
1:A:217:ILE:HG13	1:A:217:ILE:O	2.20	0.41
1:B:54:THR:O	1:B:57:LEU:HB2	2.21	0.41
1:A:393:ILE:HG12	1:A:488:ILE:HD12	2.02	0.41
1:A:292:LYS:O	1:A:632:SER:HB2	2.21	0.41
1:B:623:ARG:HD2	4:B:1066:HOH:O	2.19	0.41
1:A:458:PHE:HB2	1:A:589:ARG:O	2.21	0.41
1:B:172:PRO:HD2	1:B:271:SER:HB2	2.03	0.41
1:A:6:LEU:HA	1:A:9:ARG:HG3	2.03	0.41
1:A:330:TYR:O	1:A:379:ILE:HA	2.21	0.40
1:A:349:VAL:HG21	1:A:415:PHE:CZ	2.56	0.40
1:A:320:ASN:HB2	1:A:321:PRO:HD2	2.04	0.40
1:A:70:ARG:NH2	1:A:73:GLU:OE2	2.55	0.40
1:B:469:ILE:O	1:B:473:MET:HG2	2.21	0.40
1:A:171:ARG:HA	1:A:268:HIS:CE1	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1145:HOH:O	4:A:1147:HOH:O[2_355]	1.73	0.47

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	614/644 (95%)	578 (94%)	29 (5%)	7 (1%)	17	23
1	B	595/644 (92%)	570 (96%)	22 (4%)	3 (0%)	32	46
All	All	1209/1288 (94%)	1148 (95%)	51 (4%)	10 (1%)	22	33

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	237	VAL
1	A	520	ASP
1	A	523	LYS
1	B	66	GLU
1	B	538	ASN
1	A	521	GLY
1	A	522	THR
1	A	519	GLU
1	B	539	PRO
1	A	544	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	548/566 (97%)	512 (93%)	36 (7%)	19	30
1	B	531/566 (94%)	492 (93%)	39 (7%)	16	26
All	All	1079/1132 (95%)	1004 (93%)	75 (7%)	18	28

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	26	ARG
1	A	32	LEU
1	A	33	ASP
1	A	57	LEU
1	A	70	ARG
1	A	82	LEU
1	A	90	ASN
1	A	199	SER
1	A	203	GLN
1	A	230	LYS
1	A	237	VAL
1	A	243	LEU
1	A	257	LEU
1	A	275	LYS
1	A	282	LEU
1	A	284	ARG
1	A	345	ASN
1	A	434	LEU
1	A	442	PRO
1	A	444	LEU
1	A	450	ARG
1	A	458	PHE
1	A	474	LYS
1	A	504	LEU
1	A	514	ARG
1	A	516	VAL
1	A	518	LYS
1	A	520	ASP
1	A	538	ASN
1	A	542	LEU
1	A	545	ILE
1	A	546	GLU
1	A	551	GLU
1	A	561	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	565	ILE
1	B	1	MET
1	B	3	LEU
1	B	9	ARG
1	B	17	LYS
1	B	26	ARG
1	B	40	LYS
1	B	46	ARG
1	B	57	LEU
1	B	90	ASN
1	B	108	LYS
1	B	180	THR
1	B	202	LYS
1	B	237	VAL
1	B	238	LEU
1	B	243	LEU
1	B	244	SER
1	B	249	MET
1	B	254	ILE
1	B	257	LEU
1	B	275	LYS
1	B	281	GLU
1	B	282	LEU
1	B	295	ASP
1	B	313	HIS
1	B	345	ASN
1	B	359	GLN
1	B	434	LEU
1	B	442	PRO
1	B	444	LEU
1	B	504	LEU
1	B	512	TYR
1	B	536	LYS
1	B	538	ASN
1	B	540	GLU
1	B	542	LEU
1	B	547	LYS
1	B	596	SER
1	B	603	GLN
1	B	608	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	103	HIS
1	A	127	HIS
1	A	239	ASN
1	A	313	HIS
1	A	320	ASN
1	A	345	ASN
1	A	464	ASN
1	A	538	ASN
1	A	603	GLN
1	B	18	ASN
1	B	35	ASN
1	B	239	ASN
1	B	320	ASN
1	B	345	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TTP	A	1001	2	22,30,30	1.92	4 (18%)	25,47,47	2.06	7 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TTP	A	1004	-	22,30,30	1.94	3 (13%)	25,47,47	2.29	7 (28%)
3	TTP	B	1002	2	22,30,30	2.02	5 (22%)	25,47,47	1.90	5 (20%)
3	TTP	B	1003	-	22,30,30	2.02	4 (18%)	25,47,47	2.50	9 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TTP	A	1001	2	-	0/18/34/34	0/2/2/2
3	TTP	A	1004	-	-	0/18/34/34	0/2/2/2
3	TTP	B	1002	2	-	0/18/34/34	0/2/2/2
3	TTP	B	1003	-	-	0/18/34/34	0/2/2/2

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1003	TTP	C5M-C5	-6.03	1.39	1.51
3	A	1004	TTP	C5M-C5	-5.68	1.40	1.51
3	B	1002	TTP	C5M-C5	-5.31	1.41	1.51
3	A	1001	TTP	C5M-C5	-5.14	1.41	1.51
3	B	1003	TTP	PG-O2G	-2.02	1.46	1.54
3	B	1002	TTP	PG-O3B	2.27	1.63	1.60
3	A	1001	TTP	PG-O3B	2.35	1.63	1.60
3	B	1002	TTP	C2'-C1'	2.49	1.59	1.52
3	A	1001	TTP	PG-O3G	2.50	1.65	1.54
3	B	1002	TTP	PG-O3G	3.02	1.67	1.54
3	B	1003	TTP	PG-O3B	3.14	1.65	1.60
3	A	1004	TTP	PG-O3B	3.69	1.66	1.60
3	B	1002	TTP	O4-C4	4.49	1.35	1.24
3	A	1001	TTP	O4-C4	4.54	1.36	1.24
3	A	1004	TTP	O4-C4	4.75	1.36	1.24
3	B	1003	TTP	O4-C4	5.02	1.37	1.24

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1003	TTP	C5-C4-N3	-4.02	120.81	125.24
3	B	1003	TTP	C4'-O4'-C1'	-3.69	100.40	109.42
3	B	1003	TTP	C5-C6-N1	-3.59	118.26	122.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1003	TTP	O4'-C1'-C2'	-3.52	99.50	106.25
3	A	1004	TTP	C5-C4-N3	-3.49	121.39	125.24
3	A	1001	TTP	C5-C6-N1	-3.37	118.50	122.15
3	B	1002	TTP	C2'-C1'-N1	-3.18	106.72	114.23
3	A	1001	TTP	C5-C4-N3	-3.09	121.83	125.24
3	A	1004	TTP	O4'-C1'-C2'	-2.94	100.60	106.25
3	A	1004	TTP	C4'-O4'-C1'	-2.94	102.22	109.42
3	A	1001	TTP	O4'-C4'-C5'	-2.89	99.64	109.40
3	B	1002	TTP	C5-C4-N3	-2.88	122.06	125.24
3	B	1003	TTP	O5'-PA-O1A	-2.42	99.50	109.25
3	A	1001	TTP	C2'-C1'-N1	-2.40	108.57	114.23
3	A	1004	TTP	C5-C6-N1	-2.39	119.56	122.15
3	B	1002	TTP	C5-C6-N1	-2.37	119.58	122.15
3	B	1003	TTP	O2G-PG-O1G	2.05	118.51	110.50
3	A	1001	TTP	O4'-C1'-N1	2.11	111.33	107.78
3	A	1004	TTP	O2G-PG-O1G	2.47	120.17	110.50
3	B	1002	TTP	C5M-C5-C4	2.47	123.02	120.17
3	B	1003	TTP	O4'-C1'-N1	2.70	112.33	107.78
3	A	1001	TTP	O2G-PG-O1G	3.16	122.85	110.50
3	A	1004	TTP	O4'-C1'-N1	3.82	114.22	107.78
3	B	1003	TTP	C2'-C1'-N1	4.94	125.89	114.23
3	B	1003	TTP	C4-N3-C2	6.41	120.77	115.16
3	B	1002	TTP	C4-N3-C2	6.49	120.83	115.16
3	A	1001	TTP	C4-N3-C2	6.67	120.99	115.16
3	A	1004	TTP	C4-N3-C2	7.67	121.86	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1004	TTP	1	0
3	B	1003	TTP	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	622/644 (96%)	-0.32	25 (4%) 39 38	20, 32, 61, 90	0
1	B	603/644 (93%)	-0.36	9 (1%) 74 72	19, 32, 61, 79	0
All	All	1225/1288 (95%)	-0.34	34 (2%) 53 51	19, 32, 61, 90	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	522	THR	4.9
1	A	519	GLU	4.8
1	A	523	LYS	4.8
1	A	32	LEU	4.7
1	A	516	VAL	4.3
1	A	515	PHE	4.0
1	A	520	ASP	3.9
1	A	517	THR	3.5
1	B	559	PRO	3.5
1	A	524	GLU	3.5
1	A	34	GLY	3.2
1	A	203	GLN	3.1
1	A	231	GLU	3.0
1	B	547	LYS	3.0
1	B	179	GLY	3.0
1	A	521	GLY	2.9
1	A	560	ASP	2.9
1	A	236	ALA	2.9
1	A	525	PRO	2.7
1	B	237	VAL	2.5
1	A	346	ASN	2.5
1	B	32	LEU	2.4
1	B	555	LEU	2.4
1	A	35	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	181	HIS	2.4
1	A	33	ASP	2.4
1	B	560	ASP	2.3
1	A	65	ASN	2.3
1	B	313	HIS	2.2
1	A	518	LYS	2.2
1	A	230	LYS	2.1
1	A	64	LYS	2.1
1	A	633	LEU	2.1
1	A	510	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	TTP	B	1003	29/29	0.77	0.29	4.11	23,39,48,49	29
3	TTP	A	1004	29/29	0.82	0.25	4.08	11,28,40,41	29
3	TTP	B	1002	29/29	0.85	0.17	0.24	27,30,68,70	0
3	TTP	A	1001	29/29	0.95	0.11	-0.81	17,31,42,46	0
2	MG	B	1006	1/1	0.97	0.09	-	28,28,28,28	0
2	MG	A	1005	1/1	0.94	0.13	-	38,38,38,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.