



Full wwPDB X-ray Structure Validation Report i

Nov 22, 2017 – 11:12 AM EST

PDB ID : 5XMR
Title : Plasmodium vivax SHMT(C346A) bound with PLP-glycine and GS395
Authors : Chitnumsub, P.; Jaruwat, A.; Leartsakulpanich, U.; Schwertz, G.; Diederich, F.
Deposited on : unknown
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030345
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4993 (2.58-2.50)
Clashscore	112137	5755 (2.58-2.50)
Ramachandran outliers	110173	5652 (2.58-2.50)
Sidechain outliers	110143	5654 (2.58-2.50)
RSRZ outliers	101464	5026 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	8AO	C	502	-	-	-	X

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 10855 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine hydroxymethyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	442	3457	2186	600	655	16	0	0	0
1	B	442	3457	2186	600	655	16	0	0	0
1	C	442	3457	2186	600	655	16	0	0	0

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	364	ALA	CYS	engineered mutation	UNP A0A1G4H5I1
B	364	ALA	CYS	engineered mutation	UNP A0A1G4H5I1
C	364	ALA	CYS	engineered mutation	UNP A0A1G4H5I1

- Molecule 2 is N-GLYCINE-[3-HYDROXY-2-METHYL-5-PHOSPHONOXYMETHYL-PYRIDIN-4-YL-METHANE] (three-letter code: PLG) (formula: C₁₀H₁₅N₂O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C 20	N 10	O 2	P 7	1	0
2	B	1	Total	C 20	N 10	O 2	P 7	1	0
2	C	1	Total	C 20	N 10	O 2	P 7	1	0

- Molecule 3 is (4 {S})-6-azanyl-3-methyl-4-[3-[4-(phenylmethyl)sulfonylphenyl]-5-(trifluoromethyl)phenyl]-4-propan-2-yl-2 {H}-pyrano[2,3-c]pyrazole-5-carbonitrile (three-letter code: 8AO) (formula: C₃₁H₂₇F₃N₄O₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C 42	F 31	N 3	O 4	S 3	1	0
3	B	1	Total	C 42	F 31	N 3	O 4	S 3	1	0
3	C	1	Total	C 42	F 31	N 3	O 4	S 3	1	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total Cl 1 1		0	0
4	C	1	Total Cl 1 1		0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	89	Total O 89 89	0	0
5	B	101	Total O 101 101	0	0
5	C	106	Total O 106 106	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine hydroxymethyltransferase



- Molecule 1: Serine hydroxymethyltransferase



- Molecule 1: Serine hydroxymethyltransferase



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	101.42 Å 58.54 Å 234.91 Å 90.00° 90.08° 90.00°	Depositor
Resolution (Å)	30.00 – 2.55 29.36 – 2.55	Depositor EDS
% Data completeness (in resolution range)	92.6 (30.00-2.55) 92.4 (29.36-2.55)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	12.67 (at 2.54 Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R , R_{free}	0.209 , 0.283 0.208 , 0.275	Depositor DCC
R_{free} test set	4198 reflections (11.08%)	DCC
Wilson B-factor (Å ²)	31.9	Xtriage
Anisotropy	0.184	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 0.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.022 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.021 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.439 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.440 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.021 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10855	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PLG, CL, 8AO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/3520	0.70	0/4753
1	B	0.53	0/3520	0.70	0/4753
1	C	0.55	0/3520	0.73	1/4753 (0.0%)
All	All	0.53	0/10560	0.71	1/14259 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	240	ARG	NE-CZ-NH1	5.13	122.86	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3457	0	3477	18	0
1	B	3457	0	3477	29	0
1	C	3457	0	3477	25	0
2	A	20	0	11	2	0
2	B	20	0	11	1	0
2	C	20	0	11	2	0
3	A	42	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	42	0	0	0	0
3	C	42	0	0	1	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
5	A	89	0	0	0	0
5	B	101	0	0	3	0
5	C	106	0	0	2	0
All	All	10855	0	10464	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:167:ARG:NH1	1:C:200:GLU:OE1	2.31	0.64
1:A:184:SER:HB3	1:A:371:ARG:HD3	1.81	0.62
1:B:341:LYS:NZ	5:B:601:HOH:O	2.35	0.60
1:B:167:ARG:NH1	1:B:200:GLU:OE1	2.34	0.60
1:B:183:THR:HB	2:B:501:PLG:O3	2.02	0.58
1:C:183:THR:HB	2:C:501:PLG:O3	2.04	0.58
1:C:102:SER:HA	1:C:131:THR:HG21	1.87	0.56
1:A:91:GLU:HG3	1:A:252:LYS:HB2	1.88	0.56
1:B:102:SER:HA	1:B:131:THR:HG21	1.88	0.56
1:C:129:HIS:HA	1:C:183:THR:HG21	1.90	0.53
1:C:209:ILE:HD12	1:C:213:SER:HA	1.91	0.53
1:C:195:ARG:NH1	1:C:227:HIS:O	2.42	0.52
1:B:416:LYS:O	1:B:420:PRO:HD3	2.10	0.52
1:A:183:THR:HB	2:A:501:PLG:O3	2.11	0.51
3:C:502:8AO:C16	3:C:502:8AO:C8	2.90	0.50
1:A:53:LYS:HG2	1:A:70:ILE:HG13	1.93	0.49
1:B:263:SER:HA	1:B:266:PHE:O	2.13	0.49
1:C:349:ILE:HG13	1:C:351:VAL:HG23	1.95	0.48
1:B:113:VAL:CG1	1:B:177:VAL:HG23	2.43	0.48
1:A:177:VAL:HG22	1:A:204:TYR:HB2	1.95	0.47
1:C:374:THR:N	1:C:375:PRO:CD	2.77	0.47
1:B:109:LEU:HD21	1:B:179:ILE:HD11	1.94	0.47
1:A:374:THR:N	1:A:375:PRO:CD	2.78	0.47
1:B:374:THR:N	1:B:375:PRO:CD	2.78	0.47
1:C:177:VAL:HG22	1:C:204:TYR:HB2	1.95	0.47
1:C:9:GLN:NE2	5:C:603:HOH:O	2.46	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:SER:HA	1:A:131:THR:HG21	1.96	0.46
1:C:64:TYR:N	1:C:64:TYR:CD1	2.83	0.46
1:A:226:LEU:HB2	1:A:227:HIS:CD2	2.51	0.45
1:C:109:LEU:HD21	1:C:179:ILE:HD11	1.98	0.45
1:A:195:ARG:HB2	1:A:227:HIS:HB3	1.98	0.45
3:A:502:8AO:C16	3:A:502:8AO:C8	2.95	0.45
1:C:7:LEU:HA	1:C:10:ILE:HG22	1.99	0.45
1:B:129:HIS:HA	1:B:183:THR:HG21	1.99	0.44
1:B:55:SER:HB3	1:B:67:ASN:OD1	2.17	0.44
1:B:195:ARG:HB2	1:B:227:HIS:HB3	1.99	0.44
1:B:131:THR:O	1:B:144:THR:HG21	2.17	0.44
1:C:218:CYS:HB2	1:C:220:ILE:HD12	1.98	0.44
1:B:374:THR:N	1:B:375:PRO:HD3	2.32	0.44
1:B:7:LEU:HA	1:B:10:ILE:HG22	2.00	0.43
1:C:419:LEU:HB3	1:C:420:PRO:HD3	1.99	0.43
1:A:6:PRO:O	1:A:10:ILE:HG22	2.18	0.43
1:A:48:ASN:OD1	1:B:18:LEU:HD22	2.18	0.43
1:B:177:VAL:HG22	1:B:204:TYR:HB2	1.99	0.43
1:A:315:GLN:O	1:A:334:LYS:NZ	2.44	0.43
1:C:427:GLN:HE21	1:C:427:GLN:HA	1.84	0.42
1:C:341:LYS:NZ	5:C:607:HOH:O	2.51	0.42
1:B:266:PHE:CD1	1:B:267:PRO:HA	2.55	0.42
1:C:215:PHE:CB	1:C:221:LEU:HD12	2.49	0.42
1:B:53:LYS:HG2	1:B:70:ILE:HG13	2.00	0.42
1:C:174:LYS:HA	1:C:201:VAL:HG11	2.01	0.42
1:B:363:ASP:HB3	1:B:365:VAL:CG2	2.50	0.41
1:A:64:TYR:N	1:A:64:TYR:CD1	2.84	0.41
1:C:195:ARG:HB2	1:C:227:HIS:HB3	2.01	0.41
1:A:209:ILE:HG21	1:A:224:PRO:HG3	2.01	0.41
1:B:193:GLN:HG2	5:B:629:HOH:O	2.20	0.41
1:A:374:THR:N	1:A:375:PRO:HD3	2.35	0.41
1:B:411:LYS:HA	1:B:411:LYS:HD3	1.94	0.41
1:B:89:ASP:C	1:B:89:ASP:OD1	2.58	0.41
1:C:419:LEU:HD12	1:C:425:LEU:CD1	2.51	0.41
1:A:7:LEU:HA	1:A:10:ILE:HG22	2.02	0.41
1:B:353:LEU:HD12	1:B:353:LEU:C	2.41	0.41
1:C:422:ASN:HB3	1:C:425:LEU:HD12	2.03	0.41
1:B:234:THR:HB	1:B:236:HIS:CE1	2.56	0.41
1:B:253:ARG:HE	1:B:253:ARG:HB2	1.72	0.41
1:C:58:TYR:O	1:C:62:ARG:HD3	2.20	0.41
2:C:501:PLG:H4A1	2:C:501:PLG:H5A1	1.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:LEU:HD21	1:A:179:ILE:HD11	2.03	0.41
1:B:253:ARG:NH2	5:B:611:HOH:O	2.53	0.40
1:C:234:THR:HB	1:C:236:HIS:CE1	2.56	0.40
1:B:226:LEU:HB2	1:B:227:HIS:CD2	2.56	0.40
1:C:348:ALA:CB	1:C:419:LEU:HD11	2.51	0.40
1:B:404:LEU:CD1	1:B:419:LEU:HD12	2.51	0.40
1:A:237:LYS:CE	2:A:501:PLG:H4A2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	440/442 (100%)	430 (98%)	10 (2%)	0	100 100
1	B	440/442 (100%)	429 (98%)	11 (2%)	0	100 100
1	C	440/442 (100%)	433 (98%)	7 (2%)	0	100 100
All	All	1320/1326 (100%)	1292 (98%)	28 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	380/380 (100%)	356 (94%)	24 (6%)	21 36
1	B	380/380 (100%)	356 (94%)	24 (6%)	21 36
1	C	380/380 (100%)	348 (92%)	32 (8%)	13 23
All	All	1140/1140 (100%)	1060 (93%)	80 (7%)	18 31

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ILE
1	A	21	GLU
1	A	54	TYR
1	A	62	ARG
1	A	64	TYR
1	A	100	SER
1	A	136	ASP
1	A	138	LYS
1	A	140	LYS
1	A	183	THR
1	A	184	SER
1	A	196	GLN
1	A	240	ARG
1	A	250	ASN
1	A	252	LYS
1	A	254	ASN
1	A	263	SER
1	A	268	SER
1	A	327	LEU
1	A	340	SER
1	A	355	LYS
1	A	385	LYS
1	A	427	GLN
1	A	430	GLN
1	B	21	GLU
1	B	23	LYS
1	B	54	TYR
1	B	62	ARG
1	B	90	GLU
1	B	100	SER
1	B	151	LYS
1	B	183	THR
1	B	196	GLN
1	B	240	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	250	ASN
1	B	252	LYS
1	B	253	ARG
1	B	254	ASN
1	B	295	GLU
1	B	327	LEU
1	B	340	SER
1	B	352	SER
1	B	355	LYS
1	B	365	VAL
1	B	385	LYS
1	B	406	GLU
1	B	427	GLN
1	B	430	GLN
1	C	21	GLU
1	C	54	TYR
1	C	55	SER
1	C	62	ARG
1	C	64	TYR
1	C	79	LYS
1	C	90	GLU
1	C	100	SER
1	C	136	ASP
1	C	137	GLU
1	C	138	LYS
1	C	172	SER
1	C	183	THR
1	C	196	GLN
1	C	206	PHE
1	C	240	ARG
1	C	250	ASN
1	C	252	LYS
1	C	254	ASN
1	C	257	ILE
1	C	268	SER
1	C	327	LEU
1	C	334	LYS
1	C	340	SER
1	C	341	LYS
1	C	352	SER
1	C	355	LYS
1	C	377	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	384	GLU
1	C	385	LYS
1	C	411	LYS
1	C	427	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	227	HIS
1	B	227	HIS
1	C	9	GLN
1	C	227	HIS
1	C	427	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLG	A	501	-	17,20,20	3.19	3 (17%)	23,28,28	3.01	13 (56%)
3	8AO	A	502	-	41,46,46	3.03	5 (12%)	53,71,71	2.46	12 (22%)
2	PLG	B	501	-	17,20,20	3.14	3 (17%)	23,28,28	2.82	14 (60%)
3	8AO	B	502	-	41,46,46	2.90	5 (12%)	53,71,71	2.20	10 (18%)
2	PLG	C	501	-	17,20,20	3.00	3 (17%)	23,28,28	2.82	12 (52%)
3	8AO	C	502	-	41,46,46	2.94	6 (14%)	53,71,71	2.22	14 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLG	A	501	-	-	0/10/12/12	0/1/1/1
3	8AO	A	502	-	-	0/33/55/55	0/5/5/5
2	PLG	B	501	-	-	0/10/12/12	0/1/1/1
3	8AO	B	502	-	-	0/33/55/55	0/5/5/5
2	PLG	C	501	-	-	0/10/12/12	0/1/1/1
3	8AO	C	502	-	-	0/33/55/55	0/5/5/5

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	502	8AO	C8-C3	-11.08	1.27	1.42
3	A	502	8AO	C56-S44	-10.68	1.67	1.79
3	B	502	8AO	C8-C3	-10.28	1.28	1.42
3	A	502	8AO	C8-C3	-9.56	1.29	1.42
3	A	502	8AO	C41-S44	-9.03	1.60	1.76
3	C	502	8AO	C41-S44	-8.59	1.61	1.76
3	B	502	8AO	C56-S44	-8.55	1.70	1.79
3	B	502	8AO	C41-S44	-8.54	1.61	1.76
3	C	502	8AO	C56-S44	-8.08	1.70	1.79
3	A	502	8AO	N11-N54	2.09	1.41	1.37
3	B	502	8AO	N11-N54	2.13	1.41	1.37
3	C	502	8AO	C56-C57	2.19	1.54	1.50
3	C	502	8AO	C8-N9	2.40	1.18	1.14
2	A	501	PLG	C3-C4	3.30	1.45	1.40
2	C	501	PLG	C3-C4	3.61	1.45	1.40
2	B	501	PLG	C3-C4	3.73	1.46	1.40
2	C	501	PLG	C5-C4	6.49	1.49	1.40
2	B	501	PLG	C5-C4	6.82	1.50	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	PLG	C5-C4	7.11	1.50	1.40
3	C	502	8AO	O1-C2	7.69	1.46	1.36
3	A	502	8AO	O1-C2	7.92	1.46	1.36
3	B	502	8AO	O1-C2	8.16	1.47	1.36
2	C	501	PLG	C3-C2	9.38	1.47	1.40
2	B	501	PLG	C3-C2	9.75	1.47	1.40
2	A	501	PLG	C3-C2	10.02	1.47	1.40

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	8AO	O52-S44-O51	-8.10	108.21	118.42
3	C	502	8AO	O52-S44-O51	-5.73	111.19	118.42
3	A	502	8AO	O51-S44-C56	-5.67	101.30	108.39
3	B	502	8AO	O52-S44-O51	-5.43	111.58	118.42
3	A	502	8AO	C3-C2-N7	-5.01	122.54	127.58
3	B	502	8AO	C3-C2-N7	-4.66	122.89	127.58
3	C	502	8AO	C3-C2-N7	-4.49	123.06	127.58
3	B	502	8AO	O51-S44-C56	-4.00	103.39	108.39
3	A	502	8AO	F48-C33-C17	-3.75	104.14	112.95
3	C	502	8AO	C18-C19-C32	-3.69	114.63	120.88
3	B	502	8AO	C18-C19-C32	-3.59	114.79	120.88
2	C	501	PLG	C3-C4-C5	-3.41	115.34	118.71
2	A	501	PLG	C3-C4-C5	-3.22	115.53	118.71
3	C	502	8AO	O51-S44-C56	-3.14	104.46	108.39
2	B	501	PLG	OP2-P-OP4	-3.12	98.43	106.73
2	A	501	PLG	OP4-P-OP1	-3.04	97.96	106.47
2	B	501	PLG	C3-C4-C5	-2.86	115.89	118.71
3	C	502	8AO	F48-C33-C17	-2.66	106.69	112.95
2	C	501	PLG	OP4-P-OP1	-2.52	99.41	106.47
3	A	502	8AO	C56-C57-C58	-2.39	117.45	120.54
2	B	501	PLG	C2A-C2-C3	-2.31	118.21	120.96
2	A	501	PLG	C2A-C2-C3	-2.26	118.27	120.96
2	A	501	PLG	C5-C6-N1	-2.24	120.08	123.87
2	C	501	PLG	C2A-C2-C3	-2.19	118.35	120.96
2	B	501	PLG	C5-C6-N1	-2.00	120.48	123.87
2	A	501	PLG	C2A-C2-N1	2.01	121.90	117.89
3	B	502	8AO	C57-C56-S44	2.01	117.06	112.02
2	B	501	PLG	O3-C3-C2	2.11	122.19	117.78
2	B	501	PLG	OP3-P-OP2	2.12	116.18	107.61
2	A	501	PLG	OP3-P-OP1	2.14	118.86	110.50
2	C	501	PLG	O3-C3-C2	2.29	122.57	117.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	8AO	C56-C57-C62	2.37	123.59	120.54
2	C	501	PLG	C2A-C2-N1	2.37	122.64	117.89
3	C	502	8AO	C40-C41-S44	2.38	122.17	119.50
3	C	502	8AO	O51-S44-C41	2.43	110.98	108.39
2	A	501	PLG	C6-N1-C2	2.45	123.98	119.26
3	C	502	8AO	C57-C56-S44	2.49	118.28	112.02
2	C	501	PLG	C6-N1-C2	2.50	124.08	119.26
2	B	501	PLG	C2A-C2-N1	2.51	122.90	117.89
3	B	502	8AO	C20-C19-C32	2.51	125.14	120.88
3	C	502	8AO	C6-O1-C2	2.52	120.97	118.48
3	A	502	8AO	C8-C3-C2	2.54	121.08	117.82
2	C	501	PLG	C5A-C5-C6	2.62	123.83	119.33
2	C	501	PLG	CA-N-C4A	2.65	118.10	112.18
3	A	502	8AO	O52-S44-C41	2.69	111.26	108.39
2	B	501	PLG	C6-N1-C2	2.71	124.49	119.26
2	A	501	PLG	CA-N-C4A	2.72	118.24	112.18
3	B	502	8AO	C5-C4-C3	2.73	110.62	104.33
2	B	501	PLG	C4-C4A-N	2.81	116.78	111.91
3	C	502	8AO	C8-C3-C2	2.91	121.55	117.82
2	A	501	PLG	O3-C3-C2	2.97	124.00	117.78
2	B	501	PLG	CA-N-C4A	2.99	118.84	112.18
3	A	502	8AO	C5-C4-C3	3.01	111.28	104.33
3	B	502	8AO	C40-C41-S44	3.04	122.91	119.50
2	C	501	PLG	C6-C5-C4	3.06	120.41	118.13
3	C	502	8AO	C20-C19-C32	3.08	126.11	120.88
3	C	502	8AO	C5-C4-C3	3.14	111.57	104.33
2	B	501	PLG	C6-C5-C4	3.29	120.58	118.13
2	C	501	PLG	C4-C4A-N	3.69	118.31	111.91
3	A	502	8AO	O52-S44-C56	3.82	113.16	108.39
2	A	501	PLG	C5A-C5-C6	3.83	125.92	119.33
2	B	501	PLG	C5A-C5-C6	4.14	126.45	119.33
2	A	501	PLG	C6-C5-C4	4.34	121.36	118.13
2	B	501	PLG	C4A-C4-C5	5.97	125.22	119.75
3	B	502	8AO	O1-C2-N7	6.04	114.77	110.21
2	C	501	PLG	OP4-C5A-C5	6.36	122.12	109.32
3	A	502	8AO	O1-C2-N7	6.61	115.21	110.21
2	B	501	PLG	OP4-C5A-C5	6.76	122.92	109.32
3	C	502	8AO	O1-C2-N7	6.90	115.43	110.21
3	C	502	8AO	C56-S44-C41	6.94	112.53	103.97
2	A	501	PLG	C4A-C4-C5	6.95	126.11	119.75
2	C	501	PLG	C4A-C4-C5	7.30	126.43	119.75
3	A	502	8AO	C56-S44-C41	7.62	113.38	103.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	A	501	PLG	OP4-C5A-C5	7.69	124.79	109.32
3	B	502	8AO	C56-S44-C41	8.91	114.96	103.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	PLG	2	0
3	A	502	8AO	1	0
2	B	501	PLG	1	0
2	C	501	PLG	2	0
3	C	502	8AO	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	442/442 (100%)	0.04	9 (2%) 65 68	17, 32, 59, 82	0
1	B	442/442 (100%)	-0.03	1 (0%) 94 95	15, 31, 54, 86	0
1	C	442/442 (100%)	-0.05	2 (0%) 90 91	16, 30, 56, 83	0
All	All	1326/1326 (100%)	-0.01	12 (0%) 84 86	15, 31, 57, 86	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	419	LEU	4.3
1	A	365	VAL	3.5
1	C	413	VAL	3.4
1	A	40	GLY	2.6
1	A	413	VAL	2.4
1	A	18	LEU	2.3
1	A	7	LEU	2.3
1	B	426	GLN	2.3
1	A	169	MET	2.2
1	C	363	ASP	2.1
1	A	138	LYS	2.1
1	A	339	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	8AO	C	502	42/42	0.90	0.25	2.32	35,41,71,73	0
3	8AO	A	502	42/42	0.89	0.24	1.34	35,42,80,82	0
3	8AO	B	502	42/42	0.89	0.20	1.07	35,41,73,74	0
2	PLG	B	501	20/20	0.96	0.13	-0.24	17,22,27,28	0
2	PLG	C	501	20/20	0.96	0.12	-0.44	18,21,24,25	0
2	PLG	A	501	20/20	0.96	0.12	-0.72	20,23,25,25	0
4	CL	A	503	1/1	0.95	0.08	-1.99	30,30,30,30	0
4	CL	C	503	1/1	0.86	0.11	-	35,35,35,35	1

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.