



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2017 – 04:28 PM EDT

PDB ID : 5XP3
Title : Crystal structure of apo T2R-TTL
Authors : Wang, Y.; Yang, J.; Wang, T.; Chen, L.
Deposited on : unknown
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4130 (2.30-2.30)
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	<div> <div>3%</div> <div>90%</div> <div>6%</div> <div>••</div> </div>
1	C	451	<div> <div>92%</div> <div>5%</div> <div>•</div> </div>
2	B	445	<div> <div>3%</div> <div>89%</div> <div>6%</div> <div>•</div> </div>
2	D	445	<div> <div>8%</div> <div>87%</div> <div>7%</div> <div>5%</div> </div>
3	E	143	<div> <div>7%</div> <div>77%</div> <div>7%</div> <div>•</div> <div>15%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	 A horizontal bar chart showing the quality of chain F. The bar is divided into four segments: a red segment at the beginning labeled '13%', a large green segment labeled '79%', a yellow segment labeled '8%', and a grey segment at the end labeled '13%'. The segments are separated by thin white lines.

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 17758 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	437	Total	C	N	O	S	0	0	0
			3416	2163	581	650	22			
1	C	440	Total	C	N	O	S	0	0	0
			3437	2175	584	656	22			

- Molecule 2 is a protein called Tubulin beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	428	Total	C	N	O	S	0	0	0
			3369	2115	577	650	27			
2	D	421	Total	C	N	O	S	0	0	0
			3309	2080	562	640	27			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	440	GLY	GLU	conflict	UNP F2Z5B2
B	441	GLU	GLY	conflict	UNP F2Z5B2
D	440	GLY	GLU	conflict	UNP F2Z5B2
D	441	GLU	GLY	conflict	UNP F2Z5B2

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	121	Total	C	N	O	S	0	0	0
			1000	617	181	197	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	expression tag	UNP P63043
E	4	ALA	-	expression tag	UNP P63043


- Molecule 4 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	334	Total	C	N	O	S	0	0	0
			2744	1761	470	499	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	D	1	Total	C	N	O	P	0	0
			32	10	5	14	3		


- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total Mg 1 1	0	0
6	A	1	Total Mg 1 1	0	0
6	D	1	Total Mg 1 1	0	0
6	C	1	Total Mg 1 1	0	0

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	C	1	Total Ca 1 1	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 6 3 3	0	0

- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: $\text{C}_6\text{H}_{13}\text{NO}_4\text{S}$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 11 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	F	1	Total	C	N	O	P	0	0
			31	11	5	12	3		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	62	Total	O	0	0
			62	62		
12	B	69	Total	O	0	0
			69	69		
12	C	131	Total	O	0	0
			131	131		
12	D	19	Total	O	0	0
			19	19		
12	E	10	Total	O	0	0
			10	10		
12	F	13	Total	O	0	0
			13	13		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta chain





- Molecule 2: Tubulin beta chain







● Molecule 3: Stathmin-4



● Molecule 4: Uncharacterized protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.17Å 157.96Å 181.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 39.33 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.6 (50.00-2.30) 99.6 (39.33-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.31Å)	Xtriage
Refinement program	REFMAC 5.8.0107	Depositor
R, R_{free}	0.189 , 0.240 0.189 , 0.239	Depositor DCC
R_{free} test set	6607 reflections (5.23%)	DCC
Wilson B-factor (Å ²)	49.4	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 35.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17758	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, GOL, MG, CA, GTP, ACP, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.61	0/3494	0.73	0/4743
1	C	0.67	0/3515	0.79	2/4772 (0.0%)
2	B	0.63	0/3444	0.74	0/4664
2	D	0.55	0/3382	0.70	0/4581
3	E	0.59	0/1008	0.76	0/1337
4	F	0.55	0/2806	0.73	1/3791 (0.0%)
All	All	0.61	0/17649	0.74	3/23888 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	302	MET	CB-CG-SD	-5.76	95.13	112.40
4	F	307	LEU	CA-CB-CG	5.48	127.91	115.30
1	C	381	THR	CB-CA-C	-5.20	97.56	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3416	0	3331	14	0
1	C	3437	0	3348	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	3369	0	3250	13	0
2	D	3309	0	3189	12	0
3	E	1000	0	1018	3	0
4	F	2744	0	2709	9	0
5	A	32	0	12	0	0
5	C	32	0	12	0	0
5	D	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	A	1	0	0	0	0
7	C	1	0	0	0	0
8	A	6	0	8	0	0
9	B	28	0	12	0	0
10	B	12	0	13	4	0
11	F	31	0	14	0	0
12	A	62	0	0	0	0
12	B	69	0	0	0	0
12	C	131	0	0	1	0
12	D	19	0	0	0	0
12	E	10	0	0	0	0
12	F	13	0	0	0	0
All	All	17758	0	16928	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:71:GLU:HB2	1:C:98:ASP:HB3	1.66	0.75
2:B:197:ASP:OD1	10:B:503:MES:H32	1.92	0.69
4:F:209:HIS:HB2	4:F:310:GLN:HG3	1.74	0.68
1:C:381:THR:HG23	12:C:618:HOH:O	1.95	0.66
1:C:381:THR:HG22	1:C:383:ALA:H	1.62	0.65
2:B:197:ASP:OD2	10:B:503:MES:H52	1.97	0.64
1:C:204:VAL:HG22	1:C:302:MET:CE	2.28	0.63
2:D:156:ARG:HG2	3:E:123:LEU:HD11	1.81	0.63
2:B:165:ASN:HB2	2:B:198:GLU:HG3	1.80	0.62
4:F:40:MET:HE1	4:F:47:LEU:HG	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ILE:HG22	1:A:265:ILE:O	2.04	0.58
1:C:248:LEU:HD12	1:C:357:TYR:OH	2.03	0.58
2:D:31:ASP:HB2	2:D:35:SER:H	1.68	0.58
2:B:131:GLN:HE22	2:B:250:LEU:H	1.53	0.57
2:B:131:GLN:NE2	2:B:250:LEU:H	2.03	0.55
4:F:149:ALA:O	4:F:180:HIS:CD2	2.60	0.55
4:F:197:ARG:NH1	4:F:257:GLU:OE1	2.41	0.54
2:D:73:MET:HG3	2:D:92:PHE:HB3	1.91	0.53
2:B:156:ARG:HG3	10:B:503:MES:H62	1.90	0.53
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.26	0.52
2:B:104:GLY:O	2:B:109:GLY:HA3	2.10	0.52
1:A:234:ILE:HD13	1:A:302:MET:SD	2.49	0.52
1:C:204:VAL:HG22	1:C:302:MET:HE2	1.91	0.52
2:B:156:ARG:CZ	10:B:503:MES:H21	2.40	0.51
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.29	0.51
4:F:137:ARG:HA	4:F:140:GLU:HG3	1.94	0.50
4:F:320:MET:HB2	4:F:330:ILE:HD11	1.94	0.50
1:C:165:SER:HA	1:C:199:ASP:OD2	2.13	0.49
2:B:56:GLY:N	2:B:57:ASN:HA	2.27	0.49
2:D:2:ARG:HB3	2:D:131:GLN:HG2	1.95	0.49
2:D:104:GLY:O	2:D:109:GLY:HA3	2.14	0.48
1:A:199:ASP:HB3	1:A:256:GLN:HG2	1.97	0.47
1:A:71:GLU:HB2	1:A:98:ASP:HB3	1.96	0.47
1:A:147:SER:HB2	1:A:190:THR:HB	1.97	0.47
1:A:357:TYR:CE2	3:E:17:GLY:HA2	2.51	0.46
2:D:134:GLN:HA	2:D:165:ASN:O	2.16	0.46
1:A:3:GLU:HG2	1:A:64:ARG:CZ	2.46	0.46
2:D:108:GLU:HG2	2:D:108:GLU:H	1.58	0.46
1:A:119:LEU:HD11	1:A:156:ARG:HB3	1.98	0.45
1:A:210:TYR:CE2	1:A:214:ARG:HD2	2.51	0.45
2:B:131:GLN:NE2	2:B:249:ASP:HB2	2.32	0.45
4:F:169:LEU:HD13	4:F:182:ILE:HD11	1.98	0.45
1:A:141:PHE:O	1:A:147:SER:HB3	2.17	0.45
1:A:270:ALA:HB3	1:A:302:MET:HG2	2.00	0.44
1:C:174:ALA:O	1:C:178:SER:HB3	2.18	0.44
2:D:70:PRO:HD3	2:D:94:GLN:HA	2.00	0.44
4:F:26:GLN:HE22	4:F:362:ALA:H	1.66	0.44
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.53	0.43
2:B:169:VAL:HA	2:B:202:ILE:O	2.18	0.43
1:C:401:LYS:HG3	2:D:344:TRP:CE3	2.54	0.43
2:D:219:THR:HA	2:D:220:PRO:HD3	1.80	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:159:TYR:HB3	2:D:162:ARG:HG3	2.01	0.42
2:B:163:ILE:HG21	2:B:250:LEU:HB3	2.02	0.41
1:C:140:SER:HA	1:C:171:ILE:HB	2.02	0.41
1:A:311:LYS:HD3	1:A:344:VAL:HG12	2.02	0.41
1:A:62:VAL:HA	1:A:63:PRO:HD3	1.97	0.41
4:F:7:ARG:HD3	4:F:40:MET:HE2	2.03	0.41
1:C:285:GLN:HG3	1:C:285:GLN:H	1.75	0.40
3:E:27:PRO:HB2	3:E:28:SER:H	1.72	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	435/451 (96%)	427 (98%)	8 (2%)	0	100	100
1	C	438/451 (97%)	430 (98%)	8 (2%)	0	100	100
2	B	426/445 (96%)	413 (97%)	12 (3%)	1 (0%)	51	63
2	D	417/445 (94%)	402 (96%)	15 (4%)	0	100	100
3	E	117/143 (82%)	115 (98%)	1 (1%)	1 (1%)	20	23
4	F	324/384 (84%)	307 (95%)	14 (4%)	3 (1%)	20	23
All	All	2157/2319 (93%)	2094 (97%)	58 (3%)	5 (0%)	51	63

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	27	PRO
4	F	32	LYS
4	F	144	GLY
4	F	102	PRO
2	B	56	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/379 (97%)	358 (97%)	10 (3%)	50	67
1	C	371/379 (98%)	363 (98%)	8 (2%)	57	74
2	B	370/383 (97%)	355 (96%)	15 (4%)	35	48
2	D	364/383 (95%)	351 (96%)	13 (4%)	40	55
3	E	109/127 (86%)	102 (94%)	7 (6%)	20	27
4	F	301/342 (88%)	289 (96%)	12 (4%)	36	50
All	All	1883/1993 (94%)	1818 (96%)	65 (4%)	41	56

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	VAL
1	A	71	GLU
1	A	73	THR
1	A	164	LYS
1	A	176	GLN
1	A	188	ILE
1	A	221	ARG
1	A	262	TYR
1	A	302	MET
1	A	437	VAL
2	B	2	ARG
2	B	33	THR
2	B	39	ASP
2	B	55	THR
2	B	75	SER
2	B	115	SER
2	B	137	HIS
2	B	165	ASN
2	B	215	LEU
2	B	218	THR
2	B	240	LEU
2	B	320	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	336	LYS
2	B	350	LYS
2	B	382	SER
1	C	2	ARG
1	C	133	GLN
1	C	164	LYS
1	C	218	ASP
1	C	251	ASP
1	C	340	SER
1	C	347	CYS
1	C	368	LEU
2	D	55	THR
2	D	108	GLU
2	D	122	LYS
2	D	130	LEU
2	D	137	HIS
2	D	177	ASP
2	D	179	VAL
2	D	180	VAL
2	D	188	SER
2	D	219	THR
2	D	259	PRO
2	D	386	THR
2	D	404	ASP
3	E	52	LYS
3	E	53	LYS
3	E	75	LYS
3	E	77	GLU
3	E	124	GLN
3	E	135	LYS
3	E	141	GLU
4	F	33	ASP
4	F	89	GLU
4	F	130	VAL
4	F	162	ILE
4	F	236	LYS
4	F	238	CYS
4	F	239	HIS
4	F	247	LYS
4	F	252	ASN
4	F	310	GLN
4	F	326	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	F	331	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	329	ASN
2	B	57	ASN
2	B	131	GLN
2	B	375	GLN
1	C	101	ASN
1	C	356	ASN
2	D	165	ASN
3	E	18	GLN
3	E	92	ASN
4	F	26	GLN
4	F	180	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 6 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GTP	A	501	6	27,34,34	1.24	4 (14%)	27,54,54	2.20	9 (33%)
8	GOL	A	504	-	5,5,5	0.32	0	5,5,5	0.34	0
9	GDP	B	501	6	25,30,30	1.22	3 (12%)	26,47,47	2.31	6 (23%)
10	MES	B	503	-	12,12,12	2.02	2 (16%)	14,16,16	8.29	7 (50%)
5	GTP	C	501	6	27,34,34	1.23	3 (11%)	27,54,54	2.24	8 (29%)
5	GTP	D	501	6	27,34,34	1.36	3 (11%)	27,54,54	2.04	7 (25%)
11	ACP	F	401	-	27,33,33	1.62	6 (22%)	30,52,52	1.71	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GTP	A	501	6	-	0/18/38/38	0/3/3/3
8	GOL	A	504	-	-	0/4/4/4	0/0/0/0
9	GDP	B	501	6	-	0/12/32/32	0/3/3/3
10	MES	B	503	-	-	0/6/14/14	0/1/1/1
5	GTP	C	501	6	-	0/18/38/38	0/3/3/3
5	GTP	D	501	6	-	0/18/38/38	0/3/3/3
11	ACP	F	401	-	-	0/15/38/38	0/3/3/3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	503	MES	C8-S	-6.01	1.68	1.77
9	B	501	GDP	C2'-C1'	-2.19	1.50	1.53
11	F	401	ACP	PB-O2B	2.16	1.61	1.56
11	F	401	ACP	C2-N3	2.18	1.35	1.32
5	C	501	GTP	C5-C4	2.27	1.45	1.40
5	A	501	GTP	PG-O3B	2.31	1.63	1.60
5	C	501	GTP	O4'-C1'	2.38	1.44	1.41
10	B	503	MES	O2S-S	2.41	1.52	1.45
5	A	501	GTP	O4'-C1'	2.42	1.44	1.41
5	A	501	GTP	C5-C4	2.57	1.46	1.40
11	F	401	ACP	PG-O2G	2.61	1.61	1.54
9	B	501	GDP	C5-C4	2.78	1.46	1.40
11	F	401	ACP	PG-O3G	2.86	1.61	1.54
5	D	501	GTP	C5-C4	3.14	1.47	1.40
5	D	501	GTP	PG-O3B	3.34	1.65	1.60
9	B	501	GDP	C6-C5	3.43	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	F	401	ACP	C5-C4	3.56	1.48	1.40
5	A	501	GTP	C6-C5	3.69	1.48	1.41
5	D	501	GTP	C6-C5	3.80	1.48	1.41
5	C	501	GTP	C6-C5	3.82	1.48	1.41
11	F	401	ACP	PB-O3A	4.03	1.62	1.58

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	503	MES	O3S-S-C8	-17.11	85.01	106.06
10	B	503	MES	O3S-S-O2S	-12.36	83.05	111.37
10	B	503	MES	O3S-S-O1S	-10.63	87.00	111.37
11	F	401	ACP	N3-C2-N1	-6.44	123.25	128.86
9	B	501	GDP	C6-C5-C4	-5.55	115.33	120.84
5	C	501	GTP	C5-C6-N1	-4.71	116.78	123.48
5	A	501	GTP	C5-C6-N1	-4.20	117.50	123.48
9	B	501	GDP	N3-C2-N1	-4.18	121.35	127.46
5	A	501	GTP	C6-C5-C4	-4.07	116.80	120.84
5	C	501	GTP	N3-C2-N1	-3.90	121.77	127.46
5	C	501	GTP	C6-C5-C4	-3.80	117.07	120.84
5	D	501	GTP	C5-C6-N1	-3.78	118.10	123.48
5	D	501	GTP	C6-C5-C4	-3.59	117.27	120.84
9	B	501	GDP	C5-C6-N1	-3.53	118.45	123.48
5	A	501	GTP	N3-C2-N1	-3.33	122.60	127.46
5	D	501	GTP	N3-C2-N1	-3.28	122.67	127.46
9	B	501	GDP	C1'-N9-C4	-3.27	120.98	126.64
5	A	501	GTP	C4-C5-N7	-3.04	106.47	109.41
5	D	501	GTP	C4-C5-N7	-3.00	106.51	109.41
5	C	501	GTP	C4-C5-N7	-2.84	106.67	109.41
11	F	401	ACP	C4-C5-N7	-2.29	107.20	109.41
5	C	501	GTP	C1'-N9-C4	-2.09	123.02	126.64
5	A	501	GTP	O2A-PA-O1A	2.03	122.76	112.28
5	A	501	GTP	O3G-PG-O1G	2.05	118.50	110.50
5	A	501	GTP	N2-C2-N1	2.10	120.59	117.24
10	B	503	MES	C5-N4-C3	2.40	114.31	108.87
5	C	501	GTP	O3G-PG-O1G	2.49	120.23	110.50
5	D	501	GTP	C4'-O4'-C1'	2.73	112.68	109.77
10	B	503	MES	C6-O1-C2	2.97	119.92	109.89
11	F	401	ACP	C4'-O4'-C1'	3.13	113.10	109.77
5	D	501	GTP	C6-N1-C2	3.96	121.75	116.06
5	C	501	GTP	C2-N3-C4	4.38	120.27	115.16
9	B	501	GDP	C2-N3-C4	4.46	120.36	115.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	501	GTP	C6-N1-C2	4.49	122.52	116.06
9	B	501	GDP	C6-N1-C2	5.19	123.53	116.06
5	D	501	GTP	C2-N3-C4	5.25	121.29	115.16
5	A	501	GTP	C2-N3-C4	5.31	121.36	115.16
5	C	501	GTP	C6-N1-C2	5.55	124.04	116.06
10	B	503	MES	O1S-S-C8	12.26	117.33	106.79
10	B	503	MES	O2S-S-C8	15.25	119.89	106.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	B	503	MES	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	437/451 (96%)	-0.02	13 (2%) 51 58	36, 51, 78, 98	0
1	C	440/451 (97%)	-0.29	2 (0%) 90 93	30, 42, 67, 92	0
2	B	428/445 (96%)	0.04	15 (3%) 44 51	32, 50, 83, 129	0
2	D	421/445 (94%)	0.30	37 (8%) 11 15	38, 62, 99, 119	0
3	E	121/143 (84%)	0.22	10 (8%) 12 16	37, 64, 96, 131	0
4	F	334/384 (86%)	0.51	50 (14%) 3 4	40, 71, 134, 151	0
All	All	2181/2319 (94%)	0.09	127 (5%) 24 30	30, 54, 100, 151	0

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	176	GLN	6.7
4	F	133	ALA	6.4
4	F	169	LEU	6.1
4	F	172	PHE	5.9
4	F	102	PRO	5.7
4	F	173	ILE	5.3
4	F	132	LEU	5.3
4	F	179	VAL	5.2
2	D	1	MET	5.1
4	F	182	ILE	5.0
4	F	101	TYR	4.9
4	F	177	GLY	4.8
4	F	134	ALA	4.8
4	F	137	ARG	4.7
2	B	277	GLY	4.7
4	F	234	GLN	4.6
4	F	130	VAL	4.6
4	F	135	TYR	4.5
4	F	136	ASN	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	139	LEU	4.4
4	F	170	LEU	4.1
2	B	279	GLN	4.1
4	F	100	ILE	4.1
4	F	103	THR	4.0
4	F	131	PHE	4.0
4	F	174	ASP	3.9
4	F	231	ALA	3.8
2	B	282	ARG	3.8
4	F	142	ARG	3.7
4	F	175	GLU	3.7
4	F	140	GLU	3.7
4	F	143	GLU	3.7
2	D	390	ARG	3.7
2	D	55	THR	3.6
4	F	232	ASN	3.6
4	F	178	GLN	3.5
4	F	233	PHE	3.5
4	F	256	TYR	3.4
4	F	171	ASP	3.3
2	D	57	ASN	3.2
4	F	372	THR	3.2
2	D	167	PHE	3.2
2	D	168	SER	3.2
2	D	216	LYS	3.1
4	F	138	ARG	3.1
4	F	167	SER	3.1
2	B	57	ASN	3.1
1	A	281	ALA	3.1
2	D	37	HIS	3.1
3	E	141	GLU	3.0
4	F	361	LEU	3.0
2	D	135	LEU	3.0
3	E	26	PRO	2.9
1	A	282	TYR	2.9
1	A	242	LEU	2.8
3	E	24	LEU	2.8
2	D	54	ALA	2.8
2	D	94	GLN	2.8
2	D	92	PHE	2.8
4	F	235	ASP	2.7
1	A	239	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	7	GLU	2.7
3	E	25	LYS	2.7
2	B	55	THR	2.6
2	D	218	THR	2.6
2	D	217	LEU	2.6
2	B	280	GLN	2.6
2	D	219	THR	2.6
2	B	276	ARG	2.5
3	E	28	SER	2.5
2	D	73	MET	2.5
2	D	212	PHE	2.5
4	F	162	ILE	2.5
2	D	166	THR	2.5
2	D	137	HIS	2.4
2	D	139	LEU	2.4
2	D	396	HIS	2.4
2	D	405	GLU	2.4
2	B	165	ASN	2.4
2	B	166	THR	2.4
1	A	235	VAL	2.4
4	F	99	VAL	2.4
4	F	168	GLU	2.4
2	D	165	ASN	2.4
1	A	238	ILE	2.3
2	B	56	GLY	2.3
2	D	199	THR	2.3
4	F	255	ARG	2.3
1	C	340	SER	2.3
2	D	177	ASP	2.3
2	D	404	ASP	2.3
1	A	201	ALA	2.3
2	D	134	GLN	2.3
3	E	27	PRO	2.2
2	B	200	TYR	2.2
2	D	406	MET	2.2
4	F	165	GLU	2.2
2	D	394	PHE	2.2
2	B	199	THR	2.2
2	D	200	TYR	2.2
2	B	167	PHE	2.2
1	A	364	PRO	2.2
1	C	202	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	129	GLU	2.2
4	F	126	ASP	2.2
2	D	71	GLY	2.2
2	D	56	GLY	2.1
2	D	391	ARG	2.1
3	E	135	LYS	2.1
2	D	192	LEU	2.1
4	F	145	ASN	2.1
1	A	171	ILE	2.1
4	F	164	SER	2.1
4	F	244	CYS	2.1
2	D	136	THR	2.1
3	E	23	ILE	2.1
4	F	253	TYR	2.1
2	D	7	ILE	2.0
2	D	233	MET	2.0
2	B	218	THR	2.0
1	A	240	ALA	2.0
1	A	236	SER	2.0
1	A	169	PHE	2.0
2	B	266	PHE	2.0
4	F	139	ARG	2.0
4	F	380	HIS	2.0
1	A	234	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	GTP	C	501	32/32	0.99	0.14	0.15	31,33,38,38	0
9	GDP	B	501	28/28	0.99	0.14	-0.02	30,36,40,44	0
5	GTP	A	501	32/32	0.99	0.12	-0.35	34,38,43,45	0
10	MES	B	503	12/12	0.96	0.12	-0.46	61,71,77,79	0
8	GOL	A	504	6/6	0.98	0.10	-0.50	53,61,64,68	0
11	ACP	F	401	31/31	0.92	0.13	-0.90	71,93,117,124	0
5	GTP	D	501	32/32	0.97	0.11	-0.90	48,58,77,87	0
7	CA	A	503	1/1	0.98	0.09	-1.10	66,66,66,66	0
7	CA	C	503	1/1	0.99	0.03	-2.66	49,49,49,49	0
6	MG	A	502	1/1	0.99	0.11	-	42,42,42,42	0
6	MG	B	502	1/1	1.00	0.16	-	37,37,37,37	0
6	MG	D	502	1/1	0.95	0.13	-	69,69,69,69	0
6	MG	C	502	1/1	0.97	0.13	-	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.