



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 8, 2017 – 11:52 PM EST

PDB ID : 5XPR
Title : Human endothelin receptor type-B in complex with antagonist bosentan
Authors : Shihoya, W.; Nishizawa, T.; Yamashita, K.; Hirata, K.; Okuta, A.; Tani, K.;
Fujiyoshi, Y.; Doi, T.; Nureki, O.
Deposited on : unknown
Resolution : 3.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1026 (3.74-3.46)
Clashscore	112137	1036 (3.70-3.50)
Ramachandran outliers	110173	1030 (3.72-3.48)
Sidechain outliers	110143	1030 (3.72-3.48)
RSRZ outliers	101464	1051 (3.74-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	464	<div> <div>2%</div> <div>62%</div> <div>27%</div> <div>11%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	1202	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3229 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Endothelin B receptor,Endolysin,Endothelin B receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	411	Total	C	N	O	S	0	0	0
			3170	2078	518	551	23			

There are 37 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	63	GLY	-	expression tag	UNP P24530
A	64	GLY	-	expression tag	UNP P24530
A	65	GLY	-	expression tag	UNP P24530
A	124	TYR	ARG	engineered mutation	UNP P24530
A	270	ALA	LYS	engineered mutation	UNP P24530
A	1002	ASN	-	linker	UNP P24530
A	1003	ILE	-	linker	UNP P24530
A	1004	PHE	-	linker	UNP P24530
A	1005	GLU	-	linker	UNP P24530
A	1006	MET	-	linker	UNP P24530
A	1007	LEU	-	linker	UNP P24530
A	1008	ARG	-	linker	UNP P24530
A	1009	ILE	-	linker	UNP P24530
A	1010	ASP	-	linker	UNP P24530
A	1011	GLU	-	linker	UNP P24530
A	1012	GLY	-	linker	UNP P24530
A	1013	GLY	-	linker	UNP P24530
A	1014	GLY	-	linker	UNP P24530
A	1015	SER	-	linker	UNP P24530
A	1016	GLY	-	linker	UNP P24530
A	1017	GLY	-	linker	UNP P24530
A	1054	ALA	CYS	engineered mutation	UNP P00720
A	1094	ARG	ILE	engineered mutation	UNP P00720
A	342	ALA	SER	engineered mutation	UNP P24530
A	381	ALA	ILE	engineered mutation	UNP P24530
A	396	ALA	CYS	engineered mutation	UNP P24530
A	400	ALA	CYS	engineered mutation	UNP P24530

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	405	ALA	CYS	engineered mutation	UNP P24530
A	408	PRO	-	expression tag	UNP P24530
A	409	SER	-	expression tag	UNP P24530
A	410	SER	-	expression tag	UNP P24530
A	411	GLU	-	expression tag	UNP P24530
A	412	ASN	-	expression tag	UNP P24530
A	413	LEU	-	expression tag	UNP P24530
A	414	TYR	-	expression tag	UNP P24530
A	415	PHE	-	expression tag	UNP P24530
A	416	GLN	-	expression tag	UNP P24530

- Molecule 2 is 4-tert-butyl-N-[6-(2-hydroxyethoxy)-5-(2-methoxyphenoxy)-2-pyrimidin-2-yl]pyrimidin-4-yl]benzenesulfonamide (three-letter code: K86) (formula: C₂₇H₂₉N₅O₆S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			39	27	5	6	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Endothelin B receptor,Endolysin,Endothelin B receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	74.72Å 74.72Å 218.87Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.58 – 3.60 29.58 – 3.60	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.58-3.60) 92.1 (29.58-3.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 3.55Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.248 , 0.297 0.244 , 0.294	Depositor DCC
R_{free} test set	799 reflections (9.95%)	DCC
Wilson B-factor (Å ²)	82.0	Xtriage
Anisotropy	0.412	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 49.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.078 for -h,-k,l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	3229	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, K86

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/3241	0.43	0/4421

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3170	0	3168	78	0
2	A	39	0	0	1	0
3	A	20	0	0	1	0
All	All	3229	0	3168	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:210:LYS:NZ	1:A:299:GLU:OE1	2.14	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:ILE:HG21	1:A:177:VAL:HG21	1.70	0.74
1:A:357:ARG:O	1:A:361:LEU:N	2.18	0.74
1:A:179:PHE:HB2	1:A:237:ALA:HB2	1.74	0.70
1:A:1010:ASP:HB3	1:A:1102:ARG:HD2	1.76	0.68
1:A:199:ARG:HB3	1:A:296:MET:HE1	1.75	0.68
1:A:192:LEU:HD21	1:A:328:LEU:HB3	1.76	0.67
1:A:1062:GLN:HB2	1:A:1102:ARG:NH2	2.13	0.63
1:A:138:ILE:HG13	1:A:222:ILE:HD11	1.83	0.61
1:A:275:TRP:O	1:A:279:SER:N	2.24	0.60
1:A:302:ARG:NH1	1:A:1029:ASP:OD2	2.34	0.60
1:A:338:PRO:HG2	1:A:374:MET:HG3	1.85	0.59
1:A:350:TYR:HE1	1:A:361:LEU:HD23	1.68	0.58
1:A:182:LYS:NZ	2:A:1201:K86:O38	2.38	0.56
1:A:369:TYR:O	1:A:373:ASN:ND2	2.39	0.56
1:A:1048:LEU:HD22	1:A:1052:ARG:HB3	1.89	0.55
1:A:280:PHE:O	1:A:285:PRO:HD2	2.08	0.54
1:A:153:ILE:HD11	1:A:177:VAL:HG22	1.90	0.52
1:A:137:ASN:HD21	1:A:199:ARG:HH12	1.57	0.52
1:A:126:ILE:HG21	1:A:141:ALA:HB2	1.91	0.51
1:A:179:PHE:HZ	1:A:230:VAL:HG13	1.74	0.51
1:A:273:LYS:HG2	1:A:277:LEU:HD13	1.92	0.51
1:A:360:LEU:HD13	1:A:364:LEU:HD13	1.93	0.51
1:A:376:SER:O	1:A:379:SER:OG	2.28	0.50
1:A:324:THR:HG22	1:A:390:SER:HB2	1.94	0.49
1:A:1073:ASN:ND2	3:A:1204:SO4:O3	2.46	0.48
1:A:1053:ARG:O	1:A:1057:ILE:HG13	2.13	0.48
1:A:1005:GLU:O	1:A:1009:ILE:HG13	2.14	0.47
1:A:342:ALA:HB2	1:A:367:LEU:HD23	1.96	0.47
1:A:1100:PRO:O	1:A:1104:LYS:HG3	2.14	0.47
1:A:1086:ALA:HA	1:A:1089:ASN:HB3	1.96	0.47
1:A:273:LYS:HE2	1:A:273:LYS:HB3	1.77	0.46
1:A:112:PHE:O	1:A:116:ILE:HG12	2.16	0.46
1:A:175:LYS:HG2	1:A:240:PHE:O	2.16	0.46
1:A:263:THR:HG22	1:A:265:PHE:H	1.80	0.46
1:A:286:LEU:HD11	1:A:332:PHE:CD1	2.51	0.46
1:A:1049:ASP:OD1	1:A:1052:ARG:HD3	2.16	0.46
1:A:179:PHE:CZ	1:A:230:VAL:HG13	2.51	0.46
1:A:242:ILE:HG22	1:A:255:CYS:SG	2.56	0.46
1:A:1006:MET:HG3	1:A:1007:LEU:N	2.31	0.45
1:A:138:ILE:HD12	1:A:141:ALA:HB3	1.98	0.45
1:A:232:LEU:HD22	1:A:276:TRP:CH2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:PRO:HD2	1:A:169:PHE:CD2	2.51	0.45
1:A:1060:VAL:HA	1:A:1068:VAL:HG21	1.99	0.45
1:A:366:VAL:O	1:A:370:ILE:HG13	2.16	0.45
1:A:1035:ILE:HD11	1:A:1060:VAL:HG21	1.98	0.44
1:A:1045:TYR:HE1	1:A:1053:ARG:HB3	1.82	0.44
1:A:1033:ARG:O	1:A:1037:ARG:HG3	2.18	0.44
1:A:228:VAL:O	1:A:232:LEU:HG	2.17	0.44
1:A:149:LEU:O	1:A:153:ILE:HG22	2.17	0.44
1:A:279:SER:O	1:A:283:CYS:HB2	2.18	0.44
1:A:282:PHE:O	1:A:286:LEU:HB2	2.18	0.44
1:A:1002:ASN:OD1	1:A:318:ARG:NH1	2.51	0.44
1:A:300:MET:HG2	1:A:318:ARG:HD3	1.99	0.44
1:A:123:LEU:HA	1:A:123:LEU:HD12	1.87	0.43
1:A:386:LEU:O	1:A:390:SER:HB3	2.18	0.43
1:A:278:PHE:CD1	1:A:340:HIS:HB3	2.54	0.43
1:A:377:LEU:HD23	1:A:377:LEU:HA	1.89	0.43
1:A:1025:ASN:OD1	1:A:1026:GLN:N	2.52	0.43
1:A:320:GLU:OE2	1:A:390:SER:OG	2.22	0.42
1:A:1086:ALA:O	1:A:1090:LEU:N	2.42	0.42
1:A:115:GLY:O	1:A:119:ASN:ND2	2.52	0.42
1:A:193:CYS:SG	1:A:285:PRO:HA	2.60	0.42
1:A:370:ILE:O	1:A:374:MET:HG2	2.20	0.42
1:A:350:TYR:O	1:A:351:ASN:ND2	2.53	0.41
1:A:147:ASP:OD2	1:A:379:SER:HA	2.20	0.41
1:A:1071:PHE:HB3	1:A:1074:SER:HB2	2.02	0.41
1:A:151:ILE:HA	1:A:151:ILE:HD13	1.83	0.41
1:A:1118:TYR:O	1:A:315:LEU:HD22	2.20	0.41
1:A:217:TRP:O	1:A:221:GLU:HG3	2.21	0.41
1:A:185:VAL:O	1:A:189:VAL:HG22	2.21	0.41
1:A:341:LEU:HD12	1:A:344:ILE:HD11	2.03	0.41
1:A:239:GLY:HA2	1:A:261:GLN:NE2	2.36	0.40
1:A:176:LEU:HA	1:A:176:LEU:HD12	1.86	0.40
1:A:230:VAL:O	1:A:234:VAL:HG23	2.22	0.40
1:A:301:LEU:O	1:A:1003:ILE:HG13	2.21	0.40
1:A:1010:ASP:OD2	1:A:1058:ASN:ND2	2.31	0.40
1:A:335:CYS:HA	1:A:374:MET:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	407/464 (88%)	394 (97%)	12 (3%)	1 (0%)	51 85

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	168	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	331/396 (84%)	326 (98%)	5 (2%)	70 89

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	206	TRP
1	A	251	TYR
1	A	258	HIS
1	A	1027	ASP
1	A	349	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	ASN
1	A	1080	GLN
1	A	351	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	K86	A	1201	-	41,42,42	1.63	6 (14%)	56,60,60	2.52	17 (30%)
3	SO4	A	1202	-	4,4,4	0.15	0	6,6,6	0.07	0
3	SO4	A	1203	-	4,4,4	0.13	0	6,6,6	0.07	0
3	SO4	A	1204	-	4,4,4	0.16	0	6,6,6	0.08	0
3	SO4	A	1205	-	4,4,4	0.12	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	K86	A	1201	-	-	0/31/31/31	0/4/4/4
3	SO4	A	1202	-	-	0/0/0/0	0/0/0/0
3	SO4	A	1203	-	-	0/0/0/0	0/0/0/0
3	SO4	A	1204	-	-	0/0/0/0	0/0/0/0
3	SO4	A	1205	-	-	0/0/0/0	0/0/0/0

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	K86	O12-S11	3.10	1.46	1.43
2	A	1201	K86	O13-S11	3.13	1.46	1.43
2	A	1201	K86	C15-N14	3.25	1.46	1.40
2	A	1201	K86	O27-C17	4.14	1.41	1.35
2	A	1201	K86	C8-S11	4.48	1.82	1.76
2	A	1201	K86	S11-N14	4.76	1.71	1.63

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	K86	O13-S11-O12	-13.76	101.94	119.55
2	A	1201	K86	C15-N14-S11	-3.35	118.79	124.33
2	A	1201	K86	C24-C23-N22	-3.30	117.96	123.43
2	A	1201	K86	C32-O31-C16	-2.77	112.56	118.04
2	A	1201	K86	C24-C25-N26	-2.71	118.93	123.43
2	A	1201	K86	O38-C37-C36	-2.59	120.01	124.37
2	A	1201	K86	C16-C17-N18	-2.41	119.20	122.42
2	A	1201	K86	C39-O38-C37	-2.28	114.26	117.54
2	A	1201	K86	O13-S11-N14	2.03	111.91	106.74
2	A	1201	K86	O27-C17-C16	2.14	121.20	116.82
2	A	1201	K86	O12-S11-C8	2.65	111.23	107.95
2	A	1201	K86	C8-S11-N14	2.83	110.46	106.83
2	A	1201	K86	C19-N18-C17	2.94	120.56	115.94
2	A	1201	K86	O38-C37-C32	3.01	119.53	115.41
2	A	1201	K86	C21-C19-N18	3.31	120.73	116.84
2	A	1201	K86	C25-N26-C21	3.51	120.14	116.12
2	A	1201	K86	C23-N22-C21	4.40	121.14	116.12

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1201	K86	1	0
3	A	1204	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	411/464 (88%)	-0.36	9 (2%)	62 48	43, 77, 144, 192	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	258	HIS	3.7
1	A	243	ILE	3.7
1	A	350	TYR	3.2
1	A	354	ASP	2.8
1	A	91	GLN	2.7
1	A	90	CYS	2.5
1	A	351	ASN	2.5
1	A	349	LEU	2.1
1	A	92	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	SO4	A	1202	5/5	0.90	0.32	5.42	73,84,88,126	0
3	SO4	A	1203	5/5	0.97	0.28	1.38	57,66,76,77	0
2	K86	A	1201	39/39	0.92	0.26	0.40	65,70,88,96	0
3	SO4	A	1205	5/5	0.89	0.18	-1.31	82,84,92,105	0
3	SO4	A	1204	5/5	0.90	0.18	-1.34	98,99,103,110	0

6.5 Other polymers [i](#)

There are no such residues in this entry.