



# Full wwPDB X-ray Structure Validation Report i

Sep 17, 2017 – 11:38 PM EDT

PDB ID : 4XRY  
Title : Human Cytochrome P450 2D6 BACE1 Inhibitor 5 Complex  
Authors : Johnson, E.F.; Fan, Y.  
Deposited on : unknown  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20029824
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20029824


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3846 (2.50-2.50)
Clashscore	112137	4554 (2.50-2.50)
Ramachandran outliers	110173	4463 (2.50-2.50)
Sidechain outliers	110143	4465 (2.50-2.50)
RSRZ outliers	101464	3876 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 14847 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2D6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	464	Total	C 3662	N 2349	O 649	S 650	14	0	0
1	B	455	Total	C 3602	N 2310	O 639	S 639	14	0	0
1	C	446	Total	C 3535	N 2267	O 625	S 629	14	0	0
1	D	452	Total	C 3577	N 2295	O 633	S 635	14	0	0

There are 60 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	MET	-	expression tag	UNP P10635
A	24	ALA	-	expression tag	UNP P10635
A	25	LYS	-	expression tag	UNP P10635
A	26	LYS	-	expression tag	UNP P10635
A	27	THR	-	expression tag	UNP P10635
A	28	SER	-	expression tag	UNP P10635
A	29	SER	-	expression tag	UNP P10635
A	30	LYS	-	expression tag	UNP P10635
A	31	GLY	-	expression tag	UNP P10635
A	32	LYS	-	expression tag	UNP P10635
A	33	LEU	-	expression tag	UNP P10635
A	498	HIS	-	expression tag	UNP P10635
A	499	HIS	-	expression tag	UNP P10635
A	500	HIS	-	expression tag	UNP P10635
A	501	HIS	-	expression tag	UNP P10635
B	23	MET	-	expression tag	UNP P10635
B	24	ALA	-	expression tag	UNP P10635
B	25	LYS	-	expression tag	UNP P10635
B	26	LYS	-	expression tag	UNP P10635
B	27	THR	-	expression tag	UNP P10635
B	28	SER	-	expression tag	UNP P10635

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	29	SER	-	expression tag	UNP P10635
B	30	LYS	-	expression tag	UNP P10635
B	31	GLY	-	expression tag	UNP P10635
B	32	LYS	-	expression tag	UNP P10635
B	33	LEU	-	expression tag	UNP P10635
B	498	HIS	-	expression tag	UNP P10635
B	499	HIS	-	expression tag	UNP P10635
B	500	HIS	-	expression tag	UNP P10635
B	501	HIS	-	expression tag	UNP P10635
C	23	MET	-	expression tag	UNP P10635
C	24	ALA	-	expression tag	UNP P10635
C	25	LYS	-	expression tag	UNP P10635
C	26	LYS	-	expression tag	UNP P10635
C	27	THR	-	expression tag	UNP P10635
C	28	SER	-	expression tag	UNP P10635
C	29	SER	-	expression tag	UNP P10635
C	30	LYS	-	expression tag	UNP P10635
C	31	GLY	-	expression tag	UNP P10635
C	32	LYS	-	expression tag	UNP P10635
C	33	LEU	-	expression tag	UNP P10635
C	498	HIS	-	expression tag	UNP P10635
C	499	HIS	-	expression tag	UNP P10635
C	500	HIS	-	expression tag	UNP P10635
C	501	HIS	-	expression tag	UNP P10635
D	23	MET	-	expression tag	UNP P10635
D	24	ALA	-	expression tag	UNP P10635
D	25	LYS	-	expression tag	UNP P10635
D	26	LYS	-	expression tag	UNP P10635
D	27	THR	-	expression tag	UNP P10635
D	28	SER	-	expression tag	UNP P10635
D	29	SER	-	expression tag	UNP P10635
D	30	LYS	-	expression tag	UNP P10635
D	31	GLY	-	expression tag	UNP P10635
D	32	LYS	-	expression tag	UNP P10635
D	33	LEU	-	expression tag	UNP P10635
D	498	HIS	-	expression tag	UNP P10635
D	499	HIS	-	expression tag	UNP P10635
D	500	HIS	-	expression tag	UNP P10635
D	501	HIS	-	expression tag	UNP P10635

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C<sub>34</sub>H<sub>32</sub>FeN<sub>4</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total		C	Fe	N	O	
			43		34	1	4	4	0
2	B	1	Total		C	Fe	N	O	
			43		34	1	4	4	0
2	C	1	Total		C	Fe	N	O	
			43		34	1	4	4	0
2	D	1	Total		C	Fe	N	O	
			43		34	1	4	4	0

- Molecule 3 is (4aR,6R,8aS)-8a-(2,4-difluorophenyl)-6-(1-methyl-1H-pyrazol-4-yl)-4,4a,5,6,8,8a-hexahydropyrano[3,4-d][1,3]thiazin-2-amine (three-letter code: SI5) (formula: C<sub>17</sub>H<sub>18</sub>F<sub>2</sub>N<sub>4</sub>OS).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	0	0
			25	17	2	4	1	1		
3	B	1	Total	C	F	N	O	S	0	0
			25	17	2	4	1	1		
3	C	1	Total	C	F	N	O	S	0	0
			25	17	2	4	1	1		
3	D	1	Total	C	F	N	O	S	0	0
			25	17	2	4	1	1		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	3	Total Zn		0	0
			3	3		
4	A	4	Total Zn		0	0
			4	4		
4	D	5	Total Zn		0	0
			5	5		
4	C	5	Total Zn		0	0
			5	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	54	Total O		0	0
			54	54		
5	B	43	Total O		0	0
			43	43		
5	C	47	Total O		0	0
			47	47		
5	D	38	Total O		0	0
			38	38		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome P450 2D6



- Molecule 1: Cytochrome P450 2D6



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.06 Å    192.34 Å    247.30 Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	39.16 – 2.50 39.16 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.4 (39.16-2.50) 99.5 (39.16-2.50)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	5.02 (at 2.51 Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
$R$ , $R_{free}$	0.208 , 0.251 0.209 , 0.250	Depositor DCC
$R_{free}$ test set	4761 reflections (5.02%)	DCC
Wilson B-factor (Å <sup>2</sup> )	47.0	Xtriage
Anisotropy	0.652	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 59.5	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	14847	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.69 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 6.6474e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, ZN, SI5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.23	0/3760	0.40	0/5113
1	B	0.23	0/3697	0.39	0/5025
1	C	0.22	0/3630	0.39	0/4938
1	D	0.22	0/3673	0.38	0/4995
All	All	0.22	0/14760	0.39	0/20071

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3662	0	3654	21	0
1	B	3602	0	3586	27	0
1	C	3535	0	3510	28	0
1	D	3577	0	3565	35	0
2	A	43	0	30	4	0
2	B	43	0	30	6	0
2	C	43	0	30	6	0
2	D	43	0	30	4	0
3	A	25	0	18	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	25	0	18	1	0
3	C	25	0	18	0	0
3	D	25	0	18	2	0
4	A	4	0	0	0	0
4	B	3	0	0	0	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
5	A	54	0	0	1	0
5	B	43	0	0	2	0
5	C	47	0	0	3	0
5	D	38	0	0	3	0
All	All	14847	0	14507	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:ILE:HG21	1:A:303:PHE:HA	1.67	0.75
1:D:122:ALA:O	1:D:441:ARG:NH2	2.18	0.74
1:B:159:CYS:SG	5:B:713:HOH:O	2.44	0.74
1:C:122:ALA:O	1:C:441:ARG:NH2	2.18	0.74
1:B:493:CYS:SG	5:B:710:HOH:O	2.49	0.71
1:C:159:CYS:SG	5:C:715:HOH:O	2.51	0.69
1:B:186:ILE:HG21	1:B:303:PHE:HA	1.75	0.68
1:C:221:ARG:O	1:C:225:ASN:ND2	2.25	0.68
1:B:60:GLN:OE1	1:B:64:ARG:NH2	2.29	0.66
1:D:240:VAL:HG22	1:D:241:LEU:HG	1.79	0.65
1:D:416:HIS:ND1	5:D:715:HOH:O	2.29	0.65
1:C:60:GLN:OE1	1:C:63:ARG:NH1	2.31	0.63
1:B:38:LEU:HD12	1:B:39:PRO:HD2	1.83	0.61
1:C:140:ARG:NH1	5:C:744:HOH:O	2.29	0.60
1:C:224:LEU:HD12	1:C:240:VAL:HG11	1.82	0.60
1:D:147:LYS:HG2	1:D:150:GLU:HB2	1.84	0.59
2:A:601:HEM:HMB2	2:A:601:HEM:HBB2	1.85	0.58
1:A:192:GLY:O	1:A:269:ARG:NH2	2.33	0.57
1:D:159:CYS:SG	5:D:712:HOH:O	2.58	0.56
1:D:437:SER:HB3	2:D:601:HEM:HBA1	1.86	0.56
1:D:437:SER:OG	1:D:438:ALA:N	2.35	0.56
1:A:493:CYS:SG	5:A:730:HOH:O	2.57	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:ALA:O	1:B:441:ARG:NH2	2.18	0.54
1:C:437:SER:HB3	2:C:601:HEM:HBA1	1.89	0.54
2:A:601:HEM:HMC2	2:A:601:HEM:HBC2	1.90	0.53
1:C:213:LEU:HD11	1:C:484:LEU:HD12	1.91	0.53
1:B:216:GLU:HA	1:B:221:ARG:HD3	1.90	0.53
1:C:227:VAL:HG12	1:C:229:VAL:HG22	1.91	0.53
1:C:437:SER:OG	1:C:438:ALA:N	2.34	0.52
1:D:213:LEU:HD12	3:D:602:SI5:H4	1.91	0.52
1:A:241:LEU:HB3	1:A:244:GLN:HB2	1.92	0.52
2:C:601:HEM:HMB2	2:C:601:HEM:HBB2	1.91	0.52
1:B:300:ALA:O	1:B:304:SER:OG	2.27	0.52
1:A:43:LEU:HD23	1:A:46:LEU:HD22	1.91	0.51
1:D:106:ILE:HD12	1:D:241:LEU:HD11	1.92	0.51
1:C:184:ASN:O	1:C:188:SER:OG	2.24	0.51
1:B:192:GLY:O	1:B:269:ARG:NH2	2.41	0.51
1:C:183:SER:OG	1:C:307:MET:HG3	2.10	0.51
2:D:601:HEM:HBB2	2:D:601:HEM:HMB2	1.91	0.51
1:A:276:LEU:HD23	1:A:279:MET:HE3	1.93	0.50
1:C:445:GLY:HA3	2:C:601:HEM:C3C	2.47	0.50
1:C:336:ASP:OD2	1:C:497:ARG:NH2	2.43	0.50
1:A:191:CYS:HA	1:A:258:HIS:CE1	2.47	0.49
2:B:601:HEM:HBC2	2:B:601:HEM:HMC2	1.94	0.49
1:B:437:SER:HB3	2:B:601:HEM:HBA1	1.94	0.49
1:D:59:ASP:O	1:D:63:ARG:HG2	2.13	0.49
1:B:448:LEU:HD23	2:B:601:HEM:HBC2	1.94	0.48
1:D:129:ARG:NH1	5:D:732:HOH:O	2.45	0.48
1:D:201:ARG:NH1	1:D:257:GLU:OE1	2.32	0.48
1:D:448:LEU:HD23	2:D:601:HEM:HBC2	1.96	0.48
2:B:601:HEM:HMB2	2:B:601:HEM:HBB2	1.95	0.47
1:D:316:TRP:CD2	1:D:487:PRO:HG3	2.50	0.47
1:B:147:LYS:HE3	1:B:150:GLU:HB2	1.96	0.47
1:A:224:LEU:HD21	1:A:236:LEU:HD13	1.96	0.47
1:D:490:TYR:HE1	1:D:492:LEU:HD23	1.80	0.47
1:B:182:VAL:HG11	1:B:310:THR:HB	1.96	0.46
1:A:50:ASP:OD2	1:D:60:GLN:NE2	2.49	0.46
1:B:107:THR:HB	1:B:112:PHE:CG	2.51	0.46
1:A:241:LEU:HD22	1:A:244:GLN:HG3	1.97	0.46
1:A:38:LEU:HA	1:A:39:PRO:HD3	1.77	0.46
1:C:192:GLY:O	1:C:269:ARG:NH2	2.49	0.45
1:C:201:ARG:NH1	1:C:257:GLU:OE1	2.39	0.45
1:D:213:LEU:HD13	1:D:308:VAL:HG21	1.98	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:221:ARG:O	1:B:225:ASN:HB2	2.16	0.45
1:B:89:GLU:OE2	1:B:385:GLN:NE2	2.39	0.45
1:C:182:VAL:HG11	1:C:310:THR:HB	1.99	0.45
1:A:216:GLU:OE2	3:A:602:SI5:N2	2.42	0.44
1:D:369:ILE:HG13	1:D:370:VAL:HG23	1.98	0.44
1:C:75:TRP:CZ2	1:C:226:ALA:HB2	2.52	0.44
1:C:490:TYR:HE1	1:C:492:LEU:HD23	1.83	0.44
1:C:306:GLY:HA2	2:C:601:HEM:C2C	2.53	0.44
1:D:328:GLN:OE1	1:D:466:PHE:N	2.43	0.44
2:C:601:HEM:HMC2	2:C:601:HEM:HBC2	2.00	0.44
1:D:316:TRP:CG	1:D:487:PRO:HG3	2.52	0.44
1:D:163:ALA:O	1:D:167:HIS:ND1	2.40	0.44
1:A:100:ASP:HA	1:A:124:TYR:HB2	1.99	0.44
1:B:305:ALA:HB2	3:B:602:SI5:H8	2.00	0.44
1:D:224:LEU:HB3	1:D:231:LEU:HD21	2.00	0.43
1:C:107:THR:HB	1:C:112:PHE:CG	2.53	0.43
1:D:416:HIS:HB3	1:D:419:HIS:CE1	2.53	0.43
1:A:410:GLU:O	1:D:411:LYS:NZ	2.46	0.43
1:A:143:GLY:HA2	1:A:149:LEU:HD13	1.99	0.43
1:B:213:LEU:HD22	1:B:308:VAL:HG21	1.99	0.43
1:A:45:ASN:HA	1:A:48:HIS:HD2	1.84	0.43
1:C:495:VAL:HA	1:C:496:PRO:HD3	1.88	0.43
1:B:224:LEU:HD11	1:B:236:LEU:HD23	1.99	0.43
1:D:190:THR:HA	1:D:271:LEU:HB3	2.01	0.43
1:D:465:SER:HB3	1:D:495:VAL:HG23	2.01	0.43
1:C:213:LEU:HD13	1:C:308:VAL:HG21	2.00	0.42
1:B:445:GLY:HA3	2:B:601:HEM:C3C	2.54	0.42
1:C:416:HIS:HB3	1:C:419:HIS:CE1	2.53	0.42
1:A:406:GLU:O	1:D:411:LYS:HE3	2.19	0.42
1:B:416:HIS:HB3	1:B:419:HIS:CE1	2.54	0.42
1:B:199:ASP:O	1:B:203:LEU:HG	2.20	0.42
1:C:38:LEU:HD12	1:C:39:PRO:HD2	2.01	0.42
1:B:316:TRP:CD2	1:B:487:PRO:HG3	2.54	0.42
1:B:59:ASP:HA	1:B:62:ARG:HG2	2.02	0.42
1:C:344:ARG:HA	1:C:345:PRO:HD3	1.92	0.41
1:D:332:GLN:HE22	1:D:465:SER:HA	1.86	0.41
1:A:409:TRP:CZ3	1:A:430:PRO:HG2	2.55	0.41
1:A:448:LEU:HD23	2:A:601:HEM:HBC2	2.02	0.41
1:D:91:LEU:HD11	1:D:397:THR:HG21	2.02	0.41
1:A:316:TRP:CG	1:A:487:PRO:HG3	2.56	0.41
1:B:150:GLU:O	1:B:154:THR:HG23	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:306:GLY:HA2	2:B:601:HEM:C2C	2.55	0.41
1:C:351:ALA:N	5:C:724:HOH:O	2.45	0.41
1:D:445:GLY:HA3	2:D:601:HEM:C3C	2.56	0.41
1:A:445:GLY:HA3	2:A:601:HEM:C3C	2.55	0.40
1:D:107:THR:HB	1:D:112:PHE:CG	2.55	0.40
1:D:239:LYS:HB3	1:D:239:LYS:HE2	1.84	0.40
1:B:276:LEU:HA	1:B:279:MET:HE3	2.04	0.40
1:C:448:LEU:HD23	2:C:601:HEM:HBC2	2.03	0.40
1:D:152:TRP:CZ3	1:D:189:LEU:HD23	2.56	0.40
1:D:305:ALA:HB2	3:D:602:SI5:H8	2.03	0.40
1:D:105:PRO:HD2	1:D:225:ASN:OD1	2.22	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	460/479 (96%)	446 (97%)	14 (3%)	0	100 100
1	B	447/479 (93%)	437 (98%)	10 (2%)	0	100 100
1	C	440/479 (92%)	427 (97%)	13 (3%)	0	100 100
1	D	448/479 (94%)	435 (97%)	13 (3%)	0	100 100
All	All	1795/1916 (94%)	1745 (97%)	50 (3%)	0	100 100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	395/409 (97%)	394 (100%)	1 (0%)	94	98
1	B	389/409 (95%)	385 (99%)	4 (1%)	80	93
1	C	382/409 (93%)	378 (99%)	4 (1%)	80	93
1	D	386/409 (94%)	381 (99%)	5 (1%)	73	90
All	All	1552/1636 (95%)	1538 (99%)	14 (1%)	82	94

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	244	GLN
1	B	59	ASP
1	B	150	GLU
1	B	188	SER
1	B	227	VAL
1	C	170	ARG
1	C	341	GLN
1	C	342	VAL
1	C	480	VAL
1	D	62	ARG
1	D	168	SER
1	D	227	VAL
1	D	341	GLN
1	D	480	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	HIS
1	C	332	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 25 ligands modelled in this entry, 17 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	601	1	28,50,50	1.70	4 (14%)	17,82,82	1.51	3 (17%)
3	SI5	A	602	-	23,28,28	0.88	1 (4%)	23,42,42	1.06	2 (8%)
2	HEM	B	601	1,5	28,50,50	1.72	4 (14%)	17,82,82	1.46	3 (17%)
3	SI5	B	602	-	23,28,28	0.86	2 (8%)	23,42,42	1.14	2 (8%)
2	HEM	C	601	1	28,50,50	1.73	4 (14%)	17,82,82	1.51	3 (17%)
3	SI5	C	602	-	23,28,28	0.87	1 (4%)	23,42,42	1.11	2 (8%)
2	HEM	D	601	1,5	28,50,50	1.74	4 (14%)	17,82,82	1.49	3 (17%)
3	SI5	D	602	-	23,28,28	0.85	1 (4%)	23,42,42	1.21	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	601	1	-	0/6/54/54	0/0/8/8
3	SI5	A	602	-	-	0/4/36/36	0/4/4/4
2	HEM	B	601	1,5	-	0/6/54/54	0/0/8/8
3	SI5	B	602	-	-	0/4/36/36	0/4/4/4
2	HEM	C	601	1	-	0/6/54/54	0/0/8/8
3	SI5	C	602	-	-	0/4/36/36	0/4/4/4
2	HEM	D	601	1,5	-	0/6/54/54	0/0/8/8
3	SI5	D	602	-	-	0/4/36/36	0/4/4/4

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	HEM	C3B-C2B	-3.88	1.35	1.40
2	C	601	HEM	C3C-C2C	-3.86	1.35	1.40
2	A	601	HEM	C3B-C2B	-3.84	1.35	1.40
2	D	601	HEM	C3B-C2B	-3.82	1.35	1.40
2	B	601	HEM	C3C-C2C	-3.77	1.35	1.40
2	D	601	HEM	C3C-C2C	-3.73	1.35	1.40
2	A	601	HEM	C3C-C2C	-3.69	1.35	1.40
2	B	601	HEM	C3B-C2B	-3.68	1.35	1.40
3	B	602	SI5	O1-C8	-2.05	1.40	1.43
3	D	602	SI5	C15-C10	2.10	1.43	1.37
3	B	602	SI5	C15-C10	2.11	1.43	1.37
3	C	602	SI5	C15-C10	2.18	1.43	1.37
3	A	602	SI5	C15-C10	2.24	1.43	1.37
2	A	601	HEM	C3B-CAB	3.74	1.55	1.47
2	C	601	HEM	C3B-CAB	3.82	1.55	1.47
2	B	601	HEM	C3B-CAB	3.83	1.55	1.47
2	D	601	HEM	C3B-CAB	3.85	1.55	1.47
2	A	601	HEM	C3C-CAC	3.90	1.55	1.47
2	C	601	HEM	C3C-CAC	3.98	1.55	1.47
2	D	601	HEM	C3C-CAC	4.01	1.55	1.47
2	B	601	HEM	C3C-CAC	4.04	1.55	1.47

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	602	SI5	O1-C8-C10	-3.81	103.18	108.43
3	C	602	SI5	O1-C8-C10	-3.22	104.00	108.43
3	B	602	SI5	O1-C8-C10	-3.05	104.23	108.43
2	A	601	HEM	CAA-CBA-CGA	-2.82	107.84	112.66
3	A	602	SI5	O1-C8-C10	-2.73	104.67	108.43
2	D	601	HEM	CBD-CAD-C3D	-2.61	107.48	112.47
2	B	601	HEM	CAA-CBA-CGA	-2.59	108.24	112.66
2	C	601	HEM	CAA-CBA-CGA	-2.57	108.27	112.66
2	C	601	HEM	CBD-CAD-C3D	-2.50	107.70	112.47
2	D	601	HEM	CMC-C2C-C3C	2.01	128.61	124.89
2	B	601	HEM	CMB-C2B-C3B	2.03	128.66	124.89
2	A	601	HEM	CMB-C2B-C3B	2.08	128.75	124.89
2	C	601	HEM	CMB-C2B-C3B	2.08	128.75	124.89
2	A	601	HEM	CMC-C2C-C3C	2.08	128.76	124.89
2	B	601	HEM	C4A-C3A-C2A	2.18	108.52	107.00
2	D	601	HEM	CMB-C2B-C3B	2.28	129.13	124.89
3	C	602	SI5	C12-C11-N1	2.44	113.71	109.70
3	D	602	SI5	C12-C11-N1	2.51	113.83	109.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	SI5	C12-C11-N1	2.55	113.90	109.70
3	B	602	SI5	C12-C11-N1	2.60	113.98	109.70

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEM	4	0
3	A	602	SI5	1	0
2	B	601	HEM	6	0
3	B	602	SI5	1	0
2	C	601	HEM	6	0
2	D	601	HEM	4	0
3	D	602	SI5	2	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	464/479 (96%)	0.57	49 (10%) <span style="border: 1px solid red; padding: 2px;">7</span> <span style="border: 1px solid red; padding: 2px;">6</span>	28, 47, 101, 124	0
1	B	455/479 (94%)	0.43	32 (7%) <span style="border: 1px solid red; padding: 2px;">17</span> <span style="border: 1px solid red; padding: 2px;">17</span>	26, 46, 100, 115	0
1	C	446/479 (93%)	0.69	51 (11%) <span style="border: 1px solid red; padding: 2px;">6</span> <span style="border: 1px solid red; padding: 2px;">5</span>	29, 52, 102, 123	0
1	D	452/479 (94%)	0.72	52 (11%) <span style="border: 1px solid red; padding: 2px;">5</span> <span style="border: 1px solid red; padding: 2px;">5</span>	31, 55, 104, 134	0
All	All	1817/1916 (94%)	0.60	184 (10%) <span style="border: 1px solid red; padding: 2px;">8</span> <span style="border: 1px solid red; padding: 2px;">7</span>	26, 50, 103, 134	0

All (184) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	75	TRP	10.6
1	C	33	LEU	7.6
1	C	38	LEU	7.0
1	A	38	LEU	6.9
1	D	38	LEU	6.8
1	A	219	PHE	6.6
1	A	48	HIS	6.2
1	A	32	LYS	6.0
1	B	38	LEU	6.0
1	D	231	LEU	5.9
1	D	40	LEU	5.8
1	C	39	PRO	5.8
1	C	380	ARG	5.7
1	A	41	PRO	5.7
1	C	219	PHE	5.7
1	D	37	PRO	5.6
1	A	75	TRP	5.4
1	D	380	ARG	5.4
1	C	234	PRO	5.3
1	A	231	LEU	5.2
1	A	39	PRO	5.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	144	LEU	5.2
1	B	48	HIS	5.2
1	D	235	ALA	5.1
1	B	75	TRP	5.0
1	C	65	PHE	5.0
1	D	39	PRO	4.8
1	D	65	PHE	4.7
1	D	219	PHE	4.5
1	A	40	LEU	4.5
1	A	47	LEU	4.5
1	C	231	LEU	4.5
1	C	75	TRP	4.4
1	D	423	ALA	4.4
1	C	55	PRO	4.3
1	D	33	LEU	4.3
1	C	56	TYR	4.3
1	B	33	LEU	4.2
1	A	33	LEU	4.2
1	C	238	GLY	4.2
1	D	471	GLY	4.2
1	A	229	VAL	4.1
1	D	234	PRO	4.1
1	D	240	VAL	4.0
1	C	424	GLN	4.0
1	D	220	LEU	4.0
1	C	236	LEU	3.9
1	C	228	PRO	3.8
1	C	36	GLY	3.7
1	C	168	SER	3.7
1	A	342	VAL	3.7
1	D	64	ARG	3.7
1	A	144	LEU	3.7
1	A	223	VAL	3.7
1	A	228	PRO	3.7
1	C	240	VAL	3.7
1	A	483	PHE	3.6
1	B	237	ALA	3.6
1	A	217	SER	3.6
1	C	229	VAL	3.6
1	B	240	VAL	3.6
1	D	424	GLN	3.6
1	A	56	TYR	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	236	LEU	3.5
1	B	231	LEU	3.4
1	A	306	GLY	3.4
1	A	145	GLY	3.4
1	B	32	LYS	3.4
1	C	310	THR	3.4
1	A	234	PRO	3.4
1	B	307	MET	3.3
1	C	64	ARG	3.3
1	C	306	GLY	3.3
1	A	149	LEU	3.3
1	A	232	HIS	3.3
1	B	234	PRO	3.2
1	C	481	PHE	3.2
1	B	235	ALA	3.2
1	D	333	GLN	3.2
1	A	37	PRO	3.2
1	B	149	LEU	3.2
1	D	389	ILE	3.2
1	D	483	PHE	3.2
1	D	305	ALA	3.1
1	D	238	GLY	3.1
1	B	39	PRO	3.1
1	B	310	THR	3.0
1	C	37	PRO	3.0
1	D	239	LYS	3.0
1	B	309	THR	3.0
1	D	229	VAL	2.9
1	D	151	GLN	2.9
1	D	55	PRO	2.9
1	B	305	ALA	2.9
1	B	306	GLY	2.9
1	C	342	VAL	2.9
1	A	143	GLY	2.9
1	D	381	ASP	2.9
1	A	43	LEU	2.9
1	C	389	ILE	2.9
1	C	343	ARG	2.9
1	C	423	ALA	2.9
1	C	369	ILE	2.8
1	B	380	ARG	2.8
1	D	236	LEU	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	60	GLN	2.8
1	A	310	THR	2.8
1	A	309	THR	2.7
1	C	35	PRO	2.7
1	A	240	VAL	2.7
1	A	235	ALA	2.7
1	C	425	GLY	2.7
1	C	313	THR	2.7
1	B	219	PHE	2.7
1	C	224	LEU	2.7
1	D	314	LEU	2.7
1	A	49	VAL	2.6
1	C	223	VAL	2.6
1	D	36	GLY	2.6
1	D	60	GLN	2.6
1	A	303	PHE	2.6
1	D	313	THR	2.6
1	D	310	THR	2.5
1	A	307	MET	2.5
1	D	383	GLU	2.5
1	D	309	THR	2.5
1	B	64	ARG	2.5
1	D	76	THR	2.5
1	A	238	GLY	2.5
1	B	45	ASN	2.4
1	C	235	ALA	2.4
1	B	342	VAL	2.4
1	C	218	GLY	2.4
1	D	306	GLY	2.4
1	C	309	THR	2.4
1	C	96	GLU	2.4
1	D	56	TYR	2.4
1	C	339	ILE	2.4
1	C	63	ARG	2.4
1	B	238	GLY	2.4
1	D	61	LEU	2.4
1	A	227	VAL	2.4
1	A	369	ILE	2.4
1	B	228	PRO	2.3
1	A	242	ARG	2.3
1	D	307	MET	2.3
1	C	72	GLN	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	237	ALA	2.3
1	B	148	SER	2.2
1	B	303	PHE	2.2
1	D	69	PHE	2.2
1	D	35	PRO	2.2
1	B	218	GLY	2.2
1	C	307	MET	2.2
1	D	312	THR	2.2
1	A	233	ILE	2.2
1	C	109	ILE	2.2
1	D	133	ARG	2.2
1	A	96	GLU	2.2
1	D	147	LYS	2.2
1	C	484	LEU	2.2
1	A	343	ARG	2.2
1	A	314	LEU	2.2
1	D	146	LYS	2.1
1	C	227	VAL	2.1
1	A	340	GLY	2.1
1	B	369	ILE	2.1
1	A	312	THR	2.1
1	D	481	PHE	2.1
1	A	146	LYS	2.1
1	A	313	THR	2.1
1	D	303	PHE	2.1
1	A	308	VAL	2.1
1	C	471	GLY	2.1
1	D	390	PRO	2.0
1	B	229	VAL	2.0
1	A	304	SER	2.0
1	D	472	GLN	2.0
1	A	237	ALA	2.0
1	B	49	VAL	2.0
1	B	233	ILE	2.0
1	C	54	THR	2.0
1	C	384	VAL	2.0
1	C	390	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	SI5	A	602	25/25	0.81	0.27	0.69	47,76,88,89	0
4	ZN	C	603	1/1	0.99	0.16	0.46	37,37,37,37	0
4	ZN	B	603	1/1	0.99	0.16	0.45	36,36,36,36	0
2	HEM	B	601	43/43	0.98	0.24	0.33	19,31,37,43	0
4	ZN	A	603	1/1	0.99	0.16	0.22	33,33,33,33	0
2	HEM	A	601	43/43	0.97	0.23	0.20	18,28,37,39	0
2	HEM	C	601	43/43	0.98	0.23	0.18	25,36,44,46	0
3	SI5	C	602	25/25	0.89	0.22	0.18	48,72,82,85	0
4	ZN	B	604	1/1	0.96	0.20	0.02	70,70,70,70	0
3	SI5	B	602	25/25	0.87	0.23	-0.12	39,71,78,86	0
4	ZN	D	604	1/1	0.95	0.18	-0.17	72,72,72,72	0
2	HEM	D	601	43/43	0.97	0.20	-0.23	23,38,47,52	0
4	ZN	D	603	1/1	0.99	0.13	-0.69	39,39,39,39	0
3	SI5	D	602	25/25	0.89	0.18	-0.91	48,75,84,85	0
4	ZN	A	606	1/1	0.99	0.10	-1.71	46,46,46,46	0
4	ZN	C	604	1/1	0.95	0.13	-1.84	69,69,69,69	0
4	ZN	D	605	1/1	0.91	0.08	-	84,84,84,84	0
4	ZN	A	605	1/1	0.95	0.06	-	75,75,75,75	0
4	ZN	D	607	1/1	0.82	0.07	-	130,130,130,130	0
4	ZN	B	605	1/1	0.88	0.10	-	76,76,76,76	0
4	ZN	C	606	1/1	0.89	0.06	-	79,79,79,79	0
4	ZN	D	606	1/1	0.94	0.07	-	92,92,92,92	0
4	ZN	A	604	1/1	0.94	0.22	-	69,69,69,69	0
4	ZN	C	607	1/1	0.39	0.09	-	122,122,122,122	0
4	ZN	C	605	1/1	0.90	0.08	-	89,89,89,89	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.