



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 03:11 pm GMT

PDB ID : 2XUI
Title : CRYSTAL STRUCTURE OF MACHE-Y337A-TZ2PA6 SYN COMPLEX (1 WK)
Authors : Bourne, Y.; Radic, Z.; Taylor, P.; Marchot, P.
Deposited on : 2010-10-19
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2542 (2.60-2.60)
Clashscore	112137	2895 (2.60-2.60)
Ramachandran outliers	110173	2848 (2.60-2.60)
Sidechain outliers	110143	2848 (2.60-2.60)
RSRZ outliers	101464	2550 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	543	<div> <div>2%</div> <div> <div></div> <div>88%</div> <div>10%</div> <div>..</div> </div> </div>
1	B	543	<div> <div>%</div> <div> <div></div> <div>86%</div> <div>11%</div> <div>..</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	1542	-	-	-	X
3	P6G	A	1544	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8670 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACETYLCHOLINESTERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	536	Total	C	N	O	S	0	0	0
			4175	2677	726	758	14			
1	B	532	Total	C	N	O	S	0	0	0
			4141	2659	716	752	14			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	337	ALA	TYR	ENGINEERED MUTATION	UNP P21836
B	337	ALA	TYR	ENGINEERED MUTATION	UNP P21836

- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	2	Total	C	N	O	0	0
			24	14	1	9		

- Molecule 3 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: C₁₂H₂₆O₇).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			19	12	7		

- Molecule 4 is 3,8-DIAMINO-6-PHENYL-5-[6-[1-[2-[(1,2,3,4-TETRAHYDRO-9-ACRIDINYL)AMINO]ETHYL]-1H-1,2,3-TRIAZOL-5-YL]HEXYL]-PHENANTHRIDINIUM (three-letter code: TZ5) (formula: C₄₂H₄₅N₈).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			50	42	8		
4	B	1	Total	C	N	0	0
			50	42	8		

- Molecule 5 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	112	Total	O	0	0
			112	112		
6	B	85	Total	O	0	0
			85	85		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ACETYLCHOLINESTERASE



• Molecule 1: ACETYLCHOLINESTERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	79.40Å 110.70Å 227.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.60 19.97 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.5 (20.00-2.60) 98.4 (19.97-2.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.80 (at 2.59Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.192 , 0.235 0.197 , 0.235	Depositor DCC
R_{free} test set	1248 reflections (2.08%)	DCC
Wilson B-factor (Å ²)	60.5	Xtriage
Anisotropy	0.007	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8670	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TZ5, NAG, P6G, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/4298	0.69	1/5873 (0.0%)
1	B	0.62	0/4264	0.67	0/5830
All	All	0.63	0/8562	0.68	1/11703 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	246	ARG	NE-CZ-NH2	-5.41	117.59	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4175	0	4062	40	0
1	B	4141	0	4024	37	0
2	A	24	0	22	0	0
3	A	19	0	26	3	0
4	A	50	0	45	6	0
4	B	50	0	45	4	0
5	B	14	0	13	1	0
6	A	112	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	85	0	0	0	0
All	All	8670	0	8237	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:491:ASP:HB3	1:B:494:ASP:HB2	1.50	0.91
1:A:3:ARG:O	1:A:4:GLU:HB3	1.68	0.90
1:B:417:ARG:HH21	1:B:421:GLN:HE22	1.21	0.84
1:A:3:ARG:O	1:A:4:GLU:CB	2.32	0.77
1:A:294:ILE:HG13	1:A:365:ILE:HG22	1.70	0.74
1:A:293:SER:O	4:A:1545:TZ5:H7	1.88	0.73
1:B:350:ASN:HD21	5:B:1542:NAG:C1	2.02	0.72
1:B:161:LEU:HD11	1:B:269:LEU:HD22	1.70	0.72
1:A:337:ALA:HA	1:A:443:MET:CE	2.20	0.70
1:A:45:ARG:NH2	1:A:51:GLU:OE2	2.26	0.68
1:B:417:ARG:HH21	1:B:421:GLN:NE2	1.93	0.66
1:B:353:LEU:HB3	1:B:391:PRO:HB2	1.81	0.63
1:A:177:ARG:HD2	6:A:2052:HOH:O	1.99	0.63
1:A:381:HIS:HA	3:A:1544:P6G:H31	1.81	0.62
1:A:337:ALA:HA	1:A:443:MET:HE3	1.82	0.62
1:B:337:ALA:HA	1:B:443:MET:CE	2.30	0.61
1:B:161:LEU:HD12	1:B:270:ILE:HD11	1.84	0.59
1:A:113:PRO:HG2	1:A:485:ARG:HG2	1.84	0.59
1:B:328:VAL:O	1:B:427:ALA:HA	2.04	0.57
4:A:1545:TZ5:H291	4:A:1545:TZ5:H32	1.87	0.57
1:B:458:PRO:HA	1:B:465:TYR:CD2	2.39	0.57
1:B:293:SER:O	4:B:1543:TZ5:H7	2.04	0.57
1:A:72:TYR:CG	4:A:1545:TZ5:H14	2.41	0.56
1:A:327:LEU:HD11	1:A:500:TRP:CH2	2.41	0.56
4:B:1543:TZ5:H32	4:B:1543:TZ5:H291	1.87	0.55
1:B:211:MET:HG2	1:B:308:LEU:HD21	1.89	0.55
1:B:417:ARG:NH2	1:B:421:GLN:HE22	1.98	0.55
1:A:5:ASP:HB3	1:A:8:LEU:HD12	1.90	0.53
1:A:458:PRO:HA	1:A:465:TYR:CD2	2.44	0.53
1:B:200:PHE:HB2	1:B:226:VAL:HB	1.91	0.53
1:B:224:ARG:HG2	1:B:325:GLN:HB2	1.92	0.52
1:A:294:ILE:HG13	1:A:365:ILE:CG2	2.38	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353:LEU:HB3	1:A:391:PRO:HB2	1.91	0.51
1:A:177:ARG:CD	6:A:2052:HOH:O	2.57	0.51
1:A:197:VAL:H	1:A:223:HIS:HD2	1.56	0.51
1:A:224:ARG:HG2	1:A:325:GLN:HB2	1.93	0.51
1:B:296:ARG:HH21	1:B:369:GLN:HE22	1.60	0.50
1:A:286:TRP:CH2	4:A:1545:TZ5:H202	2.47	0.49
1:A:464:ASN:ND2	6:A:2104:HOH:O	2.31	0.49
1:A:200:PHE:HB2	1:A:226:VAL:HB	1.95	0.49
1:B:413:GLN:O	1:B:417:ARG:HG2	2.13	0.49
4:A:1545:TZ5:H291	4:A:1545:TZ5:C32	2.42	0.48
4:B:1543:TZ5:H291	4:B:1543:TZ5:C32	2.43	0.48
1:B:161:LEU:HD12	1:B:270:ILE:CD1	2.43	0.48
1:B:88:PRO:HG2	1:B:92:LEU:HD21	1.96	0.48
1:B:72:TYR:CG	4:B:1543:TZ5:H14	2.48	0.48
1:A:328:VAL:O	1:A:427:ALA:HA	2.13	0.48
1:B:166:GLU:OE2	1:B:267:THR:HG23	2.13	0.47
1:A:200:PHE:CB	1:A:226:VAL:HB	2.45	0.47
1:A:266:ASP:O	1:A:270:ILE:HD12	2.16	0.46
1:B:200:PHE:CB	1:B:226:VAL:HB	2.45	0.46
1:A:202:GLU:HA	1:A:228:GLN:O	2.15	0.46
1:A:197:VAL:H	1:A:223:HIS:CD2	2.32	0.46
1:A:327:LEU:HD12	1:A:426:TYR:HB2	1.98	0.46
1:A:112:THR:HG21	1:A:143:GLY:O	2.15	0.45
1:B:24:ALA:HB3	1:B:27:GLY:O	2.17	0.45
1:A:177:ARG:CZ	1:A:217:PRO:HB2	2.46	0.45
1:A:70:TYR:HE2	1:A:279:GLN:OE1	2.00	0.45
1:B:13:ARG:NH1	1:B:185:GLU:HB3	2.32	0.44
1:A:360:LEU:HD12	1:A:360:LEU:O	2.18	0.44
1:B:333:ASP:HB2	1:B:445:VAL:O	2.16	0.44
1:A:219:ARG:HA	1:A:219:ARG:HD2	1.88	0.43
1:B:104:PRO:HG2	1:B:108:PRO:HG3	2.00	0.43
1:A:527:GLN:O	3:A:1544:P6G:H151	2.19	0.43
1:B:77:TYR:CZ	1:B:348:LYS:HG2	2.54	0.43
1:B:420:ALA:HB2	1:B:505:THR:HG21	2.00	0.42
1:B:210:GLY:HA3	1:B:232:PRO:HD3	2.02	0.42
1:B:257:CYS:HA	1:B:258:PRO:HA	1.86	0.42
1:A:4:GLU:OE2	1:A:9:LEU:HD21	2.20	0.42
1:A:274:ARG:HD3	6:A:2079:HOH:O	2.18	0.41
1:A:118:ILE:O	1:A:205:GLY:HA3	2.19	0.41
1:B:365:ILE:HG21	1:B:365:ILE:HD13	1.80	0.41
1:A:122:GLY:O	1:A:123:PHE:HB2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:TYR:CD2	4:A:1545:TZ5:H14	2.56	0.41
1:B:4:GLU:OE1	1:B:18:ARG:NH1	2.54	0.41
1:B:5:ASP:HA	1:B:6:PRO:HD2	1.95	0.41
1:A:444:GLY:O	1:A:446:PRO:HD3	2.21	0.41
1:B:287:HIS:N	1:B:287:HIS:ND1	2.69	0.41
3:A:1544:P6G:H172	1:B:381:HIS:ND1	2.35	0.41
1:B:187:ILE:HD12	1:B:187:ILE:HA	1.94	0.41
1:B:202:GLU:HA	1:B:228:GLN:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	532/543 (98%)	512 (96%)	19 (4%)	1 (0%)	51	76
1	B	528/543 (97%)	507 (96%)	21 (4%)	0	100	100
All	All	1060/1086 (98%)	1019 (96%)	40 (4%)	1 (0%)	55	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	4	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	438/442 (99%)	432 (99%)	6 (1%)	71	89
1	B	435/442 (98%)	420 (97%)	15 (3%)	42	69
All	All	873/884 (99%)	852 (98%)	21 (2%)	54	80

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	13	ARG
1	A	70	TYR
1	A	200	PHE
1	A	216	LEU
1	A	295	PHE
1	B	45	ARG
1	B	195	MET
1	B	200	PHE
1	B	216	LEU
1	B	267	THR
1	B	268	GLU
1	B	287	HIS
1	B	295	PHE
1	B	369	GLN
1	B	386	LEU
1	B	413	GLN
1	B	491	ASP
1	B	494	ASP
1	B	497	SER
1	B	540	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	GLN
1	A	223	HIS
1	A	284	HIS
1	B	184	GLN
1	B	369	GLN
1	B	421	GLN
1	B	527	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	1542	1,2	14,14,15	1.00	1 (7%)	15,19,21	2.06	2 (13%)
2	FUC	A	1543	2	9,10,11	0.94	0	13,14,16	1.38	3 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1542	1,2	-	0/6/23/26	0/1/1/1
2	FUC	A	1543	2	-	0/0/17/20	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1542	NAG	C1-C2	3.12	1.56	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1543	FUC	O5-C1-C2	-2.40	107.03	110.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1543	FUC	C3-C4-C5	2.05	112.91	109.68
2	A	1542	NAG	C2-N2-C7	2.34	126.36	122.94
2	A	1543	FUC	O5-C5-C4	2.75	114.16	109.62
2	A	1542	NAG	C1-O5-C5	6.48	121.09	112.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	P6G	A	1544	-	18,18,18	2.20	6 (33%)	17,17,17	1.47	2 (11%)
4	TZ5	A	1545	-	54,57,57	1.74	13 (24%)	67,80,80	1.93	11 (16%)
5	NAG	B	1542	-	14,14,15	0.52	0	15,19,21	1.31	2 (13%)
4	TZ5	B	1543	-	54,57,57	1.62	11 (20%)	67,80,80	2.02	13 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	P6G	A	1544	-	-	0/16/16/16	0/0/0/0
4	TZ5	A	1545	-	-	0/19/26/26	0/8/8/8
5	NAG	B	1542	-	-	0/6/23/26	0/1/1/1
4	TZ5	B	1543	-	-	0/19/26/26	0/8/8/8

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1543	TZ5	C38-C37	-3.54	1.45	1.50
4	B	1543	TZ5	C40-C39	-3.54	1.46	1.51
4	A	1545	TZ5	C42-C38	-3.53	1.38	1.51
4	A	1545	TZ5	C40-C39	-3.53	1.46	1.51
4	B	1543	TZ5	C42-C38	-3.42	1.38	1.51
4	B	1543	TZ5	C41-C40	-3.35	1.39	1.51
4	A	1545	TZ5	C38-C37	-3.17	1.46	1.50
4	A	1545	TZ5	C41-C40	-3.17	1.39	1.51
4	A	1545	TZ5	N6-N5	-3.06	1.30	1.34
4	B	1543	TZ5	N6-N5	-2.44	1.31	1.34
4	A	1545	TZ5	C5-C18	2.05	1.44	1.41
4	A	1545	TZ5	C7-C8	2.09	1.44	1.39
4	B	1543	TZ5	C36-C35	2.13	1.43	1.38
4	B	1543	TZ5	C6-C5	2.31	1.45	1.41
4	B	1543	TZ5	C37-N8	2.47	1.35	1.32
3	A	1544	P6G	O13-C14	2.64	1.53	1.42
4	A	1545	TZ5	C6-C5	2.65	1.46	1.41
4	A	1545	TZ5	C10-C4	2.67	1.46	1.42
4	B	1543	TZ5	C39-C37	2.81	1.44	1.40
4	B	1543	TZ5	C30-C39	2.87	1.43	1.39
4	A	1545	TZ5	C30-C39	2.88	1.43	1.39
4	A	1545	TZ5	C36-C35	2.92	1.45	1.38
4	B	1543	TZ5	C10-C4	2.99	1.46	1.42
4	A	1545	TZ5	C39-C37	3.13	1.44	1.40
3	A	1544	P6G	O1-C2	3.40	1.60	1.42
4	A	1545	TZ5	C37-N8	3.47	1.36	1.32
3	A	1544	P6G	O4-C5	3.54	1.57	1.42
3	A	1544	P6G	O16-C17	3.65	1.57	1.42
3	A	1544	P6G	O7-C8	3.74	1.58	1.42
3	A	1544	P6G	O10-C11	4.39	1.60	1.42

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1543	TZ5	C40-C39-C37	-6.27	116.09	121.14
4	A	1545	TZ5	C40-C39-C37	-5.25	116.91	121.14
4	A	1545	TZ5	C25-C26-C27	-3.78	123.51	129.59
4	B	1543	TZ5	C27-C26-N4	-3.65	100.16	106.23
4	B	1543	TZ5	C20-N3-C18	-3.27	115.97	119.02
4	A	1545	TZ5	C27-C26-N4	-3.26	100.81	106.23
4	B	1543	TZ5	C25-C26-C27	-2.96	124.82	129.59
4	B	1543	TZ5	C9-C10-C11	-2.80	117.53	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1543	TZ5	C32-C31-C33	-2.62	115.61	118.34
4	A	1545	TZ5	C20-N3-C18	-2.51	116.67	119.02
4	A	1545	TZ5	C14-C13-C12	-2.38	117.55	120.57
4	A	1545	TZ5	C9-C10-C11	-2.24	118.57	122.80
4	B	1543	TZ5	C39-C30-N7	-2.23	115.17	119.55
4	B	1543	TZ5	C14-C13-C12	-2.15	117.84	120.57
4	A	1545	TZ5	C17-C12-C13	2.03	121.62	117.59
4	B	1543	TZ5	C40-C39-C30	2.17	125.27	120.63
5	B	1542	NAG	C2-N2-C7	2.19	126.14	122.94
3	A	1544	P6G	O7-C8-C9	2.24	120.68	110.41
4	B	1543	TZ5	C37-N8-C33	2.28	120.28	117.72
4	A	1545	TZ5	C37-N8-C33	2.47	120.49	117.72
4	A	1545	TZ5	C42-C38-C37	2.73	118.24	113.56
5	B	1542	NAG	C1-O5-C5	3.20	116.58	112.17
4	B	1543	TZ5	C42-C38-C37	3.24	119.11	113.56
4	A	1545	TZ5	C41-C40-C39	3.39	119.91	112.89
3	A	1544	P6G	O19-C18-C17	3.62	132.68	111.89
4	B	1543	TZ5	C41-C40-C39	4.42	122.04	112.89
4	B	1543	TZ5	C25-C26-N4	9.33	135.02	121.89
4	A	1545	TZ5	C25-C26-N4	9.80	135.69	121.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1544	P6G	3	0
4	A	1545	TZ5	6	0
5	B	1542	NAG	1	0
4	B	1543	TZ5	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	536/543 (98%)	-0.45	9 (1%) 70 65	37, 55, 77, 117	0
1	B	532/543 (97%)	-0.39	8 (1%) 74 69	41, 60, 84, 111	0
All	All	1068/1086 (98%)	-0.42	17 (1%) 72 67	37, 57, 81, 117	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	496	LYS	5.0
1	A	493	ARG	4.8
1	A	497	SER	4.3
1	A	264	GLY	4.0
1	A	495	SER	4.0
1	B	4	GLU	3.9
1	B	495	SER	3.8
1	B	109	ALA	3.6
1	B	497	SER	3.5
1	A	322	GLN	2.9
1	A	494	ASP	2.7
1	A	491	ASP	2.4
1	A	492	PRO	2.3
1	B	292	GLU	2.2
1	B	493	ARG	2.2
1	B	323	ASP	2.2
1	B	491	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	1542	14/15	0.89	0.35	6.50	74,84,88,94	0
2	FUC	A	1543	10/11	0.88	0.61	-	98,101,103,104	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	P6G	A	1544	19/19	0.81	0.29	3.26	57,63,72,72	0
4	TZ5	A	1545	50/50	0.88	0.20	1.74	35,50,75,75	0
4	TZ5	B	1543	50/50	0.90	0.18	1.57	47,66,88,88	0
5	NAG	B	1542	14/15	0.70	0.34	-	120,121,122,122	0

6.5 Other polymers [i](#)

There are no such residues in this entry.