



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 03:07 pm GMT

PDB ID : 2XUJ
Title : CRYSTAL STRUCTURE OF MACHE-Y337A-TZ2PA6 SYN COMPLEX (1 MTH)
Authors : Bourne, Y.; Radic, Z.; Taylor, P.; Marchot, P.
Deposited on : 2010-10-19
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3491 (2.70-2.62)
Clashscore	112137	1026 (2.68-2.64)
Ramachandran outliers	110173	1010 (2.68-2.64)
Sidechain outliers	110143	1010 (2.68-2.64)
RSRZ outliers	101464	3511 (2.70-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	543	<div> <div>3%</div> <div> <div></div> <div>84%</div> <div>13%</div> <div>..</div> </div> </div>
1	B	543	<div> <div>%</div> <div> <div></div> <div>82%</div> <div>15%</div> <div>..</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	P6G	A	1543	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8650 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ACETYLCHOLINESTERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	538	Total	C	N	O	S	0	5	1
			4220	2706	740	760	14			
1	B	535	Total	C	N	O	S	0	2	1
			4163	2672	723	754	14			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	337	ALA	TYR	ENGINEERED MUTATION	UNP P21836
B	337	ALA	TYR	ENGINEERED MUTATION	UNP P21836

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $C_{12}H_{26}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			19	12	7		

- Molecule 4 is 3,8-DIAMINO-6-PHENYL-5-[6-[1-[2-[(1,2,3,4-TETRAHYDRO-9-ACRIDINYL)AMINO]ETHYL]-1H-1,2,3-TRIAZOL-5-YL]HEXYL]-PHENANTHRIDINIUM (three-letter code: TZ5) (formula: $C_{42}H_{45}N_8$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			50	42	8		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	N	0	0
			50	42	8		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	92	Total	O	0	0
			92	92		
5	B	42	Total	O	0	0
			42	42		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ACETYLCHOLINESTERASE



• Molecule 1: ACETYLCHOLINESTERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	79.19Å 112.74Å 226.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.65 19.96 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.6 (20.00-2.65) 99.6 (19.96-2.65)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.95 (at 2.67Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.207 , 0.250 0.212 , 0.250	Depositor DCC
R_{free} test set	1211 reflections (2.09%)	DCC
Wilson B-factor (Å ²)	56.9	Xtriage
Anisotropy	0.161	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8650	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TZ5, NAG, P6G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	4/4360 (0.1%)	0.73	7/5956 (0.1%)
1	B	0.60	1/4292 (0.0%)	0.70	1/5867 (0.0%)
All	All	0.65	5/8652 (0.1%)	0.71	8/11823 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	499[A]	GLN	CG-CD	10.80	1.75	1.51
1	A	499[B]	GLN	CG-CD	10.80	1.75	1.51
1	B	535	PHE	C-O	7.23	1.37	1.23
1	A	499[A]	GLN	CB-CG	6.75	1.70	1.52
1	A	499[B]	GLN	CB-CG	6.75	1.70	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	115	LEU	CA-CB-CG	9.61	137.39	115.30
1	A	499[A]	GLN	CG-CD-OE1	5.97	133.54	121.60
1	A	499[B]	GLN	CG-CD-OE1	5.97	133.54	121.60
1	A	323	ASP	N-CA-C	5.53	125.93	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	149	MET	CA-CB-CG	-5.42	104.08	113.30
1	A	161	LEU	CA-CB-CG	-5.17	103.41	115.30
1	A	499[A]	GLN	CG-CD-NE2	-5.10	104.47	116.70
1	A	499[B]	GLN	CG-CD-NE2	-5.10	104.47	116.70

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	322	GLN	Peptide
1	B	264	GLY	Peptide
1	B	535	PHE	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4220	0	4124	56	0
1	B	4163	0	4051	54	0
2	A	14	0	13	1	0
3	A	19	0	26	1	0
4	A	50	0	45	7	0
4	B	50	0	45	6	0
5	A	92	0	0	0	0
5	B	42	0	0	1	0
All	All	8650	0	8304	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:499[A]:GLN:CG	1:A:499[A]:GLN:CD	1.75	1.53
1:A:4:GLU:OE2	1:A:18:ARG:HD3	1.78	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:497:SER:HB3	1:B:498:PRO:HA	1.60	0.83
1:A:66:GLN:HG3	1:A:67:ASN:H	1.52	0.74
1:A:499[A]:GLN:NE2	1:A:499[A]:GLN:CG	2.50	0.74
4:A:1544:TZ5:H212	4:A:1544:TZ5:H19	1.67	0.73
1:B:112:THR:HG21	1:B:143:GLY:O	1.89	0.72
1:B:161:LEU:HD11	1:B:269:LEU:HD22	1.70	0.71
1:A:48:MET:HG3	1:A:49:PRO:HD2	1.71	0.71
1:B:497:SER:HB3	1:B:498:PRO:CA	2.21	0.69
1:B:437:LEU:HD23	1:B:439:TRP:HB2	1.76	0.68
1:A:112:THR:HG21	1:A:143:GLY:O	1.95	0.66
1:B:211:MET:HG2	1:B:308:LEU:HD21	1.79	0.65
4:A:1544:TZ5:H19	4:A:1544:TZ5:C21	2.27	0.64
1:A:499[A]:GLN:CD	1:A:499[A]:GLN:CB	2.65	0.63
1:A:458:PRO:HA	1:A:465:TYR:CD2	2.35	0.62
1:B:66:GLN:HG3	1:B:67:ASN:H	1.65	0.62
1:A:337:ALA:HA	1:A:443:MET:HE3	1.81	0.62
1:B:224:ARG:HG2	1:B:325:GLN:HB2	1.81	0.62
1:A:337:ALA:HA	1:A:443:MET:CE	2.29	0.62
1:B:149:MET:HG2	1:B:149:MET:O	2.00	0.61
1:A:286:TRP:HB2	4:A:1544:TZ5:C6	2.32	0.60
1:A:376:GLU:O	1:A:380:LEU:HG	2.02	0.59
1:B:66:GLN:HG2	1:B:98:TYR:CD2	2.37	0.59
1:A:1:GLU:HG3	1:A:3:ARG:H	1.68	0.58
1:B:497:SER:CB	1:B:498:PRO:HA	2.32	0.58
4:B:1541:TZ5:H32	4:B:1541:TZ5:H291	1.85	0.58
1:B:352:SER:O	1:B:395:ARG:HG3	2.04	0.57
1:B:231:THR:HB	1:B:233:ASN:OD1	2.05	0.57
1:B:130:LEU:HD12	1:B:133:TYR:CE2	2.40	0.56
4:B:1541:TZ5:H291	4:B:1541:TZ5:C32	2.36	0.56
1:B:200:PHE:HB2	1:B:226:VAL:HB	1.88	0.56
1:B:328:VAL:O	1:B:427:ALA:HA	2.06	0.56
1:A:527:GLN:HG3	3:A:1543:P6G:H171	1.89	0.55
1:B:286:TRP:HB2	4:B:1541:TZ5:C6	2.37	0.55
1:B:173:LEU:HD11	1:B:301:PRO:HG3	1.89	0.54
1:A:149:MET:HG2	1:A:149:MET:O	2.07	0.54
1:A:66:GLN:HG2	1:A:98:TYR:CD2	2.42	0.54
1:B:437:LEU:CD2	1:B:439:TRP:HB2	2.38	0.54
1:B:76:LEU:HD13	4:B:1541:TZ5:H14	1.90	0.53
1:B:66:GLN:HG2	1:B:98:TYR:CE2	2.44	0.53
1:A:66:GLN:HG2	1:A:98:TYR:CG	2.44	0.52
1:A:444:GLY:O	1:A:446:PRO:HD3	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:294:ILE:HG12	1:B:365:ILE:HG22	1.93	0.51
1:A:66:GLN:HG3	1:A:67:ASN:N	2.21	0.51
1:A:149:MET:CG	1:A:149:MET:O	2.58	0.50
1:A:433[A]:ARG:NH1	1:A:434:ALA:O	2.45	0.50
1:A:339:LEU:HD13	1:A:346:PHE:CE2	2.46	0.50
1:A:66:GLN:HG2	1:A:98:TYR:CE2	2.47	0.50
1:B:166:GLU:HG2	1:B:270:ILE:HD13	1.92	0.50
1:B:224:ARG:HH11	1:B:325:GLN:NE2	2.10	0.50
1:B:434:ALA:HB2	1:B:453:PHE:CE2	2.47	0.50
4:A:1544:TZ5:H291	4:A:1544:TZ5:H32	1.94	0.49
1:B:76:LEU:HD22	1:B:341:TYR:CE2	2.47	0.49
1:A:80:PHE:CE2	1:A:82:GLY:HA3	2.48	0.49
1:B:339:LEU:HD13	1:B:346:PHE:CE2	2.48	0.49
1:B:21:ARG:HH11	1:B:28:PRO:HB3	1.78	0.49
1:B:541:SER:N	5:B:2042:HOH:O	2.46	0.49
1:A:376:GLU:HG2	1:B:538:LYS:NZ	2.28	0.48
1:B:458:PRO:HA	1:B:465:TYR:CD2	2.48	0.48
4:A:1544:TZ5:H291	4:A:1544:TZ5:C32	2.43	0.48
1:B:528:THR:O	1:B:531:PHE:HB3	2.14	0.48
1:B:337:ALA:O	1:B:340:VAL:HG22	2.13	0.48
4:B:1541:TZ5:H231	4:B:1541:TZ5:H281	1.96	0.47
1:A:528:THR:O	1:A:531:PHE:HB3	2.14	0.47
1:A:68:VAL:HG23	1:A:90:ARG:HB2	1.96	0.47
4:B:1541:TZ5:H32	4:B:1541:TZ5:C29	2.45	0.47
1:A:464:ASN:HD21	2:A:1542:NAG:C1	2.27	0.46
1:A:294:ILE:HD11	1:A:402:VAL:CG2	2.46	0.46
1:A:66:GLN:HG2	1:A:98:TYR:CD1	2.51	0.46
1:A:294:ILE:HD11	1:A:402:VAL:HG21	1.98	0.46
1:A:225:ALA:O	1:A:326:VAL:HA	2.16	0.45
1:A:295:PHE:CE2	1:A:338:PHE:CE1	3.04	0.45
1:B:160:ALA:HB2	1:B:169:GLY:CA	2.47	0.45
1:A:295:PHE:CE2	1:A:338:PHE:CZ	3.05	0.45
1:B:7:GLN:O	1:B:107:ARG:NH2	2.50	0.44
1:A:119:TYR:CE1	1:A:151:TYR:CE1	3.05	0.44
1:B:128:ALA:HB1	1:B:148:SER:OG	2.18	0.44
1:B:173:LEU:HD11	1:B:301:PRO:CG	2.47	0.44
1:B:206:ALA:HB3	1:B:230:GLY:HA3	2.00	0.44
1:A:369:GLN:HE22	1:A:405:HIS:CE1	2.36	0.44
1:B:160:ALA:HB2	1:B:169:GLY:HA3	1.98	0.44
1:A:99:LEU:HD12	1:A:99:LEU:C	2.38	0.44
1:A:187:ILE:HD12	1:A:187:ILE:HA	1.94	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:GLN:HG2	1:A:98:TYR:CZ	2.54	0.43
1:B:395:ARG:CZ	1:B:442:TRP:HB2	2.48	0.43
1:B:66:GLN:HG2	1:B:98:TYR:CG	2.53	0.43
1:A:219[B]:ARG:HA	1:A:219[B]:ARG:HD2	1.79	0.43
1:B:117:TRP:HA	1:B:200:PHE:O	2.18	0.43
1:A:225:ALA:HB3	1:A:326:VAL:HG12	2.01	0.43
1:A:88:PRO:HG2	1:A:92:LEU:HD21	2.01	0.43
1:B:444:GLY:O	1:B:446:PRO:HD3	2.18	0.42
1:A:258:PRO:HA	1:A:259:PRO:HD2	1.82	0.42
1:A:397:ALA:O	1:A:401:VAL:HG23	2.19	0.42
1:B:24:ALA:HB2	1:B:136:ARG:HG2	2.00	0.42
1:A:7:GLN:HE21	1:A:107:ARG:H	1.67	0.42
1:A:149:MET:HE2	1:A:179:ALA:HB3	2.01	0.42
1:A:200:PHE:CB	1:A:226:VAL:HB	2.49	0.42
1:B:200:PHE:CB	1:B:226:VAL:HB	2.49	0.42
1:B:30:SER:HB2	1:B:103:THR:CG2	2.50	0.42
1:A:183:VAL:HG13	1:A:187:ILE:HB	2.01	0.42
1:A:338:PHE:CE2	4:A:1544:TZ5:H27	2.55	0.42
1:B:66:GLN:HG3	1:B:67:ASN:N	2.33	0.42
1:B:213:ILE:O	1:B:219:ARG:HD3	2.20	0.41
1:A:149:MET:H	1:A:149:MET:HG2	1.68	0.41
1:B:276:ARG:HA	1:B:277:PRO:HD2	1.84	0.41
4:A:1544:TZ5:C21	4:A:1544:TZ5:C19	2.97	0.41
1:A:224:ARG:HG2	1:A:325:GLN:HB2	2.03	0.41
1:B:139:ALA:HA	1:B:144:ALA:O	2.21	0.41
1:B:243:GLU:OE2	1:B:246:ARG:NH2	2.47	0.41
1:B:295:PHE:CE2	1:B:338:PHE:CZ	3.10	0.41
1:A:202:GLU:HA	1:A:228:GLN:O	2.21	0.40
1:A:408:VAL:HG11	1:A:525:ARG:HG3	2.02	0.40
1:A:97:LEU:HA	1:A:97:LEU:HD23	1.92	0.40
1:A:360:LEU:CD2	1:A:379:VAL:HG11	2.52	0.40
1:A:440:PRO:HD2	1:A:443:MET:SD	2.61	0.40
1:B:293:SER:HB3	1:B:368:PRO:HB3	2.04	0.40
1:B:434:ALA:HB2	1:B:453:PHE:HE2	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	539/543 (99%)	511 (95%)	27 (5%)	1 (0%)	51	69
1	B	533/543 (98%)	502 (94%)	26 (5%)	5 (1%)	20	31
All	All	1072/1086 (99%)	1013 (94%)	53 (5%)	6 (1%)	28	43

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	265	ASN
1	B	452	GLU
1	B	497	SER
1	A	323	ASP
1	B	264	GLY
1	B	523	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	444/442 (100%)	431 (97%)	13 (3%)	48	68
1	B	436/442 (99%)	423 (97%)	13 (3%)	46	67
All	All	880/884 (100%)	854 (97%)	26 (3%)	46	67

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	ARG
1	A	48	MET
1	A	70	TYR
1	A	113	PRO
1	A	161	LEU
1	A	200	PHE
1	A	216	LEU
1	A	295	PHE
1	A	323	ASP
1	A	438	THR
1	A	524	LEU
1	A	539	LEU
1	A	541	SER
1	B	9	LEU
1	B	71	GLN
1	B	91	GLU
1	B	112	THR
1	B	115	LEU
1	B	149	MET
1	B	295	PHE
1	B	325	GLN
1	B	356	ARG
1	B	386	LEU
1	B	437	LEU
1	B	539	LEU
1	B	540	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	464	ASN
1	B	325	GLN
1	B	381	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	1542	-	14,14,15	0.51	0	15,19,21	0.96	0
3	P6G	A	1543	-	18,18,18	2.22	6 (33%)	17,17,17	1.31	2 (11%)
4	TZ5	A	1544	-	54,57,57	1.69	14 (25%)	67,80,80	2.07	18 (26%)
4	TZ5	B	1541	-	54,57,57	1.66	14 (25%)	67,80,80	2.11	15 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1542	-	-	0/6/23/26	0/1/1/1
3	P6G	A	1543	-	-	0/16/16/16	0/0/0/0
4	TZ5	A	1544	-	-	0/19/26/26	0/8/8/8
4	TZ5	B	1541	-	-	0/19/26/26	0/8/8/8

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1544	TZ5	C42-C38	-3.74	1.37	1.51
4	B	1541	TZ5	C42-C38	-3.63	1.37	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1541	TZ5	C40-C39	-3.40	1.46	1.51
4	B	1541	TZ5	C41-C40	-3.32	1.39	1.51
4	A	1544	TZ5	C41-C40	-3.03	1.40	1.51
4	B	1541	TZ5	C38-C37	-3.01	1.46	1.50
4	A	1544	TZ5	C40-C39	-2.69	1.47	1.51
4	A	1544	TZ5	C38-C37	-2.69	1.46	1.50
4	B	1541	TZ5	N6-N5	-2.42	1.31	1.34
4	A	1544	TZ5	N6-N5	-2.24	1.31	1.34
4	A	1544	TZ5	C2-C1	2.04	1.44	1.39
4	B	1541	TZ5	C6-C5	2.06	1.45	1.41
4	B	1541	TZ5	C39-C37	2.07	1.43	1.40
4	B	1541	TZ5	C3-C4	2.15	1.45	1.41
4	B	1541	TZ5	C5-C18	2.26	1.45	1.41
4	B	1541	TZ5	C37-N8	2.26	1.35	1.32
4	A	1544	TZ5	C3-C4	2.27	1.45	1.41
4	A	1544	TZ5	C39-C37	2.38	1.43	1.40
4	B	1541	TZ5	C36-C35	2.41	1.43	1.38
4	B	1541	TZ5	C18-N3	2.48	1.43	1.40
4	A	1544	TZ5	C6-C5	2.62	1.46	1.41
4	A	1544	TZ5	C30-C39	2.72	1.43	1.39
4	A	1544	TZ5	C12-C11	2.76	1.52	1.49
3	A	1543	P6G	O13-C14	2.78	1.54	1.42
4	A	1544	TZ5	C5-C18	3.03	1.46	1.41
4	A	1544	TZ5	C18-N3	3.05	1.44	1.40
4	B	1541	TZ5	C30-C39	3.14	1.44	1.39
3	A	1543	P6G	O1-C2	3.34	1.59	1.42
4	B	1541	TZ5	C12-C11	3.50	1.53	1.49
3	A	1543	P6G	O4-C5	3.55	1.57	1.42
3	A	1543	P6G	O16-C17	3.57	1.57	1.42
3	A	1543	P6G	O7-C8	3.95	1.59	1.42
4	A	1544	TZ5	C37-N8	4.07	1.37	1.32
3	A	1543	P6G	O10-C11	4.46	1.61	1.42

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1541	TZ5	C40-C39-C37	-7.05	115.47	121.14
4	A	1544	TZ5	C40-C39-C37	-5.11	117.02	121.14
4	B	1541	TZ5	C27-C26-N4	-4.11	99.39	106.23
4	A	1544	TZ5	C27-C26-N4	-3.56	100.30	106.23
4	A	1544	TZ5	C12-C11-C10	-3.43	113.89	121.34
4	A	1544	TZ5	C19-C18-C5	-3.38	115.69	120.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1541	TZ5	C39-C37-N8	-2.99	120.94	123.47
4	A	1544	TZ5	C39-C30-N7	-2.66	114.34	119.55
4	B	1541	TZ5	C19-C18-C5	-2.41	117.11	120.64
4	B	1541	TZ5	C12-C11-C10	-2.40	116.11	121.34
4	B	1541	TZ5	C28-C29-N7	-2.38	107.26	112.52
4	A	1544	TZ5	C32-C31-C33	-2.26	115.98	118.34
4	A	1544	TZ5	C38-C37-C39	-2.21	119.39	121.61
4	B	1541	TZ5	C25-C26-C27	-2.06	126.27	129.59
4	A	1544	TZ5	C39-C37-N8	-2.01	121.77	123.47
4	A	1544	TZ5	C40-C39-C30	2.14	125.22	120.63
3	A	1543	P6G	O7-C8-C9	2.23	120.67	110.41
4	B	1541	TZ5	C2-C3-C4	2.24	124.74	121.60
4	A	1544	TZ5	C8-C19-C18	2.31	124.54	119.02
4	B	1541	TZ5	C40-C39-C30	2.47	125.93	120.63
4	A	1544	TZ5	C28-N4-N5	2.68	127.62	120.62
4	B	1541	TZ5	C42-C38-C37	2.89	118.51	113.56
4	B	1541	TZ5	C1-C9-C10	3.00	123.67	120.78
4	A	1544	TZ5	C37-N8-C33	3.11	121.21	117.72
4	A	1544	TZ5	C1-C9-C10	3.13	123.79	120.78
4	A	1544	TZ5	C20-N3-C18	3.40	122.19	119.02
3	A	1543	P6G	O19-C18-C17	3.45	131.69	111.89
4	A	1544	TZ5	C42-C38-C37	3.47	119.50	113.56
4	A	1544	TZ5	C41-C40-C39	3.87	120.91	112.89
4	B	1541	TZ5	C37-N8-C33	3.95	122.16	117.72
4	B	1541	TZ5	C41-C40-C39	4.07	121.32	112.89
4	B	1541	TZ5	C12-C11-N3	4.49	125.84	120.46
4	A	1544	TZ5	C12-C11-N3	4.83	126.25	120.46
4	A	1544	TZ5	C25-C26-N4	7.57	132.55	121.89
4	B	1541	TZ5	C25-C26-N4	8.84	134.33	121.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1542	NAG	1	0
3	A	1543	P6G	1	0
4	A	1544	TZ5	7	0
4	B	1541	TZ5	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	538/543 (99%)	-0.42	14 (2%) 56 55	33, 53, 77, 107	0
1	B	535/543 (98%)	-0.40	8 (1%) 74 73	37, 58, 82, 114	0
All	All	1073/1086 (98%)	-0.41	22 (2%) 64 63	33, 55, 82, 114	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	264	GLY	4.7
1	A	259	PRO	4.2
1	A	493	ARG	3.9
1	B	495	SER	3.8
1	A	542	ALA	3.6
1	A	494	ASP	3.4
1	B	263	GLY	3.4
1	A	323	ASP	3.3
1	B	541	SER	3.0
1	A	541	SER	2.8
1	B	493	ARG	2.8
1	A	1	GLU	2.8
1	A	496	LYS	2.7
1	A	540	LEU	2.6
1	A	495	SER	2.4
1	A	322	GLN	2.3
1	B	323	ASP	2.2
1	B	262	ALA	2.1
1	B	497	SER	2.1
1	B	349	ASP	2.1
1	A	320	ASP	2.0
1	A	109	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	P6G	A	1543	19/19	0.84	0.27	2.36	70,72,87,88	0
4	TZ5	B	1541	50/50	0.88	0.20	1.52	45,69,85,85	0
4	TZ5	A	1544	50/50	0.89	0.18	1.00	37,53,70,72	0
2	NAG	A	1542	14/15	0.78	0.29	-	147,148,148,148	0

6.5 Other polymers [i](#)

There are no such residues in this entry.