



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 02:48 pm GMT

PDB ID : 1Y5R
Title : The crystal structure of murine 11b-hydroxysteroid dehydrogenase complexed with corticosterone
Authors : Zhang, J.; Osslund, T.D.; Plant, M.H.; Clogston, C.L.; Nybo, R.E.; Xiong, F.; Delaney, J.M.; Jordan, S.
Deposited on : 2004-12-02
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1692 (3.00-3.00)
Clashscore	112137	2037 (3.00-3.00)
Ramachandran outliers	110173	1973 (3.00-3.00)
Sidechain outliers	110143	1976 (3.00-3.00)
RSRZ outliers	101464	1716 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	 60% 33% . .
1	B	276	 59% 34% . .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4274 atoms, of which 50 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Corticosteroid 11-beta-dehydrogenase, isozyme 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	265	Total	C	N	O	S	0	0	0
			2039	1303	339	379	18			
1	B	265	Total	C	N	O	S	0	0	0
			2039	1303	339	379	18			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	17	MET	-	CLONING ARTIFACT	UNP P50172
A	18	HIS	-	CLONING ARTIFACT	UNP P50172
A	19	HIS	-	CLONING ARTIFACT	UNP P50172
A	20	HIS	-	CLONING ARTIFACT	UNP P50172
A	21	HIS	-	CLONING ARTIFACT	UNP P50172
A	22	HIS	-	CLONING ARTIFACT	UNP P50172
A	23	HIS	-	CLONING ARTIFACT	UNP P50172
B	17	MET	-	CLONING ARTIFACT	UNP P50172
B	18	HIS	-	CLONING ARTIFACT	UNP P50172
B	19	HIS	-	CLONING ARTIFACT	UNP P50172
B	20	HIS	-	CLONING ARTIFACT	UNP P50172
B	21	HIS	-	CLONING ARTIFACT	UNP P50172
B	22	HIS	-	CLONING ARTIFACT	UNP P50172
B	23	HIS	-	CLONING ARTIFACT	UNP P50172

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	25	0
			73	21	25	7	17	3		
2	B	1	Total	C	H	N	O	P	25	0
			73	21	25	7	17	3		

- Molecule 3 is CORTICOSTERONE (three-letter code: C0R) (formula: C₂₁H₃₀O₄).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			25	21 4		
3	B	1	Total	C O	0	0
			25	21 4		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Corticosteroid 11-beta-dehydrogenase, isozyme 1



- Molecule 1: Corticosteroid 11-beta-dehydrogenase, isozyme 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	96.05Å 96.05Å 218.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 3.00 49.67 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-3.00) 95.4 (49.67-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 2.51Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.210 , 0.247 0.201 , 0.239	Depositor DCC
R_{free} test set	1693 reflections (8.80%)	DCC
Wilson B-factor (Å ²)	38.9	Xtriage
Anisotropy	0.527	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 42.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4274	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, C0R

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	0/2072	0.65	1/2789 (0.0%)
1	B	0.52	0/2072	0.63	0/2789
All	All	0.52	0/4144	0.64	1/5578 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	123	GLN	CB-CG-CD	8.62	134.03	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2039	0	2104	77	0
1	B	2039	0	2104	81	0
2	A	48	25	26	2	0
2	B	48	25	26	6	0
3	A	25	0	28	2	0
3	B	25	0	28	3	0
All	All	4224	50	4316	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:LEU:HD22	1:B:200:GLU:HG2	1.63	0.81
1:B:154:ALA:O	1:B:158:LEU:HD23	1.84	0.78
1:B:46:ILE:HD11	1:B:245:ILE:HD12	1.69	0.74
1:B:72:GLN:O	1:B:75:VAL:HG12	1.89	0.71
1:B:207:ASN:ND2	1:B:252:ARG:HH21	1.88	0.71
1:A:239:GLU:CD	1:A:239:GLU:H	1.94	0.70
2:B:2:NDP:H41N	3:B:12:C0R:H11	1.74	0.69
1:B:33:GLN:HA	1:B:58:GLY:O	1.93	0.69
1:B:36:LYS:HG2	1:B:110:MET:HB3	1.74	0.68
1:A:72:GLN:O	1:A:75:VAL:HG12	1.95	0.67
1:B:126:LEU:HD23	1:B:226:GLU:O	1.95	0.66
1:A:284:TYR:OH	1:B:177:GLN:HG2	1.97	0.64
1:B:45:GLY:HA3	2:B:2:NDP:O2N	1.98	0.63
2:A:1:NDP:H41N	3:A:11:C0R:H11	1.81	0.63
1:A:43:SER:HB3	2:A:1:NDP:O3B	2.00	0.61
1:B:285:ASN:HB3	1:B:288:MET:HG2	1.83	0.60
1:B:122:THR:HG21	1:B:139:VAL:HA	1.83	0.60
1:A:200:GLU:O	1:A:203:ILE:HG22	2.02	0.59
1:A:270:ASN:C	1:A:270:ASN:HD22	2.06	0.58
1:B:62:VAL:HG11	1:B:106:ALA:HB1	1.85	0.58
1:B:133:ILE:HD13	1:B:133:ILE:C	2.24	0.58
1:A:133:ILE:HD13	1:A:133:ILE:O	2.03	0.57
1:A:53:HIS:CD2	1:A:243:LEU:HG	2.40	0.57
1:B:36:LYS:HB3	1:B:110:MET:CE	2.34	0.57
1:A:103:ILE:HD11	1:A:150:MET:HE3	1.87	0.57
1:A:243:LEU:HD22	1:A:247:LYS:HG3	1.87	0.57
1:B:46:ILE:HG22	1:B:220:THR:HG21	1.87	0.56
1:A:115:MET:CE	1:A:117:ILE:HD11	2.35	0.56
1:B:219:ASP:OD2	1:B:237:PRO:HA	2.06	0.56
1:B:155:LEU:N	1:B:156:PRO:HD2	2.20	0.56
1:B:195:SER:O	1:B:199:THR:HG22	2.06	0.56
1:A:195:SER:O	1:A:199:THR:HG22	2.06	0.55
1:A:91:GLY:HA3	1:A:98:PHE:CZ	2.41	0.55
1:A:46:ILE:CD1	1:A:218:ILE:HG21	2.37	0.55
1:B:32:LEU:HD22	1:B:54:LEU:CD2	2.37	0.55
1:A:53:HIS:O	1:A:57:MET:HG3	2.08	0.54
1:A:155:LEU:N	1:A:156:PRO:HD2	2.23	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:GLN:HA	1:B:104:VAL:HG22	1.89	0.54
1:A:102:PHE:HD2	1:A:150:MET:HE3	1.73	0.54
1:A:103:ILE:HD11	1:A:150:MET:CE	2.38	0.54
1:A:234:GLN:HB3	1:A:260:LYS:HE3	1.88	0.54
1:B:135:SER:O	1:B:139:VAL:HG23	2.07	0.53
1:B:145:LEU:O	1:B:148:VAL:HG13	2.08	0.53
1:B:66:ARG:HB2	2:B:2:NDP:O1X	2.09	0.53
1:A:277:GLU:OE1	1:B:176:THR:HB	2.09	0.53
1:B:126:LEU:H	1:B:126:LEU:HD22	1.73	0.53
1:B:239:GLU:CD	1:B:239:GLU:H	2.13	0.52
1:A:70:GLY:O	1:A:74:VAL:HG12	2.08	0.52
1:A:216:GLY:O	1:A:218:ILE:HG12	2.09	0.52
1:A:62:VAL:HG11	1:A:106:ALA:HB1	1.92	0.52
1:B:28:ARG:O	1:B:31:MET:HG3	2.10	0.52
1:B:49:GLU:HG2	1:B:239:GLU:HA	1.92	0.51
1:A:115:MET:HE2	1:A:117:ILE:HD11	1.93	0.50
1:A:33:GLN:HA	1:A:58:GLY:O	2.11	0.50
1:A:207:ASN:ND2	1:A:252:ARG:HH12	2.09	0.50
1:A:28:ARG:O	1:A:31:MET:HG3	2.09	0.50
1:B:133:ILE:HD13	1:B:133:ILE:O	2.11	0.50
1:B:36:LYS:HB3	1:B:110:MET:HE3	1.91	0.50
1:B:40:THR:OG1	1:B:120:HIS:HD2	1.95	0.50
1:B:47:GLY:HA2	1:B:50:MET:HE2	1.94	0.50
1:A:263:LEU:O	1:A:266:ILE:HG12	2.11	0.50
1:A:176:THR:HB	1:B:277:GLU:OE1	2.12	0.50
1:A:216:GLY:HA3	1:A:259:ASP:OD1	2.12	0.50
1:B:243:LEU:HD13	1:B:247:LYS:HE3	1.94	0.49
1:A:37:VAL:HG22	1:A:115:MET:HB3	1.93	0.49
1:A:133:ILE:HG13	1:B:149:VAL:HG22	1.93	0.49
1:B:27:PHE:CD2	1:B:247:LYS:HG2	2.47	0.49
1:A:234:GLN:CB	1:A:260:LYS:HE3	2.43	0.49
1:A:280:SER:OG	1:B:177:GLN:HG3	2.12	0.49
1:A:285:ASN:ND2	1:A:287:ASP:OD1	2.45	0.49
1:B:43:SER:HB3	2:B:2:NDP:O3B	2.11	0.49
1:B:179:MET:HE1	1:B:230:ILE:HD13	1.95	0.48
1:A:46:ILE:HD11	1:A:218:ILE:HG21	1.94	0.48
1:A:128:LEU:CD2	1:B:200:GLU:HG2	2.40	0.48
1:A:133:ILE:HD13	1:A:133:ILE:C	2.34	0.48
1:B:77:ARG:O	1:B:81:LEU:HG	2.14	0.48
1:A:145:LEU:O	1:A:148:VAL:HG22	2.13	0.48
1:B:47:GLY:HA2	1:B:50:MET:CE	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:GLU:HA	1:A:145:LEU:HB2	1.96	0.47
1:B:68:GLU:HG3	1:B:88:TYR:HE2	1.79	0.47
1:A:53:HIS:HD2	1:A:243:LEU:HG	1.79	0.47
1:A:270:ASN:ND2	1:A:270:ASN:C	2.68	0.47
1:B:64:THR:HB	1:B:102:PHE:CE1	2.50	0.47
1:B:236:SER:HB3	1:B:237:PRO:HD2	1.97	0.46
1:B:243:LEU:HD22	1:B:247:LYS:HG3	1.97	0.46
1:A:38:ILE:HG13	1:A:113:LEU:CD1	2.45	0.46
1:B:38:ILE:HD12	1:B:113:LEU:HD21	1.98	0.46
1:B:126:LEU:HD22	1:B:126:LEU:N	2.30	0.46
1:B:37:VAL:HG22	1:B:115:MET:HB3	1.98	0.46
1:A:164:SER:HB3	1:A:209:SER:OG	2.15	0.46
1:A:115:MET:HE3	1:A:117:ILE:HD11	1.98	0.46
1:A:44:LYS:HZ1	1:A:222:THR:CG2	2.30	0.45
1:A:140:MET:HE2	1:B:140:MET:HE2	1.97	0.45
1:B:26:GLU:HG3	1:B:27:PHE:H	1.80	0.45
1:A:284:TYR:CZ	1:B:178:PRO:HG2	2.52	0.45
1:B:116:LEU:HG	1:B:118:LEU:HD22	1.98	0.45
1:A:103:ILE:CD1	1:A:150:MET:HE3	2.46	0.45
1:B:141:GLU:HA	1:B:145:LEU:HB2	1.99	0.45
1:B:187:LYS:HD3	1:B:190:LEU:HD12	1.97	0.44
1:A:219:ASP:OD1	1:A:238:LYS:N	2.50	0.44
1:A:72:GLN:HG3	1:A:88:TYR:CE1	2.52	0.44
1:A:44:LYS:HZ1	1:A:221:GLU:HG3	1.82	0.44
1:A:171:LEU:HD23	1:A:214:VAL:HG12	1.99	0.44
1:B:132:ASP:OD1	1:B:135:SER:HB2	2.17	0.44
1:A:137:ARG:O	1:A:141:GLU:HG2	2.18	0.44
1:B:132:ASP:O	1:B:136:VAL:HG23	2.18	0.44
1:A:57:MET:HE1	1:A:246:ILE:HG21	1.99	0.44
1:B:243:LEU:CD1	1:B:247:LYS:HE3	2.48	0.44
1:B:234:GLN:NE2	1:B:260:LYS:NZ	2.65	0.44
1:A:171:LEU:HG	1:A:216:GLY:HA2	2.00	0.43
1:A:103:ILE:HD11	1:A:150:MET:HG2	2.00	0.43
1:B:126:LEU:CD2	1:B:226:GLU:HG3	2.47	0.43
1:B:121:ILE:HG13	1:B:121:ILE:O	2.18	0.43
1:A:38:ILE:HG13	1:A:113:LEU:HD13	2.00	0.43
1:B:177:GLN:HE22	3:B:12:C0R:C4	2.32	0.43
1:B:46:ILE:HD12	1:B:242:ALA:HB2	2.01	0.43
1:A:194:PHE:HB3	1:A:210:ILE:HG21	2.01	0.43
1:A:44:LYS:HZ1	1:A:222:THR:HG22	1.83	0.43
1:B:64:THR:HB	1:B:102:PHE:CZ	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:LEU:HD12	1:A:79:LEU:HA	1.78	0.42
1:A:61:VAL:O	1:A:86:ALA:HA	2.19	0.42
1:A:103:ILE:HD12	1:A:103:ILE:N	2.34	0.42
1:A:60:HIS:ND1	1:A:85:SER:HB3	2.33	0.42
1:A:68:GLU:HG3	1:A:88:TYR:CE2	2.54	0.42
1:B:102:PHE:HD2	1:B:103:ILE:HD12	1.84	0.42
1:A:52:TYR:CE1	1:A:74:VAL:HG23	2.55	0.42
1:A:248:GLY:HA3	1:A:256:VAL:HG21	2.01	0.42
1:B:279:PHE:O	1:B:282:ARG:HB3	2.19	0.42
1:B:43:SER:HB3	2:B:2:NDP:HO3A	1.85	0.42
1:A:103:ILE:CD1	1:A:150:MET:HG2	2.50	0.42
1:B:139:VAL:HG13	1:B:143:ASN:ND2	2.34	0.42
1:B:75:VAL:HG13	1:B:76:SER:N	2.35	0.41
1:A:171:LEU:C	1:A:173:GLY:H	2.24	0.41
1:B:38:ILE:HD12	1:B:113:LEU:CD2	2.50	0.41
1:B:93:MET:HG2	2:B:2:NDP:H2A	2.02	0.41
1:A:156:PRO:O	1:A:160:GLN:HG3	2.21	0.41
1:A:121:ILE:HD11	3:A:11:C0R:H211	2.01	0.41
1:A:193:PHE:O	1:A:197:ILE:HG12	2.21	0.41
1:B:145:LEU:HA	1:B:148:VAL:CG1	2.50	0.41
1:B:69:GLU:O	1:B:72:GLN:HB2	2.20	0.41
1:A:264:THR:N	1:A:265:PRO:HD2	2.36	0.41
1:B:220:THR:O	1:B:224:MET:HG2	2.21	0.41
1:B:264:THR:HB	1:B:265:PRO:CD	2.51	0.41
1:B:161:SER:O	1:B:162:ASN:HB2	2.20	0.41
1:A:135:SER:O	1:A:139:VAL:HG23	2.21	0.41
1:A:201:LEU:HD23	1:A:208:VAL:O	2.20	0.41
1:A:72:GLN:HA	1:A:75:VAL:HG12	2.02	0.41
1:B:121:ILE:HD11	3:B:12:C0R:C21	2.51	0.41
1:B:32:LEU:HA	1:B:35:LYS:HG3	2.03	0.40
1:B:102:PHE:CD2	1:B:103:ILE:HD12	2.56	0.40
1:B:237:PRO:HG2	1:B:240:GLU:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/276 (95%)	243 (92%)	14 (5%)	6 (2%)	7	35
1	B	263/276 (95%)	241 (92%)	19 (7%)	3 (1%)	17	56
All	All	526/552 (95%)	484 (92%)	33 (6%)	9 (2%)	11	44

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	286	LYS
1	B	45	GLY
1	A	219	ASP
1	A	282	ARG
1	B	65	ALA
1	A	65	ALA
1	A	233	ALA
1	B	219	ASP
1	A	29	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/235 (95%)	214 (96%)	10 (4%)	32	71
1	B	224/235 (95%)	210 (94%)	14 (6%)	21	57
All	All	448/470 (95%)	424 (95%)	24 (5%)	26	64

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	GLU
1	A	49	GLU
1	A	79	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	109	LEU
1	A	133	ILE
1	A	145	LEU
1	A	176	THR
1	A	243	LEU
1	A	270	ASN
1	A	289	PHE
1	B	25	GLU
1	B	32	LEU
1	B	46	ILE
1	B	100	GLU
1	B	123	GLN
1	B	133	ILE
1	B	148	VAL
1	B	167	VAL
1	B	175	MET
1	B	199	THR
1	B	201	LEU
1	B	207	ASN
1	B	243	LEU
1	B	276	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	HIS
1	A	72	GLN
1	A	120	HIS
1	A	162	ASN
1	A	177	GLN
1	A	207	ASN
1	A	232	ASN
1	A	270	ASN
1	A	285	ASN
1	B	120	HIS
1	B	123	GLN
1	B	207	ASN
1	B	234	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NDP	A	1	-	43,52,52	1.54	8 (18%)	49,80,80	1.53	5 (10%)
3	C0R	A	11	-	28,28,28	2.00	4 (14%)	43,45,45	2.49	17 (39%)
3	C0R	B	12	-	28,28,28	2.00	3 (10%)	43,45,45	2.20	13 (30%)
2	NDP	B	2	-	43,52,52	1.45	7 (16%)	49,80,80	1.61	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	1	-	-	0/30/77/77	0/5/5/5
3	C0R	A	11	-	-	1/6/67/67	0/4/4/4
3	C0R	B	12	-	-	1/6/67/67	0/4/4/4
2	NDP	B	2	-	-	0/30/77/77	0/5/5/5

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	11	C0R	O2-C11	-5.30	1.31	1.43
3	B	12	C0R	O2-C11	-4.67	1.33	1.43
2	A	1	NDP	C4N-C5N	-3.86	1.40	1.49
2	B	2	NDP	C4N-C5N	-3.81	1.40	1.49
3	A	11	C0R	O4-C21	-2.90	1.31	1.41
3	B	12	C0R	O4-C21	-2.52	1.33	1.41
2	B	2	NDP	O4B-C1B	-2.48	1.37	1.41
2	A	1	NDP	O4D-C4D	-2.05	1.40	1.45
2	B	2	NDP	O4B-C4B	-2.01	1.40	1.45
2	A	1	NDP	C5A-C4A	2.01	1.45	1.40
3	A	11	C0R	C4-C3	2.15	1.50	1.45
2	B	2	NDP	C2N-C3N	2.19	1.41	1.34
2	A	1	NDP	C2N-C3N	2.41	1.41	1.34
2	A	1	NDP	C4A-N3A	2.54	1.39	1.35
2	B	2	NDP	C2A-N1A	2.91	1.39	1.33
2	A	1	NDP	C2A-N1A	3.14	1.39	1.33
2	B	2	NDP	C6N-C5N	3.68	1.40	1.33
2	A	1	NDP	C6N-C5N	3.81	1.40	1.33
2	B	2	NDP	C2A-N3A	4.14	1.39	1.32
2	A	1	NDP	C2A-N3A	4.52	1.39	1.32
3	A	11	C0R	C4-C5	7.46	1.45	1.34
3	B	12	C0R	C4-C5	8.20	1.46	1.34

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NDP	N3A-C2A-N1A	-8.01	121.89	128.86
3	A	11	C0R	C12-C13-C14	-7.00	98.81	106.94
2	A	1	NDP	N3A-C2A-N1A	-6.52	123.18	128.86
3	B	12	C0R	C16-C17-C13	-5.85	99.00	104.17
3	B	12	C0R	C12-C13-C14	-5.83	100.16	106.94
3	A	11	C0R	C16-C17-C13	-5.20	99.57	104.17
3	A	11	C0R	C9-C8-C14	-5.06	100.47	109.37
3	A	11	C0R	C5-C4-C3	-4.69	116.16	123.66
3	B	12	C0R	C5-C4-C3	-4.20	116.95	123.66
2	B	2	NDP	O3B-C3B-C2B	-3.79	100.40	111.18
3	B	12	C0R	C15-C14-C8	-3.68	113.22	119.07
3	B	12	C0R	C9-C8-C14	-3.59	103.06	109.37
3	A	11	C0R	C15-C14-C8	-3.38	113.68	119.07
3	A	11	C0R	C19-C10-C5	-3.18	103.09	108.34
3	A	11	C0R	C10-C9-C8	-2.82	109.07	113.61
3	A	11	C0R	C1-C10-C9	-2.81	104.98	109.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	12	C0R	C2-C1-C10	-2.71	108.18	113.42
2	A	1	NDP	O4B-C1B-C2B	-2.53	102.16	106.59
3	A	11	C0R	C1-C2-C3	-2.51	106.19	111.64
3	A	11	C0R	C15-C14-C13	-2.45	100.81	103.83
3	B	12	C0R	C1-C10-C9	-2.45	105.55	109.39
3	B	12	C0R	C19-C10-C5	-2.38	104.42	108.34
2	B	2	NDP	C4A-C5A-N7A	-2.36	107.13	109.41
3	A	11	C0R	C7-C6-C5	-2.34	107.54	111.93
2	B	2	NDP	O3D-C3D-C4D	-2.26	104.49	111.09
3	A	11	C0R	O1-C3-C4	-2.09	117.56	121.61
3	B	12	C0R	C12-C11-C9	-2.09	109.76	112.67
3	A	11	C0R	C2-C1-C10	-2.05	109.47	113.42
3	B	12	C0R	C1-C2-C3	-2.04	107.21	111.64
2	A	1	NDP	O3X-P2B-O2B	2.25	116.24	106.00
3	B	12	C0R	C13-C14-C8	2.33	117.93	114.39
2	B	2	NDP	O2D-C2D-C3D	2.73	120.58	111.83
3	B	12	C0R	C18-C13-C12	2.77	114.72	110.97
2	A	1	NDP	C4B-O4B-C1B	2.82	112.77	109.77
3	A	11	C0R	C2-C3-C4	3.12	121.66	116.74
3	A	11	C0R	C13-C14-C8	3.18	119.24	114.39
3	B	12	C0R	C1-C10-C5	3.68	115.75	108.78
3	A	11	C0R	C1-C10-C5	3.93	116.22	108.78
3	A	11	C0R	C18-C13-C12	3.99	116.36	110.97
2	A	1	NDP	O3B-C3B-C4B	4.25	123.50	111.09

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	11	C0R	O3-C20-C21-O4
3	B	12	C0R	O3-C20-C21-O4

There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	NDP	2	0
3	A	11	C0R	2	0
3	B	12	C0R	3	0
2	B	2	NDP	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	265/276 (96%)	-0.64	1 (0%) 92 77	15, 34, 61, 86	0
1	B	265/276 (96%)	-0.60	1 (0%) 92 77	12, 37, 60, 86	0
All	All	530/552 (96%)	-0.62	2 (0%) 92 77	12, 36, 61, 86	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	25	GLU	2.4
1	A	25	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	COR	A	11	25/25	0.95	0.13	-0.36	15,19,27,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NDP	A	1	48/48	0.98	0.12	-0.79	20,25,31,35	25
2	NDP	B	2	48/48	0.97	0.13	-0.87	30,37,39,44	25
3	COR	B	12	25/25	0.94	0.14	-0.92	30,32,37,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.