



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 08:07 am GMT

PDB ID : 1Y7A
Title : Structure of D153H/K328W E. coli alkaline phosphatase in presence of cobalt at 1.77 Å resolution
Authors : Wang, J.; Stieglitz, K.; Kantrowitz, E.R.
Deposited on : 2004-12-08
Resolution : 1.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	7172 (1.80-1.76)
Clashscore	112137	8247 (1.80-1.76)
Ramachandran outliers	110173	8154 (1.80-1.76)
Sidechain outliers	110143	8153 (1.80-1.76)
RSRZ outliers	101464	7262 (1.80-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	449	<div> <div>4%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>
1	B	449	<div> <div>9%</div> <div>81%</div> <div>15%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CO	A	1451	-	-	-	X
3	PO4	A	1456	-	-	X	X
3	PO4	B	1956	-	-	X	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7317 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alkaline phosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	449	Total	C	N	O	S	0	0	0
			3311	2049	583	667	12			
1	B	449	Total	C	N	O	S	0	0	0
			3311	2049	583	667	12			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	153	HIS	ASP	ENGINEERED	UNP P00634
A	328	TRP	LYS	ENGINEERED	UNP P00634
B	153	HIS	ASP	ENGINEERED	UNP P00634
B	328	TRP	LYS	ENGINEERED	UNP P00634

- Molecule 2 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Co	0	0
			3	3		
2	A	3	Total	Co	0	0
			3	3		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	391	Total 391	O 391	0	0
5	B	278	Total 278	O 278	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Alkaline phosphatase



• Molecule 1: Alkaline phosphatase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	76.21Å 164.56Å 192.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.77 29.88 – 1.77	Depositor EDS
% Data completeness (in resolution range)	94.6 (30.00-1.77) 94.6 (29.88-1.77)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 1.77Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.205 , 0.238 0.205 , 0.238	Depositor DCC
R_{free} test set	11150 reflections (10.00%)	DCC
Wilson B-factor (Å ²)	23.3	Xtriage
Anisotropy	0.249	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 53.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7317	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, CO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.18	9/3369 (0.3%)	1.10	17/4576 (0.4%)
1	B	1.06	3/3369 (0.1%)	1.04	10/4576 (0.2%)
All	All	1.12	12/6738 (0.2%)	1.07	27/9152 (0.3%)

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	373	ALA	CA-CB	6.42	1.66	1.52
1	A	103	ALA	CA-CB	5.71	1.64	1.52
1	A	105	SER	CB-OG	5.54	1.49	1.42
1	B	122	VAL	CB-CG2	5.53	1.64	1.52
1	A	321	VAL	CB-CG1	5.53	1.64	1.52
1	A	64	TYR	CD2-CE2	5.47	1.47	1.39
1	A	341	GLU	CB-CG	5.27	1.62	1.52
1	A	113	VAL	CB-CG1	5.25	1.63	1.52
1	B	293	ASN	N-CA	5.20	1.56	1.46
1	A	352	ALA	CA-CB	5.14	1.63	1.52
1	B	427	ALA	CA-CB	5.08	1.63	1.52
1	A	420	ALA	CA-CB	5.04	1.63	1.52

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	351	ARG	NE-CZ-NH2	10.56	125.58	120.30
1	B	293	ASN	N-CA-C	9.78	137.40	111.00
1	A	351	ARG	NE-CZ-NH1	-9.31	115.64	120.30
1	A	330	ASP	CB-CG-OD1	7.04	124.64	118.30
1	A	239	ASP	CB-CG-OD2	-6.88	112.11	118.30
1	A	239	ASP	CB-CG-OD1	6.84	124.46	118.30
1	B	97	ASP	N-CA-C	-6.68	92.97	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	369	ASP	CB-CG-OD1	-6.64	112.32	118.30
1	B	323	GLY	N-CA-C	-6.52	96.80	113.10
1	A	323	GLY	N-CA-C	-6.23	97.53	113.10
1	A	24	ARG	NE-CZ-NH1	-6.22	117.19	120.30
1	B	292	ARG	C-N-CA	5.89	136.44	121.70
1	A	351	ARG	CD-NE-CZ	5.75	131.64	123.60
1	A	84	TYR	CA-CB-CG	5.71	124.25	113.40
1	A	363	LEU	CB-CG-CD2	-5.59	101.49	111.00
1	B	84	TYR	CA-CB-CG	5.59	124.02	113.40
1	A	168	CYS	CA-CB-SG	-5.58	103.95	114.00
1	B	267	ARG	NE-CZ-NH1	-5.54	117.53	120.30
1	A	128	ASP	CB-CG-OD1	5.47	123.23	118.30
1	A	351	ARG	CG-CD-NE	-5.42	100.42	111.80
1	A	418	ARG	NE-CZ-NH1	-5.41	117.59	120.30
1	A	92	LYS	CD-CE-NZ	-5.24	99.64	111.70
1	B	50	GLY	N-CA-C	-5.20	100.10	113.10
1	B	293	ASN	CB-CA-C	-5.16	100.07	110.40
1	A	380	ASP	CB-CG-OD2	5.12	122.91	118.30
1	B	319	LEU	CB-CG-CD2	-5.09	102.34	111.00
1	B	128	ASP	CB-CG-OD2	5.09	122.88	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3311	0	3248	35	0
1	B	3311	0	3249	69	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	5	0	0	5	0
3	B	5	0	0	2	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
5	A	391	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	278	0	0	2	0
All	All	7317	0	6497	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:ASP:OD2	1:A:188:LYS:HE3	1.54	1.05
1:B:250:ASN:OD1	1:B:252:GLN:HG2	1.59	1.02
1:B:224:THR:CG2	1:B:227:GLU:H	1.78	0.97
1:B:224:THR:HG22	1:B:227:GLU:HB2	1.48	0.94
1:A:188:LYS:HE2	5:A:1814:HOH:O	1.71	0.91
1:A:166:ARG:NH1	3:A:1456:PO4:O1	2.05	0.90
1:A:102:SER:OG	3:A:1456:PO4:O3	1.94	0.84
1:B:236:LEU:HD23	1:B:256:LEU:HB3	1.60	0.83
1:B:2:PRO:HG2	1:B:357:LYS:HG2	1.63	0.79
1:B:224:THR:HG22	1:B:227:GLU:CB	2.12	0.78
1:B:248:GLU:OE1	1:B:253:LYS:HD2	1.84	0.78
1:B:224:THR:HG22	1:B:227:GLU:H	1.47	0.77
1:B:224:THR:HG23	1:B:227:GLU:H	1.53	0.73
1:B:38:SER:OG	1:B:40:LYS:HD3	1.91	0.70
1:B:248:GLU:CD	1:B:253:LYS:HD2	2.16	0.66
1:A:292:ARG:O	1:A:293:ASN:CB	2.45	0.65
1:B:248:GLU:CG	1:B:253:LYS:HD2	2.26	0.65
1:B:251:GLN:H	1:B:251:GLN:NE2	1.96	0.63
1:A:244:ASN:ND2	5:A:1656:HOH:O	2.30	0.62
1:B:405:SER:HB2	1:B:411:GLU:OE2	1.99	0.61
1:B:312:LYS:HE3	1:B:312:LYS:HA	1.81	0.61
1:A:293:ASN:HB3	1:A:295:SER:H	1.67	0.60
1:B:313:ASN:ND2	1:B:315:LYS:H	1.99	0.60
1:B:234:TYR:CD1	1:B:254:PRO:HG2	2.36	0.59
1:A:38:SER:OG	1:A:40:LYS:HG2	2.01	0.59
1:B:152:GLN:NE2	1:B:152:GLN:H	2.00	0.59
1:B:251:GLN:NE2	1:B:251:GLN:N	2.52	0.57
1:B:224:THR:HG22	1:B:227:GLU:N	2.18	0.56
1:A:365:ILE:HD13	1:A:438:LEU:HD11	1.87	0.55
1:B:102:SER:OG	3:B:1956:PO4:O2	2.26	0.54
1:B:313:ASN:HD22	1:B:315:LYS:H	1.55	0.54
1:A:379:PRO:HA	1:A:399:VAL:HG21	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:128:ASP:OD1	1:B:188:LYS:HE3	2.08	0.53
1:A:128:ASP:OD2	1:A:188:LYS:CE	2.43	0.53
1:B:306:ALA:O	1:B:310:LEU:HG	2.09	0.53
1:B:313:ASN:HD21	1:B:315:LYS:HB2	1.73	0.53
1:A:292:ARG:O	1:A:293:ASN:HB2	2.08	0.52
1:B:166:ARG:NH1	3:B:1956:PO4:O1	2.34	0.52
1:A:166:ARG:CZ	3:A:1456:PO4:O1	2.58	0.52
1:A:137:LYS:NZ	1:A:199:ARG:HB3	2.25	0.52
1:A:292:ARG:O	1:A:293:ASN:CG	2.48	0.51
1:A:6:VAL:H	1:A:357:LYS:HZ2	1.59	0.51
1:A:291:GLN:O	1:A:292:ARG:O	2.30	0.50
1:A:166:ARG:NH2	3:A:1456:PO4:O1	2.46	0.48
1:B:224:THR:HG23	1:B:226:ARG:N	2.28	0.48
1:B:40:LYS:N	1:B:40:LYS:HD2	2.28	0.48
1:A:144:GLY:HA2	1:A:202:VAL:O	2.13	0.48
1:B:228:GLN:O	1:B:232:ARG:HG3	2.13	0.48
1:B:312:LYS:HD3	5:B:2072:HOH:O	2.13	0.48
1:A:139:ALA:O	1:A:315:LYS:HE2	2.14	0.47
1:B:251:GLN:H	1:B:251:GLN:HE21	1.63	0.47
1:B:235:GLN:O	1:B:255:LEU:HD12	2.15	0.47
1:B:251:GLN:O	1:B:254:PRO:HD3	2.15	0.47
1:B:15:ASP:O	1:B:21:GLY:HA3	2.15	0.47
1:B:152:GLN:HE21	1:B:152:GLN:H	1.63	0.47
1:B:213:GLU:O	1:B:225:LEU:N	2.46	0.47
1:A:291:GLN:HA	1:A:291:GLN:HE21	1.79	0.47
1:A:148:THR:HG23	1:A:299:LEU:HD13	1.97	0.47
1:A:149:ALA:HB2	1:A:324:ALA:CB	2.45	0.46
1:B:224:THR:CG2	1:B:227:GLU:N	2.61	0.46
1:B:199:ARG:HA	1:B:234:TYR:OH	2.15	0.46
1:A:222:GLY:C	1:A:223:LYS:HE2	2.37	0.45
1:B:224:THR:HG23	1:B:226:ARG:H	1.81	0.45
1:B:236:LEU:CD2	1:B:256:LEU:HB3	2.38	0.45
1:B:314:GLU:HA	1:B:314:GLU:OE2	2.16	0.45
1:A:312:LYS:HE2	1:A:312:LYS:O	2.17	0.45
1:B:195:LEU:HD23	1:B:195:LEU:C	2.36	0.45
1:B:313:ASN:HD21	1:B:315:LYS:CB	2.30	0.45
1:A:267:ARG:HG2	1:A:268:TRP:CD1	2.52	0.45
1:A:291:GLN:C	1:A:292:ARG:O	2.54	0.45
1:B:33:LEU:HA	1:B:33:LEU:HD12	1.82	0.45
1:A:279:ILE:HG13	1:A:382:LYS:HD2	1.99	0.44
1:B:313:ASN:HD22	1:B:313:ASN:C	2.21	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:4:MET:HE3	5:B:2219:HOH:O	2.18	0.44
1:B:3:GLU:O	1:B:5:PRO:HD3	2.18	0.44
1:B:103:ALA:HB1	1:B:119:ALA:O	2.18	0.44
1:B:225:LEU:HD12	1:B:225:LEU:HA	1.86	0.44
1:B:209:LYS:HB2	1:B:261:ASP:OD1	2.17	0.44
1:B:210:THR:O	1:B:213:GLU:HB2	2.18	0.43
1:B:252:GLN:H	1:B:252:GLN:CD	2.21	0.43
1:B:272:LYS:HG2	1:B:273:ALA:O	2.19	0.43
1:A:222:GLY:O	1:A:223:LYS:HE2	2.18	0.43
1:B:2:PRO:O	1:B:3:GLU:C	2.57	0.43
1:B:313:ASN:HD22	1:B:316:GLY:H	1.66	0.43
1:B:102:SER:HB3	1:B:154:ALA:HB3	1.99	0.43
1:B:148:THR:HG23	1:B:299:LEU:HD13	2.01	0.43
1:A:33:LEU:HD12	1:A:33:LEU:HA	1.89	0.43
1:A:15:ASP:O	1:A:21:GLY:HA3	2.19	0.42
1:A:449:LYS:HA	1:A:449:LYS:HD2	1.69	0.42
1:B:378:ALA:HA	1:B:379:PRO:HD3	1.93	0.42
1:B:149:ALA:HB2	1:B:324:ALA:CB	2.50	0.42
1:B:328:TRP:HD1	1:B:329:GLN:OE1	2.02	0.42
1:B:181:ASN:O	1:B:189:GLY:N	2.48	0.42
1:B:195:LEU:HD23	1:B:195:LEU:O	2.19	0.42
1:B:230:GLN:HE21	1:B:230:GLN:HB2	1.66	0.41
1:B:133:LEU:HD23	1:B:133:LEU:C	2.41	0.41
1:A:102:SER:OG	3:A:1456:PO4:P	2.79	0.41
1:B:4:MET:HA	1:B:5:PRO:HD2	1.89	0.41
1:A:379:PRO:HA	1:A:399:VAL:CG2	2.50	0.41
1:A:281:LYS:HD3	5:A:1800:HOH:O	2.20	0.40
1:B:287:THR:HA	1:B:288:PRO:HD3	1.80	0.40
1:B:3:GLU:HA	1:B:3:GLU:OE1	2.21	0.40
1:B:51:ASP:OD1	1:B:327:ASP:HB2	2.21	0.40
1:B:359:GLU:OE2	1:B:361:ASN:N	2.39	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/449 (100%)	436 (98%)	8 (2%)	3 (1%)	25	10
1	B	447/449 (100%)	432 (97%)	12 (3%)	3 (1%)	25	10
All	All	894/898 (100%)	868 (97%)	20 (2%)	6 (1%)	25	10

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	292	ARG
1	A	293	ASN
1	B	293	ASN
1	A	3	GLU
1	B	2	PRO
1	B	3	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/340 (100%)	331 (97%)	9 (3%)	51	33
1	B	340/340 (100%)	320 (94%)	20 (6%)	23	7
All	All	680/680 (100%)	651 (96%)	29 (4%)	33	15

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	83	GLN
1	A	84	TYR
1	A	225	LEU
1	A	291	GLN
1	A	293	ASN
1	A	312	LYS
1	A	314	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	351	ARG
1	A	408	ASP
1	B	8	GLU
1	B	13	GLN
1	B	33	LEU
1	B	40	LYS
1	B	84	TYR
1	B	145	ASN
1	B	152	GLN
1	B	177	LYS
1	B	224	THR
1	B	225	LEU
1	B	230	GLN
1	B	252	GLN
1	B	261	ASP
1	B	293	ASN
1	B	312	LYS
1	B	313	ASN
1	B	314	GLU
1	B	315	LYS
1	B	380	ASP
1	B	411	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	221	GLN
1	A	230	GLN
1	A	291	GLN
1	A	293	ASN
1	A	329	GLN
1	B	145	ASN
1	B	152	GLN
1	B	221	GLN
1	B	230	GLN
1	B	235	GLN
1	B	251	GLN
1	B	313	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	A	1456	2	4,4,4	1.39	1 (25%)	6,6,6	1.14	0
4	SO4	A	1458	-	4,4,4	0.69	0	6,6,6	0.13	0
3	PO4	B	1956	2	4,4,4	1.07	0	6,6,6	1.20	0
4	SO4	B	1958	-	4,4,4	0.69	0	6,6,6	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PO4	A	1456	2	-	0/0/0/0	0/0/0/0
4	SO4	A	1458	-	-	0/0/0/0	0/0/0/0
3	PO4	B	1956	2	-	0/0/0/0	0/0/0/0
4	SO4	B	1958	-	-	0/0/0/0	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1456	PO4	P-O1	2.15	1.55	1.50

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1456	PO4	5	0
3	B	1956	PO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	449/449 (100%)	0.08	16 (3%)	43 42	15, 22, 36, 87	0
1	B	449/449 (100%)	0.55	39 (8%)	11 10	16, 28, 52, 93	0
All	All	898/898 (100%)	0.32	55 (6%)	22 21	15, 24, 49, 93	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1	THR	14.1
1	A	1	THR	12.8
1	B	2	PRO	8.7
1	A	2	PRO	7.8
1	B	328	TRP	5.4
1	B	408	ASP	5.3
1	A	408	ASP	5.1
1	B	407	GLU	4.6
1	B	231	ALA	4.6
1	A	328	TRP	4.3
1	B	212	ALA	3.9
1	B	230	GLN	3.8
1	A	407	GLU	3.7
1	B	224	THR	3.7
1	B	245	SER	3.3
1	A	245	SER	3.3
1	A	294	ASP	3.2
1	B	222	GLY	3.1
1	B	176	GLU	3.1
1	B	223	LYS	3.1
1	B	185	LYS	2.9
1	A	449	LYS	2.8
1	B	146	VAL	2.8
1	B	449	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	247	THR	2.7
1	B	195	LEU	2.7
1	A	159	LEU	2.6
1	B	252	GLN	2.6
1	B	179	PRO	2.6
1	B	314	GLU	2.6
1	B	216	THR	2.5
1	B	184	GLU	2.4
1	B	227	GLU	2.4
1	B	221	GLN	2.3
1	B	92	LYS	2.3
1	B	159	LEU	2.3
1	A	390	LEU	2.3
1	B	182	ALA	2.3
1	B	140	GLY	2.3
1	B	215	ALA	2.2
1	A	3	GLU	2.2
1	A	314	GLU	2.2
1	A	160	VAL	2.2
1	B	218	GLY	2.2
1	A	382	LYS	2.1
1	B	204	LEU	2.1
1	B	214	THR	2.1
1	B	315	LYS	2.1
1	B	294	ASP	2.1
1	B	47	LEU	2.1
1	B	242	SER	2.1
1	B	187	GLY	2.0
1	B	3	GLU	2.0
1	B	234	TYR	2.0
1	A	204	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	PO4	A	1456	5/5	0.82	0.28	7.90	65,67,67,69	5
3	PO4	B	1956	5/5	0.75	0.31	5.32	71,73,74,75	5
2	CO	A	1451	1/1	0.99	0.12	2.21	36,36,36,36	0
2	CO	B	1951	1/1	0.99	0.14	1.44	46,46,46,46	0
4	SO4	A	1458	5/5	0.98	0.12	-0.21	40,41,43,43	5
2	CO	A	1452	1/1	1.00	0.09	-0.83	30,30,30,30	0
2	CO	B	1952	1/1	0.99	0.07	-1.84	37,37,37,37	0
2	CO	A	1450	1/1	0.97	0.05	-2.14	31,31,31,31	0
2	CO	B	1950	1/1	0.91	0.05	-3.62	38,38,38,38	0
4	SO4	B	1958	5/5	0.97	0.09	-	46,48,49,49	5

6.5 Other polymers [i](#)

There are no such residues in this entry.