



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2018 – 06:00 PM EST

PDB ID : 4YAU  
Title : Reduced CYPOR mutant - G141del/E142N  
Authors : Xia, C.; Kim, J.J.P.  
Deposited on : 2015-02-17  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030736  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030736


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	621	
1	B	621	

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 10579 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NADPH–cytochrome P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	609	Total	C	N	O	S	0	0	0
			4873	3090	836	924	23			
1	B	602	Total	C	N	O	S	0	0	0
			4786	3032	826	905	23			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLY	deletion	UNP P00388
A	142	ASN	GLU	engineered mutation	UNP P00388
B	?	-	GLY	deletion	UNP P00388
B	142	ASN	GLU	engineered mutation	UNP P00388

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula:  $C_{17}H_{21}N_4O_9P$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C<sub>27</sub>H<sub>33</sub>N<sub>9</sub>O<sub>15</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is ADENOSINE-2'-MONOPHOSPHATE (three-letter code: 2AM) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>5</sub>O<sub>7</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
4	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	A	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	394	Total	O	0	0
			394	394		
6	B	287	Total	O	0	0
			287	287		

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- ### Chain A:
- 
- Sequence logo for Chain A showing amino acid conservation across 400 positions. The y-axis represents information content in bits (0.00 to 0.15). The x-axis shows positions 1 to 400. A green bar at the top indicates 82% identity and a yellow bar indicates 16% identity. Amino acids are color-coded: green for high conservation, yellow for moderate, and grey for low. Red dots highlight specific positions: 105 (Glu), 125 (Glu), 135 (Glu), 145 (Glu), 155 (Glu), 165 (Glu), 175 (Glu), 185 (Glu), 195 (Glu), 205 (Glu), 215 (Glu), 225 (Glu), 235 (Glu), 245 (Glu), 255 (Glu), 265 (Glu), 275 (Glu), 285 (Glu), 295 (Glu), 305 (Glu), 315 (Glu), 325 (Glu), 335 (Glu), 345 (Glu), 355 (Glu), 365 (Glu), 375 (Glu), 385 (Glu), 395 (Glu), 400 (Glu).

- Chain B:
- 
- 9% 74% 23%
- ILE GLN THR THR ALA PRO VAL LYS GLU SER SER PHE W70 E71 K72 W73 K74 K75 W76 G77 I80 I81 W82 W84 G85 G86 Q87 T90 A91 E92 E93 I98 D101 A102 H103 R104 R105 G106 M107 R108 E115 D118 L119 A120 D121 L122 S123 S124 L125 P126 E127 S131 L132 V133 V134 F135 A138 T139 Y140 D144 P145 T146 D147 N148 F152 W155 L156 D160 V161 D162 L163 T164 G165 F168 A169 V170 F171 G172 L173 G174 N175 N176 T177 Y178 E179 H180 F181 M184 G185 K186 Y187 V188 R191 L192 E193 G194 L195 G196 A197 Q198 R199 T200 F201 E202 L203 G204 L205 G206 D207 D208 D209 E213 L217 T218 W219 Q222 F223 W224 P225 A226 V227 C228 E229 F230 F231 G232 V233 E234 A235 T236 L242 Y245 E246 L247 H250 E251 G252 M253 L266 K267 M293 L300 E304 R313 Y323 M346 L351 K358 K359 P360 Y374 R382 E385 P396 H401 N405 E411 S418 E422 D442 A453 H470 A475 V476 E477 K487 T491 A500 T568 K669 G670 G671 V672 S673 L674 D675 V676 W677 S678

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	101.56Å 115.90Å 118.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.68 – 2.20 46.68 – 2.19	Depositor EDS
% Data completeness (in resolution range)	95.3 (46.68-2.20) 95.0 (46.68-2.19)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.86 (at 2.20Å)	Xtriage
Refinement program	CNS 1.3	Depositor
R, $R_{free}$	0.201 , 0.241 0.202 , 0.241	Depositor DCC
$R_{free}$ test set	3476 reflections (5.09%)	DCC
Wilson B-factor (Å <sup>2</sup> )	41.3	Xtriage
Anisotropy	0.600	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 42.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.013 for -h,l,k	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	10579	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, PO4, 2AM, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/4990	0.59	0/6755
1	B	0.34	0/4901	0.59	2/6636 (0.0%)
All	All	0.35	0/9891	0.59	2/13391 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	191	ARG	CB-CA-C	6.48	123.36	110.40
1	B	192	LEU	N-CA-C	5.17	124.95	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4873	0	4712	61	0
1	B	4786	0	4582	106	0
2	A	31	0	19	0	0
2	B	31	0	19	0	0
3	A	53	0	31	0	0
3	B	53	0	31	0	0
4	A	23	0	12	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	23	0	12	1	0
5	A	10	0	0	0	0
5	B	15	0	0	0	0
6	A	394	0	0	9	0
6	B	287	0	0	6	0
All	All	10579	0	9418	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:358:LYS:HD3	1:B:358:LYS:H	1.13	1.10
1:A:86:SER:HB2	1:A:91:ALA:HB3	1.53	0.90
1:B:313:ARG:HH11	1:B:313:ARG:HG3	1.50	0.77
1:B:124:SER:O	1:B:127:GLU:HG2	1.86	0.76
1:B:358:LYS:HD3	1:B:358:LYS:N	1.95	0.75
1:B:358:LYS:H	1:B:358:LYS:CD	1.93	0.73
1:B:115:GLU:OE1	1:B:148:ASN:HA	1.90	0.72
1:B:234:GLU:H	1:B:234:GLU:CD	1.96	0.69
1:A:257:LYS:HA	1:A:266:LEU:HD21	1.72	0.69
1:A:638:LYS:HE2	1:A:638:LYS:HA	1.76	0.68
1:B:207:ASP:OD1	1:B:209:ASP:HB3	1.94	0.67
1:B:161:VAL:O	1:B:195:LEU:HD22	1.97	0.65
1:B:120:ALA:HA	1:B:155:TRP:CZ2	2.32	0.65
1:B:595:PHE:HB3	1:B:598:GLU:HG3	1.79	0.64
1:A:96:ASN:O	1:A:100:LYS:HD3	1.97	0.64
1:B:246:GLU:HB2	1:B:351:LEU:HD21	1.78	0.64
1:A:244:GLN:HG2	6:A:1011:HOH:O	2.01	0.61
1:B:222:GLN:O	1:B:225:PRO:HD2	2.01	0.61
1:B:293:ASN:HB3	1:B:300:LEU:HD12	1.81	0.61
1:B:300:LEU:HD13	1:B:574:LEU:HD21	1.82	0.61
1:B:93:GLU:HG2	1:B:382:ARG:NH1	2.15	0.60
1:A:633:ALA:HB2	1:A:676:VAL:HB	1.82	0.60
1:A:246:GLU:HB3	1:A:351:LEU:HD21	1.82	0.60
1:B:86:SER:HB2	1:B:91:ALA:HB3	1.83	0.60
1:A:577:GLU:H	1:A:577:GLU:CD	2.05	0.60
1:B:664:LYS:HA	1:B:667:MET:HE2	1.84	0.59
1:B:127:GLU:O	1:B:127:GLU:HG3	2.01	0.59
1:B:250:HIS:HB3	1:B:253:MET:HG2	1.85	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:313:ARG:NH1	1:B:313:ARG:HG3	2.18	0.59
1:B:176:LYS:HB2	1:B:207:ASP:OD2	2.04	0.58
1:B:115:GLU:HB2	1:B:148:ASN:O	2.03	0.58
1:B:213:GLU:O	1:B:217:ILE:HG13	2.03	0.58
1:A:551:ARG:HG3	1:A:557:VAL:HG21	1.86	0.57
1:B:93:GLU:HG2	1:B:382:ARG:HH11	1.69	0.57
1:B:664:LYS:HA	1:B:667:MET:CE	2.35	0.57
1:A:449:PRO:HG3	6:A:1066:HOH:O	2.05	0.56
1:B:135:PHE:HB2	1:B:170:VAL:HG22	1.86	0.55
1:B:133:VAL:O	1:B:168:PHE:HA	2.06	0.55
1:A:76:THR:OG1	1:A:78:ARG:HD3	2.07	0.55
1:A:551:ARG:HG3	1:A:557:VAL:CG2	2.38	0.54
1:B:660:VAL:CG1	1:B:664:LYS:HE2	2.37	0.54
1:B:222:GLN:C	1:B:225:PRO:HD2	2.27	0.54
1:A:515:LYS:HD2	6:A:1044:HOH:O	2.07	0.54
1:A:258:VAL:HG21	1:A:345:ILE:HD13	1.90	0.54
1:A:272:GLN:HA	6:A:807:HOH:O	2.07	0.53
1:B:123:SER:O	1:B:126:PRO:HD2	2.08	0.53
1:B:176:LYS:O	1:B:176:LYS:HD3	2.07	0.53
1:A:62:PRO:HD3	6:A:1142:HOH:O	2.07	0.53
1:A:100:LYS:HE2	1:A:244:GLN:OE1	2.08	0.53
1:B:664:LYS:HG2	1:B:667:MET:HE3	1.90	0.53
1:B:657:THR:HG23	6:B:941:HOH:O	2.08	0.53
1:B:250:HIS:CB	1:B:253:MET:HG2	2.39	0.53
1:B:500:ALA:HB1	6:B:1080:HOH:O	2.08	0.53
1:B:119:LEU:HG	1:B:152:PHE:CD1	2.44	0.52
1:A:250:HIS:HB3	1:A:253:MET:HB2	1.90	0.52
1:A:411:GLU:HG3	1:A:412:GLY:N	2.24	0.52
1:A:409:SER:HA	1:A:413:LYS:HD3	1.92	0.51
1:B:266:LEU:O	1:B:267:LYS:HB2	2.09	0.51
1:B:663:VAL:O	1:B:666:LEU:HB2	2.11	0.51
1:B:87:GLN:HB2	1:B:140:TYR:CZ	2.46	0.51
1:A:105:TYR:O	1:A:233:VAL:HG11	2.09	0.51
1:A:277:ASP:HB2	6:A:1031:HOH:O	2.11	0.51
1:B:72:LYS:HA	1:B:75:LYS:HB2	1.92	0.50
1:B:223:PHE:O	1:B:227:VAL:HG23	2.11	0.50
1:B:527:PRO:HB2	1:B:625:ALA:HB2	1.92	0.50
1:B:69:PHE:CE1	1:B:121:ASP:HB2	2.46	0.50
1:B:401:HIS:O	1:B:405:MET:HG2	2.12	0.50
1:A:382:ARG:HG2	1:A:382:ARG:HH11	1.77	0.50
1:B:663:VAL:HA	1:B:666:LEU:HD12	1.94	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119:LEU:HD22	1:B:119:LEU:N	2.27	0.49
4:B:703:2AM:H5'2	6:B:874:HOH:O	2.11	0.49
1:B:138:ALA:O	1:B:146:THR:HG23	2.13	0.49
1:B:173:LEU:N	1:B:173:LEU:HD12	2.28	0.49
1:B:655:GLU:HG3	6:B:1065:HOH:O	2.13	0.49
1:A:400:GLU:OE2	1:A:404:LYS:NZ	2.45	0.48
1:A:82:VAL:HG11	1:A:95:ALA:HA	1.94	0.48
1:A:643:THR:O	1:A:647:ILE:HG13	2.14	0.48
1:B:477:GLU:HG3	1:B:487:LYS:HD3	1.95	0.48
1:B:358:LYS:HG2	1:B:359:HIS:ND1	2.27	0.48
1:B:665:LYS:HE2	1:B:669:LYS:HE3	1.96	0.48
1:B:568:ARG:HD2	1:B:571:GLU:CD	2.34	0.48
1:A:300:LEU:HD12	1:A:300:LEU:N	2.28	0.48
1:A:528:VAL:HG12	1:A:530:MET:HG3	1.95	0.48
1:B:193:GLU:HA	1:B:197:ALA:O	2.14	0.47
1:B:374:TYR:HA	6:B:858:HOH:O	2.15	0.47
1:A:317:GLY:HA3	1:A:518:PHE:O	2.14	0.47
1:A:390:ALA:O	1:A:399:GLN:HG3	2.14	0.47
1:A:601:HIS:HB2	6:A:982:HOH:O	2.15	0.47
1:B:228:CYS:O	1:B:232:GLY:N	2.48	0.47
1:B:673:SER:C	1:B:674:LEU:HD12	2.36	0.46
1:A:341:ASP:HB3	1:A:344:VAL:HG23	1.97	0.46
1:B:144:ASP:HB3	1:B:145:PRO:HD2	1.95	0.46
1:B:245:TYR:CD2	1:B:360:PRO:HD3	2.51	0.46
1:B:633:ALA:HB2	1:B:676:VAL:HB	1.97	0.46
1:A:119:LEU:HG	1:A:152:PHE:CD1	2.51	0.46
1:B:247:LEU:HD22	1:B:442:ASP:CG	2.36	0.46
1:B:118:ASP:OD2	1:B:120:ALA:HB3	2.16	0.46
1:B:145:PRO:HB3	1:B:184:MET:CE	2.46	0.46
1:B:551:ARG:C	1:B:553:GLN:H	2.18	0.46
1:B:418:SER:HA	1:B:422:GLU:HB3	1.96	0.45
1:A:266:LEU:O	1:A:267:LYS:HB2	2.16	0.45
1:B:528:VAL:HG22	1:B:560:THR:HA	1.98	0.45
1:B:101:ASP:HB2	1:B:224:TRP:CZ2	2.51	0.45
1:A:144:ASP:HB3	1:A:145:PRO:CD	2.47	0.45
1:A:253:MET:HE1	1:A:257:LYS:HD2	1.99	0.45
1:A:533:PRO:HG3	1:A:636:MET:HG3	1.97	0.45
1:B:73:MET:O	1:B:77:GLY:N	2.49	0.45
1:A:120:ALA:HA	1:A:155:TRP:CZ2	2.52	0.45
1:B:81:ILE:HG23	1:B:133:VAL:HG23	1.98	0.45
1:B:175:ASN:HB3	1:B:178:TYR:HD1	1.82	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:105:TYR:O	1:B:233:VAL:HG11	2.17	0.45
1:A:217:ILE:HD11	1:A:383:THR:HG21	1.98	0.44
1:B:528:VAL:CG2	1:B:560:THR:HA	2.46	0.44
1:B:411:GLU:H	1:B:411:GLU:HG2	1.58	0.44
1:A:561:LEU:HD12	1:A:561:LEU:N	2.32	0.44
1:A:629:VAL:HB	1:A:674:LEU:HD23	2.00	0.44
1:B:660:VAL:HG12	1:B:664:LYS:HE2	1.99	0.44
1:B:80:ILE:HD11	1:B:107:MET:SD	2.58	0.44
1:B:561:LEU:HD22	1:B:590:GLN:HB2	2.00	0.44
1:A:310:SER:O	1:A:311:LYS:HB2	2.18	0.44
1:A:145:PRO:HG3	1:A:184:MET:SD	2.57	0.43
1:A:300:LEU:HD22	1:A:574:LEU:HD21	2.00	0.43
1:B:674:LEU:HD12	1:B:674:LEU:N	2.32	0.43
1:B:395:GLU:HA	1:B:396:PRO:HD2	1.87	0.43
1:A:581:ARG:HH12	1:A:584:LYS:HD3	1.83	0.43
1:B:90:THR:HG22	1:B:173:LEU:HD23	2.00	0.43
1:B:67:SER:HB2	6:B:856:HOH:O	2.18	0.43
1:A:652:GLY:N	1:A:653:PRO:HA	2.32	0.43
1:A:292:LEU:HD11	1:A:302:HIS:HB2	2.01	0.43
1:B:145:PRO:HB3	1:B:184:MET:SD	2.58	0.43
1:B:75:LYS:HB3	1:B:75:LYS:HE3	1.87	0.43
1:B:652:GLY:N	1:B:653:PRO:HA	2.32	0.43
1:A:125:LEU:N	1:A:126:PRO:CD	2.82	0.43
1:A:459:ALA:HA	1:A:538:ALA:O	2.19	0.43
1:B:152:PHE:CE2	1:B:156:LEU:HD11	2.53	0.43
1:B:234:GLU:CD	1:B:234:GLU:N	2.69	0.43
1:B:568:ARG:HD2	1:B:571:GLU:OE2	2.19	0.42
1:A:105:TYR:O	1:A:233:VAL:CG1	2.67	0.42
1:B:152:PHE:CZ	1:B:156:LEU:HD11	2.53	0.42
1:A:155:TRP:CZ2	1:A:161:VAL:HG11	2.55	0.42
1:B:76:THR:HG22	1:B:76:THR:O	2.19	0.42
1:B:84:TYR:CG	1:B:92:GLU:HA	2.54	0.42
1:B:127:GLU:O	1:B:127:GLU:CG	2.67	0.42
1:B:70:VAL:HG11	1:B:124:SER:O	2.20	0.42
1:B:160:ASP:HA	1:B:195:LEU:HD21	2.02	0.42
1:B:643:THR:O	1:B:647:ILE:HG13	2.20	0.42
1:B:304:GLU:HG2	1:B:470:HIS:CD2	2.55	0.42
1:A:498:GLU:HA	1:A:499:PRO:HD3	1.88	0.42
1:B:84:TYR:CD1	1:B:84:TYR:O	2.73	0.42
1:B:540:PHE:O	1:B:544:ILE:HG13	2.20	0.41
1:A:253:MET:HE3	6:A:1003:HOH:O	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:GLY:HA3	1:B:219:TRP:CD1	2.56	0.41
1:B:242:ILE:O	1:B:242:ILE:HG23	2.19	0.41
1:A:115:GLU:HB2	1:A:148:ASN:O	2.21	0.41
1:A:327:ASP:OD1	1:A:329:ALA:HB3	2.21	0.41
1:B:70:VAL:O	1:B:73:MET:HB2	2.20	0.41
1:A:484:ARG:HD2	1:A:484:ARG:N	2.35	0.41
1:B:105:TYR:HA	1:B:235:ALA:HA	2.02	0.41
1:A:190:GLN:O	1:A:194:GLN:HG3	2.21	0.40
4:A:703:2AM:H5'2	6:A:958:HOH:O	2.21	0.40
1:A:638:LYS:CA	1:A:638:LYS:HE2	2.49	0.40
1:B:152:PHE:O	1:B:156:LEU:HG	2.22	0.40
1:B:624:GLY:HA2	1:B:671:ARG:NH2	2.36	0.40
1:A:359:HIS:HB3	1:A:360:PRO:HD2	2.03	0.40
1:A:549:TRP:O	1:A:553:GLN:HG2	2.21	0.40
1:A:617:TRP:CD1	1:A:651:PHE:HB3	2.56	0.40
1:B:170:VAL:O	1:B:203:LEU:HD12	2.20	0.40
1:B:323:TYR:CE1	1:B:453:ALA:HB2	2.56	0.40
1:B:475:ALA:HA	1:B:491:THR:HB	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	603/621 (97%)	584 (97%)	19 (3%)	0	100	100
1	B	596/621 (96%)	554 (93%)	42 (7%)	0	100	100
All	All	1199/1242 (96%)	1138 (95%)	61 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	519/531 (98%)	511 (98%)	8 (2%)	70	82
1	B	501/531 (94%)	493 (98%)	8 (2%)	68	81
All	All	1020/1062 (96%)	1004 (98%)	16 (2%)	68	81

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	ARG
1	A	93	GLU
1	A	151	ASP
1	A	229	GLU
1	A	234	GLU
1	A	346	MET
1	A	484	ARG
1	A	573	TYR
1	B	179	GLU
1	B	234	GLU
1	B	252	ASP
1	B	267	LYS
1	B	346	MET
1	B	358	LYS
1	B	573	TYR
1	B	619	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	150	GLN
1	B	401	HIS
1	B	470	HIS
1	B	590	GLN
1	B	592	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FMN	A	701	-	31,33,33	2.78	12 (38%)	38,50,50	3.33	17 (44%)
3	FAD	A	702	-	51,58,58	2.21	10 (19%)	54,89,89	2.27	9 (16%)
4	2AM	A	703	-	21,25,25	1.75	3 (14%)	25,38,38	2.92	3 (12%)
5	PO4	A	704	-	4,4,4	1.40	0	6,6,6	0.41	0
5	PO4	A	705	-	4,4,4	1.36	0	6,6,6	0.39	0
2	FMN	B	701	-	31,33,33	2.83	13 (41%)	38,50,50	3.38	16 (42%)
3	FAD	B	702	-	51,58,58	2.21	10 (19%)	54,89,89	2.25	9 (16%)
4	2AM	B	703	-	21,25,25	1.74	4 (19%)	25,38,38	2.80	3 (12%)
5	PO4	B	704	-	4,4,4	1.30	0	6,6,6	0.40	0
5	PO4	B	705	-	4,4,4	1.37	0	6,6,6	0.39	0
5	PO4	B	706	-	4,4,4	1.36	0	6,6,6	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	A	701	-	-	0/16/18/18	0/3/3/3
3	FAD	A	702	-	-	0/28/50/50	0/6/6/6
4	2AM	A	703	-	-	0/7/27/27	0/3/3/3
5	PO4	A	704	-	-	0/0/0/0	0/0/0/0
5	PO4	A	705	-	-	0/0/0/0	0/0/0/0
2	FMN	B	701	-	-	0/16/18/18	0/3/3/3
3	FAD	B	702	-	-	0/28/50/50	0/6/6/6
4	2AM	B	703	-	-	0/7/27/27	0/3/3/3
5	PO4	B	704	-	-	0/0/0/0	0/0/0/0
5	PO4	B	705	-	-	0/0/0/0	0/0/0/0
5	PO4	B	706	-	-	0/0/0/0	0/0/0/0

All (52) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	FMN	C8M-C8	-6.45	1.38	1.51
2	A	701	FMN	C8M-C8	-6.24	1.38	1.51
3	B	702	FAD	C8M-C8	-5.85	1.39	1.51
3	A	702	FAD	C8M-C8	-5.85	1.39	1.51
3	B	702	FAD	C7M-C7	-5.83	1.39	1.51
3	A	702	FAD	C7M-C7	-5.83	1.39	1.51
3	A	702	FAD	C9A-N10	-3.23	1.34	1.38
3	B	702	FAD	C9A-N10	-3.20	1.34	1.38
4	B	703	2AM	C5-C4	-3.05	1.33	1.40
4	A	703	2AM	C5-C4	-3.05	1.33	1.40
3	B	702	FAD	C5A-C4A	-2.93	1.33	1.40
3	A	702	FAD	C5A-C4A	-2.91	1.33	1.40
2	A	701	FMN	C1'-N10	-2.45	1.45	1.48
2	B	701	FMN	C1'-N10	-2.43	1.45	1.48
4	B	703	2AM	O4'-C1'	2.06	1.44	1.41
2	B	701	FMN	C4'-C3'	2.12	1.57	1.53
2	B	701	FMN	C7M-C7	2.19	1.55	1.51
3	B	702	FAD	O4B-C1B	2.20	1.44	1.41
3	A	702	FAD	O4B-C1B	2.22	1.44	1.41
2	A	701	FMN	C4'-C3'	2.29	1.58	1.53
2	B	701	FMN	O2'-C2'	2.41	1.48	1.43
2	A	701	FMN	O2'-C2'	2.42	1.48	1.43
2	A	701	FMN	C9A-C5A	2.51	1.47	1.42
2	B	701	FMN	C9A-C5A	2.56	1.47	1.42
2	A	701	FMN	C9-C9A	3.16	1.47	1.40
2	B	701	FMN	C9-C9A	3.22	1.47	1.40
2	B	701	FMN	C5A-N5	3.23	1.40	1.35
2	A	701	FMN	C5A-N5	3.36	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	702	FAD	C2A-N1A	3.39	1.40	1.33
3	A	702	FAD	C2A-N1A	3.42	1.40	1.33
4	B	703	2AM	C2-N1	3.42	1.40	1.33
4	A	703	2AM	C2-N1	3.43	1.40	1.33
2	A	701	FMN	C10-N1	3.71	1.38	1.33
2	B	701	FMN	C8-C7	3.77	1.50	1.41
2	A	701	FMN	C8-C7	3.94	1.50	1.41
2	B	701	FMN	C4-N3	4.00	1.40	1.33
3	A	702	FAD	C4-N3	4.08	1.40	1.33
3	B	702	FAD	C4-N3	4.09	1.40	1.33
2	A	701	FMN	C4-N3	4.26	1.40	1.33
2	B	701	FMN	C10-N1	4.72	1.39	1.33
4	B	703	2AM	C2-N3	4.86	1.40	1.32
3	B	702	FAD	C2A-N3A	4.91	1.40	1.32
3	A	702	FAD	C2A-N3A	4.91	1.40	1.32
4	A	703	2AM	C2-N3	4.93	1.40	1.32
3	B	702	FAD	C10-N1	5.12	1.40	1.33
3	A	702	FAD	C10-N1	5.19	1.40	1.33
2	B	701	FMN	C4A-N5	5.96	1.41	1.33
2	A	701	FMN	C4A-N5	6.20	1.42	1.33
2	A	701	FMN	C9A-N10	6.90	1.47	1.38
3	B	702	FAD	C8A-N7A	7.12	1.48	1.34
3	A	702	FAD	C8A-N7A	7.17	1.48	1.34
2	B	701	FMN	C9A-N10	7.23	1.48	1.38

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	702	FAD	N3A-C2A-N1A	-13.04	117.50	128.86
3	B	702	FAD	N3A-C2A-N1A	-12.95	117.58	128.86
4	A	703	2AM	N3-C2-N1	-12.62	117.87	128.86
4	B	703	2AM	N3-C2-N1	-12.61	117.88	128.86
2	B	701	FMN	C4-C4A-C10	-6.29	114.88	119.96
2	A	701	FMN	C4-C4A-C10	-6.12	115.02	119.96
2	B	701	FMN	C4A-C10-N10	-5.84	116.46	120.52
2	A	701	FMN	C4A-C10-N10	-5.52	116.69	120.52
2	A	701	FMN	C4A-C4-N3	-5.05	116.30	123.48
2	B	701	FMN	C4A-C4-N3	-4.80	116.64	123.48
4	A	703	2AM	C4'-O4'-C1'	-4.50	104.98	109.77
2	B	701	FMN	O4'-C4'-C3'	-3.37	100.72	109.09
2	A	701	FMN	O4'-C4'-C3'	-3.30	100.91	109.09
2	B	701	FMN	C6-C5A-N5	-3.21	115.19	118.97

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	703	2AM	C4'-O4'-C1'	-3.07	106.50	109.77
4	A	703	2AM	O4'-C1'-C2'	-3.05	101.26	106.59
2	A	701	FMN	C6-C5A-N5	-3.02	115.42	118.97
2	B	701	FMN	C5A-C9A-N10	-3.00	115.43	117.66
3	A	702	FAD	C4B-O4B-C1B	-2.78	106.81	109.77
2	A	701	FMN	C4A-N5-C5A	-2.68	113.93	116.76
2	A	701	FMN	C5A-C9A-N10	-2.64	115.70	117.66
2	B	701	FMN	O3P-P-O5'	-2.64	99.72	106.73
3	B	702	FAD	C4X-C4-N3	-2.56	119.84	123.48
3	B	702	FAD	C2B-C3B-C4B	-2.46	97.82	102.62
3	A	702	FAD	C4X-C4-N3	-2.46	119.98	123.48
2	B	701	FMN	C4A-N5-C5A	-2.42	114.20	116.76
3	A	702	FAD	C2B-C3B-C4B	-2.38	97.98	102.62
2	A	701	FMN	C4'-C3'-C2'	-2.36	108.33	113.41
3	B	702	FAD	C4B-O4B-C1B	-2.36	107.26	109.77
2	A	701	FMN	O3P-P-O5'	-2.25	100.75	106.73
2	A	701	FMN	O4'-C4'-C5'	-2.23	105.02	110.00
3	A	702	FAD	C5A-C6A-N6A	-2.20	115.98	120.47
2	B	701	FMN	C4'-C3'-C2'	-2.17	108.73	113.41
4	B	703	2AM	O4'-C1'-C2'	-2.12	102.88	106.59
3	B	702	FAD	C5A-C6A-N6A	-2.12	116.16	120.47
2	A	701	FMN	C8M-C8-C9	-2.02	115.28	120.34
2	B	701	FMN	C1'-N10-C9A	2.27	120.42	118.35
2	B	701	FMN	O2P-P-O1P	2.34	119.65	110.50
2	A	701	FMN	O2P-P-O1P	2.45	120.09	110.50
2	B	701	FMN	C8M-C8-C7	2.48	125.93	120.72
3	B	702	FAD	C1'-N10-C9A	2.64	120.77	118.35
3	B	702	FAD	C5X-C9A-N10	2.67	119.64	117.66
3	A	702	FAD	C5X-C9A-N10	2.69	119.65	117.66
2	A	701	FMN	C8M-C8-C7	2.70	126.38	120.72
2	A	701	FMN	C9A-C5A-N5	2.92	126.59	122.24
3	A	702	FAD	C4X-N5-C5X	2.94	119.87	116.76
2	B	701	FMN	C9A-C5A-N5	2.99	126.69	122.24
3	A	702	FAD	C1'-N10-C9A	3.00	121.10	118.35
3	B	702	FAD	C4X-N5-C5X	3.01	119.94	116.76
2	A	701	FMN	P-O5'-C5'	3.17	127.03	118.30
2	B	701	FMN	P-O5'-C5'	3.39	127.62	118.30
2	A	701	FMN	C10-C4A-N5	5.54	126.96	120.59
2	B	701	FMN	C10-C4A-N5	5.60	127.04	120.59
3	B	702	FAD	C4-N3-C2	5.66	120.11	115.16
3	A	702	FAD	C4-N3-C2	5.68	120.13	115.16
2	A	701	FMN	C4-N3-C2	13.64	127.09	115.16

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	FMN	C4-N3-C2	14.05	127.45	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	703	2AM	1	0
4	B	703	2AM	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	609/621 (98%)	-0.38	3 (0%) 90 90	31, 42, 59, 85	0
1	B	602/621 (96%)	0.18	56 (9%) 9 8	28, 48, 100, 112	0
All	All	1211/1242 (97%)	-0.11	59 (4%) 30 29	28, 44, 94, 112	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	200	ILE	7.0
1	B	119	LEU	5.8
1	B	231	PHE	5.7
1	B	163	LEU	5.6
1	B	191	ARG	5.3
1	B	134	VAL	5.3
1	B	197	ALA	4.6
1	B	135	PHE	4.5
1	A	505	GLY	4.4
1	B	165	GLY	4.4
1	B	80	ILE	4.3
1	B	104	ARG	4.3
1	B	187	TYR	4.0
1	B	181	PHE	4.0
1	B	225	PRO	3.9
1	B	169	ALA	3.7
1	B	227	VAL	3.6
1	B	162	ASP	3.6
1	B	198	GLN	3.6
1	B	125	LEU	3.5
1	B	234	GLU	3.5
1	B	180	HIS	3.5
1	B	74	LYS	3.3
1	B	98	LEU	3.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	132	LEU	3.2
1	B	188	VAL	3.2
1	B	156	LEU	3.1
1	B	83	PHE	3.1
1	B	205	LEU	3.1
1	B	192	LEU	3.0
1	B	155	TRP	3.0
1	B	186	LYS	3.0
1	B	168	PHE	2.8
1	A	252	ASP	2.8
1	B	131	SER	2.8
1	B	206	GLY	2.7
1	B	173	LEU	2.7
1	B	108	ARG	2.7
1	B	105	TYR	2.7
1	B	232	GLY	2.6
1	B	171	PHE	2.5
1	B	229	GLU	2.5
1	B	236	THR	2.4
1	B	170	VAL	2.4
1	B	133	VAL	2.4
1	B	152	PHE	2.3
1	B	201	PHE	2.2
1	B	178	TYR	2.2
1	B	203	LEU	2.2
1	B	233	VAL	2.1
1	B	501	GLY	2.1
1	B	76	THR	2.1
1	B	124	SER	2.1
1	B	103	HIS	2.1
1	B	106	GLY	2.0
1	B	224	TRP	2.0
1	A	500	ALA	2.0
1	B	148	ASN	2.0
1	B	81	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
5	PO4	B	706	5/5	0.85	0.16	1.99	119,119,119,119	0
5	PO4	B	704	5/5	0.96	0.14	1.20	52,53,56,56	0
4	2AM	A	703	23/23	0.98	0.14	0.96	30,34,36,41	0
5	PO4	A	704	5/5	0.93	0.13	0.81	38,44,47,48	0
4	2AM	B	703	23/23	0.98	0.11	-0.04	34,37,39,42	0
3	FAD	B	702	53/53	0.98	0.12	-0.06	29,37,43,46	0
2	FMN	A	701	31/31	0.97	0.11	-0.07	37,40,42,42	0
3	FAD	A	702	53/53	0.98	0.11	-0.27	29,36,42,43	0
2	FMN	B	701	31/31	0.92	0.12	-0.85	73,81,83,83	0
5	PO4	A	705	5/5	0.86	0.19	-	107,107,108,108	0
5	PO4	B	705	5/5	0.90	0.17	-	80,82,83,85	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.