



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 09:48 pm GMT

PDB ID : 2YCB
Title : STRUCTURE OF THE ARCHAEAL BETA-CASP PROTEIN WITH N-TERMINAL KH DOMAINS FROM METHANOTHERMOBACTER THERMAUTOTROPHICUS
Authors : Silva, A.P.G.; Chechik, M.; Byrne, R.T.; Waterman, D.G.; Ng, C.L.; Dodson, E.J.; Koonin, E.V.; Antson, A.A.; Smits, C.
Deposited on : 2011-03-13
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1001 (3.12-3.08)
Clashscore	112137	1099 (3.12-3.08)
Ramachandran outliers	110173	1057 (3.12-3.08)
Sidechain outliers	110143	1057 (3.12-3.08)
RSRZ outliers	101464	1006 (3.12-3.08)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	636	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 10%, orange 20%, yellow 20%, green 50%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> % 77% 20% • </div> </div>
1	B	636	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 10%, orange 20%, yellow 20%, green 50%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> % 79% 19% • </div> </div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 10285 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	634	Total	C	N	O	S	0	0	0
			5111	3230	909	950	22			
1	B	635	Total	C	N	O	S	0	0	0
			5118	3235	910	951	22			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Zn	0	0
			2	2		
2	A	3	Total	Zn	0	0
			3	3		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total K 1 1	0	0
4	A	1	Total K 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	23	Total O 23 23	0	0
5	B	6	Total O 6 6	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR



• Molecule 1: CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	112.03Å 112.03Å 400.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 3.10 29.94 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.3 (30.00-3.10) 99.0 (29.94-3.10)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.31 (at 3.11Å)	Xtriage
Refinement program	REFMAC 5.6.0086	Depositor
R, R_{free}	0.215 , 0.251 0.215 , 0.251	Depositor DCC
R_{free} test set	957 reflections (2.09%)	DCC
Wilson B-factor (Å ²)	82.5	Xtriage
Anisotropy	0.682	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10285	wwPDB-VP
Average B, all atoms (Å ²)	105.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: K, PO4, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/5214	0.52	0/7047
1	B	0.32	0/5221	0.51	0/7057
All	All	0.33	0/10435	0.51	0/14104

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5111	0	5156	98	0
1	B	5118	0	5165	87	0
2	A	3	0	0	0	0
2	B	2	0	0	0	0
3	A	15	0	0	0	0
3	B	5	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	23	0	0	0	0
5	B	6	0	0	0	0
All	All	10285	0	10321	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:593:SER:HB3	1:A:594:PRO:HD3	1.41	0.98
1:A:593:SER:HB3	1:A:594:PRO:CD	1.99	0.92
1:B:367:ARG:HA	1:B:593:SER:HB2	1.52	0.91
1:B:506:THR:O	1:B:515:SER:HB2	1.71	0.90
1:B:185:MET:HE3	1:B:197:TYR:HB2	1.61	0.81
1:A:368:PHE:H	1:A:593:SER:CB	1.94	0.81
1:A:529:SER:HB3	1:A:569:ASN:HB3	1.63	0.81
1:B:294:ASN:H	1:B:297:HIS:HD2	1.29	0.81
1:B:330:ILE:HD11	1:B:419:GLY:HA2	1.62	0.80
1:A:419:GLY:H	1:A:422:GLN:HE22	1.29	0.79
1:B:88:ALA:HB2	1:B:111:LEU:HB2	1.66	0.77
1:A:593:SER:CB	1:A:594:PRO:HD3	2.14	0.77
1:A:592:ILE:HD13	1:A:592:ILE:H	1.52	0.75
1:A:200:THR:HG22	1:A:201:PRO:HD2	1.67	0.75
1:A:246:ASP:HB2	1:A:247:HIS:HD2	1.52	0.73
1:A:330:ILE:HG22	1:A:333:SER:HB3	1.71	0.72
1:A:88:ALA:HB2	1:A:111:LEU:HB2	1.70	0.72
1:A:50:ILE:HG13	1:A:63:ILE:HD11	1.72	0.72
1:B:84:VAL:H	1:B:85:PRO:HA	1.52	0.71
1:A:407:ARG:HE	1:A:527:ASP:HA	1.55	0.71
1:B:181:ARG:HE	1:B:632:THR:HG21	1.56	0.71
1:A:294:ASN:H	1:A:297:HIS:HD2	1.38	0.70
1:A:67:ARG:CG	1:A:67:ARG:HH11	2.05	0.69
1:B:593:SER:HB3	1:B:594:PRO:HD3	1.74	0.68
1:A:350:THR:OG1	1:A:376:MET:HA	1.94	0.67
1:B:21:VAL:HA	1:B:42:ILE:HD13	1.76	0.67
1:B:16:ARG:HE	1:B:53:ILE:HG12	1.61	0.66
1:A:120:SER:HA	1:A:123:ILE:HD12	1.78	0.65
1:A:367:ARG:HA	1:A:593:SER:HB2	1.76	0.65
1:A:406:ARG:HH11	1:A:406:ARG:CG	2.10	0.64
1:A:182:LEU:HG	1:A:635:ILE:HD11	1.80	0.64
1:A:321:ARG:HB2	1:A:339:HIS:HB3	1.79	0.63
1:A:229:GLU:HG2	1:B:229:GLU:HB3	1.80	0.63
1:B:567:ARG:HH11	1:B:567:ARG:CG	2.10	0.63
1:B:67:ARG:HD2	1:B:67:ARG:H	1.62	0.62
1:A:387:GLN:HG2	1:A:581:ASP:HB2	1.82	0.62
1:B:181:ARG:HG3	1:B:199:GLN:HG2	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:THR:O	1:A:273:MET:HB2	2.01	0.60
1:A:246:ASP:HB2	1:A:247:HIS:CD2	2.36	0.60
1:B:44:THR:HG23	1:B:121:ARG:HG2	1.84	0.59
1:B:330:ILE:CD1	1:B:419:GLY:HA2	2.31	0.59
1:B:67:ARG:HA	1:B:70:LEU:HD12	1.82	0.59
1:A:406:ARG:HH11	1:A:406:ARG:CB	2.16	0.59
1:A:330:ILE:HD11	1:A:418:VAL:HG13	1.85	0.58
1:B:43:ILE:HA	1:B:63:ILE:HD12	1.83	0.58
1:A:296:LYS:H	1:A:296:LYS:HD2	1.69	0.58
1:A:368:PHE:H	1:A:593:SER:HB2	1.69	0.58
1:A:67:ARG:HG3	1:A:67:ARG:HH11	1.69	0.58
1:B:185:MET:CE	1:B:197:TYR:HB2	2.34	0.57
1:A:406:ARG:HH11	1:A:406:ARG:HG3	1.70	0.57
1:B:264:TYR:CZ	1:B:316:ILE:HD12	2.40	0.56
1:A:294:ASN:H	1:A:297:HIS:CD2	2.21	0.56
1:A:476:ASN:C	1:A:476:ASN:HD22	2.08	0.55
1:A:592:ILE:HG13	1:A:596:PRO:HD3	1.88	0.55
1:A:440:VAL:HG13	1:A:501:SER:HA	1.89	0.55
1:B:367:ARG:HA	1:B:593:SER:CB	2.32	0.55
1:A:355:TYR:H	1:A:580:SER:HB3	1.72	0.54
1:B:182:LEU:HD23	1:B:198:LEU:HA	1.89	0.54
1:B:529:SER:HB3	1:B:569:ASN:HB3	1.90	0.54
1:B:116:TYR:CD1	1:B:116:TYR:N	2.76	0.54
1:B:586:MET:HE1	1:B:615:SER:HB2	1.88	0.54
1:B:294:ASN:H	1:B:297:HIS:CD2	2.19	0.54
1:A:592:ILE:HD13	1:A:592:ILE:N	2.22	0.54
1:B:368:PHE:H	1:B:593:SER:HB3	1.72	0.54
1:A:84:VAL:H	1:A:85:PRO:HA	1.74	0.53
1:A:294:ASN:N	1:A:297:HIS:HD2	2.07	0.53
1:A:67:ARG:HG3	1:A:67:ARG:NH1	2.24	0.53
1:B:593:SER:CB	1:B:594:PRO:HD3	2.39	0.53
1:B:116:TYR:N	1:B:116:TYR:HD1	2.06	0.53
1:B:460:GLU:HA	1:B:467:ARG:HH11	1.74	0.52
1:B:84:VAL:N	1:B:85:PRO:HA	2.21	0.52
1:A:67:ARG:CG	1:A:67:ARG:NH1	2.71	0.52
1:A:382:GLY:HA2	1:A:611:ASP:CG	2.31	0.51
1:B:424:LEU:O	1:B:428:LEU:HB2	2.09	0.51
1:B:189:ARG:HG3	1:B:628:LEU:HD23	1.93	0.51
1:B:586:MET:CE	1:B:615:SER:HB2	2.41	0.51
1:A:253:TYR:HE2	1:A:292:PRO:HG2	1.76	0.51
1:A:124:VAL:HG22	1:A:131:PRO:HD3	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:ARG:HD3	1:A:53:ILE:HG12	1.92	0.51
1:A:21:VAL:HG13	1:A:42:ILE:HG21	1.93	0.50
1:B:414:PRO:HB2	1:B:508:GLY:O	2.11	0.50
1:B:567:ARG:NH1	1:B:567:ARG:CG	2.73	0.50
1:B:355:TYR:H	1:B:580:SER:HB3	1.77	0.50
1:B:46:ASN:O	1:B:48:ASN:N	2.44	0.50
1:A:30:GLY:O	1:A:170:HIS:HE1	1.95	0.50
1:A:105:GLU:HA	1:A:134:LEU:O	2.11	0.50
1:A:251:LEU:HD22	1:A:273:MET:CE	2.42	0.50
1:A:376:MET:HG3	1:A:377:GLU:O	2.12	0.50
1:B:398:VAL:HG22	1:B:437:ILE:HD11	1.94	0.49
1:A:509:MET:O	1:A:511:THR:N	2.44	0.49
1:A:251:LEU:HD22	1:A:273:MET:HE1	1.94	0.49
1:A:415:VAL:HG11	1:A:421:ALA:N	2.28	0.49
1:B:231:THR:HG22	1:B:233:ASP:H	1.78	0.49
1:A:251:LEU:HB3	1:A:252:PRO:HD3	1.94	0.49
1:A:76:ALA:O	1:A:80:ILE:HG12	2.12	0.49
1:B:270:ARG:HG3	1:B:305:THR:HG21	1.96	0.48
1:B:181:ARG:HH21	1:B:632:THR:HG21	1.79	0.48
1:A:387:GLN:HG2	1:A:581:ASP:CB	2.43	0.48
1:A:368:PHE:N	1:A:593:SER:HB2	2.29	0.48
1:B:567:ARG:HG3	1:B:567:ARG:NH1	2.29	0.48
1:A:240:ILE:HG21	1:A:273:MET:HE3	1.96	0.47
1:A:57:ILE:HD11	1:A:61:ILE:HD11	1.96	0.47
1:A:337:HIS:CE1	1:A:369:PRO:HG2	2.49	0.47
1:A:246:ASP:CB	1:A:247:HIS:CD2	2.97	0.47
1:B:251:LEU:N	1:B:252:PRO:HD2	2.28	0.47
1:A:443:TYR:HB3	1:A:486:VAL:HG21	1.96	0.47
1:B:313:VAL:HA	1:B:323:THR:HG23	1.97	0.47
1:A:362:GLU:HG2	1:A:463:SER:HA	1.97	0.47
1:A:273:MET:HG2	1:A:277:GLN:OE1	2.15	0.46
1:A:600:LEU:HD22	1:A:625:LYS:HB2	1.97	0.46
1:B:274:THR:HA	1:B:277:GLN:HE21	1.81	0.46
1:B:181:ARG:HG3	1:B:199:GLN:CG	2.46	0.46
1:A:533:VAL:HG13	1:A:576:PHE:HB3	1.98	0.46
1:B:196:LEU:HB3	1:B:207:LEU:HB2	1.96	0.46
1:B:387:GLN:HB3	1:B:575:GLY:HA2	1.97	0.46
1:A:88:ALA:HB1	1:A:108:LYS:O	2.15	0.46
1:B:67:ARG:N	1:B:67:ARG:HD2	2.30	0.46
1:A:210:GLY:HA3	1:A:246:ASP:O	2.16	0.46
1:A:67:ARG:HD2	1:A:67:ARG:H	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:512:GLY:HA2	1:B:516:LEU:HB2	1.98	0.46
1:A:368:PHE:N	1:A:593:SER:CB	2.73	0.45
1:B:470:ILE:HG12	1:B:476:ASN:HA	1.98	0.45
1:A:406:ARG:NH1	1:A:406:ARG:HG3	2.32	0.45
1:A:413:ILE:HB	1:A:504:LEU:HD23	1.99	0.45
1:A:189:ARG:HG3	1:A:628:LEU:HD13	1.98	0.45
1:B:213:VAL:O	1:B:215:GLY:N	2.50	0.45
1:B:329:HIS:O	1:B:330:ILE:HD13	2.17	0.45
1:A:511:THR:HG23	1:A:511:THR:O	2.17	0.45
1:A:141:SER:HB3	1:A:144:ILE:HD12	1.98	0.45
1:A:447:MET:HB2	1:A:506:THR:HG21	1.98	0.45
1:B:229:GLU:HG2	1:B:229:GLU:H	1.50	0.44
1:A:178:ASP:HB2	1:A:179:TRP:CD1	2.53	0.44
1:B:136:THR:HA	1:B:137:PRO:HD3	1.88	0.44
1:A:199:GLN:HE21	1:B:228:PRO:HG2	1.82	0.44
1:B:431:TYR:HB3	1:B:437:ILE:HG12	2.00	0.44
1:A:556:ASP:HB2	1:A:560:LYS:O	2.17	0.44
1:A:523:CYS:HA	1:A:568:MET:SD	2.58	0.44
1:A:541:LEU:O	1:A:545:ILE:HG12	2.17	0.43
1:A:460:GLU:HG2	1:A:461:TYR:CD1	2.54	0.43
1:B:108:LYS:HB3	1:B:111:LEU:HD23	2.01	0.43
1:B:359:ARG:H	1:B:390:ARG:HH12	1.66	0.43
1:B:83:ILE:O	1:B:84:VAL:HG23	2.17	0.43
1:A:615:SER:HA	1:A:618:ARG:HE	1.83	0.43
1:B:382:GLY:HA2	1:B:611:ASP:CG	2.38	0.43
1:B:255:TYR:OH	1:B:263:VAL:HG23	2.19	0.43
1:A:592:ILE:CD1	1:A:592:ILE:N	2.81	0.43
1:A:552:ILE:HA	1:A:553:PRO:HD3	1.83	0.43
1:A:440:VAL:CG1	1:A:501:SER:HA	2.48	0.43
1:A:617:TYR:O	1:A:621:ARG:N	2.46	0.43
1:B:441:PRO:O	1:B:501:SER:HB2	2.19	0.43
1:B:589:VAL:O	1:B:592:ILE:HG22	2.19	0.43
1:A:470:ILE:HG23	1:A:476:ASN:HB2	2.01	0.42
1:B:506:THR:O	1:B:515:SER:CB	2.55	0.42
1:A:227:VAL:HG13	1:B:181:ARG:HH12	1.84	0.42
1:B:447:MET:HB2	1:B:506:THR:CG2	2.49	0.42
1:A:113:ILE:HG22	1:A:117:GLY:HA2	2.01	0.42
1:B:193:ARG:O	1:B:194:SER:C	2.57	0.42
1:B:536:GLN:O	1:B:543:ARG:HD2	2.20	0.42
1:B:531:VAL:HG13	1:B:573:ILE:HG12	2.02	0.42
1:B:567:ARG:HG3	1:B:567:ARG:HH11	1.80	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:200:THR:HB	1:A:202:ASN:H	1.85	0.41
1:B:84:VAL:H	1:B:85:PRO:CA	2.23	0.41
1:A:419:GLY:H	1:A:422:GLN:NE2	2.08	0.41
1:A:406:ARG:HH11	1:A:406:ARG:HB3	1.86	0.41
1:A:476:ASN:ND2	1:A:478:PHE:H	2.18	0.41
1:B:600:LEU:HD22	1:B:625:LYS:HB2	2.03	0.41
1:A:136:THR:HA	1:A:137:PRO:HD3	1.95	0.41
1:B:39:ASN:HB3	1:B:42:ILE:CD1	2.50	0.41
1:A:476:ASN:HD22	1:A:477:PRO:N	2.19	0.41
1:B:418:VAL:HA	1:B:422:GLN:NE2	2.36	0.41
1:B:442:VAL:HG22	1:B:502:ILE:HB	2.03	0.41
1:B:337:HIS:CE1	1:B:369:PRO:HG2	2.56	0.41
1:A:200:THR:HG22	1:A:201:PRO:CD	2.42	0.41
1:B:398:VAL:HA	1:B:401:ILE:HD12	2.03	0.41
1:B:120:SER:HA	1:B:123:ILE:HD12	2.01	0.41
1:B:476:ASN:HD22	1:B:476:ASN:C	2.23	0.41
1:B:593:SER:HB3	1:B:594:PRO:CD	2.46	0.41
1:A:178:ASP:N	1:A:178:ASP:OD1	2.55	0.40
1:B:206:LEU:HD23	1:B:206:LEU:HA	1.88	0.40
1:B:291:LEU:HA	1:B:292:PRO:HD3	1.96	0.40
1:B:566:VAL:HG11	1:B:570:ILE:HD11	2.02	0.40
1:B:308:LEU:HD22	1:B:314:THR:HG21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	632/636 (99%)	580 (92%)	46 (7%)	6 (1%)	20	60
1	B	633/636 (100%)	579 (92%)	48 (8%)	6 (1%)	20	60
All	All	1265/1272 (99%)	1159 (92%)	94 (7%)	12 (1%)	20	60

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	85	PRO
1	B	47	GLY
1	B	84	VAL
1	B	214	ALA
1	B	510	LEU
1	A	84	VAL
1	A	89	LYS
1	A	510	LEU
1	A	593	SER
1	B	508	GLY
1	A	208	ASP
1	B	192	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	564/566 (100%)	530 (94%)	34 (6%)	22	58
1	B	565/566 (100%)	544 (96%)	21 (4%)	39	75
All	All	1129/1132 (100%)	1074 (95%)	55 (5%)	29	66

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	VAL
1	A	56	ASP
1	A	67	ARG
1	A	86	GLU
1	A	151	LEU
1	A	163	GLN
1	A	176	ASP
1	A	178	ASP
1	A	181	ARG
1	A	193	ARG
1	A	194	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	199	GLN
1	A	200	THR
1	A	212	ASN
1	A	213	VAL
1	A	217	ASP
1	A	307	THR
1	A	330	ILE
1	A	350	THR
1	A	377	GLU
1	A	406	ARG
1	A	412	LEU
1	A	422	GLN
1	A	440	VAL
1	A	476	ASN
1	A	490	ASP
1	A	503	ILE
1	A	557	GLU
1	A	558	ASP
1	A	562	ARG
1	A	576	PHE
1	A	583	ARG
1	A	592	ILE
1	A	624	THR
1	B	15	GLN
1	B	19	GLU
1	B	52	ASP
1	B	67	ARG
1	B	83	ILE
1	B	116	TYR
1	B	121	ARG
1	B	139	ILE
1	B	178	ASP
1	B	193	ARG
1	B	199	GLN
1	B	272	LEU
1	B	281	ILE
1	B	288	ASP
1	B	323	THR
1	B	330	ILE
1	B	354	LYS
1	B	377	GLU
1	B	476	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	515	SER
1	B	576	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	154	ASN
1	A	170	HIS
1	A	199	GLN
1	A	212	ASN
1	A	297	HIS
1	A	345	HIS
1	A	422	GLN
1	A	476	ASN
1	A	487	ASN
1	A	546	GLN
1	A	636	GLN
1	B	15	GLN
1	B	154	ASN
1	B	164	GLN
1	B	212	ASN
1	B	277	GLN
1	B	297	HIS
1	B	339	HIS
1	B	422	GLN
1	B	469	GLN
1	B	475	HIS
1	B	476	ASN
1	B	536	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 11 ligands modelled in this entry, 7 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	A	1639	2	4,4,4	0.64	0	6,6,6	0.80	0
3	PO4	A	1640	2	4,4,4	0.79	0	6,6,6	0.47	0
3	PO4	A	1641	2	4,4,4	0.78	0	6,6,6	0.63	0
3	PO4	B	1639	2	4,4,4	0.61	0	6,6,6	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PO4	A	1639	2	-	0/0/0/0	0/0/0/0
3	PO4	A	1640	2	-	0/0/0/0	0/0/0/0
3	PO4	A	1641	2	-	0/0/0/0	0/0/0/0
3	PO4	B	1639	2	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	634/636 (99%)	-0.30	4 (0%)	89 77	60, 93, 137, 176	1 (0%)
1	B	635/636 (99%)	-0.21	5 (0%)	86 71	70, 103, 188, 231	1 (0%)
All	All	1269/1272 (99%)	-0.25	9 (0%)	87 75	60, 98, 165, 231	2 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	490	ASP	2.6
1	A	292	PRO	2.5
1	B	563	VAL	2.4
1	A	419	GLY	2.2
1	B	607	TYR	2.2
1	B	419	GLY	2.2
1	A	290	PRO	2.2
1	B	538	GLU	2.2
1	A	218	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	K	A	1643	1/1	0.83	0.11	-1.82	92,92,92,92	0
4	K	B	1640	1/1	0.92	0.10	-2.11	91,91,91,91	0
3	PO4	B	1639	5/5	0.96	0.14	-2.52	86,87,90,93	0
3	PO4	A	1639	5/5	0.97	0.16	-2.67	76,77,81,82	0
2	ZN	A	1637	1/1	0.92	0.06	-5.07	70,70,70,70	0
2	ZN	B	1637	1/1	0.96	0.05	-5.33	71,71,71,71	0
2	ZN	B	1638	1/1	0.95	0.04	-6.97	72,72,72,72	0
2	ZN	A	1638	1/1	0.97	0.06	-7.20	65,65,65,65	0
3	PO4	A	1640	5/5	0.95	0.14	-	91,92,93,95	0
2	ZN	A	1642	1/1	0.95	0.12	-	93,93,93,93	0
3	PO4	A	1641	5/5	0.92	0.14	-	93,94,97,98	0

6.5 Other polymers [i](#)

There are no such residues in this entry.