



# Full wwPDB/EMDatabank EM Map/Model Validation Report ⓘ

Dec 18, 2017 – 10:50 AM EST

PDB ID : 5YE1  
EMDB ID: : EMD-6824  
Title : structure of endo-lysosomal TRPML1 channel inserting into amphipol: state 2  
Authors : Yang, M.; Gao, N.  
Deposited on : 2017-09-15  
Resolution : 5.80 Å(reported)

This is a Full wwPDB/EMDatabank EM Map/Model Validation Report  
for a publicly released PDB/EMDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

MolProbity : 4.02b-467  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030736


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 5.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	125131	1336
Ramachandran outliers	121729	1120
Sidechain outliers	121581	1026

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	580	
1	B	580	
1	C	580	
1	D	580	

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 6888 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Mucolipin-1.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	424	Total	C	N	O	0	0
			1722	870	426	426		
1	B	424	Total	C	N	O	0	0
			1722	870	426	426		
1	C	424	Total	C	N	O	0	0
			1722	870	426	426		
1	D	424	Total	C	N	O	0	0
			1722	870	426	426		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Mucolin-1



#### • Molecule 1: Mucolin-1



#### • Molecule 1: Mucolin-1





## 4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	167000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	Not provided	Depositor
Maximum defocus (nm)	Not provided	Depositor
Magnification	Not provided	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 2$	RMSZ	$\# Z  > 2$
1	A	0.44	0/1718	0.63	1/2156 (0.0%)
1	B	0.44	0/1718	0.63	1/2156 (0.0%)
1	C	0.44	0/1718	0.63	1/2156 (0.0%)
1	D	0.44	0/1718	0.63	1/2156 (0.0%)
All	All	0.44	0/6872	0.63	4/8624 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
1	B	0	6
1	C	0	6
1	D	0	6
All	All	0	24

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	185	ASP	N-CA-C	-5.84	95.23	111.00
1	B	185	ASP	N-CA-C	-5.84	95.23	111.00
1	C	185	ASP	N-CA-C	-5.84	95.24	111.00
1	D	185	ASP	N-CA-C	-5.83	95.26	111.00

There are no chirality outliers.

All (24) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	184	ILE	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	A	378	LYS	Peptide
1	A	379	ASN	Peptide
1	A	418	LEU	Peptide
1	A	483	GLN	Peptide
1	A	484	GLN	Peptide
1	B	184	ILE	Peptide
1	B	378	LYS	Peptide
1	B	379	ASN	Peptide
1	B	418	LEU	Peptide
1	B	483	GLN	Peptide
1	B	484	GLN	Peptide
1	C	184	ILE	Peptide
1	C	378	LYS	Peptide
1	C	379	ASN	Peptide
1	C	418	LEU	Peptide
1	C	483	GLN	Peptide
1	C	484	GLN	Peptide
1	D	184	ILE	Peptide
1	D	378	LYS	Peptide
1	D	379	ASN	Peptide
1	D	418	LEU	Peptide
1	D	483	GLN	Peptide
1	D	484	GLN	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1722	0	491	24	0
1	B	1722	0	491	26	0
1	C	1722	0	491	25	0
1	D	1722	0	491	25	0
All	All	6888	0	1964	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:ALA:N	1:A:238:LYS:O	2.31	0.63
1:B:148:ALA:N	1:B:238:LYS:O	2.31	0.62
1:C:148:ALA:N	1:C:238:LYS:O	2.31	0.60
1:D:172:ARG:O	1:D:185:ASP:N	2.35	0.60
1:A:172:ARG:O	1:A:185:ASP:N	2.35	0.59
1:C:172:ARG:O	1:C:185:ASP:N	2.35	0.59
1:A:421:ALA:O	1:A:425:VAL:N	2.35	0.59
1:B:172:ARG:O	1:B:185:ASP:N	2.35	0.59
1:C:421:ALA:O	1:C:425:VAL:N	2.35	0.59
1:D:148:ALA:N	1:D:238:LYS:O	2.31	0.59
1:D:421:ALA:O	1:D:425:VAL:N	2.35	0.59
1:B:61:ARG:O	1:B:65:LYS:N	2.36	0.59
1:A:61:ARG:O	1:A:65:LYS:N	2.36	0.58
1:C:61:ARG:O	1:C:65:LYS:N	2.36	0.58
1:A:235:PHE:N	1:A:258:ILE:O	2.32	0.58
1:B:235:PHE:N	1:B:258:ILE:O	2.32	0.58
1:B:171:HIS:N	1:B:187:ARG:O	2.36	0.58
1:B:239:THR:N	1:B:254:TYR:O	2.37	0.58
1:D:171:HIS:N	1:D:187:ARG:O	2.36	0.58
1:D:61:ARG:O	1:D:65:LYS:N	2.36	0.58
1:A:171:HIS:N	1:A:187:ARG:O	2.36	0.58
1:C:239:THR:N	1:C:254:TYR:O	2.37	0.58
1:C:171:HIS:N	1:C:187:ARG:O	2.36	0.57
1:C:172:ARG:N	1:C:185:ASP:O	2.38	0.57
1:B:172:ARG:N	1:B:185:ASP:O	2.38	0.57
1:B:421:ALA:O	1:B:425:VAL:N	2.35	0.57
1:D:237:LEU:N	1:D:256:PHE:O	2.35	0.57
1:B:235:PHE:O	1:B:258:ILE:N	2.38	0.56
1:A:172:ARG:N	1:A:185:ASP:O	2.38	0.56
1:A:239:THR:N	1:A:254:TYR:O	2.37	0.56
1:C:169:TYR:O	1:C:189:VAL:N	2.29	0.56
1:D:239:THR:N	1:D:254:TYR:O	2.37	0.56
1:C:235:PHE:O	1:C:258:ILE:N	2.38	0.56
1:C:235:PHE:N	1:C:258:ILE:O	2.32	0.56
1:D:235:PHE:O	1:D:258:ILE:N	2.38	0.56
1:D:172:ARG:N	1:D:185:ASP:O	2.38	0.55
1:D:237:LEU:O	1:D:256:PHE:N	2.32	0.55
1:A:237:LEU:O	1:A:256:PHE:N	2.32	0.55
1:A:235:PHE:O	1:A:258:ILE:N	2.38	0.54
1:A:237:LEU:N	1:A:256:PHE:O	2.35	0.54
1:D:235:PHE:N	1:D:258:ILE:O	2.32	0.54
1:C:237:LEU:N	1:C:256:PHE:O	2.35	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:470:GLY:HA3	1:C:470:GLY:H	1.72	0.54
1:C:470:GLY:HA3	1:D:470:GLY:H	1.73	0.53
1:A:470:GLY:H	1:D:470:GLY:HA3	1.73	0.53
1:C:524:ILE:O	1:C:528:GLY:N	2.42	0.53
1:D:169:TYR:O	1:D:189:VAL:N	2.29	0.53
1:D:524:ILE:O	1:D:528:GLY:N	2.42	0.53
1:A:470:GLY:HA3	1:B:470:GLY:H	1.75	0.52
1:B:524:ILE:O	1:B:528:GLY:N	2.42	0.52
1:B:253:CYS:O	1:B:282:GLN:N	2.36	0.52
1:A:253:CYS:O	1:A:282:GLN:N	2.36	0.52
1:A:524:ILE:O	1:A:528:GLY:N	2.42	0.52
1:B:237:LEU:O	1:B:256:PHE:N	2.32	0.51
1:B:237:LEU:N	1:B:256:PHE:O	2.35	0.51
1:D:259:LEU:N	1:D:276:GLU:O	2.33	0.50
1:A:169:TYR:O	1:A:189:VAL:N	2.29	0.50
1:A:116:THR:O	1:A:118:ALA:N	2.46	0.49
1:C:237:LEU:O	1:C:256:PHE:N	2.32	0.49
1:B:169:TYR:O	1:B:189:VAL:N	2.29	0.49
1:C:259:LEU:N	1:C:276:GLU:O	2.33	0.48
1:D:253:CYS:O	1:D:282:GLN:N	2.36	0.48
1:D:116:THR:O	1:D:118:ALA:N	2.46	0.48
1:C:116:THR:O	1:C:118:ALA:N	2.46	0.48
1:B:116:THR:O	1:B:118:ALA:N	2.46	0.48
1:B:259:LEU:N	1:B:276:GLU:O	2.33	0.47
1:C:408:PHE:O	1:C:412:ASN:N	2.50	0.45
1:A:165:LEU:O	1:A:193:ILE:N	2.49	0.45
1:A:408:PHE:O	1:A:412:ASN:N	2.50	0.45
1:B:408:PHE:O	1:B:412:ASN:N	2.50	0.45
1:D:408:PHE:O	1:D:412:ASN:N	2.50	0.45
1:A:259:LEU:N	1:A:276:GLU:O	2.33	0.44
1:A:253:CYS:N	1:A:282:GLN:O	2.34	0.44
1:B:253:CYS:N	1:B:282:GLN:O	2.33	0.43
1:C:253:CYS:O	1:C:282:GLN:N	2.36	0.43
1:B:230:ASN:N	1:B:230:ASN:OD1	2.51	0.43
1:D:230:ASN:OD1	1:D:230:ASN:N	2.51	0.43
1:C:230:ASN:OD1	1:C:230:ASN:N	2.51	0.42
1:B:165:LEU:O	1:B:193:ILE:N	2.49	0.42
1:A:230:ASN:OD1	1:A:230:ASN:N	2.51	0.42
1:C:166:CYS:N	1:C:232:THR:O	2.44	0.42
1:C:257:SER:N	1:C:278:LYS:O	2.50	0.42
1:A:511:SER:O	1:A:515:ALA:N	2.53	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:511:SER:O	1:C:515:ALA:N	2.53	0.41
1:B:166:CYS:O	1:B:232:THR:N	2.38	0.41
1:C:165:LEU:O	1:C:193:ILE:N	2.49	0.41
1:B:406:THR:C	1:B:409:HIS:H	2.24	0.41
1:B:511:SER:O	1:B:515:ALA:N	2.53	0.41
1:D:511:SER:O	1:D:515:ALA:N	2.53	0.41
1:C:406:THR:C	1:C:409:HIS:H	2.24	0.41
1:D:165:LEU:O	1:D:193:ILE:N	2.49	0.41
1:A:406:THR:C	1:A:409:HIS:H	2.24	0.41
1:D:166:CYS:O	1:D:232:THR:N	2.38	0.40
1:D:406:THR:C	1:D:409:HIS:H	2.24	0.40
1:B:166:CYS:N	1:B:232:THR:O	2.44	0.40
1:D:257:SER:N	1:D:278:LYS:O	2.50	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	416/580 (72%)	373 (90%)	42 (10%)	1 (0%)	51	84
1	B	416/580 (72%)	373 (90%)	42 (10%)	1 (0%)	51	84
1	C	416/580 (72%)	374 (90%)	41 (10%)	1 (0%)	51	84
1	D	416/580 (72%)	374 (90%)	41 (10%)	1 (0%)	51	84
All	All	1664/2320 (72%)	1494 (90%)	166 (10%)	4 (0%)	54	84

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	106	LEU
1	B	106	LEU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	106	LEU
1	D	106	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	2/512 (0%)	2 (100%)	0	100	100
1	B	2/512 (0%)	2 (100%)	0	100	100
1	C	2/512 (0%)	2 (100%)	0	100	100
1	D	2/512 (0%)	2 (100%)	0	100	100
All	All	8/2048 (0%)	8 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.