



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 27, 2017 – 10:40 AM EST

PDB ID : 5YFB
Title : Crystal structure of a new DPP III family member
Authors : Xu, T.; Sun, Z.; Liu, J.
Deposited on : 2017-09-20
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030736
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	703	
1	B	703	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	803	-	-	-	X
4	EDO	A	806	-	-	-	X
4	EDO	B	804	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 11177 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl peptidase 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	691	Total	C	N	O	S	0	1	0
			5421	3466	901	1046	8			
1	B	690	Total	C	N	O	S	0	3	0
			5419	3465	901	1045	8			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	696	LEU	-	expression tag	UNP B0S4Q0
A	697	GLU	-	expression tag	UNP B0S4Q0
A	698	HIS	-	expression tag	UNP B0S4Q0
A	699	HIS	-	expression tag	UNP B0S4Q0
A	700	HIS	-	expression tag	UNP B0S4Q0
A	701	HIS	-	expression tag	UNP B0S4Q0
A	702	HIS	-	expression tag	UNP B0S4Q0
A	703	HIS	-	expression tag	UNP B0S4Q0
B	696	LEU	-	expression tag	UNP B0S4Q0
B	697	GLU	-	expression tag	UNP B0S4Q0
B	698	HIS	-	expression tag	UNP B0S4Q0
B	699	HIS	-	expression tag	UNP B0S4Q0
B	700	HIS	-	expression tag	UNP B0S4Q0
B	701	HIS	-	expression tag	UNP B0S4Q0
B	702	HIS	-	expression tag	UNP B0S4Q0
B	703	HIS	-	expression tag	UNP B0S4Q0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	151	Total	O	0	0
			151	151		
5	B	130	Total	O	0	0
			130	130		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dipeptidyl peptidase 3



- Molecule 1: Dipeptidyl peptidase 3



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	207.21Å 84.63Å 90.22Å 90.00° 108.46° 90.00°	Depositor
Resolution (Å)	98.27 – 2.20 98.27 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.2 (98.27-2.20) 98.2 (98.27-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.26 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.187 , 0.248 0.195 , 0.252	Depositor DCC
R_{free} test set	3734 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	20.1	Xtriage
Anisotropy	0.525	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 36.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11177	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.89	0/5538	0.92	10/7513 (0.1%)
1	B	0.91	0/5542	0.92	7/7518 (0.1%)
All	All	0.90	0/11080	0.92	17/15031 (0.1%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	631	ARG	NE-CZ-NH1	11.37	125.98	120.30
1	A	631	ARG	NE-CZ-NH2	-9.15	115.73	120.30
1	A	586	ASP	CB-CG-OD1	8.73	126.15	118.30
1	A	693	ARG	NE-CZ-NH2	8.19	124.39	120.30
1	B	693	ARG	NE-CZ-NH2	6.87	123.73	120.30
1	B	631	ARG	NE-CZ-NH1	6.36	123.48	120.30
1	A	600	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	A	10	ARG	NE-CZ-NH1	5.79	123.19	120.30
1	A	693	ARG	NE-CZ-NH1	-5.78	117.41	120.30
1	B	123	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	B	63	ASP	CB-CG-OD1	5.31	123.08	118.30
1	A	597	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	A	8	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	A	12	LEU	CB-CG-CD1	5.18	119.81	111.00
1	B	542	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	B	566	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	B	259	GLU	OE1-CD-OE2	5.06	129.37	123.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5421	0	5399	40	0
1	B	5419	0	5402	35	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	18	0	24	0	0
3	B	12	0	16	0	0
4	A	8	0	12	1	0
4	B	16	0	24	1	0
5	A	151	0	0	1	0
5	B	130	0	0	6	0
All	All	11177	0	10877	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:571:GLN:HE22	1:B:640:PRO:HA	1.44	0.83
1:A:532:ILE:O	1:A:536:THR:HG23	1.80	0.82
1:A:566:ARG:O	1:A:570:THR:HG23	1.83	0.78
1:A:247:ALA:O	1:A:251:THR:HG23	1.87	0.74
1:B:141:GLN:OE1	5:B:902:HOH:O	2.08	0.71
1:B:392:GLU:HG3	5:B:911:HOH:O	1.91	0.70
1:B:666:ASN:HD21	1:B:693:ARG:HE	1.39	0.69
1:A:666:ASN:HD22	4:A:806:EDO:H21	1.56	0.69
1:A:583:LEU:O	1:A:584:ILE:HD13	1.97	0.64
1:A:591:LEU:HD21	1:A:594:LEU:HD21	1.82	0.62
1:A:571:GLN:HE22	1:A:640:PRO:HA	1.65	0.61
1:A:544:GLY:HA3	1:A:570:THR:HG21	1.84	0.60
1:B:656:LYS:NZ	5:B:905:HOH:O	2.32	0.60
1:A:157:SER:HA	1:A:158:PRO:C	2.24	0.57
1:A:330:VAL:HG12	1:A:371:LEU:CD2	2.34	0.57
1:B:544:GLY:HA3	1:B:570:THR:CG2	2.34	0.57
1:A:41:TYR:CE1	1:A:259:GLU:HG2	2.40	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:666:ASN:HD21	1:A:693:ARG:HE	1.52	0.56
1:A:532:ILE:O	1:A:536:THR:CG2	2.51	0.56
1:A:560:GLN:NE2	1:A:563:MET:H	2.04	0.55
1:A:544:GLY:HA3	1:A:570:THR:CG2	2.37	0.55
1:B:544:GLY:HA3	1:B:570:THR:HG23	1.88	0.55
1:B:666:ASN:HD21	1:B:693:ARG:NE	2.04	0.54
1:A:480:SER:HB3	1:A:624:THR:O	2.07	0.54
1:B:518:LEU:HD13	1:B:529:ILE:HG23	1.91	0.53
1:B:566:ARG:O	1:B:570:THR:HG23	2.09	0.53
1:B:270:SER:O	1:B:274:GLU:HG3	2.09	0.52
1:B:514:ASN:HD21	1:B:516:ASP:HB2	1.75	0.52
1:B:293:THR:HG23	1:B:397:THR:HG21	1.92	0.52
1:B:151:GLN:HG2	5:B:990:HOH:O	2.11	0.51
1:A:293:THR:HG23	1:A:397:THR:HG21	1.93	0.51
1:A:512:VAL:HG21	1:A:536:THR:HG21	1.91	0.51
1:B:514:ASN:HD22	1:B:517:ILE:H	1.58	0.51
1:B:266:ASN:HD22	1:B:268:HIS:H	1.57	0.50
1:B:190:GLN:HE22	1:B:200:ILE:HG12	1.75	0.50
1:B:666:ASN:ND2	1:B:693:ARG:HE	2.08	0.50
1:A:392:GLU:OE2	5:A:901:HOH:O	2.19	0.48
1:B:560:GLN:HE22	1:B:562:HIS:HB2	1.78	0.48
4:B:804:EDO:H21	5:B:911:HOH:O	2.14	0.47
1:A:47:TRP:CD2	1:A:693:ARG:HD3	2.50	0.47
1:A:514:ASN:HD21	1:A:516:ASP:HB2	1.79	0.47
1:B:480:SER:HB3	1:B:624:THR:O	2.14	0.47
1:B:404:LEU:HB3	1:B:407:ILE:HG12	1.97	0.47
1:A:41:TYR:CZ	1:A:259:GLU:HG2	2.50	0.47
1:B:473:LEU:HD12	1:B:620:VAL:HG11	1.97	0.47
1:A:560:GLN:HE21	1:A:563:MET:H	1.62	0.46
1:A:512:VAL:HG21	1:A:536:THR:CG2	2.46	0.46
1:A:99:ILE:CG2	1:A:683:ALA:HB1	2.46	0.45
1:A:666:ASN:ND2	1:A:693:ARG:HE	2.14	0.45
1:A:203:THR:HA	1:A:216:LEU:O	2.17	0.45
1:B:266:ASN:ND2	1:B:269:GLN:H	2.15	0.45
1:B:157:SER:HA	1:B:158:PRO:C	2.38	0.44
1:A:514:ASN:HD22	1:A:517:ILE:H	1.65	0.44
1:B:41:TYR:CE1	1:B:259:GLU:HG2	2.52	0.44
1:A:566:ARG:O	1:A:570:THR:CG2	2.61	0.44
1:B:509:LEU:O	1:B:512:VAL:HG12	2.18	0.43
1:A:288:HIS:HD2	1:A:390:TYR:OH	2.01	0.43
1:A:37:LEU:HD13	1:A:263:TYR:CE1	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:558:HIS:HD2	5:B:989:HOH:O	2.02	0.42
1:B:269:GLN:HA	1:B:272:MET:SD	2.60	0.42
1:B:428:TYR:HA	1:B:535:ILE:HD12	2.00	0.42
1:A:666:ASN:HD21	1:A:693:ARG:NE	2.16	0.42
1:B:560:GLN:NE2	1:B:563:MET:H	2.18	0.42
1:A:220:ALA:HB1	1:A:251:THR:HG22	2.01	0.42
1:A:540:MET:SD	1:A:566:ARG:HG2	2.60	0.42
1:B:431:TRP:HB2	1:B:535:ILE:HG13	2.02	0.41
1:B:266:ASN:HD22	1:B:268:HIS:N	2.18	0.41
1:B:352:LEU:HD13	1:B:354:TRP:CZ2	2.55	0.41
1:A:17:ALA:H	1:A:100:GLN:HE22	1.68	0.41
1:A:386:ASN:HD22	1:A:386:ASN:C	2.25	0.41
1:B:9:GLU:HA	1:B:12:LEU:HD22	2.01	0.41
1:A:427:LEU:HA	1:A:427:LEU:HD12	1.97	0.40
1:B:250:LEU:O	1:B:254:VAL:HG13	2.22	0.40
1:A:415:GLU:HG2	1:A:657:LEU:HD13	2.03	0.40
1:A:560:GLN:HE22	1:A:562:HIS:HB2	1.87	0.40
1:A:8:ARG:HG2	1:A:156:LEU:HD13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	690/703 (98%)	675 (98%)	15 (2%)	0	100	100
1	B	691/703 (98%)	674 (98%)	17 (2%)	0	100	100
All	All	1381/1406 (98%)	1349 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	584/594 (98%)	552 (94%)	32 (6%)	25	29
1	B	585/594 (98%)	550 (94%)	35 (6%)	22	25
All	All	1169/1188 (98%)	1102 (94%)	67 (6%)	23	28

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ARG
1	A	12	LEU
1	A	129	PHE
1	A	168	LYS
1	A	246	TYR
1	A	266	ASN
1	A	270	SER
1	A	333	GLN
1	A	334	LEU
1	A	368	PHE
1	A	376	PHE
1	A	386	ASN
1	A	387	ILE
1	A	397	THR
1	A	408	LEU
1	A	411	LYS
1	A	422	PRO
1	A	446	LEU
1	A	468	LYS
1	A	480	SER
1	A	514	ASN
1	A	526	LYS
1	A	536	THR
1	A	560	GLN
1	A	570	THR
1	A	585	GLN
1	A	592	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	647	LYS
1	A	654	LYS
1	A	669	VAL
1	A	674	VAL
1	A	696	LEU
1	B	7	HIS
1	B	8	ARG
1	B	12	LEU
1	B	129	PHE
1	B	159	GLU
1	B	259	GLU
1	B	266	ASN
1	B	272	MET
1	B	284	SER
1	B	286	PRO
1	B	330	VAL
1	B	368	PHE
1	B	375	SER
1	B	376	PHE
1	B	386	ASN
1	B	387	ILE
1	B	392	GLU
1	B	397	THR
1	B	404	LEU
1	B	408	LEU
1	B	416	GLU
1	B	468	LYS
1	B	476	LYS
1	B	480	SER
1	B	514	ASN
1	B	522	ASN
1	B	560	GLN
1	B	570	THR
1	B	575	GLN
1	B	588	ASN
1	B	596	VAL
1	B	611	VAL
1	B	669	VAL
1	B	670	VAL
1	B	696	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	100	GLN
1	A	141	GLN
1	A	190	GLN
1	A	208	ASN
1	A	266	ASN
1	A	288	HIS
1	A	386	ASN
1	A	401	ASN
1	A	514	ASN
1	A	522	ASN
1	A	533	GLN
1	A	560	GLN
1	A	571	GLN
1	A	588	ASN
1	A	666	ASN
1	B	100	GLN
1	B	141	GLN
1	B	190	GLN
1	B	208	ASN
1	B	266	ASN
1	B	386	ASN
1	B	401	ASN
1	B	414	ASN
1	B	514	ASN
1	B	533	GLN
1	B	558	HIS
1	B	560	GLN
1	B	571	GLN
1	B	588	ASN
1	B	666	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	802	-	5,5,5	0.24	0	5,5,5	1.25	1 (20%)
3	GOL	A	803	-	5,5,5	0.24	0	5,5,5	0.92	0
3	GOL	A	804	-	5,5,5	0.53	0	5,5,5	0.60	0
4	EDO	A	805	-	3,3,3	0.56	0	2,2,2	0.35	0
4	EDO	A	806	-	3,3,3	0.55	0	2,2,2	0.47	0
3	GOL	B	802	-	5,5,5	0.71	0	5,5,5	0.61	0
3	GOL	B	803	-	5,5,5	0.42	0	5,5,5	0.72	0
4	EDO	B	804	-	3,3,3	0.38	0	2,2,2	0.72	0
4	EDO	B	805	-	3,3,3	0.60	0	2,2,2	0.97	0
4	EDO	B	806	-	3,3,3	0.56	0	2,2,2	0.15	0
4	EDO	B	807	-	3,3,3	0.61	0	2,2,2	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	802	-	-	0/4/4/4	0/0/0/0
3	GOL	A	803	-	-	0/4/4/4	0/0/0/0
3	GOL	A	804	-	-	0/4/4/4	0/0/0/0
4	EDO	A	805	-	-	0/1/1/1	0/0/0/0
4	EDO	A	806	-	-	0/1/1/1	0/0/0/0
3	GOL	B	802	-	-	0/4/4/4	0/0/0/0
3	GOL	B	803	-	-	0/4/4/4	0/0/0/0
4	EDO	B	804	-	-	0/1/1/1	0/0/0/0
4	EDO	B	805	-	-	0/1/1/1	0/0/0/0
4	EDO	B	806	-	-	0/1/1/1	0/0/0/0
4	EDO	B	807	-	-	0/1/1/1	0/0/0/0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	GOL	O1-C1-C2	-2.23	98.82	110.07

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	806	EDO	1	0
4	B	804	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	691/703 (98%)	-0.31	0 100 100	9, 20, 38, 63	0
1	B	690/703 (98%)	-0.05	3 (0%) 92 91	8, 25, 48, 82	0
All	All	1381/1406 (98%)	-0.18	3 (0%) 94 94	8, 22, 43, 82	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	478	ILE	2.4
1	B	7	HIS	2.1
1	B	468	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	GOL	A	803	6/6	0.87	0.20	4.37	30,34,35,42	0
4	EDO	A	806	4/4	0.92	0.17	2.67	33,33,34,36	0
4	EDO	B	804	4/4	0.90	0.24	2.16	27,30,32,41	0
4	EDO	B	805	4/4	0.92	0.14	1.06	32,34,35,35	0
4	EDO	A	805	4/4	0.94	0.14	1.05	25,28,29,30	0
3	GOL	A	802	6/6	0.96	0.13	0.94	17,18,20,20	0
3	GOL	A	804	6/6	0.92	0.13	0.94	23,32,39,40	0
4	EDO	B	807	4/4	0.95	0.15	0.81	36,38,38,39	0
4	EDO	B	806	4/4	0.90	0.18	0.68	36,36,37,39	0
3	GOL	B	802	6/6	0.89	0.15	0.64	26,28,30,32	0
2	ZN	A	801	1/1	1.00	0.08	-2.42	15,15,15,15	0
2	ZN	B	801	1/1	0.99	0.08	-2.63	23,23,23,23	0
3	GOL	B	803	6/6	0.81	0.22	-	42,48,49,49	0

6.5 Other polymers ⓘ

There are no such residues in this entry.